

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/30/2019

Version Number 3

Reviewed on 03/30/2019

1 Identification

- **Product identifier**
- **Trade name:** Organochlorine Pesticides Standard (1X1 mL)
- **Part number:** PPM-508B-1
- **Application of the substance / the mixture** Reagents and Standards for Analytical Chemical Laboratory Use
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
 Agilent Technologies, Inc.
 5301 Stevens Creek Blvd.
 Santa Clara, CA 95051 USA
- **Information department:**
 Telephone: 800-227-9770
 e-mail: pdl-msds_author@agilent.com
- **Emergency telephone number:** CHEMTREC®: 1-800-424-9300

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS06 Skull and crossbones

Acute Tox. 3 H311 Toxic in contact with skin.



GHS08 Health hazard

Carc. 1A H350 May cause cancer.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Skin Irrit. 2 H315 Causes skin irritation.

Lact. H362 May cause harm to breast-fed children.

- **Label elements**

- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS02



GHS06



GHS07



GHS08

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/30/2019

Version Number 3

Reviewed on 03/30/2019

Trade name: Organochlorine Pesticides Standard (1X1 mL)

(Contd. of page 1)

· **Signal word** Danger

· **Hazard-determining components of labeling:**

tert-butyl methyl ether
 endosulfan sulfate
 γ -HCH or γ -BHC
 dieldrin (ISO)

· **Hazard statements**

Highly flammable liquid and vapor.
 Harmful if swallowed.
 Toxic in contact with skin.
 Causes skin irritation.
 May cause cancer.
 May cause harm to breast-fed children.

· **Precautionary statements**

Obtain special instructions before use.
 Do not handle until all safety precautions have been read and understood.
 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
 Keep container tightly closed.
 Ground/bond container and receiving equipment.
 Use explosion-proof electrical/ventilating/lighting/equipment.
 Use only non-sparking tools.
 Take precautionary measures against static discharge.
 Do not breathe dusts or mists.
 Avoid contact during pregnancy/while nursing.
 Wash thoroughly after handling.
 Do not eat, drink or smoke when using this product.
 Wear protective gloves/protective clothing/eye protection/face protection.
 If swallowed: Call a poison center/doctor if you feel unwell.
 Rinse mouth.
 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
 IF exposed or concerned: Get medical advice/attention.
 Specific treatment (see on this label).
 Take off immediately all contaminated clothing and wash it before reuse.
 If skin irritation occurs: Get medical advice/attention.
 In case of fire: Use for extinction: CO₂, powder or water spray.
 Store in a well-ventilated place. Keep cool.
 Store locked up.
 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



· **HMIS-ratings (scale 0 - 4)**



(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/30/2019

Version Number 3

Reviewed on 03/30/2019

Trade name: Organochlorine Pesticides Standard (1X1 mL)

(Contd. of page 2)

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

- **Dangerous components:**

1634-04-4	tert-butyl methyl ether	97.703%
309-00-2	aldrin (ISO)	0.135%
72-54-8	TDE	0.135%
50-29-3	DDT (common name not adopted by ISO)	0.135%
72-55-9	2,2-bis(p-chlorophenyl)-1,1-dichloroethylene	0.135%
60-57-1	dieldrin (ISO)	0.135%
76-44-8	heptachlor (ISO)	0.135%
319-84-6	alpha-BHC (alpha-HCH)	0.135%
1024-57-3	heptachlor epoxide - isomer B	0.135%
319-85-7	(1alpha,2beta,3alpha,4beta,5alpha,6beta)-1,2,3,4,5,6-hexachlorocyclohexane	0.135%
319-86-8	delta-BHC (delta-HCH)	0.135%
58-89-9	gamma-HCH or gamma-BHC	0.135%
72-43-5	methoxychlor	0.135%

4 First-aid measures

- **Description of first aid measures**
- **General information:**
Immediately remove any clothing soiled by the product.
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
In case of irregular breathing or respiratory arrest provide artificial respiration.
- **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** Immediately call a doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/30/2019

Version Number 3

Reviewed on 03/30/2019

Trade name: Organochlorine Pesticides Standard (1X1 mL)

(Contd. of page 3)

- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture**
During heating or in case of fire poisonous gases are produced.
- **Advice for firefighters**
- **Protective equipment:** Mouth respiratory protective device.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Mount respiratory protective device.
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· PAC-1:

1634-04-4	tert-butyl methyl ether	50 ppm
309-00-2	aldrin (ISO)	0.91 mg/m ³
72-54-8	TDE	2.4 mg/m ³
50-29-3	DDT (common name not adopted by ISO)	3 mg/m ³
72-55-9	2,2-bis(p-chlorophenyl)-1,1-dichloroethylene	6.5 mg/m ³
60-57-1	dieldrin (ISO)	0.3 mg/m ³
72-20-8	endrin (ISO)	1.8 mg/m ³
76-44-8	heptachlor (ISO)	0.15 mg/m ³
1024-57-3	heptachlor epoxide - isomer B	0.15 mg/m ³
58-89-9	γ -HCH or γ -BHC	9.1 mg/m ³
72-43-5	methoxychlor	30 mg/m ³

· PAC-2:

1634-04-4	tert-butyl methyl ether	570 ppm
309-00-2	aldrin (ISO)	10 mg/m ³
72-54-8	TDE	26 mg/m ³
50-29-3	DDT (common name not adopted by ISO)	34 mg/m ³
72-55-9	2,2-bis(p-chlorophenyl)-1,1-dichloroethylene	72 mg/m ³
60-57-1	dieldrin (ISO)	6.8 mg/m ³
72-20-8	endrin (ISO)	20 mg/m ³
76-44-8	heptachlor (ISO)	14 mg/m ³
1024-57-3	heptachlor epoxide - isomer B	0.5 mg/m ³
58-89-9	γ -HCH or γ -BHC	100 mg/m ³
72-43-5	methoxychlor	150 mg/m ³

(Contd. on page 5)

Safety Data Sheet acc. to OSHA HCS

Printing date 03/30/2019

Version Number 3

Reviewed on 03/30/2019

Trade name: Organochlorine Pesticides Standard (1X1 mL)

(Contd. of page 4)

· PAC-3:		
1634-04-4	tert-butyl methyl ether	5300* ppm
309-00-2	aldrin (ISO)	100 mg/m ³
72-54-8	TDE	160 mg/m ³
50-29-3	DDT (common name not adopted by ISO)	210 mg/m ³
72-55-9	2,2-bis(p-chlorophenyl)-1,1-dichloroethylene	170 mg/m ³
60-57-1	dieldrin (ISO)	450 mg/m ³
72-20-8	endrin (ISO)	2,000 mg/m ³
76-44-8	heptachlor (ISO)	700 mg/m ³
1024-57-3	heptachlor epoxide - isomer B	3 mg/m ³
58-89-9	γ -HCH or γ -BHC	1,000 mg/m ³
72-43-5	methoxychlor	4,500 mg/m ³

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Open and handle receptacle with care.
Prevent formation of aerosols.
- **Information about protection against explosions and fires:**
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
Keep respiratory protective device available.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
Keep receptacle tightly sealed.
Store in cool, dry conditions in well sealed receptacles.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

· Components with limit values that require monitoring at the workplace:	
1634-04-4 tert-butyl methyl ether	
TLV	Long-term value: 180 mg/m ³ , 50 ppm
1024-57-3 heptachlor epoxide - isomer B	
TLV	Long-term value: 0.05 mg/m ³ Skin

- **Additional information:** The lists that were valid during the creation were used as basis.

(Contd. on page 6)

Safety Data Sheet acc. to OSHA HCS

Printing date 03/30/2019

Version Number 3

Reviewed on 03/30/2019

Trade name: Organochlorine Pesticides Standard (1X1 mL)

(Contd. of page 5)

- **Exposure controls**

- **Personal protective equipment:**

- **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

- **Breathing equipment:**

When used as intended with Agilent instruments, the use of the product under normal laboratory conditions and with standard practices does not result in significant airborne exposures and therefore respiratory protection is not needed.

Under an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved device/equipment with appropriate organic or acid gas cartridge.

- **Protection of hands:**

Although not recommended for constant contact with the chemicals or for clean-up, nitrile gloves 11-13 mil thickness are recommended for normal use. The breakthrough time is 1 hr. For cleaning a spill where there is direct contact of the chemical, butyl rubber gloves are recommended 12-15 mil thickness with breakthrough times exceeding 4 hrs. Supplier recommendations should be followed.

- **Material of gloves**

For normal use: nitrile rubber, 11-13 mil thickness

For direct contact with the chemical: butyl rubber, 12-15 mil thickness

- **Penetration time of glove material**

For normal use: nitrile rubber: 1 hour

For direct contact with the chemical: butyl rubber: >4 hours

- **Eye protection:**



Tightly sealed goggles

* 9 Physical and chemical properties

- **Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

Form: Fluid

Color: Colorless

· **Odor:** Characteristic

· **Odor threshold:** Not determined.

· **pH-value:** Not determined.

- **Change in condition**

Melting point/Melting range: Undetermined.

Boiling point/Boiling range: 55.2 °C (131.4 °F)

· **Flash point:** 0 °C (32 °F)

· **Flammability (solid, gaseous):** Not applicable.

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/30/2019

Version Number 3

Reviewed on 03/30/2019

Trade name: Organochlorine Pesticides Standard (1X1 mL)

(Contd. of page 6)

· Ignition temperature:	374 °C (705.2 °F)
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
· Explosion limits:	
Lower:	1.6 Vol %
Upper:	8.4 Vol %
· Vapor pressure at 20 °C (68 °F):	279 hPa (209.3 mm Hg)
· Density at 20 °C (68 °F):	0.74 g/cm ³ (6.1753 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with Water at 25 °C (77 °F):	51 g/l
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
Dynamic at 20 °C (68 °F):	0.27 mPas
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	97.8 %
VOC content:	97.84 %
	978.4 g/l / 8.17 lb/gal
Solids content:	2.3 %
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/30/2019

Version Number 3

Reviewed on 03/30/2019

Trade name: Organochlorine Pesticides Standard (1X1 mL)

(Contd. of page 7)

11 Toxicological information

· **Information on toxicological effects**

· **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

ATE (Acute Toxicity Estimate)

Oral	LD50	961 mg/kg
Dermal	LD50	782 mg/kg
Inhalative	LC50/4 h	247 mg/L

1634-04-4 tert-butyl methyl ether

Oral	LD50	4,000 mg/kg (rat)
Dermal	LD50	1,000 mg/kg (rabbit)
Inhalative	LC50/4 h	23,576 mg/L (rat)

309-00-2 aldrin (ISO)

Oral	LD50	39 mg/kg (rat)
Dermal	LD50	98 mg/kg (rat) 15 mg/kg (rabbit)

72-54-8 TDE

Dermal	LD50	1,200 mg/kg (rabbit)
--------	------	----------------------

50-29-3 DDT (common name not adopted by ISO)

Oral	LD50	87 mg/kg (rat)
Dermal	LD50	2,510 mg/kg (rat) 300 mg/kg (rabbit)

72-55-9 2,2-bis(p-chlorophenyl)-1,1-dichloroethylene

Oral	LD50	880 mg/kg (rat)
------	------	-----------------

60-57-1 dieldrin (ISO)

Oral	LD50	38 mg/kg (mouse) 38 mg/kg (rat)
Dermal	LD50	10 mg/kg (rat) 250 mg/kg (rabbit)

72-20-8 endrin (ISO)

Oral	LD50	3 mg/kg (rat)
Dermal	LD50	60 mg/kg (rat) 60 mg/kg (rabbit)

959-98-8 endosulfan I

Oral	LD50	76 mg/kg (rat)
------	------	----------------

33213-65-9 endosulfan II

Oral	LD50	240 mg/kg (rat)
------	------	-----------------

1031-07-8 endosulfan sulfate

Oral	LD50	18 mg/kg (rat)
------	------	----------------

(Contd. on page 9)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/30/2019

Version Number 3

Reviewed on 03/30/2019

Trade name: Organochlorine Pesticides Standard (1X1 mL)

(Contd. of page 8)

76-44-8 heptachlor (ISO)		
Oral	LD50	40 mg/kg (rat)
Dermal	LD50	119 mg/kg (rat)
319-84-6 alpha-BHC (alpha-HCH)		
Oral	LD50	177 mg/kg (rat)
1024-57-3 heptachlor epoxide - isomer B		
Oral	LD50	15 mg/kg (rat)
319-85-7 (1alpha,2beta,3alpha,4beta,5alpha,6beta)-1,2,3,4,5,6-hexachlorocyclohexane		
Oral	LD50	6,000 mg/kg (rat)
319-86-8 delta-BHC (delta-HCH)		
Oral	LD50	1,000 mg/kg (rat)
58-89-9 gamma-HCH or gamma-BHC		
Oral	LD50	88 mg/kg (rat)
Dermal	LD50	900 mg/kg (rat)
Inhalative	LC50/4 h	1,560 mg/L (rat)
72-43-5 methoxychlor		
Oral	LD50	1,855 mg/kg (rat)
Dermal	LD50	6,000 mg/kg (rat)

- **Primary irritant effect:**

- **on the skin:** Irritant to skin and mucous membranes.

- **on the eye:** No irritating effect.

- **Sensitization:** No sensitizing effects known.

- **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

Toxic

Harmful

Irritant

- **Carcinogenic categories**

· IARC (International Agency for Research on Cancer)		
1634-04-4	tert-butyl methyl ether	3
309-00-2	aldrin (ISO)	3
50-29-3	DDT (common name not adopted by ISO)	2A
60-57-1	dieldrin (ISO)	3
72-20-8	endrin (ISO)	3
76-44-8	heptachlor (ISO)	2B
319-84-6	alpha-BHC (alpha-HCH)	2B
1024-57-3	heptachlor epoxide - isomer B	2B
319-85-7	(1alpha,2beta,3alpha,4beta,5alpha,6beta)-1,2,3,4,5,6-hexachlorocyclohexane	2B
58-89-9	gamma-HCH or gamma-BHC	1
72-43-5	methoxychlor	3
· NTP (National Toxicology Program)		
50-29-3	DDT (common name not adopted by ISO)	R

(Contd. on page 10)

Safety Data Sheet acc. to OSHA HCS

Printing date 03/30/2019

Version Number 3

Reviewed on 03/30/2019

Trade name: Organochlorine Pesticides Standard (1X1 mL)

(Contd. of page 9)

319-84-6	alpha-BHC (alpha-HCH)	R
319-85-7	(1 alpha,2β,3alpha,4β,5alpha,6β)-1,2,3,4,5,6-hexachlorocyclohexane	R
319-86-8	delta-BHC (delta-HCH)	R
58-89-9	γ -HCH or γ -BHC	R

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
 Water hazard class 2 (Self-assessment): hazardous for water
 Do not allow product to reach ground water, water course or sewage system.
 Danger to drinking water if even small quantities leak into the ground.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
 Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

· Not Regulated, De minimus Quantities	-
· UN-Number · DOT, IMDG, IATA	UN2350
· UN proper shipping name · DOT · IMDG · IATA	Butyl methyl ether solution BUTYL METHYL ETHER solution, MARINE POLLUTANT BUTYL METHYL ETHER solution

(Contd. on page 11)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/30/2019

Version Number 3

Reviewed on 03/30/2019

Trade name: Organochlorine Pesticides Standard (1X1 mL)

(Contd. of page 10)

· **Transport hazard class(es)**· **DOT, IATA**· **Class**

3 Flammable liquids

· **Label**

3

· **IMDG**· **Class**

3 Flammable liquids

· **Label**

3

· **Packing group**· **DOT, IMDG, IATA**

II

· **Environmental hazards:**

Product contains environmentally hazardous substances: dieldrin (ISO)

· **Marine pollutant:**

Symbol (fish and tree)

· **Special precautions for user**

Warning: Flammable liquids

· **Danger code (Kemler):**

33

· **EMS Number:**

F-E,S-D

· **Stowage Category**

B

· **Stowage Code**

SW2 Clear of living quarters.

· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Not applicable.

· **Transport/Additional information:**· **DOT**· **Quantity limitations**

On passenger aircraft/rail: 5 L

On cargo aircraft only: 60 L

· **IMDG**· **Limited quantities (LQ)**

1L

· **Excepted quantities (EQ)**

Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

· **UN "Model Regulation":**

UN 2350 BUTYL METHYL ETHER SOLUTION, 3, II

US

(Contd. on page 12)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/30/2019

Version Number 3

Reviewed on 03/30/2019

Trade name: Organochlorine Pesticides Standard (1X1 mL)

(Contd. of page 11)

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture

- Sara

- **Section 355 (extremely hazardous substances):**

309-00-2	aldrin (ISO)
72-20-8	endrin (ISO)
58-89-9	γ -HCH or γ -BHC

- **Section 313 (Specific toxic chemical listings):**

1634-04-4	tert-butyl methyl ether
309-00-2	aldrin (ISO)
76-44-8	heptachlor (ISO)
319-84-6	alpha-BHC (alpha-HCH)
58-89-9	γ -HCH or γ -BHC
72-43-5	methoxychlor

- **TSCA (Toxic Substances Control Act):**

1634-04-4	tert-butyl methyl ether
50-29-3	DDT (common name not adopted by ISO)
319-84-6	alpha-BHC (alpha-HCH)
319-85-7	(1 α ,2 β ,3 α ,4 β ,5 α ,6 β)-1,2,3,4,5,6-hexachlorocyclohexane
319-86-8	delta-BHC (delta-HCH)
58-89-9	γ -HCH or γ -BHC

- **TSCA new (21st Century Act): (Substances not listed)**

309-00-2	aldrin (ISO)
72-54-8	TDE
50-29-3	DDT (common name not adopted by ISO)
72-55-9	2,2-bis(p-chlorophenyl)-1,1-dichloroethylene
60-57-1	dieldrin (ISO)
76-44-8	heptachlor (ISO)
319-84-6	alpha-BHC (alpha-HCH)
1024-57-3	heptachlor epoxide - isomer B
319-85-7	(1 α ,2 β ,3 α ,4 β ,5 α ,6 β)-1,2,3,4,5,6-hexachlorocyclohexane
319-86-8	delta-BHC (delta-HCH)
58-89-9	γ -HCH or γ -BHC
72-43-5	methoxychlor

- **Proposition 65**

- **Chemicals known to cause cancer:**

309-00-2	aldrin (ISO)
72-54-8	TDE
50-29-3	DDT (common name not adopted by ISO)
72-55-9	2,2-bis(p-chlorophenyl)-1,1-dichloroethylene
60-57-1	dieldrin (ISO)

(Contd. on page 13)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/30/2019

Version Number 3

Reviewed on 03/30/2019

Trade name: Organochlorine Pesticides Standard (1X1 mL)

(Contd. of page 12)

76-44-8	heptachlor (ISO)
319-84-6	alpha-BHC (alpha-HCH)
1024-57-3	heptachlor epoxide - isomer B
319-85-7	(1alpha,2beta,3alpha,4beta,5alpha,6beta)-1,2,3,4,5,6-hexachlorocyclohexane
319-86-8	delta-BHC (delta-HCH)
58-89-9	gamma-HCH or gamma-BHC

· Chemicals known to cause reproductive toxicity for females:

50-29-3	DDT (common name not adopted by ISO)
---------	--------------------------------------

· Chemicals known to cause reproductive toxicity for males:

50-29-3	DDT (common name not adopted by ISO)
72-55-9	2,2-bis(p-chlorophenyl)-1,1-dichloroethylene

· Chemicals known to cause developmental toxicity:

50-29-3	DDT (common name not adopted by ISO)
72-55-9	2,2-bis(p-chlorophenyl)-1,1-dichloroethylene
72-20-8	endrin (ISO)
76-44-8	heptachlor (ISO)

· Carcinogenic categories
· EPA (Environmental Protection Agency)

309-00-2	aldrin (ISO)	B2
72-54-8	TDE	B2
50-29-3	DDT (common name not adopted by ISO)	B2
72-55-9	2,2-bis(p-chlorophenyl)-1,1-dichloroethylene	B2
60-57-1	dieldrin (ISO)	B2
72-20-8	endrin (ISO)	D
76-44-8	heptachlor (ISO)	B2
319-84-6	alpha-BHC (alpha-HCH)	B2
1024-57-3	heptachlor epoxide - isomer B	B2
319-85-7	(1alpha,2beta,3alpha,4beta,5alpha,6beta)-1,2,3,4,5,6-hexachlorocyclohexane	C
319-86-8	delta-BHC (delta-HCH)	D
72-43-5	methoxychlor	D

· TLV (Threshold Limit Value established by ACGIH)

1634-04-4	tert-butyl methyl ether	A3
309-00-2	aldrin (ISO)	A3
50-29-3	DDT (common name not adopted by ISO)	A3
60-57-1	dieldrin (ISO)	(A4)
72-20-8	endrin (ISO)	A4
76-44-8	heptachlor (ISO)	A3
1024-57-3	heptachlor epoxide - isomer B	A3
58-89-9	gamma-HCH or gamma-BHC	A3
72-43-5	methoxychlor	A4

(Contd. on page 14)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/30/2019

Version Number 3

Reviewed on 03/30/2019

Trade name: Organochlorine Pesticides Standard (1X1 mL)

(Contd. of page 13)

· NIOSH-Ca (National Institute for Occupational Safety and Health)	
309-00-2	aldrin (ISO)
50-29-3	DDT (common name not adopted by ISO)
60-57-1	dieldrin (ISO)
76-44-8	heptachlor (ISO)
1024-57-3	heptachlor epoxide - isomer B
72-43-5	methoxychlor

- **National regulations:**

- **Information about limitation of use:**

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation.
 Exceptions can be made by the authorities in certain cases.

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation.
 No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

- **Department issuing SDS:** Document Control / Regulatory

- **Contact:** regulatory@ultrasci.com

- **Date of preparation / last revision** 03/30/2019 / 2

- **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flam. Liq. 2: Flammable liquids – Category 2

Acute Tox. 4: Acute toxicity – Category 4

Acute Tox. 3: Acute toxicity – Category 3

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Carc. 1A: Carcinogenicity – Category 1A

Lact.: Reproductive toxicity – effects on or via lactation

- *** Data compared to the previous version altered.**