

Safety Data Sheet
acc. to OSHA HCS

Printing date 04/22/2019

Version Number 1

Reviewed on 04/22/2019

1 Identification

- **Product identifier**
- **Trade name:** Pesticides Standard (1 x 1 mL)
- **Part number:** PPM-554-1
- **Application of the substance / the mixture** Reagents and Standards for Analytical Chemical Laboratory Use
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Agilent Technologies, Inc.
5301 Stevens Creek Blvd.
Santa Clara, CA 95051 USA
- **Information department:**
Telephone: 800-227-9770
e-mail: pdl-msds_author@agilent.com
- **Emergency telephone number:** CHEMTREC®: 1-800-424-9300

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS08 Health hazard

Carc. 1A H350 May cause cancer.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H336 May cause drowsiness or dizziness.

Lact. H362 May cause harm to breast-fed children.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS02



GHS07



GHS08

- **Signal word** Danger
- **Hazard-determining components of labeling:**
acetone

(Contd. on page 2)

Safety Data Sheet
acc. to OSHA HCS

Printing date 04/22/2019

Version Number 1

Reviewed on 04/22/2019

Trade name: Pesticides Standard (1 x 1 mL)

(Contd. of page 1)

endrin ketone
 γ -HCH or γ -BHC
endrin (ISO)
alachlor (ISO)
atrazine (ISO)
metolachlor
trifluralin (ISO) (containing < 0,5 ppm NPDA)

· Hazard statements

Highly flammable liquid and vapor.
Harmful if swallowed.
Causes serious eye irritation.
May cause an allergic skin reaction.
May cause cancer.
May cause harm to breast-fed children.
May cause drowsiness or dizziness.

· Precautionary statements

Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
Ground/bond container and receiving equipment.
Use explosion-proof electrical/ventilating/lighting/equipment.
Use only non-sparking tools.
Take precautionary measures against static discharge.
Do not breathe dusts or mists.
Avoid contact during pregnancy/while nursing.
Wash thoroughly after handling.
Do not eat, drink or smoke when using this product.
Use only outdoors or in a well-ventilated area.
Contaminated work clothing must not be allowed out of the workplace.
Wear protective gloves/protective clothing/eye protection/face protection.
If swallowed: Call a poison center/doctor if you feel unwell.
Rinse mouth.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
IF exposed or concerned: Get medical advice/attention.
Specific treatment (see on this label).
If skin irritation or rash occurs: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.
Wash contaminated clothing before reuse.
In case of fire: Use for extinction: CO₂, powder or water spray.
Store in a well-ventilated place. Keep container tightly closed.
Store in a well-ventilated place. Keep cool.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.

· Classification system:**· NFPA ratings (scale 0 - 4)**

Health = 2
Fire = 3
Reactivity = 0

(Contd. on page 3)

Safety Data Sheet acc. to OSHA HCS

Printing date 04/22/2019

Version Number 1

Reviewed on 04/22/2019

Trade name: Pesticides Standard (1 x 1 mL)

(Contd. of page 2)

· HMIS-ratings (scale 0 - 4)

HEALTH	2	Health = *2
FIRE	3	Fire = 3
REACTIVITY	0	Reactivity = 0

· Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

67-64-1	acetone	97.851%
15972-60-8	alachlor (ISO)	0.126%
1912-24-9	atrazine (ISO)	0.126%
58-89-9	γ -HCH or γ -BHC	0.126%
76-44-8	heptachlor (ISO)	0.126%
1024-57-3	heptachlor epoxide - isomer B	0.126%
118-74-1	hexachlorobenzene	0.126%
72-43-5	methoxychlor	0.126%
51218-45-2	metolachlor	0.126%
122-34-9	simazine (ISO)	0.126%
1582-09-8	trifluralin (ISO) (containing < 0,5 ppm NPDA)	0.126%

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact: Immediately wash with water and soap and rinse thoroughly.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing: Immediately call a doctor.

· Information for doctor:

· **Most important symptoms and effects, both acute and delayed** No further relevant information available.

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 04/22/2019

Version Number 1

Reviewed on 04/22/2019

Trade name: Pesticides Standard (1 x 1 mL)

(Contd. of page 3)

- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture**
During heating or in case of fire poisonous gases are produced.
- **Advice for firefighters**
- **Protective equipment:** Mouth respiratory protective device.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Mount respiratory protective device.
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· PAC-1:

67-64-1	acetone	200 ppm
58-89-9	γ -HCH or γ -BHC	9.1 mg/m ³
72-20-8	endrin (ISO)	1.8 mg/m ³
76-44-8	heptachlor (ISO)	0.15 mg/m ³
1024-57-3	heptachlor epoxide - isomer B	0.15 mg/m ³
118-74-1	hexachlorobenzene	0.006 mg/m ³
77-47-4	hexachlorocyclopentadiene	0.03 ppm
72-43-5	methoxychlor	30 mg/m ³
1582-09-8	trifluralin (ISO) (containing < 0,5 ppm NPDA)	1.2 mg/m ³

· PAC-2:

67-64-1	acetone	3200* ppm
58-89-9	γ -HCH or γ -BHC	100 mg/m ³
72-20-8	endrin (ISO)	20 mg/m ³
76-44-8	heptachlor (ISO)	14 mg/m ³
1024-57-3	heptachlor epoxide - isomer B	0.5 mg/m ³

(Contd. on page 5)

Safety Data Sheet acc. to OSHA HCS

Printing date 04/22/2019

Version Number 1

Reviewed on 04/22/2019

Trade name: Pesticides Standard (1 x 1 mL)

(Contd. of page 4)

118-74-1	hexachlorobenzene	14 mg/m ³
77-47-4	hexachlorocyclopentadiene	0.55 ppm
72-43-5	methoxychlor	150 mg/m ³
1582-09-8	trifluralin (ISO) (containing < 0,5 ppm NPDA)	13 mg/m ³
· PAC-3:		
67-64-1	acetone	5700* ppm
58-89-9	γ -HCH or γ -BHC	1,000 mg/m ³
72-20-8	endrin (ISO)	2,000 mg/m ³
76-44-8	heptachlor (ISO)	700 mg/m ³
1024-57-3	heptachlor epoxide - isomer B	3 mg/m ³
118-74-1	hexachlorobenzene	91 mg/m ³
77-47-4	hexachlorocyclopentadiene	1 ppm
72-43-5	methoxychlor	4,500 mg/m ³
1582-09-8	trifluralin (ISO) (containing < 0,5 ppm NPDA)	78 mg/m ³

7 Handling and storage

· Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.
Open and handle receptacle with care.
Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles: Store in a cool location.

· Information about storage in one common storage facility: Not required.

· Further information about storage conditions:

Keep receptacle tightly sealed.
Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

(Contd. on page 6)

Safety Data Sheet acc. to OSHA HCS

Printing date 04/22/2019

Version Number 1

Reviewed on 04/22/2019

Trade name: Pesticides Standard (1 x 1 mL)

(Contd. of page 5)

67-64-1 acetone

PEL	Long-term value: 2400 mg/m ³ , 1000 ppm
REL	Long-term value: 590 mg/m ³ , 250 ppm
TLV	Short-term value: 1187 mg/m ³ , 500 ppm
	Long-term value: 594 mg/m ³ , 250 ppm
BEI	

15972-60-8 alachlor (ISO)

TLV	Long-term value: 1* mg/m ³
	DSEN;*inhalable fraction and vapor

1024-57-3 heptachlor epoxide - isomer B

TLV	Long-term value: 0.05 mg/m ³
	Skin

118-74-1 hexachlorobenzene

TLV	Long-term value: 0.002 mg/m ³
	Skin

122-34-9 simazine (ISO)

TLV	Long-term value: 0.5* mg/m ³
	*inhalable fraction

Ingredients with biological limit values:
67-64-1 acetone

BEI	50 mg/L
	Medium: urine
	Time: end of shift
	Parameter: Acetone (nonspecific)

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Store protective clothing separately.
- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.

· **Breathing equipment:**

When used as intended with Agilent instruments, the use of the product under normal laboratory conditions and with standard practices does not result in significant airborne exposures and therefore respiratory protection is not needed.

Under an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved device/equipment with appropriate organic or acid gas cartridge.

· **Protection of hands:**

Although not recommended for constant contact with the chemicals or for clean-up, nitrile gloves 11-13 mil thickness are recommended for normal use. The breakthrough time is 1 hr. For cleaning a spill where there is direct contact of the chemical, butyl rubber gloves are recommended 12-15 mil thickness with breakthrough times exceeding 4 hrs. Supplier recommendations should be followed.

· **Material of gloves**

For normal use: nitrile rubber, 11-13 mil thickness

For direct contact with the chemical: butyl rubber, 12-15 mil thickness

(Contd. on page 7)

Safety Data Sheet acc. to OSHA HCS

Printing date 04/22/2019

Version Number 1

Reviewed on 04/22/2019

Trade name: Pesticides Standard (1 x 1 mL)

(Contd. of page 6)

- **Penetration time of glove material**
For normal use: nitrile rubber: 1 hour
For direct contact with the chemical: butyl rubber: >4 hours
- **Eye protection:**



Tightly sealed goggles

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form:	Fluid
Color:	Colorless
Odor:	Characteristic
Odor threshold:	Not determined.

· pH-value: Not determined.

· Change in condition

Melting point/Melting range:	-94.7 °C (-138.5 °F)
Boiling point/Boiling range:	56 °C (132.8 °F)

· Flash point: -17 °C (1.4 °F)

· Flammability (solid, gaseous): Not applicable.

· Ignition temperature: 465 °C (869 °F)

· Decomposition temperature: Not determined.

· Auto igniting: Product is not selfigniting.

· Danger of explosion: Product is not explosive. However, formation of explosive air/vapor mixtures are possible.

· Explosion limits:

Lower:	2.6 Vol %
Upper:	13 Vol %

· Vapor pressure at 20 °C (68 °F): 245.3 hPa (184 mm Hg)

· Density at 20 °C (68 °F): 0.791 g/cm³ (6.6009 lbs/gal)

· Relative density: Not determined.

· Vapor density: Not determined.

· Evaporation rate: Not determined.

· Solubility in / Miscibility with

Water: Not miscible or difficult to mix.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic at 20 °C (68 °F): 32 mPas

(Contd. on page 8)

Safety Data Sheet acc. to OSHA HCS

Printing date 04/22/2019

Version Number 1

Reviewed on 04/22/2019

Trade name: Pesticides Standard (1 x 1 mL)

(Contd. of page 7)

Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	98.0 %
VOC content:	0.13 %
	1.3 g/l / 0.01 lb/gal
· Solids content:	1.9 %
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

ATE (Acute Toxicity Estimate)

Oral	LD50	1,475 mg/kg (rat)
Dermal	LD50	16,692 mg/kg
Inhalative	LC50/4 h	>316 mg/L

67-64-1 acetone

Oral	LD50	5,800 mg/kg (rat)
Dermal	LD50	20,000 mg/kg (rabbit)

15972-60-8 alachlor (ISO)

Oral	LD50	930 mg/kg (rat)
Dermal	LD50	3,500 mg/kg (rabbit)

1912-24-9 atrazine (ISO)

Oral	LD50	672 mg/kg (rat)
Dermal	LD50	7,500 mg/kg (rabbit)
Inhalative	LC50/4 h	5,200 mg/L (rat)

58-89-9 γ -HCH or γ -BHC

Oral	LD50	88 mg/kg (rat)
Dermal	LD50	900 mg/kg (rat)
Inhalative	LC50/4 h	1,560 mg/L (rat)

(Contd. on page 9)

Safety Data Sheet acc. to OSHA HCS

Printing date 04/22/2019

Version Number 1

Reviewed on 04/22/2019

Trade name: Pesticides Standard (1 x 1 mL)

(Contd. of page 8)

21725-46-2 cyanazine (ISO)

Oral	LD50	149 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rabbit)
Inhalative	LC50/4 h	2,470 mg/L (mouse)

72-20-8 endrin (ISO)

Oral	LD50	3 mg/kg (rat)
Dermal	LD50	60 mg/kg (rat) 60 mg/kg (rabbit)

53494-70-5 endrin ketone

Oral	LD50	10 mg/kg (rat)
------	------	----------------

76-44-8 heptachlor (ISO)

Oral	LD50	40 mg/kg (rat)
Dermal	LD50	119 mg/kg (rat)

1024-57-3 heptachlor epoxide - isomer B

Oral	LD50	15 mg/kg (rat)
------	------	----------------

118-74-1 hexachlorobenzene

Oral	LD50	10,000 mg/kg (rat)
Inhalative	LC50/4 h	3,600 mg/L (rat)

77-47-4 hexachlorocyclopentadiene

Oral	LD50	315 mg/kg (rat)
Dermal	LD50	430 mg/kg (rabbit)
Inhalative	LC50/4 h	2 mg/L (rat)

72-43-5 methoxychlor

Oral	LD50	1,855 mg/kg (rat)
Dermal	LD50	6,000 mg/kg (rat)

51218-45-2 metolachlor

Oral	LD50	2,200 mg/kg (rat)
Dermal	LD50	>10,000 mg/kg (rabbit)
Inhalative	LC50/4 h	>1,750 mg/L (rat)

122-34-9 simazine (ISO)

Oral	LD50	971 mg/kg (rat)
Dermal	LD50	>10,200 mg/kg (rabbit)
Inhalative	LC50/4 h	9,800 mg/L (rat)

1582-09-8 trifluralin (ISO) (containing < 0,5 ppm NPDA)

Oral	LD50	1,930 mg/kg (rat)
Dermal	LD50	>5,000 mg/kg (rat)

21087-64-9 metribuzin (ISO)

Oral	LD50	1,090 mg/kg (rat)
Dermal	LD50	>20,000 mg/kg (rabbit)
Inhalative	LC50/4 h	>860 mg/L (rat)

- **Primary irritant effect:**
- **on the skin:** No irritant effect.

(Contd. on page 10)

Safety Data Sheet

acc. to OSHA HCS

Printing date 04/22/2019

Version Number 1

Reviewed on 04/22/2019

Trade name: Pesticides Standard (1 x 1 mL)

(Contd. of page 9)

- **on the eye:** Irritating effect.
- **Sensitization:** Sensitization possible through skin contact.
- **Additional toxicological information:**
The product shows the following dangers according to internally approved calculation methods for preparations:
Harmful
Irritant

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

1912-24-9	atrazine (ISO)	3
58-89-9	γ -HCH or γ -BHC	1
72-20-8	endrin (ISO)	3
76-44-8	heptachlor (ISO)	2B
1024-57-3	heptachlor epoxide - isomer B	2B
118-74-1	hexachlorobenzene	2B
72-43-5	methoxychlor	3
122-34-9	simazine (ISO)	3
1582-09-8	trifluralin (ISO) (containing < 0,5 ppm NPDA)	3

- **NTP (National Toxicology Program)**

58-89-9	γ -HCH or γ -BHC	R
118-74-1	hexachlorobenzene	R

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Water hazard class 3 (Self-assessment): extremely hazardous for water
Do not allow product to reach ground water, water course or sewage system, even in small quantities.
Danger to drinking water if even extremely small quantities leak into the ground.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

US

(Contd. on page 11)

Safety Data Sheet acc. to OSHA HCS

Printing date 04/22/2019

Version Number 1

Reviewed on 04/22/2019

Trade name: Pesticides Standard (1 x 1 mL)

(Contd. of page 10)

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

· Not Regulated, De minimus Quantities	-
· UN-Number	
· DOT, IMDG, IATA	UN1993
· UN proper shipping name	
· DOT	Flammable liquids, n.o.s. (Acetone)
· IMDG	FLAMMABLE LIQUID, N.O.S. (ACETONE, alachlor (ISO)), MARINE POLLUTANT
· IATA	FLAMMABLE LIQUID, N.O.S. (ACETONE)
· Transport hazard class(es)	
· DOT	
	
· Class	3 Flammable liquids
· Label	3
· IMDG	
	 
· Class	3 Flammable liquids
· Label	3
· IATA	
	
· Class	3 Flammable liquids
· Label	3
· Packing group	
· DOT, IMDG, IATA	II
· Environmental hazards:	Product contains environmentally hazardous substances: endrin (ISO)

(Contd. on page 12)

Safety Data Sheet acc. to OSHA HCS

Printing date 04/22/2019

Version Number 1

Reviewed on 04/22/2019

Trade name: Pesticides Standard (1 x 1 mL)

(Contd. of page 11)

· Marine pollutant:	Symbol (fish and tree)
· Special precautions for user	Warning: Flammable liquids
· Danger code (Kemler):	33
· EMS Number:	F-E, <u>S</u> -E
· Stowage Category	B
· Transport in bulk according to Annex II of MARPOL/73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· DOT	
· Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
· IMDG	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (ACETONE), 3, II, ENVIRONMENTALLY HAZARDOUS

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

· Section 355 (extremely hazardous substances):	
58-89-9	γ -HCH or γ -BHC
72-20-8	endrin (ISO)
77-47-4	hexachlorocyclopentadiene
· Section 313 (Specific toxic chemical listings):	
15972-60-8	alachlor (ISO)
1912-24-9	atrazine (ISO)
58-89-9	γ -HCH or γ -BHC
314-40-9	bromacil
21725-46-2	cyanazine (ISO)
76-44-8	heptachlor (ISO)
118-74-1	hexachlorobenzene
77-47-4	hexachlorocyclopentadiene
72-43-5	methoxychlor
122-34-9	simazine (ISO)
1582-09-8	trifluralin (ISO) (containing < 0,5 ppm NPDA)
21087-64-9	metribuzin (ISO)
· TSCA (Toxic Substances Control Act):	
67-64-1	acetone
	ACTIVE

(Contd. on page 13)

Safety Data Sheet

acc. to OSHA HCS

Printing date 04/22/2019

Version Number 1

Reviewed on 04/22/2019

Trade name: Pesticides Standard (1 x 1 mL)

(Contd. of page 12)

1912-24-9	atrazine (ISO)	ACTIVE
58-89-9	γ -HCH or γ -BHC	ACTIVE
118-74-1	hexachlorobenzene	ACTIVE
77-47-4	hexachlorocyclopentadiene	ACTIVE
122-34-9	simazine (ISO)	ACTIVE

· Hazardous Air Pollutants

58-89-9	γ -HCH or γ -BHC
76-44-8	heptachlor (ISO)
118-74-1	hexachlorobenzene
77-47-4	hexachlorocyclopentadiene
72-43-5	methoxychlor
1582-09-8	trifluralin (ISO) (containing < 0,5 ppm NPDA)

· Proposition 65
· Chemicals known to cause cancer:

15972-60-8	alachlor (ISO)
58-89-9	γ -HCH or γ -BHC
76-44-8	heptachlor (ISO)
1024-57-3	heptachlor epoxide - isomer B
118-74-1	hexachlorobenzene

· Chemicals known to cause reproductive toxicity for females:

1912-24-9	atrazine (ISO)
122-34-9	simazine (ISO)

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.	
------------------------------------	--

· Chemicals known to cause developmental toxicity:

1912-24-9	atrazine (ISO)
21725-46-2	cyanazine (ISO)
72-20-8	endrin (ISO)
76-44-8	heptachlor (ISO)
118-74-1	hexachlorobenzene
122-34-9	simazine (ISO)

· Carcinogenic categories
· EPA (Environmental Protection Agency)

67-64-1	acetone	I
72-20-8	endrin (ISO)	D
76-44-8	heptachlor (ISO)	B2
1024-57-3	heptachlor epoxide - isomer B	B2
118-74-1	hexachlorobenzene	B2
77-47-4	hexachlorocyclopentadiene	E, NL
72-43-5	methoxychlor	D
51218-45-2	metolachlor	C

(Contd. on page 14)

Safety Data Sheet acc. to OSHA HCS

Printing date 04/22/2019

Version Number 1

Reviewed on 04/22/2019

Trade name: Pesticides Standard (1 x 1 mL)

(Contd. of page 13)

1582-09-8	trifluralin (ISO) (containing < 0,5 ppm NPDA)	C
21087-64-9	metribuzin (ISO)	D

· TLV (Threshold Limit Value established by ACGIH)

67-64-1	acetone	A4
15972-60-8	alachlor (ISO)	A3
1912-24-9	atrazine (ISO)	A4
58-89-9	γ -HCH or γ -BHC	A3
314-40-9	bromacil	A3
72-20-8	endrin (ISO)	A4
76-44-8	heptachlor (ISO)	A3
1024-57-3	heptachlor epoxide - isomer B	A3
118-74-1	hexachlorobenzene	A3
77-47-4	hexachlorocyclopentadiene	A4
72-43-5	methoxychlor	A4
21087-64-9	metribuzin (ISO)	A4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

76-44-8	heptachlor (ISO)
72-43-5	methoxychlor

· National regulations:
· Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation.
Exceptions can be made by the authorities in certain cases.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation.
No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

· Date of preparation / last revision 04/22/2019 / -

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
ACGIH: American Conference of Governmental Industrial Hygienists
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value

(Contd. on page 15)

Safety Data Sheet
acc. to OSHA HCS

Printing date 04/22/2019

Version Number 1

Reviewed on 04/22/2019

Trade name: Pesticides Standard (1 x 1 mL)

(Contd. of page 14)

PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
BEI: Biological Exposure Limit
Flam. Liq. 2: Flammable liquids – Category 2
Acute Tox. 4: Acute toxicity – Category 4
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
Skin Sens. 1: Skin sensitisation – Category 1
Carc. 1A: Carcinogenicity – Category 1A
Lact.: Reproductive toxicity – effects on or via lactation
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

US