

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 22.04.2019

Version number 1

Revision: 22.04.2019

1 Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name:** Appendix IX Pesticides / Herbicides Standard (1 x 1 mL)
- **Part number:** PPM-650-1
- **Relevant identified uses of the substance or mixture and uses advised against**
Reagents and Standards for Analytical Chemical Laboratory Use
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Agilent Technologies Manufacturing GmbH & Co. KG
Hewlett-Packard-Str.8
76337 Waldbronn
Germany
- **Further information obtainable from:**
Telephone: 0800 603 1000
pdl-msds_author@agilent.com
- **Emergency telephone number:** CHEMTREC®: +(44)-870-8200418

2 Hazards identification

- **Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS02 flame

Flam. Liq. 2 H225 Highly flammable liquid and vapour.



GHS06 skull and crossbones

Acute Tox. 3 H301 Toxic if swallowed.

Acute Tox. 3 H311 Toxic in contact with skin.



GHS08 health hazard

Carc. 1B H350 May cause cancer.



GHS09 environment

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.



GHS07

Acute Tox. 4 H332 Harmful if inhaled.

Eye Irrit. 2 H319 Causes serious eye irritation.

(Contd. on page 2)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 22.04.2019

Version number 1

Revision: 22.04.2019

Trade name: Appendix IX Pesticides / Herbicides Standard (1 x 1 mL)

(Contd. of page 1)

STOT SE 3 H336 May cause drowsiness or dizziness.

· **Label elements**

· **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

· **Hazard pictograms**



GHS02 GHS06 GHS08 GHS09

· **Signal word** Danger

· **Hazard-determining components of labelling:**

acetone

fensulfothion (ISO)

azinphos-methyl (ISO)

captafol (ISO)

· **Hazard statements**

H225 Highly flammable liquid and vapour.

H301+H311 Toxic if swallowed or in contact with skin.

H332 Harmful if inhaled.

H319 Causes serious eye irritation.

H350 May cause cancer.

H336 May cause drowsiness or dizziness.

H410 Very toxic to aquatic life with long lasting effects.

· **Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P321 Specific treatment (see on this label).

P330 Rinse mouth.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

(Contd. on page 3)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 22.04.2019

Version number 1

Revision: 22.04.2019

Trade name: Appendix IX Pesticides / Herbicides Standard (1 x 1 mL)

(Contd. of page 2)

P312 Call a POISON CENTER/doctor if you feel unwell.
P361+P364 Take off immediately all contaminated clothing and wash it before reuse.
P337+P313 If eye irritation persists: Get medical advice/attention.
P370+P378 In case of fire: Use for extinction: CO₂, powder or water spray.
P391 Collect spillage.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.
P403+P235 Store in a well-ventilated place. Keep cool.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Additional information:**

Contains azinphos-methyl (ISO), captafol (ISO), captan (ISO), malathion (ISO), phosalone. May produce an allergic reaction.

· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

3 Composition/information on ingredients

· **Chemical characterisation: Mixtures**

· **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

CAS: 67-64-1 EINECS: 200-662-2	acetone Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336	93.933%
CAS: 86-50-0 EINECS: 201-676-1	azinphos-methyl (ISO) Acute Tox. 2, H300; Acute Tox. 3, H311; Acute Tox. 2, H330; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Sens. 1, H317	0.253%
CAS: 2425-06-1 EINECS: 219-363-3	captafol (ISO) Carc. 1B, H350; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Sens. 1, H317	0.253%
CAS: 133-06-2 EINECS: 205-087-0	captan (ISO) Acute Tox. 3, H331; Carc. 2, H351; Eye Dam. 1, H318; Aquatic Acute 1, H400; Skin Sens. 1, H317	0.253%
CAS: 63-25-2 EINECS: 200-555-0	carbaryl (ISO) Carc. 2, H351; Aquatic Acute 1, H400; Acute Tox. 4, H302; Acute Tox. 4, H332	0.253%
CAS: 1563-66-2 EINECS: 216-353-0	carbofuran (ISO) Acute Tox. 2, H300; Acute Tox. 2, H310; Acute Tox. 2, H330; Aquatic Acute 1, H400; Aquatic Chronic 1, H410	0.253%
CAS: 56-72-4 EINECS: 200-285-3	coumaphos (ISO) Acute Tox. 2, H300; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H312	0.253%
CAS: 7700-17-6 EINECS: 231-720-5	crotoxyphos (ISO) Acute Tox. 3, H301; Acute Tox. 3, H311; Aquatic Acute 1, H400; Aquatic Chronic 1, H410	0.253%
CAS: 8065-48-3	demeton Flam. Liq. 3, H226; Acute Tox. 2, H300; Acute Tox. 1, H310; Aquatic Acute 1, H400	0.253%

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 22.04.2019

Version number 1

Revision: 22.04.2019

Trade name: Appendix IX Pesticides / Herbicides Standard (1 x 1 mL)

(Contd. of page 3)

CAS: 141-66-2 EINECS: 205-494-3	(E)-3-(dimethylamino)-1-methyl-3-oxoprop-1-enyl dimethyl phosphate ⚠ Acute Tox. 2, H300; Acute Tox. 3, H311; Acute Tox. 2, H330; ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410	0.253%
CAS: 78-34-2 EINECS: 201-107-7	dioxathion (ISO) ⚠ Acute Tox. 2, H300; Acute Tox. 3, H311; Acute Tox. 2, H330; ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410	0.253%
CAS: 2104-64-5 EINECS: 218-276-8	O-ethyl O-4-nitrophenyl phenylphosphonothioate ⚠ Acute Tox. 2, H300; Acute Tox. 1, H310; ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410	0.253%
CAS: 563-12-2 EINECS: 209-242-3	ethion (ISO) ⚠ Acute Tox. 3, H301; ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ⚠ Acute Tox. 4, H312	0.253%
CAS: 115-90-2 EINECS: 204-114-3	fensulfothion (ISO) ⚠ Acute Tox. 2, H300; Acute Tox. 1, H310; Acute Tox. 1, H330; ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410	0.253%
CAS: 55-38-9 EINECS: 200-231-9	fenthion (ISO) ⚠ Acute Tox. 3, H331; ⚠ Muta. 2, H341; STOT RE 1, H372; ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ⚠ Acute Tox. 4, H302; Acute Tox. 4, H312	0.253%
CAS: 121-75-5 EINECS: 204-497-7	malathion (ISO) ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ⚠ Acute Tox. 4, H302; Skin Sens. 1, H317	0.253%
CAS: 7786-34-7 EINECS: 232-095-1	mevinphos (ISO) ⚠ Acute Tox. 2, H300; Acute Tox. 1, H310; ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410	0.253%
CAS: 315-18-4 EINECS: 206-249-3	mexacarbate (ISO) ⚠ Acute Tox. 2, H300; ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ⚠ Acute Tox. 4, H312	0.253%
CAS: 6923-22-4 EINECS: 230-042-7	monocrotophos (ISO) ⚠ Acute Tox. 2, H300; Acute Tox. 3, H311; Acute Tox. 2, H330; ⚠ Muta. 2, H341; ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410	0.253%
CAS: 152-16-9 EINECS: 205-801-0	schradan (ISO) ⚠ Acute Tox. 2, H300; Acute Tox. 1, H310	0.253%
CAS: 2310-17-0 EINECS: 218-996-2	phosalone ⚠ Acute Tox. 3, H301; ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ⚠ Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Sens. 1, H317	0.253%
CAS: 732-11-6 EINECS: 211-987-4	phosmet (ISO) ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ⚠ Acute Tox. 4, H302; Acute Tox. 4, H312	0.253%
CAS: 13171-21-6 EINECS: 236-116-5	phosphamidon ⚠ Acute Tox. 2, H300; Acute Tox. 3, H311; ⚠ Muta. 2, H341; ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410	0.253%
CAS: 95-06-7 EINECS: 205-701-7	sulfallate (ISO) ⚠ Carc. 1B, H350; ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ⚠ Acute Tox. 4, H302	0.253%
CAS: 13071-79-9 EINECS: 235-963-8	S-tert-butylthiomethyl O,O-diethylphosphorodithioate ⚠ Acute Tox. 2, H300; Acute Tox. 1, H310; ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410	0.253%

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 22.04.2019

Version number 1

Revision: 22.04.2019

Trade name: Appendix IX Pesticides / Herbicides Standard (1 x 1 mL)

(Contd. of page 4)

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

· **Description of first aid measures**

· **General information:**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· **After inhalation:**

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

· **After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· **After swallowing:** Do not induce vomiting; call for medical help immediately.

· **Information for doctor:**

· **Most important symptoms and effects, both acute and delayed** No further relevant information available.

· **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

5 Firefighting measures

· **Extinguishing media**

· **Suitable extinguishing agents:**

CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· **For safety reasons unsuitable extinguishing agents:** Water with full jet

· **Special hazards arising from the substance or mixture** No further relevant information available.

· **Advice for firefighters**

· **Protective equipment:** Mouth respiratory protective device.

6 Accidental release measures

· **Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

· **Environmental precautions:**

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· **Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 6)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 22.04.2019

Version number 1

Revision: 22.04.2019

Trade name: Appendix IX Pesticides / Herbicides Standard (1 x 1 mL)

See Section 13 for disposal information.

(Contd. of page 5)

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Open and handle receptacle with care.
Prevent formation of aerosols.
- **Information about fire - and explosion protection:**
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
Keep respiratory protective device available.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
Keep container tightly sealed.
Store in cool, dry conditions in well sealed receptacles.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **Control parameters**

Ingredients with limit values that require monitoring at the workplace:

67-64-1 acetone

WEL	Short-term value: 3620 mg/m ³ , 1500 ppm
	Long-term value: 1210 mg/m ³ , 500 ppm

133-06-2 captan (ISO)

WEL	Short-term value: 15 mg/m ³
	Long-term value: 5 mg/m ³

- **Additional information:** The lists valid during the making were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Store protective clothing separately.
Avoid contact with the eyes.
Avoid contact with the eyes and skin.
- **Respiratory protection:**
When used as intended with Agilent instruments the use of the product under normal laboratory conditions and with standard practices does not result in significant airborne exposures and therefore respiratory protection is not needed.
Under an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved

(Contd. on page 7)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 22.04.2019

Version number 1

Revision: 22.04.2019

Trade name: Appendix IX Pesticides / Herbicides Standard (1 x 1 mL)

(Contd. of page 6)

device equipment with appropriate organic or acid gas cartridge.

· **Protection of hands:**

Although not recommended for constant contact with the chemicals or for clean up, nitrile gloves 11-13mil thickness are recommended for normal use. The breakthrough time is 1hr. For cleaning a spill where there is direct contact of the chemical, butyl rubber gloves are recommended 12-15mil thickness with breakthrough times exceeding 4 hrs. Supplier recommendations should be followed.

· **Material of gloves**

For normal use: nitrile rubber, 11-13 mil thickness

For direct contact with the chemical: butyl rubber, 12-15 mil thickness

· **Penetration time of glove material**

For normal use: nitrile rubber: 1 hour

For direct contact with the chemical: butyl rubber: > 4 hours

· **Eye protection:**



Tightly sealed goggles

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form: Fluid

Colour: According to product specification

· **Odour:** Characteristic

· **Odour threshold:** Not determined.

· **pH-value:** Not determined.

· **Change in condition**

Melting point/freezing point: Undetermined.

Initial boiling point and boiling range: 56 °C

· **Flash point:** -17 °C

· **Flammability (solid, gas):** Not applicable.

· **Ignition temperature:** 465 °C

· **Decomposition temperature:** Not determined.

· **Auto-ignition temperature:** Product is not selfigniting.

· **Explosive properties:** Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

· **Explosion limits:**

Lower: 2.6 Vol %

Upper: 13 Vol %

· **Vapour pressure at 20 °C:** 245.3 hPa

· **Density:** Not determined.

· **Relative density** Not determined.

(Contd. on page 8)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 22.04.2019

Version number 1

Revision: 22.04.2019

Trade name: Appendix IX Pesticides / Herbicides Standard (1 x 1 mL)

(Contd. of page 7)

· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with water:	Not miscible or difficult to mix.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	96.0 %
VOC (EC)	95.96 %
· Solids content:	3.3 %
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity**
Toxic if swallowed or in contact with skin.
Harmful if inhaled.

· LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral	LD50	140 mg/kg
Dermal	LD50	371 mg/kg
Inhalative	LC50/4 h	15 mg/L

67-64-1 acetone

Oral	LD50	5,800 mg/kg (rat)
Dermal	LD50	20,000 mg/kg (rabbit)

86-50-0 azinphos-methyl (ISO)

Oral	LD50	7 mg/kg (rat)
Dermal	LD50	250 mg/kg (rat)

2425-06-1 captafol (ISO)

Oral	LD50	2,500 mg/kg (rat)
------	------	-------------------

(Contd. on page 9)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 22.04.2019

Version number 1

Revision: 22.04.2019

Trade name: Appendix IX Pesticides / Herbicides Standard (1 x 1 mL)

(Contd. of page 8)

Dermal	LD50	15,400 mg/kg (rabbit)
133-06-2 captan (ISO)		
Oral	LD50	9,000 mg/kg (rat)
Dermal	LD50	>5,000 mg/kg (rat)
63-25-2 carbaryl (ISO)		
Oral	LD50	230 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rabbit)
1563-66-2 carbofuran (ISO)		
Oral	LD50	5 mg/kg (rat)
Dermal	LD50	120 mg/kg (rat)
56-72-4 coumaphos (ISO)		
Oral	LD50	13 mg/kg (rat)
Dermal	LD50	860 mg/kg (rat) 500 mg/kg (rabbit)
7700-17-6 crotoxyphos (ISO)		
Oral	LD50	38.4 mg/kg (rat)
Dermal	LD50	385 mg/kg (rabbit)
8065-48-3 demeton		
Oral	LD50	1.7 mg/kg (rat)
Dermal	LD50	8.2 mg/kg (rat)
141-66-2 (E)-3-(dimethylamino)-1-methyl-3-oxoprop-1-enyl dimethyl phosphate		
Oral	LD50	13 mg/kg (rat)
Dermal	LD50	181 mg/kg (rat) 168 mg/kg (rabbit)
Inhalative	LC50/4 h	90 mg/L (rat)
78-34-2 dioxathion (ISO)		
Oral	LD50	23 mg/kg (rat)
Dermal	LD50	63 mg/kg (rat)
Inhalative	LC50/4 h	1,398 mg/L (rat)
2104-64-5 O-ethyl O-4-nitrophenyl phenylphosphonothioate		
Oral	LD50	7 mg/kg (rat)
Dermal	LD50	25 mg/kg (rat) 30 mg/kg (rabbit)
563-12-2 ethion (ISO)		
Oral	LD50	13 mg/kg (rat)
Dermal	LD50	62 mg/kg (rat)
Inhalative	LC50/4 h	864 mg/L (rat)
115-90-2 fensulfothion (ISO)		
Oral	LD50	3.5 mg/kg (rat)
Dermal	LD50	3 mg/kg (rat)

(Contd. on page 10)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 22.04.2019

Version number 1

Revision: 22.04.2019

Trade name: Appendix IX Pesticides / Herbicides Standard (1 x 1 mL)

(Contd. of page 9)

55-38-9 fenthion (ISO)		
Oral	LD50	180 mg/kg (rat)
Dermal	LD50	330 mg/kg (rat)
Inhalative	LC50/4 h	800 mg/L (rat)
121-75-5 malathion (ISO)		
Oral	LD50	1,000 mg/kg (rat)
Dermal	LD50	8,790 mg/kg (rabbit)
7786-34-7 mevinphos (ISO)		
Oral	LD50	3 mg/kg (rat)
Dermal	LD50	4 mg/kg (rat)
6923-22-4 monocrotophos (ISO)		
Dermal	LD50	270 mg/kg (rabbit)
152-16-9 schradan (ISO)		
Oral	LD50	13.5 mg/kg (rat)
Dermal	LD50	15 mg/kg (rat)
2310-17-0 phosalone		
Oral	LD50	85 mg/kg (rat)
Dermal	LD50	1,000 mg/kg (rabbit)
732-11-6 phosmet (ISO)		
Oral	LD50	92.5 mg/kg (rat)
Dermal	LD50	1,150 mg/kg (rat)
		>3,160 mg/kg (rabbit)
Inhalative	LC50/4 h	54 mg/L (rat)
13171-21-6 phosphamidon		
Oral	LD50	8 mg/kg (rat)
Dermal	LD50	374 mg/kg (rat)
		80 mg/kg (rabbit)
Inhalative	LC50/4 h	135 mg/L (rat)
95-06-7 sulfallate (ISO)		
Oral	LD50	850 mg/kg (rat)
13071-79-9 S-tert-butylthiomethyl O,O-diethylphosphorodithioate		
Oral	LD50	4.5 mg/kg (rat)

- **Primary irritant effect:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation**
Causes serious eye irritation.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity**
May cause cancer.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure**
May cause drowsiness or dizziness.

(Contd. on page 11)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 22.04.2019

Version number 1

Revision: 22.04.2019

Trade name: Appendix IX Pesticides / Herbicides Standard (1 x 1 mL)

(Contd. of page 10)

- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Very toxic for fish
- **Additional ecological information:**
- **General notes:**
 Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water
 Do not allow product to reach ground water, water course or sewage system, even in small quantities.
 Danger to drinking water if even extremely small quantities leak into the ground.
 Also poisonous for fish and plankton in water bodies.
 Very toxic for aquatic organisms
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**
 Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

HP 3	Flammable
HP 4	Irritant - skin irritation and eye damage
HP 5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity
HP 6	Acute Toxicity
HP 7	Carcinogenic
HP 14	Ecotoxic

- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- **Not Regulated, De minimus Quantities**

(Contd. on page 12)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 22.04.2019

Version number 1

Revision: 22.04.2019

Trade name: Appendix IX Pesticides / Herbicides Standard (1 x 1 mL)

(Contd. of page 11)

· UN-Number	UN3021
· ADR, IMDG, IATA	
· UN proper shipping name	3021 PESTICIDE, LIQUID, FLAMMABLE, TOXIC, N.O.S. (ACETONE, S-tert-butylthiomethyl O,O-diethylphosphorodithioate), ENVIRONMENTALLY HAZARDOUS
· ADR	
· IMDG	PESTICIDE, LIQUID, FLAMMABLE, TOXIC, N.O.S. (ACETONE, S-tert-butylthiomethyl O,O-diethylphosphorodithioate), MARINE POLLUTANT
· IATA	PESTICIDE, LIQUID, FLAMMABLE, TOXIC, N.O.S. (ACETONE, S-tert-butylthiomethyl O,O-diethylphosphorodithioate)
· Transport hazard class(es)	
· ADR	
	  
· Class	3 Flammable liquids.
· Label	3+6.1
· IMDG	
	  
· Class	3 Flammable liquids.
· Label	3/6.1
· IATA	
	 
· Class	3 Flammable liquids.
· Label	3 (6.1)
· Packing group	II
· ADR, IMDG, IATA	
· Environmental hazards:	Product contains environmentally hazardous substances: azinphos-methyl (ISO)
· Marine pollutant:	Symbol (fish and tree)
· Special marking (ADR):	Symbol (fish and tree)
· Special precautions for user	Warning: Flammable liquids.
· Danger code (Kemler):	336
· EMS Number:	F-E,S-D
· Stowage Category	B

(Contd. on page 13)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 22.04.2019

Version number 1

Revision: 22.04.2019

Trade name: Appendix IX Pesticides / Herbicides Standard (1 x 1 mL)

(Contd. of page 12)

· Stowage Code	SW2 Clear of living quarters.
· Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· Transport category	2
· Tunnel restriction code	D/E
· IMDG	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 3021 PESTICIDE, LIQUID, FLAMMABLE, TOXIC, N.O.S. (ACETONE, S-TERT-BUTYLTHIOMETHYL O,O-DIETHYLPHOSPHORODITHIOATE), 3 (6.1), II, ENVIRONMENTALLY HAZARDOUS

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Directive 2012/18/EU**

· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

· **Seveso category**

E1 Hazardous to the Aquatic Environment

P5c FLAMMABLE LIQUIDS

· **Qualifying quantity (tonnes) for the application of lower-tier requirements** 100 t

· **Qualifying quantity (tonnes) for the application of upper-tier requirements** 200 t

· **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3, 28

· Regulation (EU) No 649/2012		
86-50-0	azinphos-methyl (ISO)	Annex I Part 1 Annex I Part 3
2425-06-1	captafol (ISO)	Annex I Part 1 Annex I Part 3
63-25-2	carbaryl (ISO)	Annex I Part 1 Annex I Part 2
1563-66-2	carbofuran (ISO)	Annex I Part 1 Annex I Part 3
563-12-2	ethion (ISO)	Annex I Part 1
55-38-9	fenthion (ISO)	Annex I Part 1 Annex I Part 2

(Contd. on page 14)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 22.04.2019

Version number 1

Revision: 22.04.2019

Trade name: Appendix IX Pesticides / Herbicides Standard (1 x 1 mL)

(Contd. of page 13)

121-75-5	malathion (ISO)	Annex I Part 1
6923-22-4	monocrotophos (ISO)	Annex I Part 1 Annex I Part 3
2310-17-0	phosalone	Annex I Part 1 Annex I Part 2
13171-21-6	phosphamidon	Annex I Part 1 Annex I Part 3
13071-79-9	S-tert-butylthiomethyl O,O-diethylphosphorodithioate	Annex I Part 1

· **National regulations:**

· **Information about limitation of use:**

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation.
Exceptions can be made by the authorities in certain cases.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation.
No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

· **Relevant phrases**

H225 Highly flammable liquid and vapour.
H226 Flammable liquid and vapour.
H300 Fatal if swallowed.
H301 Toxic if swallowed.
H302 Harmful if swallowed.
H310 Fatal in contact with skin.
H311 Toxic in contact with skin.
H312 Harmful in contact with skin.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H330 Fatal if inhaled.
H331 Toxic if inhaled.
H332 Harmful if inhaled.
H336 May cause drowsiness or dizziness.
H341 Suspected of causing genetic defects.
H350 May cause cancer.
H351 Suspected of causing cancer.
H372 Causes damage to organs through prolonged or repeated exposure.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent

(Contd. on page 15)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 22.04.2019

Version number 1

Revision: 22.04.2019

Trade name: Appendix IX Pesticides / Herbicides Standard (1 x 1 mL)

(Contd. of page 14)

LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Flam. Liq. 2: Flammable liquids – Category 2
Flam. Liq. 3: Flammable liquids – Category 3
Acute Tox. 2: Acute toxicity – Category 2
Acute Tox. 4: Acute toxicity – Category 4
Acute Tox. 1: Acute toxicity – Category 1
Acute Tox. 3: Acute toxicity – Category 3
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Skin Sens. 1: Skin sensitisation – Category 1
Muta. 2: Germ cell mutagenicity – Category 2
Carc. 1B: Carcinogenicity – Category 1B
Carc. 2: Carcinogenicity – Category 2
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

GB