

# Safety Data Sheet

according to WHS Regulations

Printing date 26.03.2025

Revision: 26.03.2025

## 1 Identification

- **Product identifier**
- **Trade name:** Organochlorine Pesticides Standard (1X1 mL)
- **Part number:** PPM-808C-1
- **Relevant identified uses of the substance or mixture and uses advised against**  
Reagents and Standards for Analytical Chemical Laboratory Use
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Agilent Technologies Australia Pty Ltd  
679 Springvale Road  
Mulgrave  
Victoria 3170, Australia
- **Further information obtainable from:**  
Telephone: 1800 802 402  
e-mail: pdl-msds\_author@agilent.com
- **Emergency telephone number:** CHEMTREC®: +(61) - 290372994

## 2 Hazard(s) Identification

- **Classification of the substance or mixture**



flame

Flammable liquids – Category 2

H225 Highly flammable liquid and vapour.



health hazard

Reproductive toxicity – Category 1A

H360 May damage fertility or the unborn child.

Specific target organ toxicity (repeated exposure) – Category 2

H373 May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard – Category 1

H304 May be fatal if swallowed and enters airways.



Acute toxicity - oral – Category 4

H302 Harmful if swallowed.

Skin corrosion/irritation – Category 2

H315 Causes skin irritation.

Specific target organ toxicity (single exposure) – Category 3  
3

H336 May cause drowsiness or dizziness.

- **Label elements**

- **GHS label elements** The product is classified and labelled according to the Globally Harmonised System (GHS).

- **Hazard pictograms**



GHS02



GHS07



GHS08

(Contd. on page 2)

## Safety Data Sheet

### according to WHS Regulations

Printing date 26.03.2025

Revision: 26.03.2025

**Trade name: Organochlorine Pesticides Standard (1X1 mL)**

(Contd. of page 1)

· **Signal word** Danger

· **Hazard-determining components of labelling:**

toluene (30-60 %)  
endrin (ISO) (<10 %)  
n-hexane (30-60 %)  
endosulfan sulfate (<10 %)

· **Hazard statements**

H225 Highly flammable liquid and vapour.  
H302 Harmful if swallowed.  
H315 Causes skin irritation.  
H360 May damage fertility or the unborn child.  
H336 May cause drowsiness or dizziness.  
H373 May cause damage to organs through prolonged or repeated exposure.  
H304 May be fatal if swallowed and enters airways.

· **Precautionary statements**

|                |                                                                                                            |
|----------------|------------------------------------------------------------------------------------------------------------|
| P101           | If medical advice is needed, have product container or label at hand.                                      |
| P102           | Keep out of reach of children.                                                                             |
| P103           | Read label before use.                                                                                     |
| P210           | Keep away from heat/sparks/open flames/hot surfaces. No smoking.                                           |
| P260           | Do not breathe vapours.                                                                                    |
| P241           | Use explosion-proof electrical/ventilating/lighting equipment.                                             |
| P280           | Wear protective gloves / protective clothing.                                                              |
| P240           | Ground/bond container and receiving equipment.                                                             |
| P242           | Use only non-sparking tools.                                                                               |
| P243           | Take precautionary measures against static discharge.                                                      |
| P264           | Wash thoroughly after handling.                                                                            |
| P270           | Do not eat, drink or smoke when using this product.                                                        |
| P271           | Use only outdoors or in a well-ventilated area.                                                            |
| P201           | Obtain special instructions before use.                                                                    |
| P202           | Do not handle until all safety precautions have been read and understood.                                  |
| P301+P310      | IF SWALLOWED: Immediately call a POISON CENTER/ doctor.                                                    |
| P308+P313      | IF exposed or concerned: Get medical advice/attention.                                                     |
| P321           | Specific treatment (see on this label).                                                                    |
| P304+P340      | IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.           |
| P303+P361+P353 | IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. |
| P332+P313      | If skin irritation occurs: Get medical advice/attention.                                                   |
| P314           | Get medical advice/attention if you feel unwell.                                                           |
| P330           | Rinse mouth.                                                                                               |
| P331           | Do NOT induce vomiting.                                                                                    |
| P370+P378      | In case of fire: Use CO <sub>2</sub> , powder or water spray to extinguish.                                |
| P362+P364      | Take off contaminated clothing and wash it before reuse.                                                   |
| P403+P233      | Store in a well-ventilated place. Keep container tightly closed.                                           |
| P403+P235      | Store in a well-ventilated place. Keep cool.                                                               |
| P405           | Store locked up.                                                                                           |
| P501           | Dispose of contents/container in accordance with local/regional/national/international regulations.        |

· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

(Contd. on page 3)

## Safety Data Sheet

### according to WHS Regulations

Printing date 26.03.2025

Revision: 26.03.2025

**Trade name: Organochlorine Pesticides Standard (1X1 mL)**

(Contd. of page 2)

· vPvB: Not applicable.

### 3 Composition and Information on Ingredients

· **Chemical characterisation: Mixtures**

· **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

|          |                                                                                                                                                                                                                                                                                                                                  |        |
|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|
| 108-88-3 | toluene<br>⚠ Flammable liquids – Category 2, H225; ⚠ Reproductive toxicity – Category 1A, H360; Specific target organ toxicity (repeated exposure) – Category 2, H373; Aspiration hazard – Category 1, H304; ⚠ Skin corrosion/irritation – Category 2, H315; Specific target organ toxicity (single exposure) – Category 3, H336 | 30-60% |
| 110-54-3 | n-hexane<br>⚠ Flammable liquids – Category 2, H225; ⚠ Reproductive toxicity – Category 2, H361; Specific target organ toxicity (repeated exposure) – Category 2, H373; Aspiration hazard – Category 1, H304; ⚠ Skin corrosion/irritation – Category 2, H315; Specific target organ toxicity (single exposure) – Category 3, H336 | 30-60% |
| 50-29-3  | DDT (common name not adopted by ISO)<br>⚠ Acute toxicity - oral – Category 3, H301; Acute toxicity - dermal – Category 3, H311; ⚠ Carcinogenicity – Category 2, H351; Specific target organ toxicity (repeated exposure) – Category 1, H372                                                                                      | <10%   |
| 58-89-9  | γ-HCH or γ-BHC<br>⚠ Acute toxicity - oral – Category 3, H301; ⚠ Specific target organ toxicity (repeated exposure) – Category 2, H373; ⚠ Acute toxicity - dermal – Category 4, H312; Acute toxicity - inhalation – Category 4, H332; Reproductive toxicity – effects on or via lactation, H362                                   | <10%   |
| 60-57-1  | dieldrin (ISO)<br>⚠ Acute toxicity - oral – Category 3, H301; Acute toxicity - dermal – Category 1, H310; ⚠ Carcinogenicity – Category 2, H351; Specific target organ toxicity (repeated exposure) – Category 1, H372                                                                                                            | <10%   |
| 72-20-8  | endrin (ISO)<br>⚠ Acute toxicity - oral – Category 1, H300; Acute toxicity - dermal – Category 3, H311                                                                                                                                                                                                                           | <10%   |
| 72-43-5  | methoxychlor<br>⚠ Carcinogenicity – Category 2, H351; ⚠ Acute toxicity - oral – Category 4, H302; Acute toxicity - dermal – Category 4, H312; Acute toxicity - inhalation – Category 4, H332                                                                                                                                     | <10%   |
| 72-54-8  | TDE<br>⚠ Acute toxicity - oral – Category 3, H301; ⚠ Carcinogenicity – Category 2, H351; ⚠ Acute toxicity - dermal – Category 4, H312                                                                                                                                                                                            | <10%   |
| 72-55-9  | 2,2-bis(p-chlorophenyl)-1,1-dichloroethylene<br>⚠ Carcinogenicity – Category 2, H351; ⚠ Acute toxicity - oral – Category 4, H302                                                                                                                                                                                                 | <10%   |
| 76-44-8  | heptachlor (ISO)<br>⚠ Acute toxicity - oral – Category 3, H301; Acute toxicity - dermal – Category 3, H311; ⚠ Carcinogenicity – Category 2, H351; Specific target organ toxicity (repeated exposure) – Category 2, H373                                                                                                          | <10%   |
| 309-00-2 | aldrin (ISO)<br>⚠ Acute toxicity - oral – Category 3, H301; Acute toxicity - dermal – Category 3, H311; ⚠ Carcinogenicity – Category 2, H351; Specific target organ toxicity (repeated exposure) – Category 1, H372                                                                                                              | <10%   |

(Contd. on page 4)

## Safety Data Sheet

### according to WHS Regulations

Printing date 26.03.2025

Revision: 26.03.2025

**Trade name: Organochlorine Pesticides Standard (1X1 mL)**

(Contd. of page 3)

|            |                                                                                                                                                                                                                                                                                                                         |      |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| 319-84-6   | alpha-BHC (alpha-HCH)<br>⚠ Acute toxicity - oral – Category 3, H301; ⚠ Acute toxicity - dermal – Category 4, H312                                                                                                                                                                                                       | <10% |
| 319-85-7   | (1alpha,2β,3alpha,4β,5alpha,6β)-1,2,3,4,5,6-hexachlorocyclohexane<br>⚠ Carcinogenicity – Category 2, H351; ⚠ Acute toxicity - dermal – Category 4, H312                                                                                                                                                                 | <10% |
| 319-86-8   | delta-BHC (delta-HCH)<br>⚠ Acute toxicity - oral – Category 3, H301; ⚠ Acute toxicity - dermal – Category 4, H312                                                                                                                                                                                                       | <10% |
| 959-98-8   | endosulfan I<br>⚠ Acute toxicity - oral – Category 3, H301                                                                                                                                                                                                                                                              | <10% |
| 1024-57-3  | heptachlor epoxide - isomer B<br>⚠ Acute toxicity - oral – Category 3, H301; ⚠ Carcinogenicity – Category 2, H351; Specific target organ toxicity (repeated exposure) – Category 2, H373                                                                                                                                | <10% |
| 1031-07-8  | endosulfan sulfate<br>⚠ Acute toxicity - oral – Category 1, H300                                                                                                                                                                                                                                                        | <10% |
| 5103-71-9  | cis-chlordane<br>⚠ Acute toxicity - dermal – Category 3, H311; ⚠ Acute toxicity - oral – Category 4, H302; Acute toxicity - inhalation – Category 4, H332; Skin corrosion/irritation – Category 2, H315; Eye damage/irritation – Category 2A, H319; Specific target organ toxicity (single exposure) – Category 3, H335 | <10% |
| 5103-74-2  | trans-chlordane<br>⚠ Carcinogenicity – Category 2, H351; ⚠ Acute toxicity - oral – Category 4, H302                                                                                                                                                                                                                     | <10% |
| 33213-65-9 | endosulfan II<br>⚠ Acute toxicity - oral – Category 3, H301                                                                                                                                                                                                                                                             | <10% |
| 53494-70-5 | endrin ketone<br>⚠ Acute toxicity - oral – Category 1, H300                                                                                                                                                                                                                                                             | <10% |

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

#### 4 First Aid Measures

· **General information:**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

· **After eye contact:** Rinse opened eye for several minutes under running water.

· **After swallowing:** Call for a doctor immediately.

· **Information for doctor:**

· **Most important symptoms and effects, both acute and delayed** No further relevant information available.

· **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

#### 5 Fire Fighting Measures

· **Suitable extinguishing agents:**

CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

(Contd. on page 5)

## Safety Data Sheet

### according to WHS Regulations

Printing date 26.03.2025

Revision: 26.03.2025

**Trade name: Organochlorine Pesticides Standard (1X1 mL)**

(Contd. of page 4)

- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture**  
During heating or in case of fire poisonous gases are produced.
- **Protective equipment:** Mouth respiratory protective device.

## 6 Accidental Release Measures

- **Personal precautions, protective equipment and emergency procedures**  
Mount respiratory protective device.  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to section 13.  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## 7 Handling and Storage

- **Handling:**
- **Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Open and handle receptacle with care.  
Prevent formation of aerosols.
- **Information about fire - and explosion protection:**  
Keep ignition sources away - Do not smoke.  
Protect against electrostatic charges.  
Keep respiratory protective device available.
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**  
Keep container tightly sealed.  
Store in cool, dry conditions in well sealed receptacles.
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls and personal protection

- **Additional information about design of technical facilities:** No further data; see section 7.

- **Ingredients with limit values that require monitoring at the workplace:**

### 108-88-3 toluene

|     |                                                   |
|-----|---------------------------------------------------|
| WES | Short-term value: 574 mg/m <sup>3</sup> , 150 ppm |
|     | Long-term value: 191 mg/m <sup>3</sup> , 50 ppm   |
| Sk  |                                                   |

(Contd. on page 6)

AU

## Safety Data Sheet

according to WHS Regulations

Printing date 26.03.2025

Revision: 26.03.2025

**Trade name: Organochlorine Pesticides Standard (1X1 mL)**

(Contd. of page 5)

**110-54-3 n-hexane**

WES Long-term value: 72 mg/m<sup>3</sup>, 20 ppm

- **Additional information:** The lists valid during the making were used as basis.
- **Personal protective equipment:**
- **General protective and hygienic measures:**
  - Keep away from foodstuffs, beverages and feed.
  - Immediately remove all soiled and contaminated clothing
  - Wash hands before breaks and at the end of work.
  - Store protective clothing separately.
  - Do not inhale gases / fumes / aerosols.
  - Avoid contact with the skin.
  - Avoid contact with the eyes and skin.
- **Respiratory protection:**
  - When used as intended with Agilent instruments the use of the product under normal laboratory conditions and with standard practices does not result in significant airborne exposures and therefore respiratory protection is not needed.
  - Under an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved device equipment with appropriate organic or acid gas cartridge.
- **Protection of hands:**
  - Although not recommended for constant contact with the chemicals or for clean up, nitrile gloves 11-13mil thickness are recommended for normal use. The breakthrough time is 1hr. For cleaning a spill where there is direct contact of the chemical, butyl rubber gloves are recommended 12-15mil thickness with breakthrough times exceeding 4 hrs. Supplier recommendations should be followed.
- **Material of gloves**
  - For normal use: nitrile rubber, 11-13 mil thickness
  - For direct contact with the chemical: butyl rubber, 12-15 mil thickness
- **Penetration time of glove material**
  - For normal use: nitrile rubber: 1 hour
  - For direct contact with the chemical: butyl rubber: > 4 hours
- **Eye protection:**



Tightly sealed goggles

## 9 Physical and Chemical Properties

- **General Information**
- **Appearance:**
- **Form:** Fluid
- **Colour:** According to product specification
- **Odour:** Characteristic
- **Odour threshold:** Not determined.
- **pH-value:** Not determined.
- **Change in condition**
- **Melting point/freezing point:** Undetermined.
- **Initial boiling point and boiling range:** 69 °C
- **Flash point:** -22 °C
- **Flammability (solid, gas):** Highly flammable.

(Contd. on page 7)

-AU-

## Safety Data Sheet

according to WHS Regulations

Printing date 26.03.2025

Revision: 26.03.2025

**Trade name: Organochlorine Pesticides Standard (1X1 mL)**

(Contd. of page 6)

|                                                  |                                                                                             |
|--------------------------------------------------|---------------------------------------------------------------------------------------------|
| · <b>Auto-ignition temperature:</b>              | 240 °C                                                                                      |
| · <b>Decomposition temperature:</b>              | Not determined.                                                                             |
| · <b>Ignition temperature:</b>                   | Product is not selfigniting.                                                                |
| · <b>Explosive properties:</b>                   | Product is not explosive. However, formation of explosive air/vapour mixtures are possible. |
| · <b>Explosion limits:</b>                       |                                                                                             |
| · <b>Lower:</b>                                  | 1.2 Vol %                                                                                   |
| · <b>Upper:</b>                                  | 7.4 Vol %                                                                                   |
| · <b>Vapour pressure at 20 °C:</b>               | 110 hPa                                                                                     |
| · <b>Vapour pressure at 50 °C:</b>               | 540 hPa                                                                                     |
| · <b>Density:</b>                                | Not determined.                                                                             |
| · <b>Relative density</b>                        | Not determined.                                                                             |
| · <b>Vapour density</b>                          | Not determined.                                                                             |
| · <b>Evaporation rate</b>                        | Not determined.                                                                             |
| · <b>Solubility in / Miscibility with</b>        |                                                                                             |
| · <b>water:</b>                                  | Not miscible or difficult to mix.                                                           |
| · <b>Partition coefficient: n-octanol/water:</b> | Not determined.                                                                             |
| · <b>Viscosity:</b>                              |                                                                                             |
| · <b>Dynamic:</b>                                | Not determined.                                                                             |
| · <b>Kinematic:</b>                              | Not determined.                                                                             |
| · <b>Solvent content:</b>                        |                                                                                             |
| · <b>Organic solvents:</b>                       | 97.5 %                                                                                      |
| · <b>VOC (EC)</b>                                | 97.51 %                                                                                     |
| · <b>Solids content:</b>                         | 0.0 %                                                                                       |
| · <b>Other information</b>                       | No further relevant information available.                                                  |

### 10 Stability and Reactivity

- **Reactivity** No further relevant information available.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

### 11 Toxicological Information

- **Information on toxicological effects**
- **Acute toxicity** Harmful if swallowed.

· **LD/LC50 values relevant for classification:**
**ATE (Acute Toxicity Estimates)**

|        |      |             |
|--------|------|-------------|
| Oral   | LD50 | 1,107 mg/kg |
| Dermal | LD50 | 3,845 mg/kg |

**108-88-3 toluene**

|        |      |                       |
|--------|------|-----------------------|
| Oral   | LD50 | 5,580 mg/kg (rat)     |
| Dermal | LD50 | 12,124 mg/kg (rabbit) |

(Contd. on page 8)

## Safety Data Sheet

according to WHS Regulations

Printing date 26.03.2025

Revision: 26.03.2025

**Trade name: Organochlorine Pesticides Standard (1X1 mL)**

(Contd. of page 7)

|                                                                                            |          |                                         |
|--------------------------------------------------------------------------------------------|----------|-----------------------------------------|
| Inhalative                                                                                 | LC50/4 h | 5,320 mg/L (mouse)<br>28.1 mg/L (rat)   |
| <b>110-54-3 n-hexane</b>                                                                   |          |                                         |
| Oral                                                                                       | LD50     | 5,000 mg/kg (rat)                       |
| Dermal                                                                                     | LD50     | 3,000 mg/kg (rabbit)                    |
| <b>50-29-3 DDT (common name not adopted by ISO)</b>                                        |          |                                         |
| Oral                                                                                       | LD50     | 87 mg/kg (rat)                          |
| Dermal                                                                                     | LD50     | 2,510 mg/kg (rat)<br>300 mg/kg (rabbit) |
| <b>58-89-9 <math>\gamma</math>-HCH or <math>\gamma</math>-BHC</b>                          |          |                                         |
| Oral                                                                                       | LD50     | 88 mg/kg (rat)                          |
| Dermal                                                                                     | LD50     | 900 mg/kg (rat)                         |
| Inhalative                                                                                 | LC50/4 h | 1,560 mg/L (rat)                        |
| <b>60-57-1 dieldrin (ISO)</b>                                                              |          |                                         |
| Oral                                                                                       | LD50     | 38 mg/kg (mouse)<br>38 mg/kg (rat)      |
| Dermal                                                                                     | LD50     | 10 mg/kg (rat)<br>250 mg/kg (rabbit)    |
| <b>72-20-8 endrin (ISO)</b>                                                                |          |                                         |
| Oral                                                                                       | LD50     | 3 mg/kg (rat)                           |
| Dermal                                                                                     | LD50     | 60 mg/kg (rat)<br>60 mg/kg (rabbit)     |
| <b>72-43-5 methoxychlor</b>                                                                |          |                                         |
| Oral                                                                                       | LD50     | 1,855 mg/kg (rat)                       |
| Dermal                                                                                     | LD50     | 6,000 mg/kg (rat)                       |
| <b>72-54-8 TDE</b>                                                                         |          |                                         |
| Dermal                                                                                     | LD50     | 1,200 mg/kg (rabbit)                    |
| <b>72-55-9 2,2-bis(p-chlorophenyl)-1,1-dichloroethylene</b>                                |          |                                         |
| Oral                                                                                       | LD50     | 880 mg/kg (rat)                         |
| <b>76-44-8 heptachlor (ISO)</b>                                                            |          |                                         |
| Oral                                                                                       | LD50     | 40 mg/kg (rat)                          |
| Dermal                                                                                     | LD50     | 119 mg/kg (rat)                         |
| <b>309-00-2 aldrin (ISO)</b>                                                               |          |                                         |
| Oral                                                                                       | LD50     | 39 mg/kg (rat)                          |
| Dermal                                                                                     | LD50     | 98 mg/kg (rat)<br>15 mg/kg (rabbit)     |
| <b>319-84-6 alpha-BHC (alpha-HCH)</b>                                                      |          |                                         |
| Oral                                                                                       | LD50     | 177 mg/kg (rat)                         |
| <b>319-85-7 (1alpha,2beta,3alpha,4beta,5alpha,6beta)-1,2,3,4,5,6-hexachlorocyclohexane</b> |          |                                         |
| Oral                                                                                       | LD50     | 6,000 mg/kg (rat)                       |

(Contd. on page 9)

## Safety Data Sheet

according to WHS Regulations

Printing date 26.03.2025

Revision: 26.03.2025

**Trade name: Organochlorine Pesticides Standard (1X1 mL)**

(Contd. of page 8)

|                                                |      |                   |
|------------------------------------------------|------|-------------------|
| <b>319-86-8 delta-BHC (delta-HCH)</b>          |      |                   |
| Oral                                           | LD50 | 1,000 mg/kg (rat) |
| <b>959-98-8 endosulfan I</b>                   |      |                   |
| Oral                                           | LD50 | 76 mg/kg (rat)    |
| <b>1024-57-3 heptachlor epoxide - isomer B</b> |      |                   |
| Oral                                           | LD50 | 15 mg/kg (rat)    |
| <b>1031-07-8 endosulfan sulfate</b>            |      |                   |
| Oral                                           | LD50 | 18 mg/kg (rat)    |
| <b>5103-71-9 cis-chlordane</b>                 |      |                   |
| Oral                                           | LD50 | 500 mg/kg (rat)   |
| <b>5103-74-2 trans-chlordane</b>               |      |                   |
| Oral                                           | LD50 | 275 mg/kg (mouse) |
| <b>33213-65-9 endosulfan II</b>                |      |                   |
| Oral                                           | LD50 | 240 mg/kg (rat)   |
| <b>53494-70-5 endrin ketone</b>                |      |                   |
| Oral                                           | LD50 | 10 mg/kg (rat)    |

- **Skin corrosion/irritation** Causes skin irritation.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** May damage fertility or the unborn child.
- **STOT-single exposure** May cause drowsiness or dizziness.
- **STOT-repeated exposure** May cause damage to organs through prolonged or repeated exposure.
- **Aspiration hazard** May be fatal if swallowed and enters airways.

## 12 Ecological Information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
  - Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water
  - Do not allow product to reach ground water, water course or sewage system.
  - Danger to drinking water if even small quantities leak into the ground.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

AU

(Contd. on page 10)

## Safety Data Sheet

according to WHS Regulations

Printing date 26.03.2025

Revision: 26.03.2025

**Trade name: Organochlorine Pesticides Standard (1X1 mL)**

(Contd. of page 9)

### 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

### 14 Transport information

|                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                       |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| · <b>Not Regulated, De minimus Quantities</b>                                                                                                                                                                                                                                                                                         | -                                                                                                                                                                                     |
| · <b>UN-Number</b><br>· <b>ADG, IMDG, IATA</b>                                                                                                                                                                                                                                                                                        | UN1993                                                                                                                                                                                |
| · <b>UN proper shipping name</b><br>· <b>ADG</b><br><br>· <b>IMDG</b><br><br>· <b>IATA</b>                                                                                                                                                                                                                                            | 1993 FLAMMABLE LIQUID, N.O.S. (HEXANES, TOLUENE), ENVIRONMENTALLY HAZARDOUS FLAMMABLE LIQUID, N.O.S. (HEXANES, TOLUENE), MARINE POLLUTANT FLAMMABLE LIQUID, N.O.S. (HEXANES, TOLUENE) |
| · <b>Transport hazard class(es)</b><br>· <b>ADG, IMDG</b><br><br><div style="display: flex; align-items: center;">   </div><br>· <b>Class</b><br>· <b>Label</b> | 3 Flammable liquids.<br>3                                                                                                                                                             |
| · <b>IATA</b><br><br><div style="display: flex; align-items: center;">  </div><br>· <b>Class</b><br>· <b>Label</b>                                                                                                                                 | 3 Flammable liquids.<br>3                                                                                                                                                             |
| · <b>Packing group</b><br>· <b>ADG, IMDG, IATA</b>                                                                                                                                                                                                                                                                                    | II                                                                                                                                                                                    |
| · <b>Environmental hazards:</b><br><br>· <b>Marine pollutant:</b><br>· <b>Special marking (ADG):</b>                                                                                                                                                                                                                                  | Product contains environmentally hazardous substances: endosulfan sulfate<br>Symbol (fish and tree)<br>Symbol (fish and tree)                                                         |
| · <b>Special precautions for user</b><br>· <b>Hazard identification number (Kemler code):</b>                                                                                                                                                                                                                                         | Warning: Flammable liquids.<br>33                                                                                                                                                     |

(Contd. on page 11)

## Safety Data Sheet

according to WHS Regulations

Printing date 26.03.2025

Revision: 26.03.2025

**Trade name: Organochlorine Pesticides Standard (1X1 mL)**

(Contd. of page 10)

|                                                                             |                                                                                                                 |
|-----------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|
| · <b>EMS Number:</b>                                                        | F-E, <u>S</u> -E                                                                                                |
| · <b>Stowage Category</b>                                                   | B                                                                                                               |
| · <b>Transport in bulk according to Annex II of Marpol and the IBC Code</b> | Not applicable.                                                                                                 |
| · <b>Transport/Additional information:</b>                                  |                                                                                                                 |
| · <b>ADG</b>                                                                |                                                                                                                 |
| · <b>Limited quantities (LQ)</b>                                            | 1L                                                                                                              |
| · <b>Excepted quantities (EQ)</b>                                           | Code: E2<br>Maximum net quantity per inner packaging: 30 ml<br>Maximum net quantity per outer packaging: 500 ml |
| · <b>Transport category</b>                                                 | 2                                                                                                               |
| · <b>Tunnel restriction code</b>                                            | D/E                                                                                                             |
| · <b>IMDG</b>                                                               |                                                                                                                 |
| · <b>Limited quantities (LQ)</b>                                            | 1L                                                                                                              |
| · <b>Excepted quantities (EQ)</b>                                           | Code: E2<br>Maximum net quantity per inner packaging: 30 ml<br>Maximum net quantity per outer packaging: 500 ml |
| · <b>UN "Model Regulation":</b>                                             | UN 1993 FLAMMABLE LIQUID, N.O.S. (HEXANES, TOLUENE), 3, II, ENVIRONMENTALLY HAZARDOUS                           |

\*

### 15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Australian Inventory of Industrial Chemicals**

108-88-3 toluene

110-54-3 n-hexane

· **Standard for the Uniform Scheduling of Medicines and Poisons**

108-88-3 toluene

S6

50-29-3 DDT (common name not adopted by ISO)

S10

58-89-9  $\gamma$  -HCH or  $\gamma$  -BHC

S2, S4, S5, S6

60-57-1 dieldrin (ISO)

S6

72-20-8 endrin (ISO)

S7

72-43-5 methoxychlor

S5

72-54-8 TDE

S5, S6

76-44-8 heptachlor (ISO)

S6

309-00-2 aldrin (ISO)

S6

· **Australia: Priority Existing Chemicals**

None of the ingredients is listed.

· **Directive 2012/18/EU**

· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

(Contd. on page 12)

AU

## Safety Data Sheet

according to WHS Regulations

Printing date 26.03.2025

Revision: 26.03.2025

**Trade name: Organochlorine Pesticides Standard (1X1 mL)**

(Contd. of page 11)

- **Seveso category**  
E2 Hazardous to the Aquatic Environment  
P5c FLAMMABLE LIQUIDS
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 200 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 500 t
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

- **Relevant phrases**

H225 Highly flammable liquid and vapour.  
H300 Fatal if swallowed.  
H301 Toxic if swallowed.  
H302 Harmful if swallowed.  
H304 May be fatal if swallowed and enters airways.  
H310 Fatal in contact with skin.  
H311 Toxic in contact with skin.  
H312 Harmful in contact with skin.  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H332 Harmful if inhaled.  
H335 May cause respiratory irritation.  
H336 May cause drowsiness or dizziness.  
H351 Suspected of causing cancer.  
H360 May damage fertility or the unborn child.  
H361 Suspected of damaging fertility or the unborn child.  
H362 May cause harm to breast-fed children.  
H372 Causes damage to organs through prolonged or repeated exposure.  
H373 May cause damage to organs through prolonged or repeated exposure.

- **Department issuing SDS:** Document Control / Regulatory

- **Contact:** pdl-acg-regulatory-cq@agilent.com

- **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
VOC: Volatile Organic Compounds (USA, EU)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
Flammable liquids – Category 2: Flammable liquids – Category 2  
Acute toxicity – oral – Category 3: Acute toxicity – Category 3  
Acute toxicity – dermal – Category 1: Acute toxicity – Category 1  
Acute toxicity – dermal – Category 4: Acute toxicity – Category 4  
Skin corrosion/irritation – Category 2: Skin corrosion/irritation – Category 2  
Eye damage/irritation – Category 2A: Serious eye damage/eye irritation – Category 2A  
Carcinogenicity – Category 2: Carcinogenicity – Category 2  
Reproductive toxicity – effects on or via lactation: Reproductive toxicity – effects on or via lactation  
Reproductive toxicity – Category 1A: Reproductive toxicity – Category 1A

(Contd. on page 13)

## Safety Data Sheet

according to WHS Regulations

Printing date 26.03.2025

Revision: 26.03.2025

**Trade name: Organochlorine Pesticides Standard (1X1 mL)**

(Contd. of page 12)

Reproductive toxicity – Category 2: Reproductive toxicity – Category 2  
Specific target organ toxicity (single exposure) – Category 3: Specific target organ toxicity (single exposure) – Category 3  
Specific target organ toxicity (repeated exposure) – Category 1: Specific target organ toxicity (repeated exposure) – Category 1  
Specific target organ toxicity (repeated exposure) – Category 2: Specific target organ toxicity (repeated exposure) – Category 2  
Aspiration hazard – Category 1: Aspiration hazard – Category 1

· **\* Data compared to the previous version altered.**

-AU-