

# Safety Data Sheet

acc. to OSHA HCS

Revision date 08/23/2024

## 1 Identification

- **Product identifier**
- **Product Name:** Organochlorine Pesticides Standard (1X1 mL)
- **Part number:** PPM-808G-1
- **Application of the substance / the mixture** Reagents and Standards for Analytical Chemical Laboratory Use
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Agilent Technologies, Inc.  
5301 Stevens Creek Blvd.  
Santa Clara, CA 95051 USA
- **Information department:**  
Telephone: 800-227-9770  
e-mail: pdl-msds\_author@agilent.com
- **Emergency telephone number:** CHEMTREC®: 1-800-424-9300

## 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS02 Flame

Flammable Liquids 2

H225 Highly flammable liquid and vapor.



GHS08 Health hazard

Sensitization - Respiratory 1

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Carcinogenicity 1B

H350 May cause cancer.

Toxic to Reproduction 1B

H360 May damage fertility or the unborn child.

Specific Target Organ Toxicity - Repeated Exposure 2

H373 May cause damage to organs through prolonged or repeated exposure.

Aspiration Hazard 1

H304 May be fatal if swallowed and enters airways.



GHS07

Skin Irritation 2

H315 Causes skin irritation.

Sensitization - Skin 1

H317 May cause an allergic skin reaction.

Specific Target Organ Toxicity - Single Exposure 3

H336 May cause drowsiness or dizziness.

- **Label elements**

- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 2)

# Safety Data Sheet acc. to OSHA HCS

Printing date 08/23/2024

Revision date 08/23/2024

**Product Name: Organochlorine Pesticides Standard (1X1 mL)**

(Contd. of page 1)

**Hazard pictograms**

**Signal word Danger**
**Hazard-determining components of labeling:**

toluene  
captafol (ISO)  
n-hexane  
mirex  
quintozene (ISO)  
perthane  
dicofol (ISO)  
trifluralin (ISO) (containing < 0,5 ppm NPDA)  
chlorothalonil (ISO)  
propachlor (ISO)  
5-ethoxy-3-trichloromethyl-1,2,4-thiadiazole  
alachlor (ISO)  
permethrin (ISO)

**Hazard statements**

H225 Highly flammable liquid and vapor.  
H315 Causes skin irritation.  
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
H317 May cause an allergic skin reaction.  
H350 May cause cancer.  
H360 May damage fertility or the unborn child.  
H336 May cause drowsiness or dizziness.  
H373 May cause damage to organs through prolonged or repeated exposure.  
H304 May be fatal if swallowed and enters airways.

**Precautionary statements**

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.  
P241 Use explosion-proof electrical/ventilating/lighting/equipment.  
P260 Do not breathe dust/fume/gas/mist/vapors/spray.  
P284 [In case of inadequate ventilation] wear respiratory protection.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P240 Ground/bond container and receiving equipment.  
P242 Use only non-sparking tools.  
P243 Take precautionary measures against static discharge.  
P264 Wash thoroughly after handling.  
P271 Use only outdoors or in a well-ventilated area.  
P272 Contaminated work clothing must not be allowed out of the workplace.  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P301+P310 If swallowed: Immediately call a poison center/doctor.  
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P321 Specific treatment (see on this label).  
P342+P311 If experiencing respiratory symptoms: Call a poison center/doctor.  
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

(Contd. on page 3)

# Safety Data Sheet acc. to OSHA HCS

Printing date 08/23/2024

Revision date 08/23/2024

**Product Name: Organochlorine Pesticides Standard (1X1 mL)**

(Contd. of page 2)

P312 Call a poison center/doctor if you feel unwell.  
P363 Wash contaminated clothing before reuse.  
P308+P313 IF exposed or concerned: Get medical advice/attention.  
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
P314 Get medical advice/attention if you feel unwell.  
P331 Do NOT induce vomiting.  
P370+P378 In case of fire: Use CO<sub>2</sub>, powder or water spray to extinguish.  
P362+P364 Take off contaminated clothing and wash it before reuse.  
P405 Store locked up.  
P403+P233 Store in a well-ventilated place. Keep container tightly closed.  
P403+P235 Store in a well-ventilated place. Keep cool.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**· Classification system:**
**· NFPA ratings (scale 0 - 4)**

**· HMIS-ratings (scale 0 - 4)**

**· Other hazards**
**· Results of PBT and vPvB assessment**
**· PBT:**

1836-75-5 nitrofen (ISO)

**· vPvB:** Not applicable.

## 3 Composition/information on ingredients

**· Chemical characterization: Mixtures**
**· Description:** Mixture of the substances listed below with nonhazardous additions.

**· Dangerous components:**

108-88-3	toluene	55.549%
110-54-3	n-hexane	42.2223%
72-56-0	perthane	0.1311%
82-68-8	quintozene (ISO)	0.1311%
115-32-2	dicofol (ISO)	0.1311%
117-80-6	dichlone (ISO)	0.1311%
1582-09-8	trifluralin (ISO) (containing < 0,5 ppm NPDA)	0.1311%
1836-75-5	nitrofen (ISO)	0.1311%
1897-45-6	chlorothalonil (ISO)	0.1311%
1918-16-7	propachlor (ISO)	0.1311%
2385-85-5	mirex	0.1311%

(Contd. on page 4)

# Safety Data Sheet acc. to OSHA HCS

Printing date 08/23/2024

Revision date 08/23/2024

**Product Name: Organochlorine Pesticides Standard (1X1 mL)**

(Contd. of page 3)

2425-06-1	captafol (ISO)	0.1311%
2593-15-9	5-ethoxy-3-trichloromethyl-1,2,4-thiadiazole	0.1311%
15972-60-8	alachlor (ISO)	0.1311%
52645-53-1	permethrin (ISO)	0.1311%

## 4 First-aid measures

- **Description of first aid measures**
- **General information:**  
Immediately remove any clothing soiled by the product.  
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- **After inhalation:**  
Supply fresh air and to be sure call for a doctor.  
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

## 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture**  
During heating or in case of fire poisonous gases are produced.
- **Advice for firefighters**
- **Protective equipment:** Mouth respiratory protective device.

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Mount respiratory protective device.  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to section 13.  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

(Contd. on page 5)

# Safety Data Sheet acc. to OSHA HCS

Printing date 08/23/2024

Revision date 08/23/2024

**Product Name: Organochlorine Pesticides Standard (1X1 mL)**

(Contd. of page 4)

## · Protective Action Criteria for Chemicals

### · PAC-1:

108-88-3	toluene	67 ppm
110-54-3	n-hexane	260 ppm
82-68-8	quintozene (ISO)	1.5 mg/m <sup>3</sup>
1582-09-8	trifluralin (ISO) (containing < 0,5 ppm NPDA)	1.2 mg/m <sup>3</sup>
1897-45-6	chlorothalonil (ISO)	0.13 mg/m <sup>3</sup>
2385-85-5	mirex	6.3 mg/m <sup>3</sup>

### · PAC-2:

108-88-3	toluene	560 ppm
110-54-3	n-hexane	2900* ppm
82-68-8	quintozene (ISO)	28 mg/m <sup>3</sup>
1582-09-8	trifluralin (ISO) (containing < 0,5 ppm NPDA)	13 mg/m <sup>3</sup>
1897-45-6	chlorothalonil (ISO)	1.4 mg/m <sup>3</sup>
2385-85-5	mirex	69 mg/m <sup>3</sup>

### · PAC-3:

108-88-3	toluene	3700* ppm
110-54-3	n-hexane	8600** ppm
82-68-8	quintozene (ISO)	62 mg/m <sup>3</sup>
1582-09-8	trifluralin (ISO) (containing < 0,5 ppm NPDA)	78 mg/m <sup>3</sup>
1897-45-6	chlorothalonil (ISO)	8.6 mg/m <sup>3</sup>
2385-85-5	mirex	410 mg/m <sup>3</sup>

## 7 Handling and storage

### · Handling:

#### · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.  
Open and handle receptacle with care.  
Prevent formation of aerosols.

#### · Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.  
Protect against electrostatic charges.  
Keep respiratory protective device available.

#### · Conditions for safe storage, including any incompatibilities

#### · Storage:

· **Requirements to be met by storerooms and receptacles:** Store in a cool location.

· **Information about storage in one common storage facility:** Not required.

#### · Further information about storage conditions:

Keep receptacle tightly sealed.  
Store in cool, dry conditions in well sealed receptacles.

· **Specific end use(s)** No further relevant information available.

US

(Contd. on page 6)

## Safety Data Sheet

acc. to OSHA HCS

Printing date 08/23/2024

Revision date 08/23/2024

**Product Name: Organochlorine Pesticides Standard (1X1 mL)**

(Contd. of page 5)

### 8 Exposure controls/personal protection

· **Additional information about design of technical systems:** No further data; see section 7.

· **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

#### 108-88-3 toluene

PEL	Long-term value: 200 ppm Ceiling limit value: 300; 500* ppm *10-min peak per 8-hr shift
REL	Short-term value: 560 mg/m <sup>3</sup> , 150 ppm Long-term value: 375 mg/m <sup>3</sup> , 100 ppm
TLV	Long-term value: 20 ppm BEI, OTO, A4

#### 110-54-3 n-hexane

PEL	Long-term value: 1800 mg/m <sup>3</sup> , 500 ppm
REL	Long-term value: 180 mg/m <sup>3</sup> , 50 ppm
TLV	Long-term value: 50 ppm Skin; BEI

#### 82-68-8 quintozene (ISO)

TLV	Long-term value: 0.5 mg/m <sup>3</sup> A4
-----	--

#### 2425-06-1 captafol (ISO)

REL	Long-term value: 0.1 mg/m <sup>3</sup> Skin; See Pocket Guide App. A
TLV	Long-term value: 0.1 mg/m <sup>3</sup> Inh.fraction/vapor, DSEN,RSEN,A3,SL 0.2mg/100cm <sup>2</sup>

#### 15972-60-8 alachlor (ISO)

TLV	Long-term value: 1* mg/m <sup>3</sup> DSEN, *inhalable fraction and vapor, A3
-----	--

(Contd. on page 7)

US

## Safety Data Sheet

acc. to OSHA HCS

Printing date 08/23/2024

Revision date 08/23/2024

**Product Name: Organochlorine Pesticides Standard (1X1 mL)**

(Contd. of page 6)

**Ingredients with biological limit values:**
**108-88-3 toluene**

BEI	0.02 mg/L Medium: blood Time: prior to last shift of workweek Parameter: Toluene
	0.03 mg/L Medium: urine Time: end of shift Parameter: Toluene
	0.3 mg/g creatinine Medium: urine Time: end of shift Parameter: o-Cresol with hydrolysis (background)

**110-54-3 n-hexane**

BEI	0.5 mg/L Medium: urine Time: end of shift Parameter: 2,5-Hexanedione without hydrolysis
-----	--

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing.  
Wash hands before breaks and at the end of work.  
Store protective clothing separately.  
Avoid contact with the skin.  
Avoid contact with the eyes and skin.

· **Breathing equipment:**

When used as intended with Agilent instruments, the use of the product under normal laboratory conditions and with standard practices does not result in significant airborne exposures and therefore respiratory protection is not needed.

Under an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved device/equipment with appropriate organic or acid gas cartridge.

· **Protection of hands:**

Although not recommended for constant contact with the chemicals or for clean-up, nitrile gloves 11-13 mil thickness are recommended for normal use. The breakthrough time is 1 hr. For cleaning a spill where there is direct contact of the chemical, butyl rubber gloves are recommended 12-15 mil thickness with breakthrough times exceeding 4 hrs. Supplier recommendations should be followed.

· **Material of gloves**

For normal use: nitrile rubber, 11-13 mil thickness  
For direct contact with the chemical: butyl rubber, 12-15 mil thickness

· **Penetration time of glove material**

For normal use: nitrile rubber: 1 hour  
For direct contact with the chemical: butyl rubber: >4 hours

(Contd. on page 8)

# Safety Data Sheet acc. to OSHA HCS

Printing date 08/23/2024

Revision date 08/23/2024

**Product Name: Organochlorine Pesticides Standard (1X1 mL)**

(Contd. of page 7)

· Eye protection:



Tightly sealed goggles

## 9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form:	Fluid
Color:	According to product specification
Odor:	Characteristic
Odor threshold:	Not determined.

· pH-value: Not determined.

· Change in condition

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	69 °C (156.2 °F)

· Flash point: -22 °C (-7.6 °F)

· Flammability (solid, gaseous): Highly flammable.

· Auto igniting: 240 °C (464 °F)

· Decomposition temperature: Not determined.

· Ignition temperature: Product is not selfigniting.

· Danger of explosion: Product is not explosive. However, formation of explosive air/vapor mixtures are possible.

· Explosion limits:

Lower:	1.2 Vol %
Upper:	7.4 Vol %

· Vapor pressure at 20 °C (68 °F): 110 hPa (82.5 mm Hg)

· Vapor pressure at 50 °C (122 °F): 540 hPa (405 mm Hg)

· Density: Not determined.

· Relative density: Not determined.

· Vapor density: Not determined.

· Evaporation rate: Not determined.

· Solubility in / Miscibility with

Water: Not miscible or difficult to mix.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic:	Not determined.
Kinematic:	Not determined.

(Contd. on page 9)



# Safety Data Sheet acc. to OSHA HCS

Printing date 08/23/2024

Revision date 08/23/2024

**Product Name: Organochlorine Pesticides Standard (1X1 mL)**

(Contd. of page 8)

· <b>Solvent content:</b>	
<b>Organic solvents:</b>	97.9 %
<b>VOC content:</b>	97.90 %
	979.0 g/l / 8.17 lb/gal
· <b>Solids content:</b>	2.1 %
· <b>Other information</b>	No further relevant information available.

## 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

### ATE (Acute Toxicity Estimate)

Oral	LD50	179,252 mg/kg (rat)
Dermal	LD50	164,690 mg/kg (rabbit)
Inhalative	LC50/4 h	4,238 mg/L (rat)

### 108-88-3 toluene

Oral	LD50	5,580 mg/kg (rat)
Dermal	LD50	12,124 mg/kg (rabbit)
Inhalative	LC50/4 h	5,320 mg/L (mouse)
		28.1 mg/L (rat)

### 110-54-3 n-hexane

Oral	LD50	5,000 mg/kg (rat)
Dermal	LD50	3,000 mg/kg (rabbit)

### 72-56-0 perthane

Oral	LD50	6,600 mg/kg (rat)
------	------	-------------------

### 82-68-8 quintozene (ISO)

Oral	LD50	1,100 mg/kg (rat)
------	------	-------------------

### 115-32-2 dicofol (ISO)

Oral	LD50	575 mg/kg (rat)
Dermal	LD50	1,870 mg/kg (rat)

(Contd. on page 10)

## Safety Data Sheet

acc. to OSHA HCS

Printing date 08/23/2024

Revision date 08/23/2024

**Product Name: Organochlorine Pesticides Standard (1X1 mL)**

(Contd. of page 9)

Inhalative	LC50/4 h	1,870 mg/kg (rabbit) >5,000 mg/L (rat)
<b>117-80-6 dichlone (ISO)</b>		
Oral	LD50	160 mg/kg (rat)
Dermal	LD50	500 mg/kg (rabbit)
<b>1582-09-8 trifluralin (ISO) (containing &lt; 0,5 ppm NPDA)</b>		
Oral	LD50	1,930 mg/kg (rat)
Dermal	LD50	>5,000 mg/kg (rat)
<b>1836-75-5 nitrofen (ISO)</b>		
Oral	LD50	740 mg/kg (rat)
Dermal	LD50	5,000 mg/kg (rabbit)
<b>1897-45-6 chlorothalonil (ISO)</b>		
Oral	LD50	10,000 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rabbit)
Inhalative	LC50/4 h	220 mg/L (rat)
<b>1918-16-7 propachlor (ISO)</b>		
Oral	LD50	710 mg/kg (rat)
Dermal	LD50	380 mg/kg (rabbit)
<b>2385-85-5 mirex</b>		
Oral	LD50	235 mg/kg (rat)
Dermal	LD50	800 mg/kg (rabbit)
<b>2425-06-1 captafol (ISO)</b>		
Oral	LD50	2,500 mg/kg (rat)
Dermal	LD50	15,400 mg/kg (rabbit)
<b>2593-15-9 5-ethoxy-3-trichloromethyl-1,2,4-thiadiazole</b>		
Oral	LD50	1,077 mg/kg (rat)
Dermal	LD50	1,700 mg/kg (rabbit)
Inhalative	LC50/4 h	5.7 mg/L (rat)
<b>15972-60-8 alachlor (ISO)</b>		
Oral	LD50	930 mg/kg (rat)
Dermal	LD50	3,500 mg/kg (rabbit)

· **Primary irritant effect:**

- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** No irritating effect.

· **Sensitization:**

Sensitization possible through inhalation.  
Sensitization possible through skin contact.

· **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful

Irritant

(Contd. on page 11)

US

## Safety Data Sheet

acc. to OSHA HCS

Printing date 08/23/2024

Revision date 08/23/2024

**Product Name: Organochlorine Pesticides Standard (1X1 mL)**

(Contd. of page 10)

**· Carcinogenic categories**
**· IARC (International Agency for Research on Cancer)**

108-88-3	toluene	3
82-68-8	quintozene (ISO)	3
115-32-2	dicofol (ISO)	3
1582-09-8	trifluralin (ISO) (containing < 0,5 ppm NPDA)	3
1836-75-5	nitrofen (ISO)	2B
1897-45-6	chlorothalonil (ISO)	2B
2385-85-5	mirex	2B
2425-06-1	captafol (ISO)	2A
52645-53-1	permethrin (ISO)	3

**· NTP (National Toxicology Program)**

1836-75-5	nitrofen (ISO)	R
2385-85-5	mirex	R
2425-06-1	captafol (ISO)	R

**· OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

## 12 Ecological information

**· Toxicity**
**· Aquatic toxicity:** No further relevant information available.

**· Persistence and degradability** No further relevant information available.

**· Behavior in environmental systems:**
**· Bioaccumulative potential** No further relevant information available.

**· Mobility in soil** No further relevant information available.

**· Additional ecological information:**
**· General notes:**

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

**· Results of PBT and vPvB assessment**
**· PBT:**

1836-75-5	nitrofen (ISO)
-----------	----------------

**· vPvB:** Not applicable.

**· Other adverse effects** No further relevant information available.

## 13 Disposal considerations

**· Waste treatment methods**
**· Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 12)

## Safety Data Sheet

acc. to OSHA HCS

Printing date 08/23/2024





Revision date 08/23/2024

**Product Name: Organochlorine Pesticides Standard (1X1 mL)**

(Contd. of page 11)

- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

### 14 Transport information

· <b>Not Regulated, De minimis Quantities</b>	-
· <b>UN-Number</b>	UN1993
· <b>DOT, IMDG, IATA</b>	
· <b>UN proper shipping name</b>	Flammable liquids, n.o.s. (Hexanes, Toluene)
· <b>DOT</b>	FLAMMABLE LIQUID, N.O.S. (HEXANES, TOLUENE),
· <b>IMDG</b>	MARINE POLLUTANT
· <b>IATA</b>	FLAMMABLE LIQUID, N.O.S. (HEXANES, TOLUENE)
· <b>Transport hazard class(es)</b>	
· <b>DOT</b>	
	
· <b>Class</b>	3 Flammable liquids
· <b>Label</b>	3
· <b>IMDG</b>	
 	
· <b>Class</b>	3 Flammable liquids
· <b>Label</b>	3
· <b>IATA</b>	
	
· <b>Class</b>	3 Flammable liquids
· <b>Label</b>	3
· <b>Packing group</b>	
· <b>DOT, IMDG, IATA</b>	II
· <b>Environmental hazards:</b>	Product contains environmentally hazardous substances: nitrofen (ISO), n-hexane
· <b>Marine pollutant:</b>	Symbol (fish and tree)
· <b>Special precautions for user</b>	Warning: Flammable liquids
· <b>Hazard identification number (Kemler code):</b>	33
· <b>EMS Number:</b>	F-E, <u>S</u> -E

(Contd. on page 13)

# Safety Data Sheet acc. to OSHA HCS

Printing date 08/23/2024

Revision date 08/23/2024

**Product Name: Organochlorine Pesticides Standard (1X1 mL)**

(Contd. of page 12)

· <b>Stowage Category</b>	B
· <b>Transport in bulk according to Annex II of MARPOL/73/78 and the IBC Code</b>	Not applicable.
· <b>Transport/Additional information:</b>	
· <b>DOT</b>	
· <b>Quantity limitations</b>	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
· <b>IMDG</b>	
· <b>Limited quantities (LQ)</b>	1L
· <b>Excepted quantities (EQ)</b>	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· <b>UN "Model Regulation":</b>	UN 1993 FLAMMABLE LIQUID, N.O.S. (HEXANES, TOLUENE), 3, II, ENVIRONMENTALLY HAZARDOUS

## 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

### · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

### · Section 313 (Specific toxic chemical listings):

108-88-3	toluene
110-54-3	n-hexane
82-68-8	quintozene (ISO)
115-32-2	dicofol (ISO)
1582-09-8	trifluralin (ISO) (containing < 0,5 ppm NPDA)
1836-75-5	nitrofen (ISO)
1897-45-6	chlorothalonil (ISO)
1918-16-7	propachlor (ISO)
15972-60-8	alachlor (ISO)
52645-53-1	permethrin (ISO)

### · TSCA (Toxic Substances Control Act):

108-88-3	toluene	ACTIVE
110-54-3	n-hexane	ACTIVE
82-68-8	quintozene (ISO)	ACTIVE
117-80-6	dichlone (ISO)	ACTIVE
1836-75-5	nitrofen (ISO)	ACTIVE
1897-45-6	chlorothalonil (ISO)	ACTIVE

### · Hazardous Air Pollutants

108-88-3	toluene
----------	---------

(Contd. on page 14)

# Safety Data Sheet acc. to OSHA HCS

Printing date 08/23/2024

Revision date 08/23/2024

**Product Name: Organochlorine Pesticides Standard (1X1 mL)**

(Contd. of page 13)

110-54-3	n-hexane
82-68-8	quintozene (ISO)
1582-09-8	trifluralin (ISO) (containing < 0,5 ppm NPDA)

**· Proposition 65**
**· Chemicals known to cause cancer:**

1836-75-5	nitrofen (ISO)
1897-45-6	chlorothalonil (ISO)
1918-16-7	propachlor (ISO)
2385-85-5	mirex
2425-06-1	captafol (ISO)
2593-15-9	5-ethoxy-3-trichloromethyl-1,2,4-thiadiazole
15972-60-8	alachlor (ISO)

**· Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

**· Chemicals known to cause reproductive toxicity for males:**

110-54-3	n-hexane
----------	----------

**· Chemicals known to cause developmental toxicity:**

108-88-3	toluene
----------	---------

**· Carcinogenic categories**
**· EPA (Environmental Protection Agency)**

108-88-3	toluene	II
110-54-3	n-hexane	II
1582-09-8	trifluralin (ISO) (containing < 0,5 ppm NPDA)	C

**· TLV (Threshold Limit Value)**

108-88-3	toluene	A4
82-68-8	quintozene (ISO)	A4
2425-06-1	captafol (ISO)	A4
15972-60-8	alachlor (ISO)	A3

**· NIOSH-Ca (National Institute for Occupational Safety and Health)**

2425-06-1	captafol (ISO)
-----------	----------------

**· National regulations:**
**· Additional classification according to Decree on Hazardous Materials:**

Carcinogenic hazardous material group III (dangerous).

**· Information about limitation of use:**

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation.  
Exceptions can be made by the authorities in certain cases.

**· Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation.  
No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

(Contd. on page 15)

**Safety Data Sheet**  
**acc. to OSHA HCS**

Printing date 08/23/2024

Revision date 08/23/2024

**Product Name: Organochlorine Pesticides Standard (1X1 mL)**

(Contd. of page 14)

- **Department issuing SDS:** Document Control / Regulatory
- **Contact:** pdl-acg-regulatory-cq@agilent.com
- **Date of preparation / last revision** 08/23/2024 / 3
- **Abbreviations and acronyms:**
  - ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
  - IMDG: International Maritime Code for Dangerous Goods
  - DOT: US Department of Transportation
  - IATA: International Air Transport Association
  - EINECS: European Inventory of Existing Commercial Chemical Substances
  - ELINCS: European List of Notified Chemical Substances
  - CAS: Chemical Abstracts Service (division of the American Chemical Society)
  - NFPA: National Fire Protection Association (USA)
  - HMIS: Hazardous Materials Identification System (USA)
  - VOC: Volatile Organic Compounds (USA, EU)
  - LC50: Lethal concentration, 50 percent
  - LD50: Lethal dose, 50 percent
  - PBT: Persistent, Bioaccumulative and Toxic
  - vPvB: very Persistent and very Bioaccumulative
  - NIOSH: National Institute for Occupational Safety
  - OSHA: Occupational Safety & Health
  - TLV: Threshold Limit Value
  - PEL: Permissible Exposure Limit
  - REL: Recommended Exposure Limit
  - BEI: Biological Exposure Limit
  - Flammable Liquids 2: Flammable liquids – Category 2
  - Skin Irritation 2: Skin corrosion/irritation – Category 2
  - Sensitization - Respiratory 1: Respiratory sensitisation – Category 1
  - Sensitization - Skin 1: Skin sensitisation – Category 1
  - Carcinogenicity 1B: Carcinogenicity – Category 1B
  - Toxic to Reproduction 1B: Reproductive toxicity – Category 1B
  - Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3
  - Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) – Category 2
  - Aspiration Hazard 1: Aspiration hazard – Category 1
- **\* Data compared to the previous version altered.**

US