

Safety Data Sheet

according to P.U.(A) 310/2013

Printing date 24.03.2025

Revision: 24.03.2025

1 Identification of the hazardous chemical and of the supplier

- **Product identifier**
- **Trade name:** LC Pesticide Standard no. 4 (1X1 mL)
- **Part number:** PSM-105-F
- **Recommended use of the chemical and restrictions on use**
Reagents and Standards for Analytical Chemical Laboratory Use
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Agilent Technologies Deutschland GmbH
Hewlett-Packard-Str. 8
76337 Waldbronn
Germany
- **Further information obtainable from:**
Telephone: 0800 603 1000
pdl-msds_author@agilent.com
- **Emergency telephone number:** CHEMTREC®: +(60) 3-9212 5794

2 Hazard identification

- **Classification of the substance or mixture**



Flam. Liq. 2 H225 Highly flammable liquid and vapour.



Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.



Acute Tox. 4 H302 Harmful if swallowed.

Eye Irrit. 2 H319 Causes serious eye irritation.

- **Label elements**
- **GHS label elements** The product is classified and labelled according to the Globally Harmonised System (GHS).
- **Hazard pictograms**



- **Signal word** Danger
- **Hazard-determining components of labelling:**
cyanomethane

(Contd. on page 2)

MY

Safety Data Sheet

according to P.U.(A) 310/2013

Printing date 24.03.2025

Revision: 24.03.2025

Trade name: LC Pesticide Standard no. 4 (1X1 mL)

(Contd. of page 1)

· Hazard statements

H225 Highly flammable liquid and vapour.
H302 Harmful if swallowed.
H319 Causes serious eye irritation.
H410 Very toxic to aquatic life with long lasting effects.

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces – No smoking.
P241 Use explosion-proof electrical/ ventilating/lighting equipment.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P240 Ground/bond container and receiving equipment.
P233 Keep container tightly closed.
P242 Use only non-sparking tools.
P273 Avoid release to the environment.
P243 Take precautionary measures against static discharge.
P264 Wash thoroughly after handling.
P270 Do not eat, drink, or smoke when using this product.
P391 Collect spillage.
P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
P303+P361+P353 IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
P337+P313 If eye irritation persists: Get medical advice/attention.
P330 Rinse mouth.
P370+P378 In case of fire: Use CO₂, powder or water spray for extinction.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P403+P235 Store in a well-ventilated place. Keep cool.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Other hazards
· Results of PBT and vPvB assessment

· **PBT:** Not applicable.
· **vPvB:** Not applicable.

3 Composition and information of the ingredients of the hazardous chemical

· Chemical characterisation: Mixtures

· **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

75-05-8	cyanomethane  Flam. Liq. 2, H225;  Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Eye Irrit. 2, H319	99.8016%
65907-30-4	furathiocarb  Acute Tox. 3, H301; Acute Tox. 2, H330;  STOT RE 2, H373;  Aquatic Acute 1, H400; Aquatic Chronic 1, H410;  Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	0.0064%
71751-41-2	abamectin (combination of avermectin B1a and avermectin B1b) (ISO)  Acute Tox. 2, H300; Acute Tox. 1, H330;  Repr. 2, H361; STOT RE 1, H372;  Aquatic Acute 1, H400; Aquatic Chronic 1, H410	0.0064%
96489-71-3	2-tert-butyl-5-(4-tert-butylbenzylthio)-4-chloropyridazin-3(2H)-one  Acute Tox. 3, H301; Acute Tox. 3, H331;  Aquatic Acute 1, H400; Aquatic Chronic 1, H410	0.0064%

(Contd. on page 3)

Safety Data Sheet

according to P.U.(A) 310/2013

Printing date 24.03.2025

Revision: 24.03.2025

Trade name: LC Pesticide Standard no. 4 (1X1 mL)

103361-09-7 flumioxazin (ISO)

(Contd. of page 2)

0.0064%

 Repr. 2, H361;  Aquatic Acute 1, H400; Aquatic Chronic 1, H410

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

· **Description of first aid measures**

· **General information:**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· **After inhalation:** Supply fresh air; consult doctor in case of complaints.

· **After skin contact:** Immediately rinse with water.

· **After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· **After swallowing:** Call for a doctor immediately.

· **Information for doctor:**

· **Most important symptoms and effects, both acute and delayed** No further relevant information available.

· **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

5 Fire-fighting measures

· **Extinguishing media**

· **Suitable extinguishing agents:**

CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· **For safety reasons unsuitable extinguishing agents:** Water with full jet

· **Special hazards arising from the substance or mixture** No further relevant information available.

· **Advice for firefighters**

· **Protective equipment:** No special measures required.

6 Accidental release measures

· **Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

· **Environmental precautions:**

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· **Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 4)

MY

Safety Data Sheet

according to P.U.(A) 310/2013

Printing date 24.03.2025

Revision: 24.03.2025

Trade name: LC Pesticide Standard no. 4 (1X1 mL)

See Section 13 for disposal information.

(Contd. of page 3)

7 Handling and storage

- **Handling:**
- **Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about fire - and explosion protection:**
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
Keep container tightly sealed.
Store in cool, dry conditions in well sealed receptacles.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls and personal protection

- **Additional information about design of technical facilities:** No further data; see section 7.
- **Control parameters**

Ingredients with limit values that require monitoring at the workplace:

75-05-8 cyanomethane

PEL (Malaysia)	Long-term value: 67 mg/m ³ , 40 ppm (kulit)
----------------	--

- **Additional information:** The lists valid during the making were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Avoid contact with the eyes.
Avoid contact with the eyes and skin.
- **Respiratory protection:**
When used as intended with Agilent instruments the use of the product under normal laboratory conditions and with standard practices does not result in significant airborne exposures and therefore respiratory protection is not needed.
Under an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved device equipment with appropriate organic or acid gas cartridge.
- **Protection of hands:**
Although not recommended for constant contact with the chemicals or for clean up, nitrile gloves 11-13mil thickness are recommended for normal use. The breakthrough time is 1hr. For cleaning a spill where there is direct contact of the chemical, butyl rubber gloves are recommended 12-15mil thickness with breakthrough times exceeding 4 hrs. Supplier recommendations should be followed.

(Contd. on page 5)

MY

Safety Data Sheet

according to P.U.(A) 310/2013

Printing date 24.03.2025

Revision: 24.03.2025

Trade name: LC Pesticide Standard no. 4 (1X1 mL)

(Contd. of page 4)

- **Material of gloves**
For normal use: nitrile rubber, 11-13 mil thickness
For direct contact with the chemical: butyl rubber, 12-15 mil thickness
- **Penetration time of glove material**
For normal use: nitrile rubber: 1 hour
For direct contact with the chemical: butyl rubber: > 4 hours
- **Eye protection:**



Tightly sealed goggles

9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

Form:	Fluid
Colour:	Colourless
Odour:	Aromatic
Odour threshold:	Not determined.
- **pH-value:** Not determined.
- **Change in condition**

Melting point/freezing point	-46 °C
Initial boiling point and boiling range	81 °C
- **Flash point:** 2 °C
- **Flammability (solid, gas)** Highly flammable.
- **Auto-ignition temperature** 525 °C
- **Decomposition temperature:** Not determined.
- **Auto-ignition temperature** Product is not selfigniting.
- **Explosive properties:** Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
- **Explosion limits:**

Lower:	4.4 Vol %
Upper:	16 Vol %
- **Vapour pressure at 20 °C:** 0 hPa
- **Vapour pressure at 50 °C:** 330 hPa
- **Density at 20 °C:** 0.786 g/cm³
- **Relative density** Not determined.
- **Vapour density** Not determined.
- **Evaporation rate** Not determined.
- **Solubility in / Miscibility with water:** Not miscible or difficult to mix.

(Contd. on page 6)

MY

Safety Data Sheet

according to P.U.(A) 310/2013

Printing date 24.03.2025

Revision: 24.03.2025

Trade name: LC Pesticide Standard no. 4 (1X1 mL)

(Contd. of page 5)

- | | |
|---|--|
| · Partition coefficient: n-octanol/water | Not determined. |
| · Viscosity: | |
| Dynamic: | Not determined. |
| Kinematic: | Not determined. |
| · Solvent content: | |
| VOC (EC) | 0.00 % |
| Solids content: | 0.2 % |
| · Other information | No further relevant information available. |

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity**

· **LD/LC50 values relevant for classification:**
ATE (Acute Toxicity Estimates)

Oral	LD50	1,323 mg/kg (rat)
Dermal	LD50	>2,004 mg/kg (rabbit)
Inhalative	LC50/4 h	3,594 mg/L (mouse)

75-05-8 cyanomethane

Oral	LD50	1,320 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rabbit)
Inhalative	LC50/4 h	3,587 mg/L (mouse)

65907-30-4 furathiocarb

Oral	LD50	53 mg/kg (rat)
------	------	----------------

71751-41-2 abamectin (combination of avermectin B1a and avermectin B1b) (ISO)

Oral	LD50	1.5 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rabbit)
Inhalative	LC50/4 h	1,100 mg/L (rat)

96489-71-3 2-tert-butyl-5-(4-tert-butylbenzylthio)-4-chloropyridazin-3(2H)-one

Oral	LD50	205 mg/kg (mouse)
Dermal	LD50	>2,000 mg/kg (rabbit)

(Contd. on page 7)

MY

Safety Data Sheet

according to P.U.(A) 310/2013

Printing date 24.03.2025

Revision: 24.03.2025

Trade name: LC Pesticide Standard no. 4 (1X1 mL)

(Contd. of page 6)

Inhalative	LC50/4 h	620 mg/L (rat)
103361-09-7 flumioxazin (ISO)		
Oral	LD50	>5,000 mg/kg (rat)

- **Primary irritant effect:**
- **Skin corrosion or irritation** No irritant effect.
- **Serious eye damage or eye irritation** Irritating effect.
- **Respiratory / skin sensitization** No sensitising effects known.
- **Additional toxicological information:**
The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:
Harmful
Irritant

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Very toxic for fish
- **Additional ecological information:**
- **General notes:**
Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water
Do not allow product to reach ground water, water course or sewage system.
Danger to drinking water if even small quantities leak into the ground.
Also poisonous for fish and plankton in water bodies.
Very toxic for aquatic organisms
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal information

- **Waste treatment methods**
- **Recommendation**
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

MY

(Contd. on page 8)

Safety Data Sheet

according to P.U.(A) 310/2013

Printing date 24.03.2025

Revision: 24.03.2025

Trade name: LC Pesticide Standard no. 4 (1X1 mL)

(Contd. of page 7)

14 Transportation information

· Not Regulated, De minimus Quantities	-
· UN-Number · ADR, IMDG, IATA	UN1648
· UN proper shipping name · ADR · IMDG · IATA	1648 ACETONITRILE, ENVIRONMENTALLY HAZARDOUS ACETONITRILE, MARINE POLLUTANT ACETONITRILE
· Transport hazard class(es) · ADR, IMDG	
 	
· Class · Label	3 Flammable liquids. 3
· IATA	
	
· Class · Label	3 Flammable liquids. 3
· Packing group · ADR, IMDG, IATA	II
· Environmental hazards: · Marine pollutant: · Special marking (ADR):	Symbol (fish and tree) Symbol (fish and tree)
· Special precautions for user · Hazard identification number (Kemler code): · EMS Number: · Stowage Category	Warning: Flammable liquids. 33 F-E, <u>S-E</u> B
· Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· Transport category · Tunnel restriction code	2 D/E

(Contd. on page 9)

MY

Safety Data Sheet

according to P.U.(A) 310/2013

Printing date 24.03.2025

Revision: 24.03.2025

Trade name: LC Pesticide Standard no. 4 (1X1 mL)

(Contd. of page 8)

- | | |
|--|---|
| <ul style="list-style-type: none"> · IMDG · Limited quantities (LQ) · Excepted quantities (EQ) | <p>1L
Code: E2
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 500 ml</p> |
| <ul style="list-style-type: none"> · UN "Model Regulation": | <p>UN 1648 ACETONITRILE, 3, II,
ENVIRONMENTALLY HAZARDOUS</p> |

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**

- **EHS reference list**

75-05-8	cyanomethane
65907-30-4	furathiocarb
71751-41-2	abamectin (combination of avermectin B1a and avermectin B1b) (ISO)
96489-71-3	2-tert-butyl-5-(4-tert-butylbenzylthio)-4-chloropyridazin-3(2H)-one
103361-09-7	flumioxazin (ISO)

- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **Seveso category**
E1 Hazardous to the Aquatic Environment
P5c FLAMMABLE LIQUIDS
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 100 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 200 t
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

- **Department issuing SDS:** Document Control / Regulatory
- **Contact:** pdl-acg-regulatory-cq@agilent.com
- **Abbreviations and acronyms:**
 ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 VOC: Volatile Organic Compounds (USA, EU)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic
 vPvB: very Persistent and very Bioaccumulative
 Flam. Liq. 2: Flammable liquids – Category 2
 Acute Tox. 3: Acute toxicity - oral – Category 3
 Acute Tox. 4: Acute toxicity - oral – Category 4
 Acute Tox. 1: Acute toxicity - oral – Category 1

(Contd. on page 10)

MY

Safety Data Sheet

according to P.U.(A) 310/2013

Printing date 24.03.2025

Revision: 24.03.2025

Trade name: LC Pesticide Standard no. 4 (1X1 mL)

(Contd. of page 9)

Acute Tox. 2: Acute toxicity - oral – Category 2
Skin Irrit. 2: Skin corrosion or irritation – Category 2
Eye Irrit. 2: Serious eye damage or eye irritation – Category 2
Skin Sens. 1: Skin sensitization – Category 1
Repr. 2: Reproductive toxicity – Category 2
STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2
Aquatic Acute 1: Hazardous to the aquatic environment - acute hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - chronic hazard – Category 1

MY