SAFETY DATA SHEET

Agilent Technologies

Polaris LC Columns with less than 10ml solvent

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

This product is considered an article. This Safety Data Sheet is written based on the encapsulated substance or mixture in this article.

1.1 Product identifier

Product name : Polaris LC Columns with less than 10ml solvent

Part no. : A2000020X020, A2000030X020, A2000030X030, A2000030X046, A2000050G100, A2000050X020, A2000050X021, A2000050X030, A2000050X046, A2000075X021, A2000100C030, A2000100C046, A2000100R030, A2000100R046, A2000100T046, A2000100X020, A2000100X021, A2000100X030, A2000100X040, A2000100X046, A2000100X100, A2000120X046, A2000125X040, A2000125X046, A2000150C046, A2000150R030, A2000150R046, A2000150T030, A2000150X020, A2000150X021, A2000150X030, A2000150X039, A2000150X040, A2000150X046, A2000200X046, A2000250C030, A2000250C046, A2000250R046, A2000250X020, A2000250X021, A2000250X030, A2000250X040, A2000250X046, A2000300X046, A2000CG2, A2000CG3, A2000MG, A2000MG2, A2001020X020, A2001030X020, A2001030X030, A2001030X046, A2001050C046, A2001050X010, A2001050X020, A2001050X030, A2001050X046, A2001075X046, A2001100C046, A2001100T030, A2001100X010, A2001100X020, A2001100X030, A2001100X046, A2001150C030, A2001150C046, A2001150R030, A2001150R046, A2001150T046, A2001150X020, A2001150X030, A2001150X046, A2001250C046, A2001250X020, A2001250X030, A2001250X046, A2001MG, A2001MG2, A2002030G046, A2002050G100, A2002250X046, A2002300X039, A2002MG, A2002MG2, A2006020X020, A2006030X020, A2006050G100, A2006050X020, A2006050X046, A2006100X020, A2006100X030, A2006125X040, A2006150X020, A2006150X030, A2006150X040, A2006150X046, A2006200X046, A2006250C046S, A2006250X020, A2006250X030, A2006250X040, A2006250X046, A2006MG, A2006MG2, A2007020X020, A2007030X030, A2007050X020, A2007050X021, A2007050X030, A2007050X046, A2007050X100, A2007100X020, A2007100X021, A2007100X030, A2007100X046, A2007150X020, A2007150X021, A2007150X030, A2007150X032, A2007150X046, A2007250X020, A2007250X030, A2007250X046, A2007MG, A2007MG2, A2010020X020, A2010030X020, A2010050G100, A2010050X020, A2010050X046, A2010100X020, A2010100X030, A2010100X046, A2010125X040, A2010125X046, A2010150X020, A2010150X021, A2010150X030, A2010150X040, A2010150X046, A2010250X020, A2010250X030, A2010250X040, A2010250X046, A2010MG, A2010MG2, A2011020X020, A2011030X030, A2011050X020, A2011050X021, A2011050X046, A2011075X046, A2011100X020, A2011100X030, A2011100X046, A2011150X020, A2011150X021, A2011150X030, A2011150X046, A2011250X020, A2011250X030, A2011MG, A2011MG2, A2020020X020, A2020030X020, A2020050G100, A2020050X020, A2020050X046, A2020100X020, A2020100X030, A2020100X046, A2020125X040, A2020150X020, A2020150X030, A2020150X039, A2020150X040, A2020150X046, A2020250X020, A2020250X030, A2020250X040, A2020250X046, A2020MG, A2020MG2, A2021020X020, A2021020X040, A2021030X020, A2021030X030, A2021050X020, A2021050X021, A2021050X030, A2021050X046, A2021050X100, A2021075X020, A2021100X020, A2021100X030, A2021100X040, A2021100X046, A2021150X020, A2021150X030, A2021150X046, A2021250X010, A2021250X020, A2021250X021, A2021250X030, A2021250X046, A2021MG, A2021MG2, A2030020X020, A2030030X020, A2030050G100, A2030050X020, A2030050X046, A2030100X020, A2030100X030, A2030100X046, A2030125X040, A2030150X020, A2030150X030, A2030150X039, A2030150X040, A2030150X046, A2030250X020, A2030250X030, A2030250X040, A2030MG, A2031020X020, A2031030X020, A2031030X030, A2031050X020, A2031050X021, A2031050X030, A2031050X046, A2031075X046, A2031100X020, A2031100X046, A2031150X020, A2031150X021, A2031150X046, A2031250X020, A2031250X030, A2031250X046, A2031MG2, A2040100X020, A2040MG, CP914682

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses :

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Analytical chemistry.
HPLC column

A2000020X020	Polaris 5 C18-A 20 x 2.0mm 0.06ml
A2000030X020	Polaris 5 C18-A 30 x 2.0mm 0.1ml
A2000030X030	Polaris 5 C18-A 30 x 3.0mm 0.2ml
A2000030X046	Polaris 5 C18-A 30 x 4.6mm 0.5ml
A2000050G100	Polaris 5 C18-A 50 X 10.0mm Guard 3.9ml
A2000050X020	Polaris 5 C18-A 50 x 2.0mm 0.2ml
A2000050X021	Polaris 5 C18-A 50 x 2.1mm 0.2ml
A2000050X030	Polaris 5 C18-A 50 x 3.0mm 0.4ml
A2000050X046	Polaris 5 C18-A 50 x 4.6mm 0.8ml
A2000075X021	Polaris 5 C18-A 75 x 2.1mm 0.3ml
A2000100C030	Polaris 5 C18-A, S100X3.0 Col
A2000100C046	Polaris 5 C18-A, S100x4.6 Col 1.7ml
A2000100R030	Polaris 5 C18-A, S100x3.0 Repl 0.7ml
A2000100R046	Polaris 5 C18-A, S100x4.6 Repl 1.7ml
A2000100T046	Polaris 5 C18-A, S100x4.6 Repl.3 1.7ml
A2000100X020	Polaris 5 C18-A 100 x 2.0mm 0.3ml
A2000100X021	Polaris 5 C18-A 100 x 2.1mm 0.3ml
A2000100X030	Polaris 5 C18-A 100 x 3.0mm 0.7ml
A2000100X040	Polaris 5 C18-A 100 x 4.0mm 1.3ml
A2000100X046	Polaris 5 C18-A 100 x 4.6mm 1.7ml
A2000100X100	Polaris 5 C18-A 100 X 10.0mm 7.9ml
A2000120X046	Polaris 5 C18-A 120 x 4.6mm 2.0ml
A2000125X040	Polaris 5 C18-A 125 x 4.0mm 1.6ml
A2000125X046	Polaris 5 C18-A 125 x 4.6mm 2.1ml
A2000150C046	Polaris 5 C18-A, S150x4.6 Col 2.5ml
A2000150R030	Polaris 5 C18-A, S150x3.0 Repl 1.1ml
A2000150R046	Polaris 5 C18-A, S150x4.6 Repl 2.5ml
A2000150T030	Polaris 5 C18-A, S150x3.0 Repl.3 1.1ml
A2000150X020	Polaris 5 C18-A 150 x 2.0mm 0.5ml
A2000150X021	Polaris 5 C18-A 150 x 2.1mm 0.5ml
A2000150X030	Polaris 5 C18-A 150 x 3.0mm 1.1ml
A2000150X039	Polaris 5 C18-A 150 x 3.9mm 1.8ml
A2000150X040	Polaris 5 C18-A 150 x 4.0mm 1.9ml
A2000150X046	Polaris 5 C18-A 150 x 4.6mm 2.5ml
A2000200X046	Polaris 5 C18-A 200 x 4.6mm 3.3ml
A2000250C030	Polaris 5 C18-A, S250x3.0 Col 1.8ml
A2000250C046	Polaris 5 C18-A, S250x4.6 Col 4.2ml
A2000250R046	Polaris 5 C18-A S250 x 4.6mm Repl 4.2ml
A2000250X020	Polaris 5 C18-A 250 x 2.0mm 0.8ml
A2000250X021	Polaris 5 C18-A 250 x 2.1mm 0.9ml
A2000250X030	Polaris 5 C18-A 250 x 3.0mm 1.8ml
A2000250X040	Polaris 5 C18-A 250 x 4.0mm 3.1ml
A2000250X046	Polaris 5 C18-A 250 x 4.6mm 4.2ml
A2000300X046	Polaris 5 C18-A 300 x 4.6mm 5.0ml
A2000CG2	ChromSep guard, Pol 5 C18-A 10x2 Repl 3 0.03ml
A2000MG	MetaGuard 4.6mm Polaris 5 C18-A 0.2ml
A2000MG2	MetaGuard 2.0mm Polaris 5 C18-A 0.03ml
A2001020X020	Polaris 3 C18-A 20 x 2.0mm 0.06ml
A2001030X020	Polaris 3 C18-A 30 x 2.0mm 0.1ml
A2001030X030	Polaris 3 C18-A 30 x 3.0mm 0.2ml
A2001030X046	Polaris 3 C18-A 30 x 4.6mm 0.5ml
A2001050C046	Polaris 3 C18-A, S50x4.6 Col 0.8ml
A2001050X010	Polaris 3 C18-A 50 x 1.0mm 0.04ml
A2001050X020	Polaris 3 C18-A 50 x 2.0mm 0.2ml
A2001050X030	Polaris 3 C18-A 50 x 3.0mm 0.4ml
A2001050X046	Polaris 3 C18-A 50 x 4.6mm 0.8ml
A2001075X046	Polaris 3 C18-A 75 x 4.6mm 1.2ml
A2001100C046	Polaris 3 C18-A, S100x4.6 Col 1.7ml
A2001100T030	Polaris 3 C18-A, S100x3.0 Repl.3 0.7ml
A2001100X010	Polaris 3 C18-A 100 x 1.0mm 0.08ml

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

A2001100X020 Polaris 3 C18-A 100 x 2.0mm 0.3ml
A2001100X030 Polaris 3 C18-A 100 x 3.0mm 0.7ml
A2001100X046 Polaris 3 C18-A 100 x 4.6mm 1.7ml
A2001150C030 Polaris 3 C18-A, S150x3.0 Col 1.1ml
A2001150C046 Polaris 3 C18-A, S150x4.6 Col 2.5ml
A2001150R030 Polaris 3 C18-A, S150x3.0 Repl 1.1ml
A2001150R046 Polaris 3 C18-A, S150x4.6 Repl 2.5ml
A2001150T046 Polaris 3 C18-A, S150x4.6 Repl.3 2.5ml
A2001150X020 Polaris 3 C18-A 150 x 2.0mm 0.5ml
A2001150X030 Polaris 3 C18-A 150 x 3.0mm 1.1ml
A2001150X046 Polaris 3 C18-A 150 x 4.6mm 2.5ml
A2001250C046 Polaris 3 C18-A, S250x4.6 Col 4.2ml
A2001250X020 Polaris 3 C18-A 250 x 2.0mm 0.8ml
A2001250X030 Polaris 3 C18-A 250 x 3.0mm 1.8ml
A2001250X046 Polaris 3 C18-A 250 x 4.6mm 4.2ml
A2001MG MetaGuard 4.6mm Polaris 3 C18-A 0.2ml
A2001MG2 MetaGuard 2.0mm Polaris 3 C18-A 0.03ml
A2002030G046 Polaris 10u C18-A 30 x 4.6mm GUARD 0.5ml
A2002050G100 Polaris 10u C18-A 50 x 10.0mm Guard 3.9ml
A2002250X046 Polaris 10 C18-A 250 x 4.6mm 4.2ml
A2002300X039 Polaris 10 C18-A 300 x 3.9mm 3.6ml
A2002MG MetaGuard 4.6mm Polaris 10u C18-A 0.2ml
A2002MG2 MetaGuard 2.1mm Polaris 10U C18-A 0.03ml
A2006020X020 Polaris 5 Amide-C18 20 x 2.0mm 0.06ml
A2006030X020 Polaris 5 Amide-C18 30 x 2.0mm 0.1ml
A2006050G100 Polaris 5 Amide-C18 50 X 10.0mm Guard 3.9ml
A2006050X020 Polaris 5 Amide-C18 50 x 2.0mm 0.2ml
A2006050X046 Polaris 5 Amide-C18 50 x 4.6mm 0.8ml
A2006100X020 Polaris 5 Amide-C18 100 x 2.0mm 0.3ml
A2006100X030 Polaris 5 Amide-C18 100 x 3.0mm 0.7ml
A2006125X040 Polaris 5 Amide-C18 125 x 4.0mm 1.6ml
A2006150X020 Polaris 5 Amide-C18 150 x 2.0mm 0.5ml
A2006150X030 Polaris 5 Amide-C18 150 x 3.0mm 1.1ml
A2006150X040 Polaris 5 Amide-C18 150 x 4.0mm 1.9ml
A2006150X046 Polaris 5 Amide-C18 150 x 4.6mm 2.5ml
A2006200X046 Polaris 5 Amide-C18 200 x 4.6mm 3.3ml
A2006250C046S Polaris 5 Amide-C18 250 x 4.6mm Col 4.2ml
A2006250X020 Polaris 5 Amide-C18 250 x 2.0mm 0.8ml
A2006250X030 Polaris 5 Amide-C18 250 x 3.0mm 1.8ml
A2006250X040 Polaris 5 Amide-C18 250 x 4.0mm 3.1ml
A2006250X046 Polaris 5 Amide-C18 250 x 4.6mm 4.2ml
A2006MG Polaris 5 Amide-C18 4.6mm MetaGuard 0.2ml
A2006MG2 Polaris 5 Amide-C18 2.0mm MetaGuard 0.03ml
A2007020X020 Polaris 3 Amide-C18 20 x 2.0mm 0.06ml
A2007030X030 Polaris 3 Amide-C18 30 x 3.0mm 0.2ml
A2007050X020 Polaris 3 Amide-C18 50 x 2.0mm 0.2ml
A2007050X021 Polaris 3 Amide-C18 50 x 2.1mm 0.2ml
A2007050X030 Polaris 3 Amide-C18 50 x 3.0mm 0.4ml
A2007050X046 Polaris 3 Amide-C18 50 x 4.6mm 0.8ml
A2007050X100 Polaris 3 Amide-C18 50 X 10.0mm 3.9ml
A2007100X020 Polaris 3 Amide-C18 100 x 2.0mm 0.3ml
A2007100X021 Polaris 3 Amide-C18 100 x 2.1mm 0.3ml
A2007100X030 Polaris 3 Amide-C18 100 x 3.0mm 0.7ml
A2007100X046 Polaris 3 Amide-C18 100 x 4.6mm 1.7ml
A2007150X020 Polaris 3 Amide-C18 150 x 2.0mm 0.5ml
A2007150X021 Polaris 3 Amide-C18 150 x 2.1mm 0.5ml
A2007150X030 Polaris 3 Amide-C18 150 x 3.0mm 1.1ml
A2007150X032 Polaris 3 Amide-C18 150 x 3.2mm 1.2ml
A2007150X046 Polaris 3 Amide-C18 150 x 4.6mm 2.5ml
A2007250X020 Polaris 3 Amide-C18 250 x 2.0mm 0.8ml
A2007250X030 Polaris 3 Amide-C18 250 x 3.0mm 1.8ml
A2007250X046 Polaris 3 Amide-C18 250 x 4.6mm 4.2ml

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

A2007MG Polaris 3 Amide-C18 4.6mm MetaGuard 0.2ml
A2007MG2 Polaris 3 Amide-C18 2.0mm MetaGuard 0.03ml
A2010020X020 Polaris 5 C8-A 20 x 2.0mm 0.06ml
A2010030X020 Polaris 5 C8-A 30 x 2.0mm 0.1ml
A2010050G100 Polaris 5 C8-A 50 X 10.0mm Guard 3.9ml
A2010050X020 Polaris 5 C8-A 50 x 2.0mm 0.2ml
A2010050X046 Polaris 5 C8-A 50 x 4.6mm 0.8ml
A2010100X020 Polaris 5 C8-A 100 x 2.0mm 0.3ml
A2010100X030 Polaris 5 C8-A 100 x 3.0mm 0.7ml
A2010100X046 Polaris 5 C8-A 100 x 4.6mm 1.7ml
A2010125X040 Polaris 5 C8-A 125 x 4.0mm 1.6ml
A2010125X046 Polaris 5 C8-A 125 x 4.6mm 2.1ml
A2010150X020 Polaris 5 C8-A 150 x 2.0mm 0.5ml
A2010150X021 Polaris 5 C8-A 150 x 2.1mm 0.5ml
A2010150X030 Polaris 5 C8-A 150 x 3.0mm 1.1ml
A2010150X040 Polaris 5 C8-A 150 x 4.0mm 1.9ml
A2010150X046 Polaris 5 C8-A 150 x 4.6mm 2.5ml
A2010250X020 Polaris 5 C8-A 250 x 2.0mm 0.8ml
A2010250X030 Polaris 5 C8-A 250 x 3.0mm 1.8ml
A2010250X040 Polaris 5 C8-A 250 x 4.0mm 3.1ml
A2010250X046 Polaris 5 C8-A 250 x 4.6mm 4.2ml
A2010MG MetaGuard 4.6mm Polaris C8-A 5u 0.2ml
A2010MG2 MetaGuard 2.0mm Polaris C8-A 5u 0.03ml
A2011020X020 Polaris 3 C8-A 20 x 2.0mm 0.06ml
A2011030X030 Polaris 3 C8-A 30 x 3.0mm 0.2ml
A2011050X020 Polaris 3 C8-A 50 x 2.0mm 0.2ml
A2011050X021 Polaris 3 C8-A 50 x 2.1mm 0.2ml
A2011050X046 Polaris 3 C8-A 50 x 4.6mm 0.8ml
A2011075X046 Polaris 3 C8-A 75 x 4.6mm 1.2ml
A2011100X020 Polaris 3 C8-A 100 x 2.0mm 0.3ml
A2011100X030 Polaris 3 C8-A 100 x 3.0mm 0.7ml
A2011100X046 Polaris 3 C8-A 100 x 4.6mm 1.7ml
A2011150X020 Polaris 3 C8-A 150 x 2.0mm 0.5ml
A2011150X021 Polaris 3 C8-A 150 x 2.1mm 0.5ml
A2011150X030 Polaris 3 C8-A 150 x 3.0mm 1.1ml
A2011150X046 Polaris 3 C8-A 150 x 4.6mm 2.5ml
A2011250X020 Polaris 3 C8-A 250 x 2.0mm 0.8ml
A2011250X030 Polaris 3 C8-A 250 x 3.0mm 1.8ml
A2011MG MetaGuard 4.6mm Polaris C8-A 3u 0.2ml
A2011MG2 MetaGuard 2.0mm Polaris C8-A 3u 0.03ml
A2020020X020 Polaris 5 C18-Ether 20 x 2.0mm 0.06ml
A2020030X020 Polaris 5 3 C18-Ether0 x 2.0mm 0.1ml
A2020050G100 Polaris C18-Ether 5u 50 x 10.0mm Guard 3.9ml
A2020050X020 Polaris 5 C18-Ether 50 x 2.0mm 0.2ml
A2020050X046 Polaris 5 C18-Ether 50 x 4.6mm 0.8ml
A2020100X020 Polaris 5 C18-Ether 100 x 2.0mm 0.3ml
A2020100X030 Polaris 5 C18-Ether 100 x 3.0mm 0.7ml
A2020100X046 Polaris 5 C18-Ether 100 x 4.6mm 1.7ml
A2020125X040 Polaris 5 C18-Ether 125 x 4.0mm
A2020150X020 Polaris 5 C18-Ether 150 x 2.0mm 0.5ml
A2020150X030 Polaris 5 C18-Ether 150 x 3.0mm 1.1ml
A2020150X039 Polaris 5 C18-Ether 150 x 3.9mm
A2020150X040 Polaris 5 C18-Ether 150 x 4.0mm
A2020150X046 Polaris 5 C18-Ether 150 x 4.6mm
A2020250X020 Polaris 5 C18-Ether 250 x 2.0mm
A2020250X030 Polaris 5 C18-Ether 250 x 3.0mm 1.8ml
A2020250X040 Polaris 5 C18-Ether 250 x 4.0mm
A2020250X046 Polaris 5 C18-Ether 250 x 4.6mm
A2020MG MetaGuard 4.6mm Polaris C18-Ether 5u 0.2ml
A2020MG2 MetaGuard 2.0mm Polaris C18-Ether 5u 0.03ml
A2021020X020 Polaris 3 C18-Ether 20 x 2.0mm 0.06ml
A2021020X040 Polaris 3 C18-Ether 20 x 4.0mm 0.3ml

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

A2021030X020 Polaris 3 3 C18-Ether0 x 2.0mm 0.1ml
A2021030X030 Polaris 3 C18-Ether 30 x 3.0mm 0.2ml
A2021050X020 Polaris 3 C18-Ether 50 x 2.0mm 0.2ml
A2021050X021 Polaris 3 C18-Ether 50 x 2.1mm 0.2ml
A2021050X030 Polaris 3 C18-Ether 50 x 3.0mm 0.4ml
A2021050X046 Polaris 3 C18-Ether 50 x 4.6mm 0.8ml
A2021050X100 Polaris C18-Ether 3u 50 x 10.0mm 3.9ml
A2021075X020 Polaris 3 C18-Ether 75 x 2.0mm 0.2ml
A2021100X020 Polaris 3 C18-Ether 100 x 2.0mm 0.3ml
A2021100X030 Polaris 3 C18-Ether 100 x 3.0mm 0.7ml
A2021100X040 Polaris 3 C18-Ether 100 x 4.0mm 1.3ml
A2021100X046 Polaris 3 C18-Ether 100 x 4.6mm 1.7ml
A2021150X020 Polaris 3 C18-Ether 150 x 2.0mm 0.5ml
A2021150X030 Polaris 3 C18-Ether 150 x 3.0mm 1.1ml
A2021150X046 Polaris 3 C18-Ether 150 x 4.6mm 2.5ml
A2021250X010 Polaris 3 C18-Ether 250 x 1.0mm 0.2ml
A2021250X020 Polaris 3 C18-Ether 250 x 2.0mm 0.8ml
A2021250X021 Polaris 3 C18-Ether 250 x 2.1mm 0.9ml
A2021250X030 Polaris 3 C18-Ether 250 x 3.0mm 1.8ml
A2021250X046 Polaris 3 C18-Ether 250 x 4.6mm 4.2ml
A2021MG MetaGuard 4.6mm Polaris C18-Ether 3u 0.2ml
A2021MG2 MetaGuard 2.0mm Polaris C18-Ether 3u 0.03ml
A2030020X020 Polaris 5 C8-Ether 20 x 2.0mm 0.06ml
A2030030X020 Polaris 5 C8-Ether 30 x 2.0mm 0.1ml
A2030050G100 Polaris C8-Ether 5u 50 x 10.0mm Guard 3.9ml
A2030050X020 Polaris 5 C8-Ether 50 x 2.0mm 0.2ml
A2030050X046 Polaris 5 C8-Ether 50 x 4.6mm 0.8ml
A2030100X020 Polaris 5 C8-Ether 100 x 2.0mm 0.3ml
A2030100X030 Polaris 5 C8-Ether 100 x 3.0mm 0.7ml
A2030100X046 Polaris 5 C8-Ether 100 x 4.6mm 1.7ml
A2030125X040 Polaris 5 C8-Ether 125 x 4.0mm 1.6ml
A2030150X020 Polaris 5 C8-Ether 150 x 2.0mm 0.5ml
A2030150X030 Polaris 5 C8-Ether 150 x 3.0mm 1.1ml
A2030150X039 Polaris 5 C8-Ether 150 x 3.9mm 1.8ml
A2030150X040 Polaris 5 C8-Ether 150 x 4.0mm 1.9ml
A2030150X046 Polaris 5 C8-Ether 150 x 4.6mm 2.5ml
A2030250X020 Polaris 5 C8-Ether 250 x 2.0mm 0.8ml
A2030250X030 Polaris 5 C8-Ether 250 x 3.0mm 1.8ml
A2030250X040 Polaris 5 C8-Ether 250 x 4.0mm 3.1ml
A2030MG MetaGuard 4.6mm Polaris C8-Ether 5u 0.2ml
A2031020X020 Polaris 3 C8-Ether 20 x 2.0mm 0.06ml
A2031030X020 Polaris 3 C8-Ether 30 x 2.0mm 0.1ml
A2031030X030 Polaris 3 C8-Ether 30 x 3.0mm 0.2ml
A2031050X020 Polaris 3 C8-Ether 50 x 2.0mm 0.2ml
A2031050X021 Polaris 3 C8-Ether 50 x 2.1mm 0.2ml
A2031050X030 Polaris 3 C8-Ether 50 x 3.0mm 0.4ml
A2031050X046 Polaris 3 C8-Ether 50 x 4.6mm 0.8ml
A2031075X046 Polaris 3 C8-Ether 75 x 4.6mm 1.2ml
A2031100X020 Polaris 3 C8-Ether 100 x 2.0mm 0.3ml
A2031100X046 Polaris 3 C8-Ether 100 x 4.6mm 1.7ml
A2031150X020 Polaris 3 C8-Ether 150 x 2.0mm 0.5ml
A2031150X021 Polaris 3 C8-Ether 150 x 2.1mm 0.5ml
A2031150X046 Polaris 3 C8-Ether 150 x 4.6mm 2.5ml
A2031250X020 Polaris 3 C8-Ether 250 x 2.0mm 0.8ml
A2031250X030 Polaris 3 C8-Ether 250 x 3.0mm 1.8ml
A2031250X046 Polaris 3 C8-Ether 250 x 4.6mm 4.2ml
A2031MG2 MetaGuard 2.0mm Polaris C8-Ether 3u 0.03ml
A2040100X020 Polaris 5 C18-B 100 x 2.0mm 0.3ml
A2040MG MetaGuard 4.6mm Polaris 5 C18-B 0.2ml
CP914682 Polaris 3 C18-Ether 250 x 2.0mm 0.8ml
A2000CG3 ChromSep guard, Pol 5 C18-A 10x3 Repl 3

Uses advised against : None known.

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.3 Details of the supplier of the safety data sheet

Agilent Technologies Deutschland GmbH
Hewlett-Packard-Str. 8
76337 Waldbronn
Germany
0800 603 1000

e-mail address of person responsible for this SDS : pdl-msds_author@agilent.com

1.4 Emergency telephone number

Emergency telephone number (with hours of operation) : CHEMTREC®: +353 1 901 4670

SECTION 2: Hazards identification

This article, when used under reasonable conditions and in accordance with the directions for use, should not present a health hazard. The substance or mixture is encapsulated in the article. Only if released due to use or processing of the article in a manner not in accordance with the product's directions for use it may present potential health and safety hazards.

2.1 Classification of the substance or mixture

Product definition : Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

H225	FLAMMABLE LIQUIDS	Category 2
H319	SERIOUS EYE DAMAGE/EYE IRRITATION	Category 2

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Hazard pictograms :

Signal word : Danger

Hazard statements : H225 - Highly flammable liquid and vapour.
H319 - Causes serious eye irritation.

Precautionary statements

Prevention : P280 - Wear eye or face protection.
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Response : P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313 - If eye irritation persists: Get medical advice or attention.

Storage : Not applicable.

Disposal : P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.

Supplemental label elements : Not applicable.

SECTION 2: Hazards identification

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles : Not applicable.

Special packaging requirements

Tactile warning of danger : Not applicable.

2.3 Other hazards

Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII : This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

Other hazards which do not result in classification : None known.

SECTION 3: Composition/information on ingredients

This article, when used under reasonable conditions and in accordance with the directions for use, should not present a health hazard. The substance or mixture is encapsulated in the article. Only if released due to use or processing of the article in a manner not in accordance with the product's directions for use it may present potential health and safety hazards.

3.2 Mixtures

: Mixture

Product/ingredient name	Identifiers	%	Classification	Specific Conc. Limits, M-factors and ATEs	Type
acetonitrile	EC: 200-835-2 CAS: 75-05-8 Index: 608-001-00-3	≥10 - <25	Flam. Liq. 2, H225 Acute Tox. 4, H302 Acute Tox. 4, H312 Acute Tox. 4, H332 Eye Irrit. 2, H319 **See Section 16 for the full text of the H statements declared above.**	ATE [Oral] = 500 mg/kg ATE [Dermal] = 1100 mg/kg ATE [Inhalation (vapours)] = 11 mg/l	[1] [2]

Contains: Organosilane bonded silica gel

Note: To the best of our knowledge, the acute and chronic toxicological properties of bonded silica gels have not been investigated. This product contains synthetic amorphous silica, and should not be confused with crystalline silica such as quartz, cristobalite, or tridymite, or with diatomaceous earth or other naturally occurring forms of amorphous silica that frequently contain crystalline forms of silica.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

Type

[1] Substance classified with a health or environmental hazard
[2] Substance with a workplace exposure limit

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures

Eye contact : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.

Inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

Skin contact : Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Ingestion : Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

4.2 Most important symptoms and effects, both acute and delayed

Over-exposure signs/symptoms

Eye contact : Adverse symptoms may include the following:
pain or irritation
watering
redness

Inhalation : No specific data.

Skin contact : No specific data.

Ingestion : No specific data.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician : In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

Specific treatments : No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use dry chemical, CO_2, water spray (fog) or foam.

Unsuitable extinguishing media : Do not use water jet.

5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture : Highly flammable liquid and vapour. Runoff to sewer may create fire or explosion hazard. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion.

SECTION 5: Firefighting measures

Hazardous combustion products : Decomposition products may include the following materials:
carbon dioxide
carbon monoxide
nitrogen oxides
metal oxide/oxides
cyanides

5.3 Advice for firefighters

Special precautions for fire-fighters : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

6.2 Environmental precautions : Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

6.4 Reference to other sections : See Section 1 for emergency contact information.
See Section 8 for information on appropriate personal protective equipment.
See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Protective measures : Put on appropriate personal protective equipment (see Section 8). Avoid breathing vapour or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Use only non-sparking tools. Take precautionary measures against electrostatic discharges. Avoid contact with eyes, skin and clothing. Do not ingest. Empty containers retain product residue and can be hazardous. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Do not reuse container. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment.

SECTION 7: Handling and storage

Advice on general occupational hygiene : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Storage : Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidising materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Seveso Directive - Reporting thresholds

Danger criteria

Category	Notification and MAPP threshold	Safety report threshold
P5c	5000 tonnes	50000 tonnes

7.3 Specific end use(s)

Recommendations : Industrial applications, Professional applications.

Industrial sector specific solutions : Not available.

SECTION 8: Exposure controls/personal protection

Since the hazardous ingredient in this article is encapsulated, the risk of exposure by inhalation, ingestion, skin contact and eyes contact is minimum.

8.1 Control parameters

Occupational exposure limits

Product/ingredient name	Exposure limit values
acetonitrile	**NAOSH (Ireland, 4/2024)** Absorbed through skin. Notes: EU derived Occupational Exposure Limit Values OELV 8 hours: 40 ppm. OELV 8 hours: 70 mg/m³. OELV 15 minutes: 4 mg/m³. OELV 15 minutes: 1.8 ppm. **EU OEL (Europe, 1/2022)** Absorbed through skin. TWA 8 hours: 40 ppm. TWA 8 hours: 70 mg/m³.

Biological exposure indices

No exposure indices known.

Recommended monitoring procedures : Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNELs/DMELs

Product/ingredient name	Result

SECTION 8: Exposure controls/personal protection

acetonitrile	DNEL - General population - Long term - Oral	0.4 mg/kg bw/day
	DNEL - General population - Short term - Oral	0.6 mg/kg bw/day
	DNEL - General population - Long term - Dermal	1.2 mg/kg bw/day
	DNEL - General population - Long term - Inhalation	2.4 mg/m³

PNECs

Not available.

8.2 Exposure controls

Appropriate engineering controls : Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapour or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

Individual protection measures

Hygiene measures : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

Skin protection

Hand protection : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Body protection : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. When there is a risk of ignition from static electricity, wear anti-static protective clothing. For the greatest protection from static discharges, clothing should include anti-static overalls, boots and gloves. Refer to European Standard EN 1149 for further information on material and design requirements and test methods.

Other skin protection : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Environmental exposure controls : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

9.1 Information on basic physical and chemical properties

Appearance

Physical state : Solid. (containing flammable liquid)

Colour : White.

Odour : Not available.

Odour threshold : Not available.

Melting point/freezing point : Not available.

Boiling point or initial boiling point and boiling range : Not available.

Flammability : Contains: Flammable liquid

Lower and upper explosion limit/ flammability limit : Not available.

Flash point : Closed cup: -18 to 23°C [Based on solvent.]

Auto-ignition temperature :

Ingredient name	°C	Method
acetonitrile	524	-

Decomposition temperature : Not available.

pH : Neutral.

Viscosity : Dynamic (room temperature): Not available.
Kinematic (room temperature): Not available.
Kinematic (40°C): Not available.

Solubility :

Media	Result
Mobile phase	Soluble
Stationary phase	Insoluble

Partition coefficient: n-octanol/water : Not applicable.

Vapour pressure :

Ingredient name	Vapour Pressure at 20˚C			Vapour pressure at 50˚C		
	mm Hg	kPa	Method	mm Hg	kPa	Method
acetonitrile	70.88853	9.5	-	-	-	-
water	17.5	2.3	-	92.258	12.3	-

Relative density : Not available.

Relative vapour density : Not available.

Particle characteristics

Median particle size : Not applicable.

9.2 Other information

9.2.1 Information with regard to physical hazard classes

Explosive properties : Not available.

Oxidising properties : Not available.

9.2.2 Other safety characteristics

Evaporation rate : Not available.

Physical/chemical properties comments : Not available.

SECTION 10: Stability and reactivity

10.1 Reactivity : No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability : The product is stable.

10.3 Possibility of hazardous reactions : Under normal conditions of storage and use, hazardous reactions will not occur.

10.4 Conditions to avoid : Avoid all possible sources of ignition (spark or flame). Do not pressurise, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition.

10.5 Incompatible materials : Reactive or incompatible with the following materials:
oxidising materials
Incompatible with hydrogen fluoride.

10.6 Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	
acetonitrile	Rat - Oral - LD50	2460 mg/kg
	Rat - Inhalation - LC50 Vapour	17100 ppm [4 hours]

Conclusion/Summary [Product] : Not available.

Acute toxicity estimates

Product/ingredient name	Oral (mg/kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapours) (mg/l)	Inhalation (dusts and mists) (mg/l)
Polaris LC Columns with less than 10ml solvent	2083.3	4583.3	N/A	45.8	N/A
acetonitrile	500	1100	N/A	11	N/A

Skin corrosion/irritation

Conclusion/Summary [Product] : Not available.

Serious eye damage/eye irritation

Product/ingredient name	Result	
acetonitrile	Rabbit - Eyes - Moderate irritant	Duration of treatment/ exposure: 24 hours Amount/concentration applied: 100 uL

Conclusion/Summary [Product] : Not available.

Respiratory corrosion/irritation

Conclusion/Summary [Product] : Not available.

Ingredient name	Conclusion/Summary
acetonitrile	May cause respiratory irritation.

SECTION 11: Toxicological information

Respiratory or skin sensitization

Skin

Conclusion/Summary [Product] : Not available.

Respiratory

Conclusion/Summary [Product] : Not available.

Germ cell mutagenicity

Conclusion/Summary [Product] : Not available.

Carcinogenicity

Conclusion/Summary [Product] : Not available.

Reproductive toxicity

Conclusion/Summary [Product] : Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on likely routes of exposure : Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes.

Potential acute health effects

Eye contact : Causes serious eye irritation.

Inhalation : No known significant effects or critical hazards.

Skin contact : No known significant effects or critical hazards.

Ingestion : No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : Adverse symptoms may include the following:
pain or irritation
watering
redness

Inhalation : No specific data.

Skin contact : No specific data.

Ingestion : No specific data.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Long term exposure

SECTION 11: Toxicological information

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Potential chronic health effects

Conclusion/Summary [Product] : Not available.

General : No known significant effects or critical hazards.

Carcinogenicity : No known significant effects or critical hazards.

Mutagenicity : No known significant effects or critical hazards.

Reproductive toxicity : No known significant effects or critical hazards.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

Conclusion/Summary [Product] : The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or Regulation (EC) No 1272/2008.

SECTION 12: Ecological information

12.1 Toxicity

Product/ingredient name	Result	
acetonitrile	Acute - LC50 - Fresh water	3600 mg/l [48 hours]
	Acute - IC50 - Fresh water	3685 mg/l [96 hours]
	Chronic - NOEC - Fresh water	160 mg/l [21 days]
	Chronic - NOEC - Fresh water	1000 mg/l [96 hours]
	Acute - LC50 - Fresh water	1000 mg/l [96 hours]

Conclusion/Summary [Product] : Not available.

12.2 Persistence and degradability

Product/ingredient name	Result		
acetonitrile	-	70% [21 days] - Readily	-

Conclusion/Summary [Product] : Not available.

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
acetonitrile	-	-	Readily

12.3 Bioaccumulative potential

Product/ingredient name	$LogP_{ow}$	BCF	Potential
acetonitrile	-0.34	3	Low

12.4 Mobility in soil

Soil/water partition coefficient

Product/ingredient name	logKoc	Koc
acetonitrile	0.42	2.62657

Results of PMT and vPvM assessment

Product/ingredient name	PMT	P	M	T	vPvM	vP	vM
acetonitrile	No	N/A	Yes	No	N/A	N/A	Yes

Mobility : Not available.

Conclusion/Summary : The product does not meet the criteria to be considered as a PMT or vPvM.

SECTION 12: Ecological information

12.5 Results of PBT and vPvB assessment

Regulation (EC) No. 1907/2006 [REACH]

Product/ingredient name	PBT	P	B	T	vPvB	vP	vB
acetonitrile	No	N/A	No	No	No	N/A	No

Regulation (EC) No. 1272/2008 [CLP]

Product/ingredient name	PBT	P	B	T	vPvB	vP	vB
acetonitrile	No	N/A	No	No	No	N/A	No

Conclusion/Summary Regulation (EC) No. 1272/2008 [CLP] : The product does not meet the criteria to be considered as a PBT or vPvB.

12.6 Endocrine disrupting properties

Conclusion/Summary [Product] : The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or Regulation (EC) No 1272/2008.

12.7 Other adverse effects

No known significant effects or critical hazards.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Methods of disposal : Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. The generation of waste should be avoided or minimised wherever possible. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

Hazardous waste : The classification of the product may meet the criteria for a hazardous waste.

Packaging

Methods of disposal : The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Special precautions : This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Vapour from product residues may create a highly flammable or explosive atmosphere inside the container. Do not cut, weld or grind used containers unless they have been cleaned thoroughly internally. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

This Safety Data Sheet is written based on the encapsulated substance or mixture in this article. Since the hazardous ingredient is encapsulated, the risk of exposure by inhalation, ingestion, skin contact and eyes contact is minimum.

SECTION 14: Transport information

	ADR/RID	IMDG	IATA
14.1 UN number or ID number	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-
14.3 Transport hazard class(es)	-	-	-
14.4 Packing group	-	-	-
14.5 Environmental hazards	No.	No.	No.

Additional information

Remarks: Special provisions
ADR/RID: 216
ADG: 216
IATA: A46
IMDG: 216

14.6 Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk according to IMO instruments : Not available.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

Annex XIV

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

None of the components are listed / The components are not impacted by a restriction

Labelling : Not applicable.

Other EU regulations

Industrial emissions (integrated pollution prevention and control) - Air : Listed

Industrial emissions (integrated pollution prevention and control) - Water : Listed

Ozone depleting substances (EU 2024/590)

Not listed.

SECTION 15: Regulatory information

Prior Informed Consent (PIC) (649/2012/EU)

Not listed.

Persistent Organic Pollutants

Not listed.

Seveso Directive

This product is controlled under the Seveso Directive.

Danger criteria

Category
P5c

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

Australia	:	All components are listed or exempted.
Canada	:	All components are listed or exempted.
China	:	All components are listed or exempted.
Eurasian Economic Union	:	**Russian Federation inventory**: All components are listed or exempted.
Japan	:	**Japan inventory (CSCL)**: All components are listed or exempted. **Japan inventory (ISHL)**: All components are listed or exempted.
New Zealand	:	All components are listed or exempted.
Philippines	:	Not determined.
Republic of Korea	:	All components are listed or exempted.
Taiwan	:	All components are listed or exempted.
Thailand	:	Not determined.
Turkey	:	All components are listed or exempted.
United States	:	All components are active or exempted.
Viet Nam	:	Not determined.

15.2 Chemical safety assessment : This product contains substances for which Chemical Safety Assessments might still be required.

SECTION 16: Other information

Indicates information that has changed from previously issued version.

SECTION 16: Other information

Abbreviations and acronyms : ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway
ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE = Acute Toxicity Estimate
B = Bioaccumulative
BCF = Bioconcentration Factor
CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
DMEL = Derived Minimal Effect Level
DNEL = Derived No Effect Level
EUH statement = CLP-specific Hazard statement
IATA = International Air Transport Association
IMDG = International Maritime Dangerous Goods
IMO = International Maritime Organization
M = Mobile
N/A = Not available
P = Persistent
PBT = Persistent, Bioaccumulative and Toxic
PMT = Persistent, Mobile and Toxic
PNEC = Predicted No Effect Concentration
RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail
RRN = REACH Registration Number
SGG = Segregation Group
T = Toxic
vB = Very Bioaccumulative
vM = Very Mobile
vP = Very Persistent
vPvB = Very Persistent and Very Bioaccumulative
vPvM = Very Persistent and Very Mobile

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
Flam. Liq. 2, H225	On basis of test data
Eye Irrit. 2, H319	Calculation method

Full text of abbreviated H statements

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.

Full text of classifications [CLP/GHS]

Acute Tox. 4	ACUTE TOXICITY - Category 4
Eye Irrit. 2	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2
Flam. Liq. 2	FLAMMABLE LIQUIDS - Category 2

Date of issue/ Date of revision : 26/08/2025

Date of previous issue : 12/12/2023

Version : 2

Notice to reader

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.