

SAFETY DATA SHEET



Polaris LC Columns with less than 10ml solvent

SECTION 1: Identification of the substance/mixture and of the company/undertaking

This product is considered an article. This Safety Data Sheet is written based on the encapsulated substance or mixture in this article.

1.1 Product identifier

- Product name** : Polaris LC Columns with less than 10ml solvent
- Part no.** : A2000020X020, A2000030X020, A2000030X030, A2000030X046, A2000050G100, A2000050P046, A2000050X020, A2000050X021, A2000050X030, A2000050X046, A2000075X021, A2000100C030, A2000100C046, A2000100R030, A2000100R046, A2000100T030, A2000100T046, A2000100X020, A2000100X021, A2000100X030, A2000100X040, A2000100X046, A2000100X100, A2000120X046, A2000125X040, A2000125X046, A2000150C030, A2000150C046, A2000150R030, A2000150R046, A2000150T030, A2000150T046, A2000150X020, A2000150X021, A2000150X030, A2000150X039, A2000150X040, A2000150X046, A2000200X046, A2000250C030, A2000250C046, A2000250R030, A2000250R046, A2000250T030, A2000250T046, A2000250X020, A2000250X021, A2000250X030, A2000250X040, A2000250X046, A2000300X046, A2000CG2, A2000CG3, A2000MG, A2000MG2, A2001020X020, A2001030X020, A2001030X030, A2001030X046, A2001050C046, A2001050P046, A2001050R046, A2001050T046, A2001050X010, A2001050X020, A2001050X030, A2001050X046, A2001075X046, A2001100C030, A2001100C046, A2001100T030, A2001100T046, A2001100X010, A2001100X020, A2001100X030, A2001100X046, A2001150C030, A2001150C046, A2001150R030, A2001150R046, A2001150T030, A2001150T046, A2001150X010, A2001150X020, A2001150X030, A2001150X046, A2001250C046, A2001250R046, A2001250X020, A2001250X030, A2001250X046, A2001MG, A2001MG1, A2001MG2, A2002030G046, A2002050G100, A2002250X046, A2002300X039, A2002MG, A2002MG2, A2006020X020, A2006030X020, A2006050G100, A2006050X020, A2006050X046, A2006100X020, A2006100X030, A2006125X040, A2006150X020, A2006150X030, A2006150X040, A2006150X046, A2006200X046, A2006250C046S, A2006250X020, A2006250X030, A2006250X040, A2006250X046, A2006MG, A2006MG2, A2007020X020, A2007030X030, A2007050X020, A2007050X021, A2007050X030, A2007050X032, A2007050X046, A2007050X100, A2007100X020, A2007100X021, A2007100X030, A2007100X046, A2007150X020, A2007150X021, A2007150X030, A2007150X032, A2007150X046, A2007250X020, A2007250X030, A2007250X046, A2007MG, A2007MG2, A2008050G100, A2008250X046, A2008300X039, A2008MG2, A2010020X020, A2010030X020, A2010050G100, A2010050X020, A2010050X046, A2010100X020, A2010100X030, A2010100X046, A2010125X040, A2010125X046, A2010150X020, A2010150X021, A2010150X030, A2010150X040, A2010150X046, A2010250X020, A2010250X030, A2010250X040, A2010250X046, A2010MG, A2010MG2, A2011020X020, A2011030X030, A2011050X020, A2011050X021, A2011050X046, A2011075X046, A2011100X020, A2011100X030, A2011100X046, A2011150X020, A2011150X021, A2011150X030, A2011150X046, A2011250X020, A2011250X030, A2011MG, A2011MG2, A2020020X020, A2020030X020, A2020050G100, A2020050X020, A2020050X046, A2020100X020, A2020100X030, A2020100X046, A2020125X040, A2020150X020, A2020150X030, A2020150X039, A2020150X040, A2020150X046, A2020250X020, A2020250X030, A2020250X040, A2020250X046, A2020MG, A2020MG2, A2021020X020, A2021020X040, A2021030X020, A2021030X030, A2021050P021, A2021050P046, A2021050X020, A2021050X021, A2021050X030, A2021050X032, A2021050X046, A2021050X100, A2021075X020, A2021100X020, A2021100X030, A2021100X040, A2021100X046, A2021150X010, A2021150X020, A2021150X030, A2021150X046, A2021250X010, A2021250X020, A2021250X021, A2021250X030, A2021250X046, A2021MG, A2021MG2, A2030020X020, A2030030X020, A2030050G100, A2030050X020, A2030050X046, A2030100X020, A2030100X030, A2030100X046, A2030125X040, A2030150X020, A2030150X030, A2030150X039, A2030150X040, A2030150X046, A2030250X020, A2030250X030, A2030250X040, A2030MG, A2031020X020, A2031030X020, A2031030X030, A2031050X020, A2031050X021, A2031050X030, A2031050X046, A2031075X046, A2031100X020, A2031100X046, A2031150X020, A2031150X021,

Polaris LC Columns with less than 10ml solvent

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

A2031150X046, A2031250X020, A2031250X030, A2031250X046, A2031MG2,
A2040100X020, A2040MG, A2040MG2, CP914682

1.2 Relevant identified uses of the substance or mixture and uses advised against

| | | |
|----------------------|---|--|
| Material uses | : | Reagents and Standards for Analytical Chemistry Laboratory Use |
| | | HPLC Column |
| A2000020X020 | | Polaris 5 C18-A 20 x 2.0mm 0.06ml |
| A2000030X020 | | Polaris 5 C18-A 30 x 2.0mm 0.1ml |
| A2000030X030 | | Polaris 5 C18-A 30 x 3.0mm 0.2ml |
| A2000030X046 | | Polaris 5 C18-A 30 x 4.6mm 0.5ml |
| A2000050G100 | | Polaris 5 C18-A 50 X 10.0mm Guard 3.9ml |
| A2000050P046 | | Polaris 5 C18-A 50 x 4.6mm 0.8ml |
| A2000050X020 | | Polaris 5 C18-A 50 x 2.0mm 0.2ml |
| A2000050X021 | | Polaris 5 C18-A 50 x 2.1mm 0.2ml |
| A2000050X030 | | Polaris 5 C18-A 50 x 3.0mm 0.4ml |
| A2000050X046 | | Polaris 5 C18-A 50 x 4.6mm 0.8ml |
| A2000075X021 | | Polaris 5 C18-A 75 x 2.1mm 0.3ml |
| A2000100C030 | | Polaris 5 C18-A, S100X3.0 Col 0.7ml |
| A2000100C046 | | Polaris 5 C18-A, S100x4.6 Col 1.7ml |
| A2000100R030 | | Polaris 5 C18-A, S100x3.0 Repl 0.7ml |
| A2000100R046 | | Polaris 5 C18-A, S100x4.6 Repl 1.7ml |
| A2000100T030 | | Polaris 5 C18-A, S100x3.0 Repl.3 0.7ml |
| A2000100T046 | | Polaris 5 C18-A, S100x4.6 Repl.3 1.7ml |
| A2000100X020 | | Polaris 5 C18-A 100 x 2.0mm 0.3ml |
| A2000100X021 | | Polaris 5 C18-A 100 x 2.1mm 0.3ml |
| A2000100X030 | | Polaris 5 C18-A 100 x 3.0mm 0.7ml |
| A2000100X040 | | Polaris 5 C18-A 100 x 4.0mm 1.3ml |
| A2000100X046 | | Polaris 5 C18-A 100 x 4.6mm 1.7ml |
| A2000100X100 | | Polaris 5 C18-A 100 X 10.0mm 7.9ml |
| A2000120X046 | | Polaris 5 C18-A 120 x 4.6mm 2.0ml |
| A2000125X040 | | Polaris 5 C18-A 125 x 4.0mm 1.6ml |
| A2000125X046 | | Polaris 5 C18-A 125 x 4.6mm 2.1ml |
| A2000150C030 | | Polaris 5 C18-A, S150x3.0 Col 1.1ml |
| A2000150C046 | | Polaris 5 C18-A, S150x4.6 Col 2.5ml |
| A2000150R030 | | Polaris 5 C18-A, S150x3.0 Repl 1.1ml |
| A2000150R046 | | Polaris 5 C18-A, S150x4.6 Repl 2.5ml |
| A2000150T030 | | Polaris 5 C18-A, S150x3.0 Repl.3 1.1ml |
| A2000150T046 | | Polaris 5 C18-A, S150x4.6 Repl.3 2.5ml |
| A2000150X020 | | Polaris 5 C18-A 150 x 2.0mm 0.5ml |
| A2000150X021 | | Polaris 5 C18-A 150 x 2.1mm 0.5ml |
| A2000150X030 | | Polaris 5 C18-A 150 x 3.0mm 1.1ml |
| A2000150X039 | | Polaris 5 C18-A 150 x 3.9mm 1.8ml |
| A2000150X040 | | Polaris 5 C18-A 150 x 4.0mm 1.9ml |
| A2000150X046 | | Polaris 5 C18-A 150 x 4.6mm 2.5ml |
| A2000200X046 | | Polaris 5 C18-A 200 x 4.6mm 3.3ml |
| A2000250C030 | | Polaris 5 C18-A, S250x3.0 Col 1.8ml |
| A2000250C046 | | Polaris 5 C18-A, S250x4.6 Col 4.2ml |
| A2000250R030 | | Polaris 5 C18-A, S250x3.0 Repl 1.8ml |
| A2000250R046 | | Polaris 5 C18-A S250 x 4.6mm Repl 4.2ml |
| A2000250T030 | | Polaris 5 C18-A, S250x3.0 Repl.3 1.8ml |
| A2000250T046 | | Polaris 5 C18-A, S250x4.6 Repl.3 4.2ml |
| A2000250X020 | | Polaris 5 C18-A 250 x 2.0mm 0.8ml |
| A2000250X021 | | Polaris 5 C18-A 250 x 2.1mm 0.9ml |
| A2000250X030 | | Polaris 5 C18-A 250 x 3.0mm 1.8ml |
| A2000250X040 | | Polaris 5 C18-A 250 x 4.0mm 3.1ml |
| A2000250X046 | | Polaris 5 C18-A 250 x 4.6mm 4.2ml |
| A2000300X046 | | Polaris 5 C18-A 300 x 4.6mm 5.0ml |
| A2000CG2 | | ChromSep guard, Pol 5 C18-A 10x2 Repl 3 0.03ml |
| A2000CG | | ChromSep guard, Pol 5 C18-A 10x3 Repl 3 0.07ml |
| A2000MG | | MetaGuard 4.6mm Polaris 5 C18-A 0.2ml |

Polaris LC Columns with less than 10ml solvent

**SECTION 1: Identification of the substance/mixture and of the company/
undertaking**

| | | |
|---------------|---------------------------------------|--------|
| A2000MG2 | MetaGuard 2.0mm Polaris 5 C18-A | 0.03ml |
| A2001020X020 | Polaris 3 C18-A 20 x 2.0mm | 0.06ml |
| A2001030X020 | Polaris 3 C18-A 30 x 2.0mm | 0.1ml |
| A2001030X030 | Polaris 3 C18-A 30 x 3.0mm | 0.2ml |
| A2001030X046 | Polaris 3 C18-A 30 x 4.6mm | 0.5ml |
| A2001050C046 | Polaris 3 C18-A, S50x4.6 Col | 0.8ml |
| A2001050P046 | Polaris 3 C18-A 50 x 4.6mm | 0.8ml |
| A2001050R046 | Polaris 3 C18-A, S50x4.6 Repl | 0.8ml |
| A2001050T046 | Polaris 3 C18-A, S50x4.6 Repl.3 | 0.8ml |
| A2001050X010 | Polaris 3 C18-A 50 x 1.0mm | 0.04ml |
| A2001050X020 | Polaris 3 C18-A 50 x 2.0mm | 0.2ml |
| A2001050X030 | Polaris 3 C18-A 50 x 3.0mm | 0.4ml |
| A2001050X046 | Polaris 3 C18-A 50 x 4.6mm | 0.8ml |
| A2001075X046 | Polaris 3 C18-A 75 x 4.6mm | 1.2ml |
| A2001100C030 | Polaris 3 C18-A, S100x3.0 Col | 0.7ml |
| A2001100C046 | Polaris 3 C18-A, S100x4.6 Col | 1.7ml |
| A2001100T030 | Polaris 3 C18-A, S100x3.0 Repl.3 | 0.7ml |
| A2001100T046 | Polaris 3 C18-A, S100x4.6 Repl.3 | 1.7ml |
| A2001100X010 | Polaris 3 C18-A 100 x 1.0mm | 0.08ml |
| A2001100X020 | Polaris 3 C18-A 100 x 2.0mm | 0.3ml |
| A2001100X030 | Polaris 3 C18-A 100 x 3.0mm | 0.7ml |
| A2001100X046 | Polaris 3 C18-A 100 x 4.6mm | 1.7ml |
| A2001150C030 | Polaris 3 C18-A, S150x3.0 Col | 1.1ml |
| A2001150C046 | Polaris 3 C18-A, S150x4.6 Col | 2.5ml |
| A2001150R030 | Polaris 3 C18-A, S150x3.0 Repl | 1.1ml |
| A2001150R046 | Polaris 3 C18-A, S150x4.6 Repl | 2.5ml |
| A2001150T030 | Polaris 3 C18-A, S150x3.0 Repl.3 | 1.1ml |
| A2001150T046 | Polaris 3 C18-A, S150x4.6 Repl.3 | 2.5ml |
| A2001150X010 | Polaris 3 C18-A 150 x 1.0mm | 0.1ml |
| A2001150X020 | Polaris 3 C18-A 150 x 2.0mm | 0.5ml |
| A2001150X030 | Polaris 3 C18-A 150 x 3.0mm | 1.1ml |
| A2001150X046 | Polaris 3 C18-A 150 x 4.6mm | 2.5ml |
| A2001250C046 | Polaris 3 C18-A, S250x4.6 Col | 4.2ml |
| A2001250R046 | Polaris 3 C18-A, S250x4.6 Repl | 4.2ml |
| A2001250X020 | Polaris 3 C18-A 250 x 2.0mm | 0.8ml |
| A2001250X030 | Polaris 3 C18-A 250 x 3.0mm | 1.8ml |
| A2001250X046 | Polaris 3 C18-A 250 x 4.6mm | 4.2ml |
| A2001MG | MetaGuard 4.6mm Polaris 3 C18-A | 0.2ml |
| A2001MG1 | MetaGuard 1.0mm Polaris 3 C18-A | 0.01ml |
| A2001MG2 | MetaGuard 2.0mm Polaris 3 C18-A | 0.03ml |
| A2002030G046 | Polaris 10u C18-A 30 x 4.6mm GUARD | 0.5ml |
| A2002050G100 | Polaris 10u C18-A 50 x 10.0mm Guard | 3.9ml |
| A2002250X046 | Polaris 10 C18-A 250 x 4.6mm | 4.2ml |
| A2002300X039 | Polaris 10 C18-A 300 x 3.9mm | 3.6ml |
| A2002MG | MetaGuard 4.6mm Polaris 10u C18-A | 0.2ml |
| A2002MG2 | MetaGuard 2.1mm Polaris 10U C18-A | 0.03ml |
| A2006020X020 | Polaris 5 Amide-C18 20 x 2.0mm | 0.06ml |
| A2006030X020 | Polaris 5 Amide-C18 30 x 2.0mm | 0.1ml |
| A2006050G100 | Polaris 5 Amide-C18 50 X 10.0mm Guard | 3.9ml |
| A2006050X020 | Polaris 5 Amide-C18 50 x 2.0mm | 0.2ml |
| A2006050X046 | Polaris 5 Amide-C18 50 x 4.6mm | 0.8ml |
| A2006100X020 | Polaris 5 Amide-C18 100 x 2.0mm | 0.3ml |
| A2006100X030 | Polaris 5 Amide-C18 100 x 3.0mm | 0.7ml |
| A2006125X040 | Polaris 5 Amide-C18 125 x 4.0mm | 1.6ml |
| A2006150X020 | Polaris 5 Amide-C18 150 x 2.0mm | 0.5ml |
| A2006150X030 | Polaris 5 Amide-C18 150 x 3.0mm | 1.1ml |
| A2006150X040 | Polaris 5 Amide-C18 150 x 4.0mm | 1.9ml |
| A2006150X046 | Polaris 5 Amide-C18 150 x 4.6mm | 2.5ml |
| A2006200X046 | Polaris 5 Amide-C18 200 x 4.6mm | 3.3ml |
| A2006250C046S | Polaris 5 Amide-C18 250 x 4.6mm Col | 4.2ml |

Polaris LC Columns with less than 10ml solvent

**SECTION 1: Identification of the substance/mixture and of the company/
undertaking**

| | | |
|--------------|--|--------|
| A2006250X020 | Polaris 5 Amide-C18 250 x 2.0mm | 0.8ml |
| A2006250X030 | Polaris 5 Amide-C18 250 x 3.0mm | 1.8ml |
| A2006250X040 | Polaris 5 Amide-C18 250 x 4.0mm | 3.1ml |
| A2006250X046 | Polaris 5 Amide-C18 250 x 4.6mm | 4.2ml |
| A2006MG | Polaris 5 Amide-C18 4.6mm MetaGuard | 0.2ml |
| A2006MG2 | Polaris 5 Amide-C18 2.0mm MetaGuard | 0.03ml |
| A2007020X020 | Polaris 3 Amide-C18 20 x 2.0mm | 0.06ml |
| A2007030X030 | Polaris 3 Amide-C18 30 x 3.0mm | 0.2ml |
| A2007050X020 | Polaris 3 Amide-C18 50 x 2.0mm | 0.2ml |
| A2007050X021 | Polaris 3 Amide-C18 50 x 2.1mm | 0.2ml |
| A2007050X030 | Polaris 3 Amide-C18 50 x 3.0mm | 0.4ml |
| A2007050X032 | Polaris 3 Amide-C18 50 x 3.2mm | 0.4ml |
| A2007050X046 | Polaris 3 Amide-C18 50 x 4.6mm | 0.8ml |
| A2007050X100 | Polaris 3 Amide-C18 50 X 10.0mm | 3.9ml |
| A2007100X020 | Polaris 3 Amide-C18 100 x 2.0mm | 0.3ml |
| A2007100X021 | Polaris 3 Amide-C18 100 x 2.1mm | 0.3ml |
| A2007100X030 | Polaris 3 Amide-C18 100 x 3.0mm | 0.7ml |
| A2007100X046 | Polaris 3 Amide-C18 100 x 4.6mm | 1.7ml |
| A2007150X020 | Polaris 3 Amide-C18 150 x 2.0mm | 0.5ml |
| A2007150X021 | Polaris 3 Amide-C18 150 x 2.1mm | 0.5ml |
| A2007150X030 | Polaris 3 Amide-C18 150 x 3.0mm | 1.1ml |
| A2007150X032 | Polaris 3 Amide-C18 150 x 3.2mm | 1.2ml |
| A2007150X046 | Polaris 3 Amide-C18 150 x 4.6mm | 2.5ml |
| A2007250X020 | Polaris 3 Amide-C18 250 x 2.0mm | 0.8ml |
| A2007250X030 | Polaris 3 Amide-C18 250 x 3.0mm | 1.8ml |
| A2007250X046 | Polaris 3 Amide-C18 250 x 4.6mm | 4.2ml |
| A2007MG | Polaris 3 Amide-C18 4.6mm MetaGuard | 0.2ml |
| A2007MG2 | Polaris 3 Amide-C18 2.0mm MetaGuard | 0.03ml |
| A2008050G100 | Polaris 10 Amide-C18 50 X 10.0mm Guard | 3.9ml |
| A2008250X046 | Polaris 10 Amide-C18 250 x 4.6mm | 4.2ml |
| A2008300X039 | Polaris 10 Amide-C18 300 x 3.9mm | 3.6ml |
| A2008MG2 | Polaris 10 Amide-C18 2.0mm MetaGuard | 0.03ml |
| A2010020X020 | Polaris 5 C8-A 20 x 2.0mm | 0.06ml |
| A2010030X020 | Polaris 5 C8-A 30 x 2.0mm | 0.1ml |
| A2010050G100 | Polaris 5 C8-A 50 X 10.0mm Guard | 3.9ml |
| A2010050X020 | Polaris 5 C8-A 50 x 2.0mm | 0.2ml |
| A2010050X046 | Polaris 5 C8-A 50 x 4.6mm | 0.8ml |
| A2010100X020 | Polaris 5 C8-A 100 x 2.0mm | 0.3ml |
| A2010100X030 | Polaris 5 C8-A 100 x 3.0mm | 0.7ml |
| A2010100X046 | Polaris 5 C8-A 100 x 4.6mm | 1.7ml |
| A2010125X040 | Polaris 5 C8-A 125 x 4.0mm | 1.6ml |
| A2010125X046 | Polaris 5 C8-A 125 x 4.6mm | 2.1ml |
| A2010150X020 | Polaris 5 C8-A 150 x 2.0mm | 0.5ml |
| A2010150X021 | Polaris 5 C8-A 150 x 2.1mm | 0.5ml |
| A2010150X030 | Polaris 5 C8-A 150 x 3.0mm | 1.1ml |
| A2010150X040 | Polaris 5 C8-A 150 x 4.0mm | 1.9ml |
| A2010150X046 | Polaris 5 C8-A 150 x 4.6mm | 2.5ml |
| A2010250X020 | Polaris 5 C8-A 250 x 2.0mm | 0.8ml |
| A2010250X030 | Polaris 5 C8-A 250 x 3.0mm | 1.8ml |
| A2010250X040 | Polaris 5 C8-A 250 x 4.0mm | 3.1ml |
| A2010250X046 | Polaris 5 C8-A 250 x 4.6mm | 4.2ml |
| A2010MG | MetaGuard 4.6mm Polaris C8-A 5u | 0.2ml |
| A2010MG2 | MetaGuard 2.0mm Polaris C8-A 5u | 0.03ml |
| A2011020X020 | Polaris 3 C8-A 20 x 2.0mm | 0.06ml |
| A2011030X030 | Polaris 3 C8-A 30 x 3.0mm | 0.2ml |
| A2011050X020 | Polaris 3 C8-A 50 x 2.0mm | 0.2ml |
| A2011050X021 | Polaris 3 C8-A 50 x 2.1mm | 0.2ml |
| A2011050X046 | Polaris 3 C8-A 50 x 4.6mm | 0.8ml |
| A2011075X046 | Polaris 3 C8-A 75 x 4.6mm | 1.2ml |
| A2011100X020 | Polaris 3 C8-A 100 x 2.0mm | 0.3ml |

Polaris LC Columns with less than 10ml solvent

**SECTION 1: Identification of the substance/mixture and of the company/
undertaking**

| | | |
|--------------|--|--------|
| A2011100X030 | Polaris 3 C8-A 100 x 3.0mm | 0.7ml |
| A2011100X046 | Polaris 3 C8-A 100 x 4.6mm | 1.7ml |
| A2011150X020 | Polaris 3 C8-A 150 x 2.0mm | 0.5ml |
| A2011150X021 | Polaris 3 C8-A 150 x 2.1mm | 0.5ml |
| A2011150X030 | Polaris 3 C8-A 150 x 3.0mm | 1.1ml |
| A2011150X046 | Polaris 3 C8-A 150 x 4.6mm | 2.5ml |
| A2011250X020 | Polaris 3 C8-A 250 x 2.0mm | 0.8ml |
| A2011250X030 | Polaris 3 C8-A 250 x 3.0mm | 1.8ml |
| A2011MG | MetaGuard 4.6mm Polaris C8-A 3u | 0.2ml |
| A2011MG2 | MetaGuard 2.0mm Polaris C8-A 3u | 0.03ml |
| A2020020X020 | Polaris 5 C18-Ether 20 x 2.0mm | 0.06ml |
| A2020030X020 | Polaris 5 3 C18-Ether 0 x 2.0mm | 0.1ml |
| A2020050G100 | Polaris C18-Ether 5u 50 x 10.0mm Guard | 3.9ml |
| A2020050X020 | Polaris 5 C18-Ether 50 x 2.0mm | 0.2ml |
| A2020050X046 | Polaris 5 C18-Ether 50 x 4.6mm | 0.8ml |
| A2020100X020 | Polaris 5 C18-Ether 100 x 2.0mm | 0.3ml |
| A2020100X030 | Polaris 5 C18-Ether 100 x 3.0mm | 0.7ml |
| A2020100X046 | Polaris 5 C18-Ether 100 x 4.6mm | 1.7ml |
| A2020125X040 | Polaris 5 C18-Ether 125 x 4.0mm | |
| A2020150X020 | Polaris 5 C18-Ether 150 x 2.0mm | 0.5ml |
| A2020150X030 | Polaris 5 C18-Ether 150 x 3.0mm | 1.1ml |
| A2020150X039 | Polaris 5 C18-Ether 150 x 3.9mm | |
| A2020150X040 | Polaris 5 C18-Ether 150 x 4.0mm | |
| A2020150X046 | Polaris 5 C18-Ether 150 x 4.6mm | |
| A2020250X020 | Polaris 5 C18-Ether 250 x 2.0mm | |
| A2020250X030 | Polaris 5 C18-Ether 250 x 3.0mm | 1.8ml |
| A2020250X040 | Polaris 5 C18-Ether 250 x 4.0mm | |
| A2020250X046 | Polaris 5 C18-Ether 250 x 4.6mm | |
| A2020MG | MetaGuard 4.6mm Polaris C18-Ether 5u | 0.2ml |
| A2020MG2 | MetaGuard 2.0mm Polaris C18-Ether 5u | 0.03ml |
| A2021020X020 | Polaris 3 C18-Ether 20 x 2.0mm | 0.06ml |
| A2021020X040 | Polaris 3 C18-Ether 20 x 4.0mm | 0.3ml |
| A2021030X020 | Polaris 3 3 C18-Ether 0 x 2.0mm | 0.1ml |
| A2021030X030 | Polaris 3 C18-Ether 30 x 3.0mm | 0.2ml |
| A2021050P021 | Polaris 3 C18-Ether 50 x 2.1mm | 0.2ml |
| A2021050P046 | Polaris 3 C18-Ether 50 x 4.6mm | 0.8ml |
| A2021050X020 | Polaris 3 C18-Ether 50 x 2.0mm | 0.2ml |
| A2021050X021 | Polaris 3 C18-Ether 50 x 2.1mm | 0.2ml |
| A2021050X030 | Polaris 3 C18-Ether 50 x 3.0mm | 0.4ml |
| A2021050X032 | Polaris 3 C18-Ether 50 x 3.2mm | 0.4ml |
| A2021050X046 | Polaris 3 C18-Ether 50 x 4.6mm | 0.8ml |
| A2021050X100 | Polaris C18-Ether 3u 50 x 10.0mm | 3.9ml |
| A2021075X020 | Polaris 3 C18-Ether 75 x 2.0mm | 0.2ml |
| A2021100X020 | Polaris 3 C18-Ether 100 x 2.0mm | 0.3ml |
| A2021100X030 | Polaris 3 C18-Ether 100 x 3.0mm | 0.7ml |
| A2021100X040 | Polaris 3 C18-Ether 100 x 4.0mm | 1.3ml |
| A2021100X046 | Polaris 3 C18-Ether 100 x 4.6mm | 1.7ml |
| A2021150X010 | Polaris 3 C18-Ether 150 x 1.0mm | 0.1ml |
| A2021150X020 | Polaris 3 C18-Ether 150 x 2.0mm | 0.5ml |
| A2021150X030 | Polaris 3 C18-Ether 150 x 3.0mm | 1.1ml |
| A2021150X046 | Polaris 3 C18-Ether 150 x 4.6mm | 2.5ml |
| A2021250X010 | Polaris 3 C18-Ether 250 x 1.0mm | 0.2ml |
| A2021250X020 | Polaris 3 C18-Ether 250 x 2.0mm | 0.8ml |
| A2021250X021 | Polaris 3 C18-Ether 250 x 2.1mm | 0.9ml |
| A2021250X030 | Polaris 3 C18-Ether 250 x 3.0mm | 1.8ml |
| A2021250X046 | Polaris 3 C18-Ether 250 x 4.6mm | 4.2ml |
| A2021MG | MetaGuard 4.6mm Polaris C18-Ether 3u | 0.2ml |
| A2021MG2 | MetaGuard 2.0mm Polaris C18-Ether 3u | 0.03ml |
| A2030020X020 | Polaris 5 C8-Ether 20 x 2.0mm | 0.06ml |
| A2030030X020 | Polaris 5 C8-Ether 30 x 2.0mm | 0.1ml |

Polaris LC Columns with less than 10ml solvent

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

| | | |
|--------------|---------------------------------------|--------|
| A2030050G100 | Polaris C8-Ether 5u 50 x 10.0mm Guard | 3.9ml |
| A2030050X020 | Polaris 5 C8-Ether 50 x 2.0mm | 0.2ml |
| A2030050X046 | Polaris 5 C8-Ether 50 x 4.6mm | 0.8ml |
| A2030100X020 | Polaris 5 C8-Ether 100 x 2.0mm | 0.3ml |
| A2030100X030 | Polaris 5 C8-Ether 100 x 3.0mm | 0.7ml |
| A2030100X046 | Polaris 5 C8-Ether 100 x 4.6mm | 1.7ml |
| A2030125X040 | Polaris 5 C8-Ether 125 x 4.0mm | 1.6ml |
| A2030150X020 | Polaris 5 C8-Ether 150 x 2.0mm | 0.5ml |
| A2030150X030 | Polaris 5 C8-Ether 150 x 3.0mm | 1.1ml |
| A2030150X039 | Polaris 5 C8-Ether 150 x 3.9mm | 1.8ml |
| A2030150X040 | Polaris 5 C8-Ether 150 x 4.0mm | 1.9ml |
| A2030150X046 | Polaris 5 C8-Ether 150 x 4.6mm | 2.5ml |
| A2030250X020 | Polaris 5 C8-Ether 250 x 2.0mm | 0.8ml |
| A2030250X030 | Polaris 5 C8-Ether 250 x 3.0mm | 1.8ml |
| A2030250X040 | Polaris 5 C8-Ether 250 x 4.0mm | 3.1ml |
| A2030MG | MetaGuard 4.6mm Polaris C8-Ether 5u | 0.2ml |
| A2031020X020 | Polaris 3 C8-Ether 20 x 2.0mm | 0.06ml |
| A2031030X020 | Polaris 3 C8-Ether 30 x 2.0mm | 0.1ml |
| A2031030X030 | Polaris 3 C8-Ether 30 x 3.0mm | 0.2ml |
| A2031050X020 | Polaris 3 C8-Ether 50 x 2.0mm | 0.2ml |
| A2031050X021 | Polaris 3 C8-Ether 50 x 2.1mm | 0.2ml |
| A2031050X030 | Polaris 3 C8-Ether 50 x 3.0mm | 0.4ml |
| A2031050X046 | Polaris 3 C8-Ether 50 x 4.6mm | 0.8ml |
| A2031075X046 | Polaris 3 C8-Ether 75 x 4.6mm | 1.2ml |
| A2031100X020 | Polaris 3 C8-Ether 100 x 2.0mm | 0.3ml |
| A2031100X046 | Polaris 3 C8-Ether 100 x 4.6mm | 1.7ml |
| A2031150X020 | Polaris 3 C8-Ether 150 x 2.0mm | 0.5ml |
| A2031150X021 | Polaris 3 C8-Ether 150 x 2.1mm | 0.5ml |
| A2031150X046 | Polaris 3 C8-Ether 150 x 4.6mm | 2.5ml |
| A2031250X020 | Polaris 3 C8-Ether 250 x 2.0mm | 0.8ml |
| A2031250X030 | Polaris 3 C8-Ether 250 x 3.0mm | 1.8ml |
| A2031250X046 | Polaris 3 C8-Ether 250 x 4.6mm | 4.2ml |
| A2031MG2 | MetaGuard 2.0mm Polaris C8-Ether 3u | 0.03ml |
| A2040100X020 | Polaris 5 C18-B 100 x 2.0mm | 0.3ml |
| A2040MG | MetaGuard 4.6mm Polaris 5 C18-B | 0.2ml |
| A2040MG2 | MetaGuard 2.0mm Polaris 5 C18-B | 0.03ml |
| CP914682 | Polaris 3 C18-Ether 250 x 2.0mm | 0.8ml |

1.3 Details of the supplier of the safety data sheet

Agilent Technologies Manufacturing GmbH & Co. KG
Hewlett-Packard-Str. 8
76337 Waldbronn
Germany
0800 603 1000

e-mail address of person responsible for this SDS : pdl-msds_author@agilent.com

1.4 Emergency telephone number

Emergency telephone number (with hours of operation) : CHEMTREC®: +(44)-870-8200418

Polaris LC Columns with less than 10ml solvent

SECTION 2: Hazards identification

This article, when used under reasonable conditions and in accordance with the directions for use, should not present a health hazard. The substance or mixture is encapsulated in the article. Only if released due to use or processing of the article in a manner not in accordance with the product's directions for use it may present potential health and safety hazards.

2.1 Classification of the substance or mixture

Product definition : Mixture (encapsulated in article)

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

H225 FLAMMABLE LIQUIDS - Category 2
H319 SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H225 - Highly flammable liquid and vapour.
H319 - Causes serious eye irritation.

Precautionary statements

Prevention : P280 - Wear protective gloves. Wear protective clothing. Wear eye or face protection.
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Response : P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

Storage : Not applicable.

Disposal : P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.

Supplemental label elements : Not applicable.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles : Not applicable.

Special packaging requirements

Tactile warning of danger : Not applicable.

2.3 Other hazards

Other hazards which do not result in classification : None known.

Polaris LC Columns with less than 10ml solvent

SECTION 3: Composition/information on ingredients

This article, when used under reasonable conditions and in accordance with the directions for use, should not present a health hazard. The substance or mixture is encapsulated in the article. Only if released due to use or processing of the article in a manner not in accordance with the product's directions for use it may present potential health and safety hazards.

3.1 Substances : Mixture (encapsulated in article)

| Product/ingredient name | Identifiers | % | Regulation (EC) No. 1272/2008 [CLP] | Type |
|-------------------------|--|-----------|---|---------|
| Acetonitrile | EC: 200-835-2 CAS: 75-05-8 Index: 608-001-00-3 | ≥10 - <25 | Flam. Liq. 2, H225 Acute Tox. 4, H302 Acute Tox. 4, H312 Acute Tox. 4, H332 Eye Irrit. 2, H319 See Section 16 for the full text of the H statements declared above. | [1] [2] |

Contains: Organosilane bonded silica gel

Note: To the best of our knowledge, the acute and chronic toxicological properties of bonded silica gels have not been investigated. This product contains synthetic amorphous silica, and should not be confused with crystalline silica such as quartz, cristobalite, or tridymite, or with diatomaceous earth or other naturally occurring forms of amorphous silica that frequently contain crystalline forms of silica.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Type

- [1] Substance classified with a health or environmental hazard
- [2] Substance with a workplace exposure limit
- [3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII
- [4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII
- [5] Substance of equivalent concern
- [6] Additional disclosure due to company policy

SECTION 4: First aid measures

4.1 Description of first aid measures

- Eye contact** : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
- Inhalation** : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
- Skin contact** : Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
- Ingestion** : Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Date of issue/Date of revision : 24/07/2018

8/18

Polaris LC Columns with less than 10ml solvent

SECTION 4: First aid measures

Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

4.2 Most important symptoms and effects, both acute and delayed

Potential acute health effects

- Eye contact** : Causes serious eye irritation.
Inhalation : No known significant effects or critical hazards.
Skin contact : No known significant effects or critical hazards.
Ingestion : No known significant effects or critical hazards.

Over-exposure signs/symptoms

- Eye contact** : Adverse symptoms may include the following:
pain or irritation
watering
redness
- Inhalation** : No specific data.
Skin contact : No specific data.
Ingestion : No specific data.

4.3 Indication of any immediate medical attention and special treatment needed

- Notes to physician** : In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
- Specific treatments** : No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media** : Use dry chemical, CO₂, water spray (fog) or foam.
- Unsuitable extinguishing media** : Do not use water jet.

5.2 Special hazards arising from the substance or mixture

- Hazards from the substance or mixture** : Highly flammable liquid and vapour. Runoff to sewer may create fire or explosion hazard. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion.
- Hazardous combustion products** : Decomposition products may include the following materials:
carbon dioxide
carbon monoxide
nitrogen oxides
metal oxide/oxides
cyanides

5.3 Advice for firefighters

- Special precautions for fire-fighters** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

Polaris LC Columns with less than 10ml solvent

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
- For emergency responders** : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

- 6.2 Environmental precautions** : Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3 Methods and material for containment and cleaning up

- Methods for cleaning up** : Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

- 6.4 Reference to other sections** : See Section 1 for emergency contact information.
See Section 8 for information on appropriate personal protective equipment.
See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- Protective measures** : Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Take precautionary measures against electrostatic discharges. Empty containers retain product residue and can be hazardous. Do not reuse container.
- Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

- Storage** : Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Danger criteria

Polaris LC Columns with less than 10ml solvent

SECTION 7: Handling and storage

| Category | Notification and MAPP threshold | Safety report threshold |
|----------|---------------------------------|-------------------------|
| P5c | 5000 | 50000 |

7.3 Specific end use(s)

Recommendations : Industrial applications, Professional applications.

Industrial sector specific solutions : Not applicable.

SECTION 8: Exposure controls/personal protection

Since the hazardous ingredient in this article is encapsulated, the risk of exposure by inhalation, ingestion, skin contact and eyes contact is minimum.

8.1 Control parameters

Occupational exposure limits

| Product/ingredient name | Exposure limit values |
|-------------------------|--|
| Acetonitrile | EH40/2005 WELs (United Kingdom (UK), 12/2011). STEL: 102 mg/m ³ 15 minutes. STEL: 60 ppm 15 minutes. TWA: 40 ppm 8 hours. TWA: 68 mg/m ³ 8 hours. |

Recommended monitoring procedures : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNELs/DMELs

No DNELs/DMELs available.

PNECs

No PNECs available

8.2 Exposure controls

Appropriate engineering controls : Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapour or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

Individual protection measures

Hygiene measures : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Polaris LC Columns with less than 10ml solvent

SECTION 8: Exposure controls/personal protection

- Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.
- Skin protection**
- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. When there is a risk of ignition from static electricity, wear anti-static protective clothing. For the greatest protection from static discharges, clothing should include anti-static overalls, boots and gloves. Refer to European Standard EN 1149 for further information on material and design requirements and test methods.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

- Physical state** : Solid. (containing flammable liquid)
- Colour** : White.
- Odour** : Not available.
- Odour threshold** : Not available.
- pH** : Neutral.
- Melting point/freezing point** : Not available.
- Initial boiling point and boiling range** : Not available.
- Flash point** : Closed cup: -18 to 23°C
- Evaporation rate** : Not available.
- Flammability (solid, gas)** : Contains: Flammable liquid
- Upper/lower flammability or explosive limits** : Not available.
- Vapour pressure** : Not available.
- Vapour density** : Not available.
- Relative density** : Not available.
- Solubility(ies)** : Mobile phase: Soluble
Stationary phase: Insoluble
- Partition coefficient: n-octanol/water** : Not available.

Polaris LC Columns with less than 10ml solvent

SECTION 9: Physical and chemical properties

Auto-ignition temperature : Not available.
Decomposition temperature : Not available.
Viscosity : Not available.
Explosive properties : Not available.
Oxidising properties : Not available.

9.2 Other information

No additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity : No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability : The product is stable.

10.3 Possibility of hazardous reactions : Under normal conditions of storage and use, hazardous reactions will not occur.

10.4 Conditions to avoid : Avoid all possible sources of ignition (spark or flame). Do not pressurise, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition.

10.5 Incompatible materials : Reactive or incompatible with the following materials:
oxidizing materials
Incompatible with hydrogen fluoride.

10.6 Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

| Product/ingredient name | Result | Species | Dose | Exposure |
|-------------------------|------------------------|---------|------------|----------|
| Acetonitrile | LC50 Inhalation Vapour | Rat | 17100 ppm | 4 hours |
| | LD50 Oral | Rat | 2460 mg/kg | - |

Acute toxicity estimates

| Route | ATE value |
|----------------------|--------------|
| Oral | 2083.3 mg/kg |
| Dermal | 4583.3 mg/kg |
| Inhalation (vapours) | 45.83 mg/l |

Irritation/Corrosion

| Product/ingredient name | Result | Species | Score | Exposure | Observation |
|-------------------------|--------------------------|---------|-------|--------------------------|-------------|
| Acetonitrile | Eyes - Moderate irritant | Rabbit | - | 24 hours 100 microliters | - |
| | Skin - Mild irritant | Rabbit | - | 500 milligrams | - |

Sensitiser

Conclusion/Summary : Not available.

Mutagenicity

Conclusion/Summary : Not available.

Carcinogenicity

Date of issue/Date of revision : 24/07/2018

Polaris LC Columns with less than 10ml solvent

SECTION 11: Toxicological information

Conclusion/Summary : Not available.

Reproductive toxicity

Conclusion/Summary : Not available.

Teratogenicity

Conclusion/Summary : Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on likely routes of exposure : Routes of entry anticipated: Oral, Dermal, Inhalation.

Potential acute health effects

Inhalation : No known significant effects or critical hazards.

Ingestion : No known significant effects or critical hazards.

Skin contact : No known significant effects or critical hazards.

Eye contact : Causes serious eye irritation.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation : No specific data.

Ingestion : No specific data.

Skin contact : No specific data.

Eye contact : Adverse symptoms may include the following:
pain or irritation
watering
redness

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Potential chronic health effects

General : No known significant effects or critical hazards.

Carcinogenicity : No known significant effects or critical hazards.

Mutagenicity : No known significant effects or critical hazards.

Teratogenicity : No known significant effects or critical hazards.

Developmental effects : No known significant effects or critical hazards.

Fertility effects : No known significant effects or critical hazards.

Polaris LC Columns with less than 10ml solvent

SECTION 12: Ecological information

12.1 Toxicity

| Product/ingredient name | Result | Species | Exposure |
|-------------------------|---------------------------------------|------------------------------|----------|
| Acetonitrile | Acute IC50 3685000 µg/l Fresh water | Aquatic plants - Lemna minor | 96 hours |
| | Acute LC50 3600000 µg/l Fresh water | Daphnia - Daphnia magna | 48 hours |
| | Acute LC50 1000000 µg/l Fresh water | Fish - Pimephales promelas | 96 hours |
| | Chronic NOEC 1000000 µg/l Fresh water | Aquatic plants - Lemna minor | 96 hours |
| | Chronic NOEC 160000 µg/l Fresh water | Daphnia - Daphnia magna | 21 days |

12.2 Persistence and degradability

Not available.

| Product/ingredient name | Aquatic half-life | Photolysis | Biodegradability |
|-------------------------|-------------------|------------|------------------|
| Acetonitrile | - | - | Readily |

12.3 Bioaccumulative potential

| Product/ingredient name | LogP _{ow} | BCF | Potential |
|-------------------------|--------------------|-----|-----------|
| Acetonitrile | -0.34 | 3 | low |

12.4 Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.

Mobility : Not available.

12.5 Results of PBT and vPvB assessment

PBT : Not applicable.

vPvB : Not applicable.

12.6 Other adverse effects : No known significant effects or critical hazards.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Methods of disposal : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

Hazardous waste : The classification of the product may meet the criteria for a hazardous waste.

Packaging

Methods of disposal : The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Special precautions : This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Vapour from product residues may create a highly flammable or explosive atmosphere inside the container. Do not cut, weld or grind used containers unless they have been cleaned thoroughly internally. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Polaris LC Columns with less than 10ml solvent

SECTION 14: Transport information

This Safety Data Sheet is written based on the encapsulated substance or mixture in this article. Since the hazardous ingredient is encapsulated, the risk of exposure by inhalation, ingestion, skin contact and eyes contact is minimum.

ADR/RID / IMDG / IATA : Not regulated.

Additional information

Remarks: Special provisions

ADR: 216

IATA: A46

IMDG: 216

14.6 Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code : Not available.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles : Not applicable.

Other EU regulations

Industrial emissions (integrated pollution prevention and control) - Air : Listed

Industrial emissions (integrated pollution prevention and control) - Water : Listed

Ozone depleting substances (1005/2009/EU)

Not listed.

Prior Informed Consent (PIC) (649/2012/EU)

Not listed.

Seveso Directive

This product is controlled under the Seveso Directive.

Danger criteria

Category

P5c

Polaris LC Columns with less than 10ml solvent

SECTION 15: Regulatory information

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol (Annexes A, B, C, E)

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

| | |
|--------------------------|--|
| Australia | : All components are listed or exempted. |
| Canada | : <input checked="" type="checkbox"/> Not determined. |
| China | : All components are listed or exempted. |
| Europe | : All components are listed or exempted. |
| Japan | : Japan inventory (ENCS) : All components are listed or exempted. Japan inventory (ISHL) : All components are listed or exempted. |
| Malaysia | : All components are listed or exempted. |
| New Zealand | : All components are listed or exempted. |
| Philippines | : Not determined. |
| Republic of Korea | : Not determined. |
| Taiwan | : All components are listed or exempted. |
| Thailand | : <input checked="" type="checkbox"/> Not determined. |
| Turkey | : <input checked="" type="checkbox"/> All components are listed or exempted. |
| United States | : All components are listed or exempted. |
| Viet Nam | : <input checked="" type="checkbox"/> Not determined. |

15.2 Chemical safety assessment : This product contains substances for which Chemical Safety Assessments might still be required.

SECTION 16: Other information

Indicates information that has changed from previously issued version.

Abbreviations and acronyms : ATE = Acute Toxicity Estimate
CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
DNEL = Derived No Effect Level
EUH statement = CLP-specific Hazard statement
PNEC = Predicted No Effect Concentration
RRN = REACH Registration Number

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

| Classification | Justification |
|--|---|
| Flam. Liq. 2, H225 Eye Irrit. 2, H319 | On basis of test data Calculation method |

Full text of abbreviated H statements

Date of issue/Date of revision : 24/07/2018

17/18

Polaris LC Columns with less than 10ml solvent

SECTION 16: Other information

| | |
|--------------------------------------|--|
| H225 H302 H312 H319 H332 | Highly flammable liquid and vapour. Harmful if swallowed. Harmful in contact with skin. Causes serious eye irritation. Harmful if inhaled. |
|--------------------------------------|--|

Full text of classifications [CLP/GHS]

| | |
|--|--|
| Acute Tox. 4, H302 Acute Tox. 4, H312 Acute Tox. 4, H332 Eye Irrit. 2, H319 Flam. Liq. 2, H225 | ACUTE TOXICITY (oral) - Category 4 ACUTE TOXICITY (dermal) - Category 4 ACUTE TOXICITY (inhalation) - Category 4 SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2 FLAMMABLE LIQUIDS - Category 2 |
|--|--|

Date of issue/ Date of revision : 24/07/2018

Date of previous issue : 01/08/2016

Version : 2

Notice to reader

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.