

# SAFETY DATA SHEET



## Polymethyl methacrylate Standard

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

- Product name** : Polymethyl methacrylate Standard
- EC number** : Not available.
- Part No.** : PL2020-0100, PL2020-0101, PL2020-0200, PL2020-0201, PL2020-0202, PL2020-0203, PL2022-2001, PL2022-2001SK, PL2022-2005, PL2022-2010, PL2022-3001, PL2022-3001SK, PL2022-3005, PL2022-3010, PL2022-5001, PL2022-5001SK, PL2022-5005, PL2022-5010, PL2022-6001, PL2022-6001SK, PL2022-6005, PL2022-6010, PL2022-7001, PL2022-7001SK, PL2022-7005, PL2022-7010, PL2022-8001, PL2022-8001SK, PL2022-8005, PL2022-8010, PL2022-9001, PL2022-9001SK, PL2022-9005, PL2022-9010, PL2023-0001, PL2023-0001SK, PL2023-0005, PL2023-0010, PL2023-1001, PL2023-1001SK, PL2023-1005, PL2023-1010, PL2023-2001, PL2023-2001SK, PL2023-2005, PL2023-2010, PL2023-3001, PL2023-3001, SKPL2023-3005, PL2023-3010, PL2023-4001, PL2023-4001SK, PL2023-4005, PL2023-4010, PL2023-5001, PL2023-5001SK, PL2023-5005, PL2023-5010, PL2023-6001, PL2023-6001SK, PL2023-6005, PL2023-6010, PL2023-7001, PL2023-7001SK, PL2023-7005, PL2023-7010, PL2023-8001, PL2023-8001SK, PL2023-8005, PL2023-8010, PL2023-9001, PL2023-9005, PL2023-9010, PL2024-0001, PL2024-0001, SKPL2024-0005, PL2024-0010, PL2024-1001, PL2024-1001SK, PL2024-1005, PL2024-1010, PL2024-2001, PL2024-2001SK, PL2024-2005, PL2024-2010

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

##### Identified uses

Analytical chemistry.

- PL2020-0100 PMMA Calibration Kit M-L-10 (10 X 0.5G)
- PL2020-0101 PMMA Calibration Kit M-M-10 (10 X 0.5G)
- PL2020-0200 EasiVial PM kit 4 ml
- PL2020-0201 EasiVial PM 2 ml
- PL2020-0202 PMMA 2 ml tri-pack (90 vials)
- PL2020-0203 PMMA 4 ml tri-pack (90 vials)
- PL2022-2001 PMMA NOMINAL MP 500 1G
- PL2022-2001SK PMMA NOMINAL MP 500 1G SHOKO
- PL2022-2005 PMMA NOMINAL MP 500 5G
- PL2022-2010 PMMA nominal Mp 500 10g
- PL2022-3001 PMMA nominal Mp 1k 1g
- PL2022-3001SK PMMA NOMINAL MP 1K 1G SHOKO
- PL2022-3005 PMMA nominal Mp 1k 5g
- PL2022-3010 PMMA nominal Mp 1k 10g
- PL2022-5001 PMMA nominal Mp 2k 1g
- PL2022-5001SK PMMA nominal Mp 2k 1g Shoko
- PL2022-5005 PMMA nominal Mp 2k 5g
- PL2022-5010 PMMA nominal Mp 2k 10g
- PL2022-6001 PMMA nominal Mp 3k 1g
- PL2022-6001SK PMMA NOMINAL MP 3K 1G SHOKO
- PL2022-6005 PMMA nominal Mp 3k 5g
- PL2022-6010 PMMA nominal Mp 3k 10g
- PL2022-7001 PMMA nominal Mp 5k 1g
- PL2022-7001SK PMMA NOMINAL MP 5K 1G SHOKO
- PL2022-7005 PMMA nominal Mp 5k 5g
- PL2022-7010 PMMA nominal Mp 5k 10g
- PL2022-8001 PMMA nominal Mp 7k 1g
- PL2022-8001SK PMMA nominal Mp 7k 1g
- PL2022-8005 PMMA nominal Mp 7k 5g
- PL2022-8010 PMMA nominal Mp 7k 10g

**Polymethyl methacrylate Standard**

**SECTION 1: Identification of the substance/mixture and of the company/  
undertaking**

PL2022-9001	PMMA nominal Mp 10k 1g
PL2022-9001SK	PMMA NOMINAL MP 10K 1G SHOKO
PL2022-9005	PMMA nominal Mp 10k 5g
PL2022-9010	PMMA nominal Mp 10k 10g
PL2023-0001	PMMA nominal Mp 13k 1g
PL2023-0001SK	PMMA NOMINAL MP 13K 1G SHOKO
PL2023-0005	PMMA nominal Mp 13k 5g
PL2023-0010	PMMA nominal Mp 13k 10g
PL2023-1001	PMMA nominal Mp 20k 1g
PL2023-1001SK	PMMA nominal Mp 20k 1g Shoko
PL2023-1005	PMMA nominal Mp 20k 5g
PL2023-1010	PMMA nominal Mp 20k 10g
PL2023-2001	PMMA nominal Mp 30k 1g
PL2023-2001SK	PMMA NOMINAL MP 30K 1G SHOKO
PL2023-2005	PMMA nominal Mp 30k 5g
PL2023-2010	PMMA nominal Mp 30k 10g
PL2023-3001	PMMA nominal Mp 50k 1g
PL2023-3001SK	PMMA NOMINAL MP 50K 1G SHOKO
PL2023-3005	PMMA nominal Mp 50k 5g
PL2023-3010	PMMA nominal Mp 50k 10g
PL2023-4001	PMMA nominal Mp 70k 1g
PL2023-4001SK	PMMA nominal Mp 70k 1g Shoko
PL2023-4005	PMMA nominal Mp 70k 5g
PL2023-4010	PMMA nominal Mp 70k 10g
PL2023-5001	PMMA nominal Mp 100k 1g
PL2023-5001SK	PMMA NOMINAL MP 100K 1G SHOKO
PL2023-5005	PMMA nominal Mp 100k 5g
PL2023-5010	PMMA nominal Mp 100k 10g
PL2023-6001	PMMA nominal Mp 130k 1g
PL2023-6001SK	PMMA NOMINAL MP 130K 1G SHOKO
PL2023-6005	PMMA nominal Mp 130k 5g
PL2023-6010	PMMA nominal Mp 130k 10g
PL2023-7001	PMMA nominal Mp 200k 1g
PL2023-7001SK	PMMA nominal Mp 200k 1g Shoko
PL2023-7005	PMMA nominal Mp 200k 5g
PL2023-7010	PMMA nominal Mp 200k 10g
PL2023-8001	PMMA nominal Mp 300k 1g
PL2023-8001SK	PMMA NOMINAL MP 300K 1G SHOKO
PL2023-8005	PMMA nominal Mp 300k 5g
PL2023-8010	PMMA nominal Mp 300k 10g
PL2023-9001	PMMA nominal Mp 500k 1g
PL2023-9005	PMMA nominal Mp 500k 5g
PL2023-9010	PMMA nominal Mp 500k 10g
PL2024-0001	PMMA nominal Mp 700k 1g
PL2024-0001SK	PMMA nominal Mp 700k 1g Shoko
PL2024-0005	PMMA nominal Mp 700k 5g
PL2024-0010	PMMA nominal Mp 700k 10g
PL2024-1001	PMMA nominal Mp 1m 1g
PL2024-1001SK	PMMA nominal Mp 1m 1g Shoko
PL2024-1005	PMMA nominal Mp 1m 5g
PL2024-1010	PMMA nominal Mp 1m 10g
PL2024-2001	PMMA nominal Mp 1.5m 1g
PL2024-2001SK	PMMA NOMINAL MP 1.5M 1G SHOKO
PL2024-2005	PMMA nominal Mp 1.5m 5g
PL2024-2010	PMMA nominal Mp 1.5m 10g

**1.3 Details of the supplier of the safety data sheet**

**Polymethyl methacrylate Standard**

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

Agilent Technologies Manufacturing GmbH & Co. KG  
Hewlett-Packard-Str. 8  
76337 Waldbronn  
Germany  
0800 603 1000

**e-mail address of person responsible for this SDS** : pdl-msds\_author@agilent.com

**1.4 Emergency telephone number**

**Emergency telephone number (with hours of operation)** : CHEMTREC®: +(44)-870-8200418

**SECTION 2: Hazards identification**

**2.1 Classification of the substance or mixture**

**Product definition** : Mono-constituent substance

**Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]**

Not classified.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

**2.2 Label elements**

**Signal word** : No signal word.

**Hazard statements** : No known significant effects or critical hazards.

**Precautionary statements**

**Prevention** : Not applicable.

**Response** : Not applicable.

**Storage** : Not applicable.

**Disposal** : Not applicable.

**Supplemental label elements** : Not applicable.

**Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles** : Not applicable.

**Special packaging requirements**

**Tactile warning of danger** : Not applicable.

**2.3 Other hazards**

**Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII** :  Not available.

**Polymethyl methacrylate Standard**

**SECTION 2: Hazards identification**

Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII : Not available.

Other hazards which do not result in classification : May form explosible dust-air mixture if dispersed.

**SECTION 3: Composition/information on ingredients**

3.1 Substances : Mono-constituent substance

Product/ingredient name	Identifiers	%	Regulation (EC) No. 1272/2008 [CLP]	Type
<input checked="" type="checkbox"/> Propenoic acid, 2-methyl-, methyl ester, homopolymer	CAS: 9011-14-7	100	Not classified.  <b>See Section 16 for the full text of the H statements declared above.</b>	[A]

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Type

[A] Constituent

[B] Impurity

[C] Stabilising additive

**SECTION 4: First aid measures**

**4.1 Description of first aid measures**

- Eye contact** : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
- Inhalation** : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
- Skin contact** : Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
- Ingestion** : Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training.

**4.2 Most important symptoms and effects, both acute and delayed**

Potential acute health effects

- Eye contact** : Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes.
- Inhalation** : Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs.
- Skin contact** : No known significant effects or critical hazards.
- Ingestion** : No known significant effects or critical hazards.

Over-exposure signs/symptoms

- Eye contact** : Adverse symptoms may include the following:  
irritation  
redness

Date of issue/Date of revision : 29/10/2017

**Polymethyl methacrylate Standard**

**SECTION 4: First aid measures**

- Inhalation** : Adverse symptoms may include the following:  
respiratory tract irritation  
coughing
- Skin contact** : No specific data.
- Ingestion** : No specific data.

**4.3 Indication of any immediate medical attention and special treatment needed**

- Notes to physician** : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
- Specific treatments** : No specific treatment.

**SECTION 5: Firefighting measures**

**5.1 Extinguishing media**

- Suitable extinguishing media** : Use dry chemical powder.
- Unsuitable extinguishing media** : Avoid high pressure media which could cause the formation of a potentially explosible dust-air mixture.

**5.2 Special hazards arising from the substance or mixture**

- Hazards from the substance or mixture** : May form explosible dust-air mixture if dispersed.
- Hazardous combustion products** : Decomposition products may include the following materials:  
carbon dioxide  
carbon monoxide

**5.3 Advice for firefighters**

- Special precautions for fire-fighters** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

**SECTION 6: Accidental release measures**

**6.1 Personal precautions, protective equipment and emergency procedures**

- For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing dust. Put on appropriate personal protective equipment.
- For emergency responders** : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

- 6.2 Environmental precautions** : Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

**6.3 Methods and material for containment and cleaning up**

**Polymethyl methacrylate Standard**

**SECTION 6: Accidental release measures**

**Methods for cleaning up** : Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Vacuum or sweep up material and place in a designated, labelled waste container. Dispose of via a licensed waste disposal contractor.

**6.4 Reference to other sections** : See Section 1 for emergency contact information.  
See Section 8 for information on appropriate personal protective equipment.  
See Section 13 for additional waste treatment information.

**SECTION 7: Handling and storage**

**7.1 Precautions for safe handling**

**Protective measures** : Put on appropriate personal protective equipment (see Section 8). Avoid breathing dust. Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Prevent dust accumulation. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Electrical equipment and lighting should be protected to appropriate standards to prevent dust coming into contact with hot surfaces, sparks or other ignition sources. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by earthing and bonding containers and equipment before transferring material.

**Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

**7.2 Conditions for safe storage, including any incompatibilities**

**Storage** : Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

**7.3 Specific end use(s)**

**Recommendations** : Industrial applications, Professional applications.

**Industrial sector specific solutions** : Not applicable.

**SECTION 8: Exposure controls/personal protection**

**8.1 Control parameters**

**Occupational exposure limits**

No exposure limit value known.

**Recommended monitoring procedures** : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.



**Polymethyl methacrylate Standard**

**SECTION 8: Exposure controls/personal protection**

**DNELs/DMELs**

No DNELs/DMELs available.

**PNECs**

No PNECs available

**8.2 Exposure controls**

**Appropriate engineering controls** : Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapour or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

**Individual protection measures**

**Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

**Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. If operating conditions cause high dust concentrations to be produced, use dust goggles.

**Skin protection**

**Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

**Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

**Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

**SECTION 9: Physical and chemical properties**

**9.1 Information on basic physical and chemical properties**

**Appearance**

**Physical state** : Solid. [Powder.]

**Colour** : White.

**Odour** : Not available.

**Odour threshold** : Not available.

**pH** : Not available.

**Melting point/freezing point** : Not available.

**Polymethyl methacrylate Standard**

**SECTION 9: Physical and chemical properties**

<b>Initial boiling point and boiling range</b>	: Not available.
<b>Flash point</b>	: Not available.
<b>Evaporation rate</b>	: Not available.
<b>Flammability (solid, gas)</b>	: Not available.
<b>Upper/lower flammability or explosive limits</b>	: Not available.
<b>Vapour pressure</b>	: Not available.
<b>Vapour density</b>	: Not available.
<b>Relative density</b>	: Not available.
<b>Solubility(ies)</b>	: Insoluble in the following materials: cold water and hot water.
<b>Partition coefficient: n-octanol/water</b>	: Not available.
<b>Auto-ignition temperature</b>	: Not available.
<b>Decomposition temperature</b>	: Not available.
<b>Viscosity</b>	: Not available.
<b>Explosive properties</b>	: Not available.
<b>Oxidising properties</b>	: Not available.

**9.2 Other information**

No additional information.

**SECTION 10: Stability and reactivity**

<b>10.1 Reactivity</b>	: No specific test data related to reactivity available for this product or its ingredients.
<b>10.2 Chemical stability</b>	: The product is stable.
<b>10.3 Possibility of hazardous reactions</b>	: Under normal conditions of storage and use, hazardous reactions will not occur.
<b>10.4 Conditions to avoid</b>	: Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by earthing and bonding containers and equipment before transferring material. Prevent dust accumulation.
<b>10.5 Incompatible materials</b>	: Reactive or incompatible with the following materials: oxidizing materials Incompatible materials: Alkali. , Amine.
<b>10.6 Hazardous decomposition products</b>	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

**SECTION 11: Toxicological information**

**11.1 Information on toxicological effects**

Acute toxicity

Not available.

Irritation/Corrosion

**Conclusion/Summary** : Not available.

Sensitiser

**Date of issue/Date of revision** : 29/10/2017



**Polymethyl methacrylate Standard**

**SECTION 11: Toxicological information**

**Conclusion/Summary** : Not available.

**Specific target organ toxicity (single exposure)**

Not available.

**Specific target organ toxicity (repeated exposure)**

Not available.

**Aspiration hazard**

Not available.

**Information on likely routes of exposure** : Not available.

**Potential acute health effects**

- Inhalation** : Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs.
- Ingestion** : No known significant effects or critical hazards.
- Skin contact** : No known significant effects or critical hazards.
- Eye contact** : Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes.

**Symptoms related to the physical, chemical and toxicological characteristics**

- Inhalation** : Adverse symptoms may include the following:  
respiratory tract irritation  
coughing
- Ingestion** : No specific data.
- Skin contact** : No specific data.
- Eye contact** : Adverse symptoms may include the following:  
irritation  
redness

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Short term exposure**

- Potential immediate effects** : Not available.
- Potential delayed effects** : Not available.

**Long term exposure**

- Potential immediate effects** : Not available.
- Potential delayed effects** : Not available.

**Potential chronic health effects**

- General** : Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation.
- Carcinogenicity** : No known significant effects or critical hazards.
- Mutagenicity** : No known significant effects or critical hazards.
- Teratogenicity** : No known significant effects or critical hazards.
- Developmental effects** : No known significant effects or critical hazards.
- Fertility effects** : No known significant effects or critical hazards.
- Other information** : Adverse symptoms may include the following: Very slightly to slightly dangerous in case of skin contact (corrosive, irritant, sensitiser, permeator), eye contact (irritant), ingestion or inhalation.

**Polymethyl methacrylate Standard**

## SECTION 12: Ecological information

### 12.1 Toxicity

**Conclusion/Summary** : Not available.

### 12.2 Persistence and degradability

Not available.

### 12.3 Bioaccumulative potential

Not available.

### 12.4 Mobility in soil

**Soil/water partition coefficient (K<sub>oc</sub>)** : Not available.

**Mobility** : Not available.

### 12.5 Results of PBT and vPvB assessment

**PBT** : Not available.

☑: Not available. B: Not available. T: Not available.

**vPvB** : Not available.

vP: Not available. vB: Not available.

**12.6 Other adverse effects** : ☑The products of degradation are more toxic than the product itself.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product

**Methods of disposal** : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

**Hazardous waste** : Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 2008/98/EC.

#### Packaging

**Methods of disposal** : The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

**Special precautions** : This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

## SECTION 14: Transport information

**ADR/RID / IMDG / IATA** : Not regulated.

**14.6 Special precautions for user** : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

**14.7 Transport in bulk according to Annex II of Marpol and the IBC Code** : Not available.

**Date of issue/Date of revision** : 29/10/2017

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU Regulation (EC) No. 1907/2006 (REACH)

##### Annex XIV - List of substances subject to authorisation

###### Annex XIV

None of the components are listed.

###### Substances of very high concern

None of the components are listed.

**Annex XVII - Restrictions** : Not applicable.  
on the manufacture,  
placing on the market  
and use of certain  
dangerous substances,  
mixtures and articles

#### Other EU regulations

##### Ozone depleting substances (1005/2009/EU)

Not listed.

##### Prior Informed Consent (PIC) (649/2012/EU)

Not listed.

##### Seveso Directive

This product is not controlled under the Seveso Directive.

#### International regulations

##### Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

##### Montreal Protocol (Annexes A, B, C, E)

Not listed.

##### Stockholm Convention on Persistent Organic Pollutants

Not listed.

##### Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

##### UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

#### Inventory list

<b>Australia</b>	: All components are listed or exempted.
<b>Canada</b>	: All components are listed or exempted.
<b>China</b>	: All components are listed or exempted.
<b>Europe</b>	: Not determined.
<b>Japan</b>	: <b>Japan inventory (ENCS)</b> : All components are listed or exempted. <b>Japan inventory (ISHL)</b> : All components are listed or exempted.
<b>Malaysia</b>	: Not determined.
<b>New Zealand</b>	: All components are listed or exempted.
<b>Philippines</b>	: All components are listed or exempted.
<b>Republic of Korea</b>	: All components are listed or exempted.
<b>Taiwan</b>	: All components are listed or exempted.
<b>Thailand</b>	: Not determined.
<b>Turkey</b>	: Not determined.
<b>United States</b>	: All components are listed or exempted.

**Polymethyl methacrylate Standard**

**SECTION 15: Regulatory information**

**Viet Nam** :  Not determined.

**15.2 Chemical safety assessment** : This product contains substances for which Chemical Safety Assessments might still be required.

**SECTION 16: Other information**

Indicates information that has changed from previously issued version.

**Abbreviations and acronyms** : ATE = Acute Toxicity Estimate  
CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]  
DNEL = Derived No Effect Level  
EUH statement = CLP-specific Hazard statement  
PNEC = Predicted No Effect Concentration  
RRN = REACH Registration Number

**Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]**

Classification	Justification
Not classified.	

**Full text of abbreviated H statements**

Not applicable.

**Full text of classifications [CLP/GHS]**

Not applicable.

**Date of issue/ Date of revision** : 29/10/2017

**Date of previous issue** : 12/01/2016.

**Version** : 2

**Notice to reader**

**Disclaimer:** The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.