

SAFETY DATA SHEET

Polystyrene

Section 1. Identification


1.1 Product identifier

Product name : Polystyrene

Part no. : PL2010-0000, PL2010-0200, PL2010-0201, PL2010-0202, PL2010-0203, PL2010-0300, PL2010-0301, PL2010-0302, PL2010-0303, PL2010-0400, PL2010-0401, PL2010-0402, PL2010-0403, PL2010-0501, PL2010-0505, PL2010-0601, PL2010-0605, PL2012-5001, PL2012-5005, PL2012-5010, PL2012-6001, PL2012-6005, PL2012-6010, PL2012-7001, PL2012-7005, PL2012-7010, PL2012-8001, PL2012-8005, PL2012-8010, PL2012-9001, PL2012-9005, PL2012-9010, PL2013-0001, PL2013-0005, PL2013-0010, PL2013-1001, PL2013-1005, PL2013-1010, PL2013-2001, PL2013-2005, PL2013-2010, PL2013-3001, PL2013-3005, PL2013-3010, PL2013-4001, PL2013-4005, PL2013-4010, PL2013-5001, PL2013-5005, PL2013-5010, PL2013-6001, PL2013-6005, PL2013-6010, PL2013-7001, PL2013-7005, PL2013-7010, PL2013-8001, PL2013-8005, PL2013-8010, PL2013-9001, PL2013-9005, PL2013-9010, PL2014-0001, PL2014-0005, PL2014-0010, PL2014-1001, PL2014-1005, PL2014-1010, PL2014-2001, PL2014-2005, PL2014-2010, PL2014-3001, PL2014-3005, PL2014-3010, PL2014-4001, PL2014-4005, PL2014-4010, PL2014-5001, PL2014-5005, PL2014-5010, PL2014-6001, PL2014-6005, PL2014-6010, PL2014-7001, PL2014-7005, PL2014-7010, PL2014-8001, PL2014-8005, PL2014-8010, PL2014-9001, PL2014-9005, PL2014-9010

Validation date : 11/7/2023

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses :  Reagents and Standards for Analytical Chemistry Laboratory Use

PL2010-0000	Broad Polystyrene 1g
PL2010-0200	EasiVial PS-H 4 ml
PL2010-0201	PS-H EasiVial 2 ml
PL2010-0202	PS-H 2 ml tri-pack (90 vials)
PL2010-0203	PS-H 4 ml tri-pack (90 vials)
PL2010-0300	EasiVial PS-M 4 ml
PL2010-0301	EasiVial PS-M 2 ml
PL2010-0302	EasiVial PS-M 2 ml tri-pack
PL2010-0303	EasiVial PS-M 4 ml tri-pack
PL2010-0400	EasiVial PS-L 4 ml
PL2010-0401	EasiVial PS-L 2 ml
PL2010-0402	PS-L 2 ml tri-pack (90 vials)
PL2010-0403	PS-L 4 ml tri-pack (90 vials)
PL2010-0501	EASICAL PS-1 (SINGLE PACK)
PL2010-0505	EASICAL PS-1 (PACK OF 5)
PL2010-0601	EASICAL PS-2 (SINGLE PACK)
PL2010-0605	EASICAL PS-2 (PACK OF 5)
PL2012-5001	PS nominal Mp 2k 1g
PL2012-5005	PS nominal Mp 2k 5g
PL2012-5010	PS nominal Mp 2k 10g
PL2012-6001	PS nominal Mp 3k 1g
PL2012-6005	PS nominal Mp 3k 5g
PL2012-6010	PS nominal Mp 3k 10g
PL2012-7001	PS nominal Mp 5k 1g
PL2012-7005	PS nominal Mp 5k 5g
PL2012-7010	PS nominal Mp 5k 10g
PL2012-8001	PS nominal Mp 7k 1g
PL2012-8005	PS nominal Mp 7k 5g
PL2012-8010	PS nominal Mp 7k 10g
PL2012-9001	PS nominal Mp 10k 1g
PL2012-9005	PS nominal Mp 10k 5g
PL2012-9010	PS nominal Mp 10k 10g

Section 1. Identification

PL2013-0001	PS nominal Mp 13k 1g
PL2013-0005	PS nominal Mp 13k 5g
PL2013-0010	PS nominal Mp 13k 10g
PL2013-1001	PS nominal Mp 20k 1g
PL2013-1005	PS nominal Mp 20k 5g
PL2013-1010	PS nominal Mp 20k 10g
PL2013-2001	PS nominal Mp 30k 1g
PL2013-2005	PS nominal Mp 30k 5g
PL2013-2010	PS nominal Mp 30k 10g
PL2013-3001	PS nominal Mp 50k 1g
PL2013-3005	PS nominal Mp 50k 5g
PL2013-3010	PS nominal Mp 50k 10g
PL2013-4001	PS nominal Mp 70k 1g
PL2013-4005	PS nominal Mp 70k 5g
PL2013-4010	PS nominal Mp 70k 10g
PL2013-5001	PS nominal Mp 100k 1g
PL2013-5005	PS nominal Mp 100k 5g
PL2013-5010	PS nominal Mp 100k 10g
PL2013-6001	PS nominal Mp 130k 1g
PL2013-6005	PS nominal Mp 130k 5g
PL2013-6010	PS nominal Mp 130k 10g
PL2013-7001	PS nominal Mp 200k 1g
PL2013-7005	PS nominal Mp 200k 5g
PL2013-7010	PS nominal Mp 200k 10g
PL2013-8001	PS nominal Mp 300k 1g
PL2013-8005	PS nominal Mp 300k 5g
PL2013-8010	PS nominal Mp 300k 10g
PL2013-9001	PS nominal Mp 500k 1g
PL2013-9005	PS nominal Mp 500k 5g
PL2013-9010	PS nominal Mp 500k 10g
PL2014-0001	PS nominal Mp 700k 1g
PL2014-0005	PS nominal Mp 700k 5g
PL2014-0010	PS nominal Mp 700k 10g
PL2014-1001	PS nominal Mp 1m 1g
PL2014-1005	PS nominal Mp 1m 5g
PL2014-1010	PS nominal Mp 1m 10g
PL2014-2001	PS nominal Mp 1.5m 1g
PL2014-2005	PS nominal Mp 1.5m 5g
PL2014-2010	PS nominal Mp 1.5m 10g
PL2014-3001	PS nominal Mp 2m 1g
PL2014-3005	PS nominal Mp 2m 5g
PL2014-3010	PS nominal Mp 2m 10g
PL2014-4001	PS nominal Mp 2.5m 1g
PL2014-4005	PS nominal Mp 2.5m 5g
PL2014-4010	PS nominal Mp 2.5m 10g
PL2014-5001	PS nominal Mp 3m 1g
PL2014-5005	PS nominal Mp 3m 5g
PL2014-5010	PS nominal Mp 3m 10g
PL2014-6001	PS nominal Mp 4m 1g
PL2014-6005	PS nominal Mp 4m 5g
PL2014-6010	PS nominal Mp 4m 10g
PL2014-7001	PS nominal Mp 7m 1g
PL2014-7005	PS nominal Mp 7m 5g
PL2014-7010	PS nominal Mp 7m 10g
PL2014-8001	PS nominal Mp 10m 1g
PL2014-8005	PS nominal Mp 10m 5g
PL2014-8010	PS nominal Mp 10m 10g
PL2014-9001	PS nominal Mp 15m 1g
PL2014-9005	PS nominal Mp 15m 5g
PL2014-9010	PS nominal Mp 15m 10g

Section 1. Identification

1.3 Details of the supplier of the safety data sheet

Supplier/Manufacturer : Agilent Technologies, Inc.
5301 Stevens Creek Blvd
Santa Clara, CA 95051, USA
800-227-9770

1.4 Emergency telephone number

In case of emergency : CHEMTREC®: 1-800-424-9300

Section 2. Hazards identification

2.1 Classification of the substance or mixture

OSHA/HCS status : This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Classification of the substance or mixture

COMBUSTIBLE DUSTS

2.2 GHS label elements

Signal word : Warning

Hazard statements : May form combustible dust concentrations in air.

Precautionary statements

Prevention : Not applicable.

Response : Not applicable.

Storage : Not applicable.

Disposal : Not applicable.

Supplemental label elements : Keep container tightly closed. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Prevent dust accumulation.

2.3 Other hazards

Hazards not otherwise classified : None known.

Section 3. Composition/information on ingredients

Substance/mixture : Substance

Ingredient name	%	CAS number
Styrene, oligomers	100	9003-53-6

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

4.1 Description of necessary first aid measures

- Eye contact** : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
- Inhalation** : Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- Skin contact** : Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
- Ingestion** : Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel.

4.2 Most important symptoms/effects, acute and delayed

Potential acute health effects

- Eye contact** : Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes.
- Inhalation** : Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs.
- Skin contact** : No known significant effects or critical hazards.
- Ingestion** : No known significant effects or critical hazards.

Over-exposure signs/symptoms

- Eye contact** : Adverse symptoms may include the following:
irritation
redness
- Inhalation** : Adverse symptoms may include the following:
respiratory tract irritation
coughing
- Skin contact** : No specific data.
- Ingestion** : No specific data.

4.3 Indication of immediate medical attention and special treatment needed, if necessary

- Notes to physician** : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
- Specific treatments** : No specific treatment.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

5.1 Extinguishing media

- Suitable extinguishing media** : Use dry chemical powder.
- Unsuitable extinguishing media** : Avoid high pressure media which could cause the formation of a potentially explosible dust-air mixture.

5.2 Special hazards arising from the substance or mixture

- Specific hazards arising from the chemical** : May form explosible dust-air mixture if dispersed.
- Hazardous thermal decomposition products** : Decomposition products may include the following materials:
carbon dioxide
carbon monoxide

Section 5. Fire-fighting measures

5.3 Advice for firefighters

- Special protective actions for fire-fighters** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel** : ☒ No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing dust. Put on appropriate personal protective equipment.
- For emergency responders** : If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

- 6.2 Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3 Methods and materials for containment and cleaning up

- Methods for cleaning up** : Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.

Section 7. Handling and storage

7.1 Precautions for safe handling

- Protective measures** : Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing dust. Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Prevent dust accumulation. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Electrical equipment and lighting should be protected to appropriate standards to prevent dust coming into contact with hot surfaces, sparks or other ignition sources. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Empty containers retain product residue and can be hazardous. Do not reuse container.
- Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Section 7. Handling and storage

7.2 Conditions for safe storage, including any incompatibilities

- : Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s)

Recommendations

- : Industrial applications, Professional applications.

Industrial sector specific solutions

- : Not available.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Styrene, oligomers	ACGIH TLV (United States). TWA: 10 mg/m ³ Form: Inhalable TWA: 3 mg/m ³ Form: Respirable

Biological exposure indices

No exposure indices known.

8.2 Exposure controls

Appropriate engineering controls

- : Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

Environmental exposure controls

- : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures

- : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

- : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. If operating conditions cause high dust concentrations to be produced, use dust goggles.

Skin protection

Section 8. Exposure controls/personal protection

- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

Appearance

- Physical state** : Solid. [Powder.]
- Color** : White.
- Odor** : Odorless.
- Odor threshold** : Not available.
- pH** : Not available.
- Melting point/freezing point** : 240°C (464°F)
- Boiling point, initial boiling point, and boiling range** : Not available.
- Flash point** : Closed cup: 345 to 360°C (653 to 680°F)
- Evaporation rate** : Not available.
- Flammability** : Flammable in the presence of the following materials or conditions: open flames, sparks and static discharge and heat.
- Lower and upper explosion limit/flammability limit** : Not applicable.
- Vapor pressure** : Not available.
- Relative vapor density** : Not applicable.
- Relative density** : 1.05
- Density** : 1.05 g/cm³ [20°C (68°F)]
- Solubility(ies)** :
- | Media | Result |
|-------|-----------|
| Water | Insoluble |
- Partition coefficient: n-octanol/water** : Not applicable.
- Auto-ignition temperature** : 427°C (800.6°F)
- Decomposition temperature** : 100 to 300°C (212 to 572°F)
- Viscosity** : Not applicable.
- Particle characteristics**
- Median particle size** : Not available.

Section 10. Stability and reactivity

- 10.1 Reactivity** : No specific test data related to reactivity available for this product or its ingredients.
- 10.2 Chemical stability** : The product is stable.
- 10.3 Possibility of hazardous reactions** : Under normal conditions of storage and use, hazardous reactions will not occur.
- 10.4 Conditions to avoid** : Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Prevent dust accumulation.
- 10.5 Incompatible materials** : Reactive or incompatible with the following materials:
oxidizing materials
- 10.6 Hazardous decomposition products** : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not available.

Irritation/Corrosion

Not available.

Sensitization

Not available.

Mutagenicity

Conclusion/Summary : Not available.

Carcinogenicity

Conclusion/Summary : Not available.

Classification

Product/ingredient name	OSHA	IARC	NTP
Styrene, oligomers	-	3	-

Reproductive toxicity

Conclusion/Summary : Impurity : May cause damage to organs.

Teratogenicity

Conclusion/Summary : Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Section 11. Toxicological information

Information on the likely routes of exposure : Not available.

Potential acute health effects

- Eye contact** : Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes.
- Inhalation** : Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs.
- Skin contact** : No known significant effects or critical hazards.
- Ingestion** : No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

- Eye contact** : Adverse symptoms may include the following:
irritation
redness
- Inhalation** : Adverse symptoms may include the following:
respiratory tract irritation
coughing
- Skin contact** : No specific data.
- Ingestion** : No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

- Potential immediate effects** : Not available.
- Potential delayed effects** : Not available.

Long term exposure

- Potential immediate effects** : Not available.
- Potential delayed effects** : Not available.

Potential chronic health effects

- General** : Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation.
- Carcinogenicity** : No known significant effects or critical hazards.
- Mutagenicity** : No known significant effects or critical hazards.
- Reproductive toxicity** : No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

N/A

Section 12. Ecological information

12.1 Toxicity

Not available.

12.2 Persistence and degradability

Not available.

Section 12. Ecological information

12.3 Bioaccumulative potential

Not available.

12.4 Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.

12.5 Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

13.1 Waste treatment methods

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements.

The information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

Section 14. Transport information

DOT / TDG / Mexico / IMDG / IATA : Not regulated.

Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to IMO instruments : Not available.

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

U.S. Federal regulations : TSCA 8(a) CDR Exempt/Partial exemption: All components are listed or exempted.

Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs) : Not listed

Section 15. Regulatory information

Clean Air Act Section 602 Class I Substances : Not listed

Clean Air Act Section 602 Class II Substances : Not listed

DEA List I Chemicals (Precursor Chemicals) : Not listed

DEA List II Chemicals (Essential Chemicals) : Not listed

SARA 302/304

Composition/information on ingredients

No products were found.

SARA 304 RQ : Not applicable.

SARA 311/312

Classification : COMBUSTIBLE DUSTS

Composition/information on ingredients

No products were found.

State regulations

Massachusetts : None of the components are listed.

New York : None of the components are listed.

New Jersey : None of the components are listed.

Pennsylvania : None of the components are listed.

California Prop. 65

This product does not require a Safe Harbor warning under California Prop. 65.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

Australia : All components are listed or exempted.

Canada : All components are listed or exempted.

China : All components are listed or exempted.

Japan : **Japan inventory (CSCL)**: All components are listed or exempted.
Japan inventory (ISHL): All components are listed or exempted.

New Zealand : All components are listed or exempted.

Philippines : All components are listed or exempted.

Republic of Korea : All components are listed or exempted.

Section 15. Regulatory information

Taiwan	: All components are listed or exempted.
Thailand	: All components are listed or exempted.
Turkey	: All components are listed or exempted.
United States	: All components are active or exempted.
Viet Nam	: All components are listed or exempted.

Section 16. Other information

Procedure used to derive the classification

Classification	Justification
COMBUSTIBLE DUSTS	On basis of test data

History

Date of issue/Date of revision	: 11/07/2023
Date of previous issue	: 04/07/2022
Version	: 8
Key to abbreviations	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) N/A = Not available UN = United Nations

📌 Indicates information that has changed from previously issued version.

Notice to reader

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.