

# SAFETY DATA SHEET



Pursuit LC Columns with less than 10 ml ACN type solvent

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

This product is considered an article. This Safety Data Sheet is written based on the encapsulated substance or mixture in this article.

### 1.1 Product identifier

- Product name** : Pursuit LC Columns with less than 10 ml ACN type solvent
- Part no.** : A3040MG1, A3041MG1, A3030MG2, A3031MG2, A3040MG2, A3041MG2, A3050MG2, A3051MG2, A6000MG2, A6001MG2, A6010MG2, A6011MG2, A6020MG2, A6021MG2, A3041050X010, A3051050X010, A3040050X010, A6021050X010, A3032020X020, A3042020X020, A3031020X020, A3051020X020, A7000MG3, A7001MG3, A3041100X010, A3041030X020, A3051030X020, A3040030X020, A6021030X020, A6000030X020, A7501030X020, A7511030X020, A7521030X020, A3040030X021, A3041150X010, A3040150X010, A3031050X020, A3041050P020, A3041050X020, A3051050X020, A304201G, A3030050X020, A3040050X020, A3050050X020, A600201G, A6011050X020, A6021050X020, A6000050X020, A6020050X020, A7501050X020, A7511050X020, A7521050X020, A3030MG, A3031MG, A3040MG, A3041MG, A3050MG, A3051MG, A6000MG, A6001MG, A6002MG, A6010MG, A6011MG, A6020MG, A6021MG, A3030050X021, A3040050X021, A3051030X030, A6021030X030, A3031100X020, A3041100X020, A7001100X020, A3051100X020, A3040100X020, A3050100X020, A6011100X020, A6021100X020, A6000100X020, A7501100X020, A7511100X020, A7521100X020, A3040100X021, A3041050X030, A6000050X030, A3031150X020, A3041150X020, A3051150X020, A3030150X020, A3040150X020, A3050150X020, A6011150X020, A6021150X020, A6000150X020, A6010150X020, A6020150X020, A7501150X020, A7521150X020, A3041030X046, A3042030G046, A3030030X046, A3040030X046, A6021030X046, A3040150X021, A3050150X021, A3041200X020, A3030100T030, A3031100X030, A3041100X030, A7001100X030, A7001100R030, A3051100X030, A3030100R030, A7000100R030, A6000100C030, A6000100T030, A6001100C030, A6001100T030, A6011100X030, A6021100X030, A6000100X030, A6011100C030S, A7000100T030, A7001100C030, A6000100R030, A7501100X030, A3041250X020, A3051250X020, A3040250X020, A3050250X020, A6021250X020, A6000250X020, A6020250X020, A3031050X046, A3041050X046, A3041050R046, A3051050X046, A3030050X046, A3040050X046, A6002050X046S, A6001050C046, A6011050X046, A6021050X046, A6000050X046, A6020050X046, A3031150X030, A3031150C030, A3041150X030, A3041150R030, A7001150X030S, A3051150X030, A3050150X030, A6000150C030, A6000150T030, A6011150R030, A6021150X030, A6011150C030, A6000150X030, A6010150X030, A6000150R030, A6010150R030, A7501150X030, A7511150X030, A6021075X046, A7001100R040S, A3030125X040, A6000125X040, A6010125X040, A3031100X046, A3041100P046, A3041100X046, A3041100R046, A7001100X046, A7001100X046S, A3041100C046, A7001100R046, A3051100X046, A3030100X046, A3050100X046, A6000100C046, A6001100C046, A6001100T046, A6011100X046, A6021100X046, A6000100X046, A6010100X046, A6020100X046, A7001100C046, A7001100T046, A7001100T046ANL, A6000100R046, A3040250C030, A3040250X030, A3050250X030, A6000250C030, A6000250X030, A7000250C030S, A6020250X030, A3030150X039, A6000150X040, A6010150X040, A6020150X040, A6000120X046, A6000125X046, A6010125X046, A3030150C046, A3032150X046, A3031150C046, A3031150X046, A3031150R046, A3041150X046, A3040150C046, A7001150X046S, A7001150R046, A3041150T046, A3051150X046, A3030150X046, A3040150X046, A7000150X046, A7000150R046, A3050150X046, A6000150C046, A6001150C046, A6011150X046, A6021150X046, A6010150C046, A6000150X046, A6010150X046, A7000150C046, A7000150T046, A6020150X046, A7001150C046, A7001150T046, A6000150R046, A3030250X040, A6000250X040, A6010250X040, A3050200X046, A6000200X046, A3032050G100, A6002050G100, A6000050DG100S, A6000050X100, A6000050G100, A3030250C046, A3032250X046, A3041250X046, A3040250C046, A3030250X046, A3030250R046, A3040250X046, A7000250X046, A7000250R046, A3050250X046, A6000250C046, A6002250X046, A6000250T046, A6011250X046, A6021250X046, A6000250X046, A6010250X046, A7000250C046, A7000250T046, A6020250X046, A6000250R046, A6012250X046S, A3040150X080, A6020100X100, A3041150X100,

Pursuit LC Columns with less than 10 ml ACN type solvent

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

A3050150X100, A6002150X100, A6010150X100, A6000150X100, A6020150X100

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### Material uses

: Reagents and Standards for Analytical Chemistry Laboratory Use  
HPLC Column  
Solvent volume: <10 ml

A3040MG1	MetaGuard 1.0 mm Pursuit 5u DP 0.01mL Solvent
A3041MG1	MetaGuard 1.0 mm Pursuit 3u DP 0.01mL Solvent
A3030MG2	MetaGuard 2.0 mm Pursuit 5u C8 0.02mL Solvent
A3031MG2	MetaGuard 2.0 mm Pursuit 3u C8 0.02mL Solvent
A3040MG2	MetaGuard 2.0 mm Pursuit 5u DP 0.02mL Solvent
A3041MG2	MetaGuard 2.0 mm Pursuit 3u DP 0.02mL Solvent
A3050MG2	MetaGuard 2.0 mm Pursuit 5u PFP 0.02mL Solvent
A3051MG2	MetaGuard 2.0 mm Pursuit 3u PFP 0.02mL Solvent
A6000MG2	MetaGuard 2.0 mm Pursuit XRs 5U C18, 3/Pk 0.02mL Solvent
A6001MG2	MetaGuard 2.0 mm Pursuit XRs 3U C18, 3/Pk 0.02mL Solvent
A6010MG2	MetaGuard 2.0 mm Pursuit XRs 5U C8, 3/Pk 0.02mL Solvent
A6011MG2	MetaGuard 2.0 mm Pursuit XRs 3U C8, 3/Pk 0.02mL Solvent
A6020MG2	MetaGuard 2.0 mm Pursuit XRs 5U Dp, 3/Pk 0.02mL Solvent
A6021MG2	MetaGuard 2.0 mm Pursuit XRs 3U Dp, 3/Pk 0.02mL Solvent
A3041050X010	Pursuit 3 Diphenyl 50 x 1.0 mm
A3051050X010	Pursuit 3 PFP 50 x 1.0 mm 0.03mL Solvent
A3040050X010	Pursuit 5 Diphenyl 50 x 1.0 mm
A6021050X010	Pursuit XRs 3 Diphenyl 50 x 1.0 mm 0.03mL Solvent
A3032020X020	Pursuit 10 C8 20 x 2.0 mm 0.05mL Solvent
A3042020X020	Pursuit 10 Diphenyl 20 x 2.0 mm 0.05mL Solvent
A3031020X020	Pursuit 3 C8 20 x 2.0 mm 0.05mL Solvent
A3051020X020	Pursuit 3 PFP 20 x 2.0 mm 0.05mL Solvent
A7000MG3	Pursuit 5 PAH MetaGuard 3.0 mm 3/Pk
A7001MG3	Pursuit 3 PAH MetaGuard 3.0 mm 3/Pk
A3041100X010	Pursuit 3 Diphenyl 100 x 1.0 mm 0.06mL Solvent
A3041030X020	Pursuit 3 Diphenyl 30 x 2.0 mm
A3051030X020	Pursuit 3 PFP 30 x 2.0 mm 0.07mL Solvent
A3040030X020	Pursuit 5 Diphenyl 30 x 2.0 mm
A6021030X020	Pursuit XRs 3 Diphenyl 30 x 2.0 mm 0.07mL Solvent
A6000030X020	Pursuit XRs 5 C18 30 x 2.0 mm
A7501030X020	Pursuit XRs Ultra 2.8 C18 30 x 2.0 mm 0.07mL Solvent
A7511030X020	Pursuit XRS Ultra 2.8 C8 30 x 2.0 mm 0.07mL Solvent
A7521030X020	Pursuit XRS Ultra 2.8 Diphenyl 30x2.0 mm 0.07mL Solvent
A3040030X021	Pursuit 5 Diphenyl 30 x 2.1 mm
A3041150X010	Pursuit 3 Diphenyl 150 x 1.0 mm 0.09mL Solvent
A3040150X010	Pursuit 5 Diphenyl 150 x 1.0 mm 0.09mL Solvent
A3031050X020	Pursuit 3 C8 50 x 2.0 mm 0.11mL Solvent
A3041050P020	Pursuit 3 Diphenyl 50 x 2.0 mm
A3041050X020	Pursuit 3 Diphenyl 50 x 2.0 mm
A3051050X020	Pursuit 3 PFP 50 x 2.0 mm 0.11mL Solvent
A304201G	Pursuit 10u Diphenyl
A3030050X020	Pursuit 5 C8 50 x 2.0 mm 0.11mL Solvent
A3040050X020	Pursuit 5 Diphenyl 50 x 2.0 mm
A3050050X020	Pursuit 5 PFP 50 x 2.0 mm 0.11mL Solvent
A600201G	Pursuit XRs 10 C18 0.11mL Solvent
A6011050X020	Pursuit XRs 3 C8 50 x 2.0 mm
A6021050X020	Pursuit XRs 3 Diphenyl 50 x 2.0 mm 0.11mL Solvent
A6000050X020	Pursuit XRs 5 C18 50 x 2.0 mm
A6020050X020	Pursuit XRs 5 Diphenyl 50 x 2.0 mm 0.11mL Solvent
A7501050X020	Pursuit XRs Ultra 2.8 C18 50 x 2.0 mm 0.11mL Solvent
A7511050X020	Pursuit XRS Ultra 2.8 C8 50 x 2.0 mm 0.11mL Solvent
A7521050X020	Pursuit XRS Ultra 2.8 Diphenyl 50x2.0 mm 0.11mL Solvent
A3030MG	MetaGuard 4.6 mm Pursuit 5u C8 0.11mL Solvent

Pursuit LC Columns with less than 10 ml ACN type solvent

**SECTION 1: Identification of the substance/mixture and of the company/  
undertaking**

A3031MG	Metaguard 4.6 mm Pursuit 3u C8 0.11mL Solvent
A3040MG	MetaGuard 4.6 mm Pursuit 5u DP 0.11mL Solvent
A3041MG	Metaguard 4.6 mm Pursuit 3u DP 0.11mL Solvent
A3050MG	MetaGuard 4.6 mm Pursuit 5u PFP 0.11mL Solvent
A3051MG	Metaguard 4.6 mm Pursuit 3u PFP 0.11mL Solvent
A6000MG	MetaGuard 4.6 mm Pursuit XRs 5U C18, 3/Pk 0.11mL Solvent
A6001MG	MetaGuard 4.6 mm Pursuit XRs 3U C18, 3/P 0.11mL Solvent
A6002MG	MetaGuard 4.6 mm Pursuit XRs 10U C18, 3/P 0.11mL Solvent
A6010MG	MetaGuard 4.6 mm Pursuit XRs 5U C8, 3/Pk 0.11mL Solvent
A6011MG	MetaGuard 4.6 mm Pursuit XRs 3U C8, 3/Pk 0.11mL Solvent
A6020MG	MetaGuard 4.6 mm Pursuit XRs 5U Dp, 3/Pk
A6021MG	MetaGuard 4.6 mm Pursuit XRs 3U Dp, 3/Pk
A3030050X021	Pursuit 5 C8 50 x 2.1 mm 0.13mL Solvent
A3040050X021	Pursuit 5 Diphenyl 50 x 2.1 mm
A3051030X030	Pursuit 3 PFP 30 x 3.0 mm 0.15mL Solvent
A6021030X030	Pursuit XRs 3 Diphenyl 30 x 3.0 mm 0.15mL Solvent
A3031100X020	Pursuit 3 C8 100 x 2.0 mm 0.23mL Solvent
A3041100X020	Pursuit 3 Diphenyl 100 x 2.0 mm 0.23mL Solvent
A7001100X020	Pursuit 3 PAH 100 x 2.0 mm 0.23mL Solvent
A3051100X020	Pursuit 3 PFP 100 x 2.0 mm 0.23mL Solvent
A3040100X020	Pursuit 5 Diphenyl 100 x 2.0 mm 0.23mL Solvent
A3050100X020	Pursuit 5 PFP 100 x 2.0 mm 0.23mL Solvent
A6011100X020	Pursuit XRs 3 C8 100 x 2.0 mm 0.23mL Solvent
A6021100X020	Pursuit XRs 3 Diphenyl 100 x 2.0 mm 0.23mL Solvent
A6000100X020	Pursuit XRs 5 C18 100 x 2.0 mm
A7501100X020	Pursuit XRs Ultra 2.8 C18 100 x 2.0 mm
A7511100X020	Pursuit XRS Ultra 2.8 C8 100 x 2.0 mm
A7521100X020	Pursuit XRS Ultra 2.8 Diphenyl 100x2.0 mm 0.23mL Solvent
A3040100X021	Pursuit 5 Diphenyl 100 x 2.1 mm 0.25mL Solvent
A3041050X030	Pursuit 3 Diphenyl 50 x 3.0 mm
A6000050X030	Pursuit XRs 5 C18 50 x 3.0 mm
A3031150X020	Pursuit 3 C8 150 x 2.0 mm 0.34mL Solvent
A3041150X020	Pursuit 3 Diphenyl 150 x 2.0 mm 0.34mL Solvent
A3051150X020	Pursuit 3 PFP 150 x 2.0 mm 0.34mL Solvent
A3030150X020	Pursuit 5 C8 150 x 2.0 mm 0.34mL Solvent
A3040150X020	Pursuit 5 Diphenyl 150 x 2.0 mm 0.34mL Solvent
A3050150X020	Pursuit 5 PFP 150 x 2.0 mm 0.34mL Solvent
A6011150X020	Pursuit XRs 3 C8 150 x 2.0 mm
A6021150X020	Pursuit XRs 3 Diphenyl 150 x 2.0 mm 0.34mL Solvent
A6000150X020	Pursuit XRs 5 C18 150 x 2.0 mm
A6010150X020	Pursuit XRs 5 C8 150 x 2.0 mm
A6020150X020	Pursuit XRs 5 Diphenyl 150 x 2.0 mm 0.34mL Solvent
A7501150X020	Pursuit XRs Ultra 2.8 C18 150X 2.0MM
A7521150X020	Pursuit XRs Ultra 2.8 Diphenyl 150X2.0 mm 0.34mL Solvent
A3041030X046	Pursuit 3 Diphenyl 30 x 4.6 mm
A3042030G046	Pursuit 10u DP 30 x 4.6 mm GUARD 0.36mL Solvent
A3030030X046	Pursuit 5 C8 30 x 4.6 mm 0.36mL Solvent
A3040030X046	Pursuit 5 Diphenyl 30 x 4.6 mm
A6021030X046	Pursuit XRs 3 Diphenyl 30 x 4.6 mm 0.36mL Solvent
A3040150X021	Pursuit 5 Diphenyl 150 x 2.1 mm 0.37mL Solvent
A3050150X021	Pursuit 5 PFP 150 x 2.1 mm 0.37mL Solvent
A3041200X020	Pursuit 3 Diphenyl 200 x 2.0 mm 0.45mL Solvent
A3030100T030	Pursuit 5 C8, S100x3.0 Repl.3
A3031100X030	Pursuit 3 C8 100 x 3.0 mm
A3041100X030	Pursuit 3 Diphenyl 100 x 3.0 mm 0.51mL Solvent
A7001100X030	Pursuit 3 PAH 100 x 3.0 mm
A7001100R030	Pursuit 3 PAH, S100 x 3.0 Repl.
A3051100X030	Pursuit 3 PFP 100 x 3.0 mm
A3030100R030	Pursuit 5 C8, S100x3.0 Repl
A7000100R030	PURSUIT 5 PAH, S100 X 3.0 REPL. 0.51mL Solvent

Pursuit LC Columns with less than 10 ml ACN type solvent

**SECTION 1: Identification of the substance/mixture and of the company/  
undertaking**

A6000100C030	Pursuit XRs 5-C18 S100 x 3.0 Col 0.51mL Solvent
A6000100T030	Pursuit XRs 5-C18 S100 x 3.0 Repl.3 0.51mL Solvent
A6001100C030	Pursuit XRs 3-C18 S100 x 3.0 Col
A6001100T030	Pursuit XRs 3-C18 S100 x 3.0 Repl.3 0.51mL Solvent
A6011100X030	Pursuit XRs 3 C8 100 x 3.0 mm
A6021100X030	Pursuit XRs 3 Diphenyl 100 x 3.0 mm 0.51mL Solvent
A6000100X030	Pursuit XRs 5 C18 100 x 3.0 mm
A6011100C030S	S Pursuit xRs 3 C8 100 x 3.0 mm Col 0.51mL Solvent
A7000100T030	PURSUIT 5 PAH, S100 X 3.0 REPL.3 0.51mL Solvent
A7001100C030	Pursuit 3 PAH, S100 x 3.0 Col
A6000100R030	Pursuit XRs 5-C18 S100 x 3.0 Repl. 0.51mL Solvent
A7501100X030	Pursuit XRs Ultra 2.8 C18 100 x 3.0 mm
A3041250X020	Pursuit 3 Diphenyl 250 x 2.0 mm 0.57mL Solvent
A3051250X020	Pursuit 3 PFP 250 x 2.0 mm 0.57mL Solvent
A3040250X020	Pursuit 5 Diphenyl 250 x 2.0 mm 0.57mL Solvent
A3050250X020	Pursuit 5 PFP 250 x 2.0 mm 0.57mL Solvent
A6021250X020	Pursuit XRs 3 Diphenyl 250 x 2.0 mm 0.57mL Solvent
A6000250X020	Pursuit XRs 5 C18 250 x 2.0 mm
A6020250X020	Pursuit XRs 5 Diphenyl 250 x 2.0 mm
A3031050X046	Pursuit 3 C8 50 x 4.6 mm 0.60mL Solvent
A3041050X046	Pursuit 3 Diphenyl 50 x 4.6 mm
A3041050R046	Pursuit 3 Diphenyl, S50X4.6 Repl 0.60mL Solvent
A3051050X046	Pursuit 3 PFP 50 x 4.6 mm 0.60mL Solvent
A3030050X046	Pursuit 5 C8 50 x 4.6 mm 0.60mL Solvent
A3040050X046	Pursuit 5 Diphenyl 50 x 4.6 mm
A6002050X046S	S Pursuit XRs 10 C18 50 x 4.6 mm 0.60mL Solvent
A6001050C046	Pursuit XRs 3-C18, S50 X 4.6 Col
A6011050X046	Pursuit XRs 3 C8 50 x 4.6 mm 0.60mL Solvent
A6021050X046	Pursuit XRs 3 Diphenyl 50 x 4.6 mm 0.60mL Solvent
A6000050X046	Pursuit XRs 5 C18 50 x 4.6 mm
A6020050X046	Pursuit XRs 5 Diphenyl 50 x 4.6 mm 0.60mL Solvent
A3031150X030	Pursuit 3 C8 150 x 3.0 mm 0.76mL Solvent
A3031150C030	Pursuit 3 C8 , S150x3.0 Col 0.76mL Solvent
A3041150X030	Pursuit 3 Diphenyl 150 x 3.0 mm 0.76mL Solvent
A3041150R030	Pursuit 3 Diphenyl, S150X3.0 Repl 0.76mL Solvent
A7001150X030S	S Pursuit 3 PAH 150 x 3.0 mm 0.76mL Solvent
A3051150X030	Pursuit 3 PFP 150 x 3.0 mm 0.76mL Solvent
A3050150X030	Pursuit 5 PFP 150 x 3.0 mm 0.76mL Solvent
A6000150C030	Pursuit XRs 5-C18 S150 x 3.0 Col 0.76mL Solvent
A6000150T030	Pursuit XRs 5-C18 S150 x 3.0 Repl. 0.76mL Solvent
A6011150R030	Pursuit XRs 3 C8, S150 x 3.0 Repl. 0.76mL Solvent
A6021150X030	Pursuit XRs 3 Diphenyl 150 x 3.0 mm 0.76mL Solvent
A6011150C030	Pursuit XRs 3 C8, S150 x 3.0 Col.
A6000150X030	Pursuit XRs 5 C18 150 x 3.0 mm
A6010150X030	Pursuit XRs 5 C8 150 x 3.0 mm
A6000150R030	Pursuit XRs 5-C18 S150 x 3.0 Repl. 0.76mL Solvent
A6010150R030	Pursuit XRs 5-C8 S150 x 3.0 Repl. 0.76mL Solvent
A7501150X030	Pursuit XRs Ultra 2.8 C18 150 x 3.0 mm
A7511150X030	Pursuit XRs Ultra 2.8 C8 150 x 3.0 mm
A6021075X046	Pursuit XRs 3 Diphenyl 75 x 4.6 mm
A7001100R040S	S Pursuit 3 PAH 100 x 4.0 mm
A3030125X040	Pursuit 5 C8 125 x 4.0 mm
A6000125X040	Pursuit XRs 5 C18 125 x 4.0 mm
A6010125X040	Pursuit XRs 5 C8 125 x 4.0 mm
A3031100X046	Pursuit 3 C8 100 x 4.6 mm
A3041100P046	Pursuit 3 Diphenyl 100 x 4.6 mm 1.20mL Solvent
A3041100X046	Pursuit 3 Diphenyl 100 x 4.6 mm 1.20mL Solvent
A3041100R046	Pursuit 3 Diphenyl, S100X4.6 Repl 1.20mL Solvent
A7001100X046	Pursuit 3 PAH 100 x 4.6 mm
A7001100X046S	S Pursuit 3 PAH 100 X 4.6 mm / Lot 2631153

Pursuit LC Columns with less than 10 ml ACN type solvent

**SECTION 1: Identification of the substance/mixture and of the company/  
undertaking**

A3041100C046	Pursuit 3 Diphenyl, S100X4.6 mm Col
A7001100R046	Pursuit 3 PAH, S100 x 4.6 Repl.
A3051100X046	Pursuit 3 PFP 100 x 4.6 mm 1.20mL Solvent
A3030100X046	Pursuit 5 C8 100 x 4.6 mm 1.20mL Solvent
A3050100X046	Pursuit 5 PFP 100 x 4.6 mm 1.20mL Solvent
A6000100C046	Pursuit XRs 5-C18 S100 x 4.6 Col 1.20mL Solvent
A6001100C046	Pursuit XRs 3-C18 S100 x 4.6 Col 1.20mL Solvent
A6001100T046	Pursuit XRs 3-C18 S100 x 4.6 Repl.3 1.20mL Solvent
A6011100X046	Pursuit XRs 3 C8 100 x 4.6 mm
A6021100X046	Pursuit XRs 3 Diphenyl 100 x 4.6 mm
A6000100X046	Pursuit XRs 5 C18 100 x 4.6 mm
A6010100X046	Pursuit XRs 5 C8 100 x 4.6 mm
A6020100X046	Pursuit XRs 5 Diphenyl 100 x 4.6 mm
A7001100C046	Pursuit 3 PAH, S100 x 4.6 Col
A7001100T046	Pursuit 3 PAH, S100 x 4.6 Repl.3 1.20mL Solvent
A7001100T046ANL	ANL Pursuit 3 PAH, S100 x 4.6 Repl.3 1.20mL Solvent
A6000100R046	Pursuit XRs 5-C18 S100 x 4.6 Repl. 1.20mL Solvent
A3040250C030	Pursuit 5 Diphenyl, S250X3.0 Col 1.27mL Solvent
A3040250X030	Pursuit 5 Diphenyl 250 x 3.0 mm 1.27mL Solvent
A3050250X030	Pursuit 5 PFP 250 x 3.0 mm
A6000250C030	Pursuit XRs 5-C18 S250 x 3.0 Col
A6000250X030	Pursuit XRs 5 C18 250 x 3.0 mm
A7000250C030S	S Pursuit 5 PAH 250 x 3.0 mm Col 1.27mL Solvent
A6020250X030	Pursuit XRs 5 Diphenyl 250 x 3.0 mm 1.27mL Solvent
A3030150X039	Pursuit 5 C8 150 x 3.9 mm 1.29mL Solvent
A6000150X040	Pursuit XRs 5 C18 150 x 4.0 mm
A6010150X040	Pursuit XRs 5 C8 150 x 4.0 mm
A6020150X040	Pursuit XRs 5 Diphenyl 150 x 4.0 1.36mL Solvent
A6000120X046	Pursuit XRs 5 C18 120 x 4.6 mm
A6000125X046	Pursuit XRs 5 C18 125 x 4.6 mm
A6010125X046	Pursuit XRs 5 C8 125 x 4.6 mm
A3030150C046	Pursuit 5 C8 S150X4.6 Col
A3032150X046	Pursuit 10 C8 150 x 4.6 mm
A3031150C046	Pursuit 3 C8 , S150x4.6 Col
A3031150X046	Pursuit 3 C8 150 x 4.6 mm
A3031150R046	Pursuit 3 C8, S150x4.6 Repl
A3041150X046	Pursuit 3 Diphenyl 150 x 4.6 mm 1.80mL Solvent
A3040150C046	Pursuit 5 Diphenyl, S150X4.6 Col 1.80mL Solvent
A7001150X046S	S Pursuit 3 PAH 150 x 4.6 mm conv. Column 1.80mL Solvent
A7001150R046	Pursuit 3 PAH, S150 x 4.6 Repl.
A3041150T046	Pursuit 3 Diphenyl, S150X4.6 Repl.3 1.80mL Solvent
A3051150X046	Pursuit 3 PFP 150 x 4.6 mm
A3030150X046	Pursuit 5 C8 150 x 4.6 mm
A3040150X046	Pursuit 5 Diphenyl 150 x 4.6 mm 1.80mL Solvent
A7000150X046	Pursuit 5 PAH 150 x 4.6 mm
A7000150R046	Pursuit 5 PAH, S150 x 4.6 Repl.
A3050150X046	Pursuit 5 PFP 150 x 4.6 mm
A6000150C046	Pursuit XRs 5-C18 S150 x 4.6 Col 1.80mL Solvent
A6001150C046	Pursuit XRs 3-C18 S150 x 4.6 Col 1.80mL Solvent
A6011150X046	Pursuit XRs 3 C8 150 x 4.6 mm
A6021150X046	Pursuit XRs 3 Diphenyl 150 x 4.6 mm
A6010150C046	Pursuit XRs 5-C8 S150 x 4.6 Col
A6000150X046	Pursuit XRs 5 C18 150 x 4.6 mm
A6010150X046	Pursuit XRs 5 C8 150 x 4.6 mm
A7000150C046	Pursuit 5 PAH, S150 x 4.6 Col
A7000150T046	Pursuit 5 PAH, S150 x 4.6 Repl.3
A6020150X046	Pursuit XRs 5 Diphenyl 150 x 4.6 mm
A7001150C046	Pursuit 3 PAH, S150 x 4.6 Col.
A7001150T046	Pursuit 3 PAH, S150 x 4.6 Repl.3
A6000150R046	Pursuit XRs 5-C18 S150 x 4.6 Repl. 1.80mL Solvent

Pursuit LC Columns with less than 10 ml ACN type solvent

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

A3030250X040	Pursuit 5 C8 250 x 4.0 mm
A6000250X040	Pursuit XRs 5 C18 250 x 4.0 mm
A6010250X040	Pursuit XRs 5 C8 250 x 4.0 mm
A3050200X046	Pursuit 5 PFP 200 x 4.6 mm
A6000200X046	Pursuit XRs 5 C18 200 x 4.6 mm
A3032050G100	Pursuit 10u C8 50 x 10.0 mm Guard
A6002050G100	Pursuit XRs 10 C18 50 x 10.0 mm Guard
A6000050DG100S	OS Pursuit XRs 5 C18 Dynamax Guard ½
A6000050X100	Pursuit XRs 5 C18 50 x 10.0 mm
A6000050G100	Pursuit XRs 5 C18 50 x 10.0 mm Guard
A3030250C046	Pursuit 5 C8, S250x4.6 Col
A3032250X046	Pursuit 10 C8 250 x 4.6 mm
A3041250X046	Pursuit 3 Diphenyl 250 x 4.6 mm 2.99mL Solvent
A3040250C046	Pursuit 5 Diphenyl, S250X4.6 Col 2.99mL Solvent
A3030250X046	Pursuit 5 C8 250 x 4.6 mm 2.99mL Solvent
A3030250R046	Pursuit 5 C8, S250x4.6 Repl 2.99mL Solvent
A3040250X046	Pursuit 5 Diphenyl 250 x 4.6 mm 2.99mL Solvent
A7000250X046	Pursuit 5 PAH 250 x 4.6 mm
A7000250R046	Pursuit 5 PAH, S250 x 4.6 Repl.
A3050250X046	Pursuit 5 PFP 250 x 4.6 mm
A6000250C046	Pursuit XRs 5-C18 S250 x 4.6 Col2.99mL Solvent
A6002250X046	Pursuit XRs 10 C18 250 x 4.6 mm 2.99mL Solvent
A6000250T046	Pursuit XRs 5-C18 S250 x 4.6 Repl.3 2.99mL Solvent
A6011250X046	Pursuit XRs 3 C8 250 x 4.6 mm
A6021250X046	Pursuit XRs 3 Diphenyl 250 x 4.6 mm
A6000250X046	Pursuit XRs 5 C18 250 x 4.6 mm
A6010250X046	Pursuit XRs 5 C8 250 x 4.6 mm
A7000250C046	Pursuit 5 PAH, S250 x 4.6 Col
A7000250T046	Pursuit 5 PAH, S250 x 4.6 Repl.3 2.99mL Solvent
A6020250X046	Pursuit XRs 5 Diphenyl 250 x 4.6 mm 2.99mL Solvent
A6000250R046	Pursuit XRs 5-C18 S250 x 4.6 Repl. 2.99mL Solvent
A6012250X046S	S Pursuit XRS C8 10um 250x4.6 mm 2.99mL Solvent
A3040150X080	Pursuit 5 Diphenyl 150 x 8.0 mm 5.43mL Solvent
A6020100X100	Pursuit XRs 5u DP 100 x 10.0 mm 5.66mL Solvent
A3041150X100	Pursuit 3u DP 150 x 10.0 mm
A3050150X100	Pursuit 5u PFP 150 x 10.0 mm
A6002150X100	Pursuit XRs 10 C18 150x10.0 mm 8.48mL Solvent
A6010150X100	Pursuit XRs 5u C-8 150 x 10.0 mm 8.48mL Solvent
A6000150X100	Pursuit XRs 5 C18 150 x 10.0 mm 8.48mL Solvent
A6020150X100	Pursuit XRs 5U Dp 150 X 10.0mm 8.5ml Solvent

### 1.3 Details of the supplier of the safety data sheet

Agilent Technologies Manufacturing GmbH & Co. KG  
Hewlett-Packard-Str. 8  
76337 Waldbronn  
Germany  
0800 603 1000

**e-mail address of person responsible for this SDS** : pdl-msds\_author@agilent.com

### 1.4 Emergency telephone number

**Emergency telephone number (with hours of operation)** : CHEMTREC®: +(44)-870-8200418

Pursuit LC Columns with less than 10 ml ACN type solvent

## SECTION 2: Hazards identification

This article, when used under reasonable conditions and in accordance with the directions for use, should not present a health hazard. The substance or mixture is encapsulated in the article. Only if released due to use or processing of the article in a manner not in accordance with the product's directions for use it may present potential health and safety hazards.

### 2.1 Classification of the substance or mixture

**Product definition** : Mixture (encapsulated in article)

#### Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

H225 FLAMMABLE LIQUIDS - Category 2  
H319 SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

### 2.2 Label elements

**Hazard pictograms** :



**Signal word** : Danger

**Hazard statements** : H225 - Highly flammable liquid and vapour.  
H319 - Causes serious eye irritation.

#### Precautionary statements

**Prevention** : P280 - Wear protective gloves. Wear protective clothing. Wear eye or face protection.  
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

**Response** : P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

**Storage** : Not applicable.

**Disposal** : P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.

**Supplemental label elements** : Not applicable.

**Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles** : Not applicable.

#### Special packaging requirements

**Tactile warning of danger** : Not applicable.

### 2.3 Other hazards

**Other hazards which do not result in classification** : None known.

Pursuit LC Columns with less than 10 ml ACN type solvent

## SECTION 3: Composition/information on ingredients

This article, when used under reasonable conditions and in accordance with the directions for use, should not present a health hazard. The substance or mixture is encapsulated in the article. Only if released due to use or processing of the article in a manner not in accordance with the product's directions for use it may present potential health and safety hazards.

**3.1 Substances** : Mixture (encapsulated in article)

Product/ingredient name	Identifiers	%	Regulation (EC) No. 1272/2008 [CLP]	Type
Acetonitrile	EC: 200-835-2 CAS: 75-05-8 Index: 608-001-00-3	≥10 - <25	Flam. Liq. 2, H225 Acute Tox. 4, H302 Acute Tox. 4, H312 Acute Tox. 4, H332 Eye Irrit. 2, H319  <b>See Section 16 for the full text of the H statements declared above.</b>	[1] [2]

Contains: Organosilane bonded silica gel

Note: To the best of our knowledge, the acute and chronic toxicological properties of bonded silica gels have not been investigated. This product contains synthetic amorphous silica, and should not be confused with crystalline silica such as quartz, cristobalite, or tridymite, or with diatomaceous earth or other naturally occurring forms of amorphous silica that frequently contain crystalline forms of silica.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Type

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

[3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII

[4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

[5] Substance of equivalent concern

[6] Additional disclosure due to company policy

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- Eye contact** : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
- Inhalation** : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
- Skin contact** : Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
- Ingestion** : Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Date of issue/Date of revision : 27/09/2018

8/18



*Pursuit LC Columns with less than 10 ml ACN type solvent*

## SECTION 4: First aid measures

**Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

### 4.2 Most important symptoms and effects, both acute and delayed

#### Potential acute health effects

- Eye contact** : Causes serious eye irritation.  
**Inhalation** : No known significant effects or critical hazards.  
**Skin contact** : No known significant effects or critical hazards.  
**Ingestion** : No known significant effects or critical hazards.

#### Over-exposure signs/symptoms

- Eye contact** : Adverse symptoms may include the following:  
pain or irritation  
watering  
redness
- Inhalation** : No specific data.  
**Skin contact** : No specific data.  
**Ingestion** : No specific data.

### 4.3 Indication of any immediate medical attention and special treatment needed

- Notes to physician** : In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
- Specific treatments** : No specific treatment.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

- Suitable extinguishing media** : Use dry chemical, CO<sub>2</sub>, water spray (fog) or foam.
- Unsuitable extinguishing media** : Do not use water jet.

### 5.2 Special hazards arising from the substance or mixture

- Hazards from the substance or mixture** : Highly flammable liquid and vapour. Runoff to sewer may create fire or explosion hazard. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion.
- Hazardous combustion products** : Decomposition products may include the following materials:  
carbon dioxide  
carbon monoxide  
nitrogen oxides  
metal oxide/oxides  
cyanides

### 5.3 Advice for firefighters

- Special precautions for fire-fighters** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

Pursuit LC Columns with less than 10 ml ACN type solvent

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
- For emergency responders** : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

- 6.2 Environmental precautions** : Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### 6.3 Methods and material for containment and cleaning up

- Methods for cleaning up** : Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

- 6.4 Reference to other sections** : See Section 1 for emergency contact information.  
See Section 8 for information on appropriate personal protective equipment.  
See Section 13 for additional waste treatment information.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

- Protective measures** : Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Take precautionary measures against electrostatic discharges. Empty containers retain product residue and can be hazardous. Do not reuse container.
- Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

### 7.2 Conditions for safe storage, including any incompatibilities

- Storage** : Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

#### Danger criteria

Pursuit LC Columns with less than 10 ml ACN type solvent

## SECTION 7: Handling and storage

Category	Notification and MAPP threshold	Safety report threshold
P5c	5000	50000

### 7.3 Specific end use(s)

**Recommendations** : Industrial applications, Professional applications.

**Industrial sector specific solutions** : Not applicable.

## SECTION 8: Exposure controls/personal protection

Since the hazardous ingredient in this article is encapsulated, the risk of exposure by inhalation, ingestion, skin contact and eyes contact is minimum.

### 8.1 Control parameters

#### Occupational exposure limits

Product/ingredient name	Exposure limit values
Acetonitrile	<b>EH40/2005 WELs (United Kingdom (UK), 12/2011).</b> STEL: 102 mg/m <sup>3</sup> 15 minutes. STEL: 60 ppm 15 minutes. TWA: 40 ppm 8 hours. TWA: 68 mg/m <sup>3</sup> 8 hours.

**Recommended monitoring procedures** : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

#### DNELs/DMELs

No DNELs/DMELs available.

#### PNECs

No PNECs available

### 8.2 Exposure controls

**Appropriate engineering controls** : Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapour or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

#### Individual protection measures

**Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

*Pursuit LC Columns with less than 10 ml ACN type solvent*

## SECTION 8: Exposure controls/personal protection

- Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.
- Skin protection**
- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. When there is a risk of ignition from static electricity, wear anti-static protective clothing. For the greatest protection from static discharges, clothing should include anti-static overalls, boots and gloves. Refer to European Standard EN 1149 for further information on material and design requirements and test methods.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance

- Physical state** : Solid. (containing flammable liquid)
- Colour** : White.
- Odour** : Not available.
- Odour threshold** : Not available.
- pH** : Neutral.
- Melting point/freezing point** : Not available.
- Initial boiling point and boiling range** : Not available.
- Flash point** : Closed cup: -18 to 23°C
- Evaporation rate** : Not available.
- Flammability (solid, gas)** : Contains: Flammable liquid
- Upper/lower flammability or explosive limits** : Not available.
- Vapour pressure** : Not available.
- Vapour density** : Not available.
- Relative density** : Not available.
- Solubility(ies)** : Mobile phase: Soluble  
Stationary phase: Insoluble
- Partition coefficient: n-octanol/water** : Not available.

Pursuit LC Columns with less than 10 ml ACN type solvent

## SECTION 9: Physical and chemical properties

**Auto-ignition temperature** : Not available.  
**Decomposition temperature** : Not available.  
**Viscosity** : Not available.  
**Explosive properties** : Not available.  
**Oxidising properties** : Not available.

### 9.2 Other information

No additional information.

## SECTION 10: Stability and reactivity

- 10.1 Reactivity** : No specific test data related to reactivity available for this product or its ingredients.
- 10.2 Chemical stability** : The product is stable.
- 10.3 Possibility of hazardous reactions** : Under normal conditions of storage and use, hazardous reactions will not occur.
- 10.4 Conditions to avoid** : Avoid all possible sources of ignition (spark or flame). Do not pressurise, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition.
- 10.5 Incompatible materials** : Reactive or incompatible with the following materials:  
oxidizing materials  
Incompatible with hydrogen fluoride.
- 10.6 Hazardous decomposition products** : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Acetonitrile	LC50 Inhalation Vapour	Rat	17100 ppm	4 hours
	LD50 Oral	Rat	2460 mg/kg	-

#### Acute toxicity estimates

Route	ATE value
Oral	2083.3 mg/kg
Dermal	4583.3 mg/kg
Inhalation (vapours)	45.83 mg/l

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Acetonitrile	Eyes - Moderate irritant	Rabbit	-	24 hours 100 microliters	-
	Skin - Mild irritant	Rabbit	-	500 milligrams	-

#### Sensitiser

**Conclusion/Summary** : Not available.

#### Mutagenicity

**Conclusion/Summary** : Not available.

#### Carcinogenicity

**Date of issue/Date of revision** : 27/09/2018

*Pursuit LC Columns with less than 10 ml ACN type solvent*

## SECTION 11: Toxicological information

**Conclusion/Summary** : Not available.

### Reproductive toxicity

**Conclusion/Summary** : Not available.

### Teratogenicity

**Conclusion/Summary** : Not available.

### Specific target organ toxicity (single exposure)

Not available.

### Specific target organ toxicity (repeated exposure)

Not available.

### Aspiration hazard

Not available.

**Information on likely routes of exposure** : Routes of entry anticipated: Oral, Dermal, Inhalation.

### Potential acute health effects

**Inhalation** : No known significant effects or critical hazards.

**Ingestion** : No known significant effects or critical hazards.

**Skin contact** : No known significant effects or critical hazards.

**Eye contact** : Causes serious eye irritation.

### Symptoms related to the physical, chemical and toxicological characteristics

**Inhalation** : No specific data.

**Ingestion** : No specific data.

**Skin contact** : No specific data.

**Eye contact** : Adverse symptoms may include the following:  
pain or irritation  
watering  
redness

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

#### Short term exposure

**Potential immediate effects** : Not available.

**Potential delayed effects** : Not available.

#### Long term exposure

**Potential immediate effects** : Not available.

**Potential delayed effects** : Not available.

### Potential chronic health effects

**General** : No known significant effects or critical hazards.

**Carcinogenicity** : No known significant effects or critical hazards.

**Mutagenicity** : No known significant effects or critical hazards.

**Teratogenicity** : No known significant effects or critical hazards.

**Developmental effects** : No known significant effects or critical hazards.

**Fertility effects** : No known significant effects or critical hazards.

Pursuit LC Columns with less than 10 ml ACN type solvent

## SECTION 12: Ecological information

### 12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
Acetonitrile	Acute IC50 3685000 µg/l Fresh water	Aquatic plants - Lemna minor	96 hours
	Acute LC50 3600000 µg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 1000000 µg/l Fresh water	Fish - Pimephales promelas	96 hours
	Chronic NOEC 1000000 µg/l Fresh water	Aquatic plants - Lemna minor	96 hours
	Chronic NOEC 160000 µg/l Fresh water	Daphnia - Daphnia magna	21 days

### 12.2 Persistence and degradability

Not available.

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
Acetonitrile	-	-	Readily

### 12.3 Bioaccumulative potential

Product/ingredient name	LogP <sub>ow</sub>	BCF	Potential
Acetonitrile	-0.34	3	low

### 12.4 Mobility in soil

Soil/water partition coefficient (K<sub>oc</sub>) : Not available.

Mobility : Not available.

### 12.5 Results of PBT and vPvB assessment

PBT : Not applicable.

vPvB : Not applicable.

12.6 Other adverse effects : No known significant effects or critical hazards.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product

**Methods of disposal** : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

**Hazardous waste** : The classification of the product may meet the criteria for a hazardous waste.

#### Packaging

**Methods of disposal** : The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

**Special precautions** : This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Vapour from product residues may create a highly flammable or explosive atmosphere inside the container. Do not cut, weld or grind used containers unless they have been cleaned thoroughly internally. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Pursuit LC Columns with less than 10 ml ACN type solvent

## SECTION 14: Transport information

This Safety Data Sheet is written based on the encapsulated substance or mixture in this article. Since the hazardous ingredient is encapsulated, the risk of exposure by inhalation, ingestion, skin contact and eyes contact is minimum.

**ADR/RID / IMDG / IATA** : Not regulated.

### Additional information

**Remarks:** Special provisions

ADR: 216

IATA: A46

IMDG: 216

**14.6 Special precautions for user** : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

**14.7 Transport in bulk according to Annex II of Marpol and the IBC Code** : Not available.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU Regulation (EC) No. 1907/2006 (REACH)

##### Annex XIV - List of substances subject to authorisation

###### Annex XIV

None of the components are listed.

###### Substances of very high concern

None of the components are listed.

**Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles** : Not applicable.

#### Other EU regulations

**Industrial emissions (integrated pollution prevention and control) - Air** : Listed

**Industrial emissions (integrated pollution prevention and control) - Water** : Listed

#### Ozone depleting substances (1005/2009/EU)

Not listed.

#### Prior Informed Consent (PIC) (649/2012/EU)

Not listed.

#### Seveso Directive

This product is controlled under the Seveso Directive.

#### Danger criteria

**Category**

P5c



Pursuit LC Columns with less than 10 ml ACN type solvent

## SECTION 15: Regulatory information

### International regulations

#### Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

#### Montreal Protocol (Annexes A, B, C, E)

Not listed.

#### Stockholm Convention on Persistent Organic Pollutants

Not listed.

#### Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

#### UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

### Inventory list

<b>Australia</b>	: All components are listed or exempted.
<b>Canada</b>	: <input checked="" type="checkbox"/> Not determined.
<b>China</b>	: All components are listed or exempted.
<b>Europe</b>	: All components are listed or exempted.
<b>Japan</b>	: <b>Japan inventory (ENCS)</b> : All components are listed or exempted. <b>Japan inventory (ISHL)</b> : All components are listed or exempted.
<b>Malaysia</b>	: All components are listed or exempted.
<b>New Zealand</b>	: All components are listed or exempted.
<b>Philippines</b>	: <input checked="" type="checkbox"/> Not determined.
<b>Republic of Korea</b>	: <input checked="" type="checkbox"/> Not determined.
<b>Taiwan</b>	: All components are listed or exempted.
<b>Thailand</b>	: Not determined.
<b>Turkey</b>	: All components are listed or exempted.
<b>United States</b>	: All components are listed or exempted.
<b>Viet Nam</b>	: Not determined.

**15.2 Chemical safety assessment** : This product contains substances for which Chemical Safety Assessments might still be required.

## SECTION 16: Other information

Indicates information that has changed from previously issued version.

**Abbreviations and acronyms** : ATE = Acute Toxicity Estimate  
CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]  
DNEL = Derived No Effect Level  
EUH statement = CLP-specific Hazard statement  
PNEC = Predicted No Effect Concentration  
RRN = REACH Registration Number

### Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
Flam. Liq. 2, H225 Eye Irrit. 2, H319	On basis of test data Calculation method

### Full text of abbreviated H statements

Pursuit LC Columns with less than 10 ml ACN type solvent

## SECTION 16: Other information

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.

### Full text of classifications [CLP/GHS]

Acute Tox. 4, H302	ACUTE TOXICITY (oral) - Category 4
Acute Tox. 4, H312	ACUTE TOXICITY (dermal) - Category 4
Acute Tox. 4, H332	ACUTE TOXICITY (inhalation) - Category 4
Eye Irrit. 2, H319	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2
Flam. Liq. 2, H225	FLAMMABLE LIQUIDS - Category 2

**Date of issue/ Date of revision** : 27/09/2018

**Date of previous issue** : 26/04/2018

**Version** : 3.1

### Notice to reader

**Disclaimer:** The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.