

Revision date 07/07/2024

1 Identification

· Product identifier

· Product Name: 1,1-Dichloroethene

· Part number: RHH-020

· CAS Number:

75-35-4

• **EC number:** 200-864-0

· Index number: 602-025-00-8

- · Application of the substance / the mixture Reagents and Standards for Analytical Chemical Laboratory Use
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Agilent Technologies, Inc.

5301 Stevens Creek Blvd.

Santa Clara, CA 95051 USA

· Information department:

Telephone: 800-227-9770

e-mail: pdl-msds author@agilent.com

· Emergency telephone number: CHEMTREC®: 1-800-424-9300

2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flammable Liquids 1 H224 Extremely flammable liquid and vapor.



GHS06 Skull and crossbones

Acute Toxicity - Oral 3 H301 Toxic if swallowed.



GHS08 Health hazard

Carcinogenicity 2 H351 Suspected of causing cancer.



GHS07

Acute Toxicity - Inhalation 4 H332 Harmful if inhaled.

Skin Irritation 2 H315 Causes skin irritation.

Eye Irritation 2A H319 Causes serious eye irritation.

- · Label elements
- GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS).

 (Contd. on page 2)

-)



Printing date 08/23/2024 Revision date 07/07/2024

Product Name: 1,1-Dichloroethene

(Contd. of page 1)

· Hazard pictograms









GHS06 GHS07

· Signal word Danger

· Hazard-determining components of labeling:

1,1-dichloroethylene

· Hazard statements

H224 Extremely flammable liquid and vapor.

H301 Toxic if swallowed.

H332 Harmful if inhaled.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H351 Suspected of causing cancer.

· Precautionary statements

i i ccautional y sta	ttements
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P261	Avoid breathing dust/fume/gas/mist/vapors/spray
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P240	Ground/bond container and receiving equipment.
P233	Keep container tightly closed.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P301+P310	If swallowed: Immediately call a poison center/doctor.
P303+P361+P353	If on skin (or hair): Take off immediately all contaminated clothing. Rinse
	shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. Specific treatment (see on this label).

P321 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a poison center/doctor if you feel unwell. P312

IF exposed or concerned: Get medical advice/attention. P308+P313 P332+P313 If skin irritation occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention.

P330 Rinse mouth.

In case of fire: Use CO2, powder or water spray to extinguish. P370+P378 Take off contaminated clothing and wash it before reuse. P362+P364

Store locked up. P405

Store in a well-ventilated place. Keep cool. P403+P235

Dispose of contents/container in accordance with local/regional/national/international P501

regulations.

(Contd. on page 3)

skin with water/

(Contd. of page 2)



Safety Data Sheet acc. to OSHA HCS

Printing date 08/23/2024 Revision date 07/07/2024

Product Name: 1,1-Dichloroethene

· Classification system:

· NFPA ratings (scale 0 - 4)



Health = 2Fire = 4

· HMIS-ratings (scale 0 - 4)



 $\frac{2}{1}$ Health = 2 Fire = 4

· Other hazards

· Results of PBT and vPvB assessment

• **PBT:** Not applicable. · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Substances

· CAS No. Description 75-35-4 1,1-dichloroethylene

· Identification number(s) · EC number: 200-864-0

· Index number: 602-025-00-8

4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Do not induce vomiting; immediately call for medical help.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.



Printing date 08/23/2024 Revision date 07/07/2024

Product Name: 1,1-Dichloroethene

(Contd. of page 3)

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:

45 ppm

· PAC-2:

500 ppm

· PAC-3:

1,000 ppm

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

(Contd. on page 5)



Printing date 08/23/2024 Revision date 07/07/2024

Product Name: 1,1-Dichloroethene

(Contd. of page 4)

Do not gas tight seal receptacle.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:

75-35-4 1,1-dichloroethylene

REL See Pocket Guide App.A TLV Long-term value: 5 ppm A4

- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

· Breathing equipment:

When used as intended with Agilent instruments, the use of the product under normal laboratory conditions and with standard practices does not result in significant airborne exposures and therefore respiratory protection is not needed

Under an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved device/equipment with appropriate organic or acid gas cartridge.

· Protection of hands:

Although not recommended for constant contact with the chemicals or for clean-up, nitrile gloves 11-13 mil thickness are recommended for normal use. The breakthrough time is 1 hr. For cleaning a spill where there is direct contact of the chemical, butyl rubber gloves are recommended 12-15 mil thickness with breakthrough times exceeding 4 hrs. Supplier recommendations should be followed.

Material of gloves

For normal use: nitrile rubber, 11-13 mil thickness

For direct contact with the chemical: butyl rubber, 12-15 mil thickness

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

For normal use: nitrile rubber: 1 hour

For direct contact with the chemical: butyl rubber: >4 hours

(Contd. on page 6)



Printing date 08/23/2024 Revision date 07/07/2024

Product Name: 1,1-Dichloroethene

· Eye protection:

(Contd. of page 5)



Tightly sealed goggles

Physical and chemical proper		
Information on basic physical and c General Information	enemical properties	
Appearance:		
Form:	Fluid	
Color:	Colorless	
Odor:	Characteristic	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	-122.1 °C (-187.8 °F)	
Boiling point/Boiling range:	32 °C (89.6 °F)	
Flash point:	-19 °C (-2.2 °F)	
Flammability (solid, gaseous):	Not applicable.	
Auto igniting:	440 °C (824 °F)	
Decomposition temperature:	Not determined.	
· Ignition temperature:	Not determined.	
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.	
Explosion limits:		
Lower:	5.6 Vol %	
Upper:	13 Vol %	
Vapor pressure at 20 °C (68 °F):	667 hPa (500.3 mm Hg)	
Density at 20 °C (68 °F):	1.213 g/cm³ (10.12249 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not determined.	
Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water at 25 °C (77 °F):	2.5 g/l	
Partition coefficient (n-octanol/water): Not determined.		
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	

(Contd. on page 7)



Printing date 08/23/2024 Revision date 07/07/2024

Product Name: 1,1-Dichloroethene

(Contd. of page 6)

· Other information

No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification: ATE (Acute Toxicity Estimate)		

75-35-4 1,1-dichloroethylene

Oral	LD50	200 mg/kg (rat)
Inhalative	LC50/4 h	6,350 mg/L (mouse)

- Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

2B

· NTP (National Toxicology Program)

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- $\cdot \textbf{Bioaccumulative potential} \ \text{No further relevant information available}.$
- · Mobility in soil No further relevant information available.

(Contd. on page 8)



Printing date 08/23/2024 Revision date 07/07/2024

Product Name: 1,1-Dichloroethene

(Contd. of page 7)

- · Additional ecological information:
- · General notes:

Water hazard class 3 (Assessment by list): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

		 forma	7 ·
rongi	$\mathbf{n} \cap \mathbf{w}$	Ormo	tion
_ 00		 	00

•	UN-I	Number
---	------	--------

· DOT, IMDG, IATA

UN1303

· UN proper shipping name

 \cdot DOT

Vinylidene chloride, stabilized

· IMDG VINYLIDENE CHLORIDE, STABILIZED, MARINE

POLLUTANT

VINYLIDENE CHLORIDE, STABILIZED · IATA

- · Transport hazard class(es)
- \cdot **DOT**



· Class 3 Flammable liquids

·Label

· IMDG



· Class 3 Flammable liquids

(Contd. on page 9)



Printing date 08/23/2024 Revision date 07/07/2024

Product Name: 1,1-Dichloroethene

(Contd. of page 8)

· Label 3

·IATA



· Class 3 Flammable liquids

· Label 3

· Packing group

· DOT, IMDG, IATA

· Environmental hazards:

· Marine pollutant: Symbol (fish and tree)

· Special precautions for user Warning: Flammable liquids

· Hazard identification number (Kemler code): 339

• EMS Number: F-E,S-D

· Segregation groups (SGG10) Liquid halogenated hydrocarbons

· Stowage Category E

· Stowage Code SW2 Clear of living quarters.

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· Transport/Additional information:

· DOJ

• Quantity limitations On passenger aircraft/rail: 1 L

On cargo aircraft only: 30 L

· Hazardous substance: 100 lbs, 45.4 kg

· IMDG

· Limited quantities (LQ)

· Excepted quantities (EQ) Code: E3

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 300 ml

· UN "Model Regulation": UN 1303 VINYLIDENE CHLORIDE, STABILIZED, 3, I

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara
- · Section 355 (extremely hazardous substances):

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is listed.

· TSCA (Toxic Substances Control Act):

ACTIVE

(Contd. on page 10)



Printing date 08/23/2024 Revision date 07/07/2024

Product Name: 1,1-Dichloroethene

(Contd. of page 9)

· Hazardous Air Pollutants

Substance is listed.

· Proposition 65

· Chemicals known to cause cancer:

Substance is listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

C, S (inh.), I (oral)

· TLV (Threshold Limit Value)

A4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

- · Department issuing SDS: Document Control / Regulatory
- · Contact: pdl-acg-regulatory-cq@agilent.com
- · Date of preparation / last revision 08/23/2024 / 3
- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flammable Liquids 1: Flammable liquids - Category 1

Acute Toxicity - Oral 3: Acute toxicity - Category 3

Acute Toxicity - Inhalation 4: Acute toxicity - Category 4

Skin Irritation 2: Skin corrosion/irritation – Category 2

(Contd. on page 11)



Printing date 08/23/2024 Revision date 07/07/2024

Product Name: 1,1-Dichloroethene

(Contd. of page 10)

Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A Carcinogenicity 2: Carcinogenicity – Category 2

* Data compared to the previous version altered.