

Product code	Description
<b>RTP-1A</b>	<b>Industrial Terphenyl Standard Kit</b>
Components:	
RTP-2A	Aroclor 5442, 100 ug/mL in hexane (1X1 mL)
RTP-2B	Aroclor 5460, 100 ug/mL in hexane (1X1 mL)
RTP-2C	Aroclor 5060, 100 ug/mL in hexane (1X1 mL)

# Safety Data Sheet

## according to WHS Regulations

Printing date 27.03.2025

Revision: 27.03.2025

### 1 Identification

- **Product identifier**
- **Trade name:** Aroclor 5442, 100 ug/mL in hexane (1X1 mL)
- **Part number:** RTP-2A
- **Relevant identified uses of the substance or mixture and uses advised against**  
Reagents and Standards for Analytical Chemical Laboratory Use
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Agilent Technologies Australia Pty Ltd  
679 Springvale Road  
Mulgrave  
Victoria 3170, Australia
- **Further information obtainable from:**  
Telephone: 1800 802 402  
e-mail: pdl-msds\_author@agilent.com
- **Emergency telephone number:** CHEMTRAC®: +(61) - 290372994

### 2 Hazard(s) Identification

- **Classification of the substance or mixture**



flame

Flammable liquids – Category 2

H225 Highly flammable liquid and vapour.



health hazard

Reproductive toxicity – Category 2

H361 Suspected of damaging fertility or the unborn child.

Specific target organ toxicity (repeated exposure) – Category 2

H373 May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard – Category 1

H304 May be fatal if swallowed and enters airways.



Skin corrosion/irritation – Category 2

H315 Causes skin irritation.

Specific target organ toxicity (single exposure) – Category 3

H336 May cause drowsiness or dizziness.

- **Label elements**

- **GHS label elements** The product is classified and labelled according to the Globally Harmonised System (GHS).
- **Hazard pictograms**



GHS02



GHS07



GHS08

# Safety Data Sheet

## according to WHS Regulations

Printing date 27.03.2025

Revision: 27.03.2025

**Trade name: Aroclor 5442, 100 ug/mL in hexane (1X1 mL)**

(Contd. of page 1)

**· Signal word** Danger**· Hazard-determining components of labelling:**

n-hexane (&gt;60 %)

**· Hazard statements**

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H361 Suspected of damaging fertility or the unborn child.

H336 May cause drowsiness or dizziness.

H373 May cause damage to organs through prolonged or repeated exposure.

H304 May be fatal if swallowed and enters airways.

**· Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P260 Do not breathe vapours.

P241 Use explosion-proof electrical/ventilating/lighting equipment.

P280 Wear protective gloves / protective clothing.

P240 Ground/bond container and receiving equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P321 Specific treatment (see on this label).

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P312 Call a POISON CENTER/doctor if you feel unwell.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P314 Get medical advice/attention if you feel unwell.

P331 Do NOT induce vomiting.

P370+P378 In case of fire: Use CO<sub>2</sub>, powder or water spray to extinguish.

P362+P364 Take off contaminated clothing and wash it before reuse.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**· Other hazards****· Results of PBT and vPvB assessment**· **PBT:** Not applicable.· **vPvB:** Not applicable.

AU

(Contd. on page 3)

# Safety Data Sheet

## according to WHS Regulations

Printing date 27.03.2025

Revision: 27.03.2025

**Trade name: Aroclor 5442, 100 ug/mL in hexane (1X1 mL)**

(Contd. of page 2)

### \* 3 Composition and Information on Ingredients

- **Chemical characterisation:** Mixtures
- **Description:** Mixture of substances listed below with nonhazardous additions.

- **Dangerous components:**

110-54-3	n-hexane	>60%
	❖ Flammable liquids – Category 2, H225; ❖ Reproductive toxicity – Category 2, H361; Specific target organ toxicity (repeated exposure) – Category 2, H373; Aspiration hazard – Category 1, H304; ❖ Skin corrosion/irritation – Category 2, H315; Specific target organ toxicity (single exposure) – Category 3, H336	

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

### 4 First Aid Measures

- **General information:**  
Immediately remove any clothing soiled by the product.  
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Fire Fighting Measures

- **Suitable extinguishing agents:**  
CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture**  
During heating or in case of fire poisonous gases are produced.
- **Protective equipment:** Mouth respiratory protective device.

### \* 6 Accidental Release Measures

- **Personal precautions, protective equipment and emergency procedures**  
Mount respiratory protective device.  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to section 13.  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.

(Contd. on page 4)

AU

# Safety Data Sheet according to WHS Regulations

Printing date 27.03.2025

Revision: 27.03.2025

**Trade name: Aroclor 5442, 100 ug/mL in hexane (1X1 mL)**

(Contd. of page 3)

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and Storage

- **Handling:**

- **Precautions for safe handling:**

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

- **Information about fire - and explosion protection:**

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

- **Storage:**

- **Requirements to be met by storerooms and receptacles:** Store in a cool location.

- **Information about storage in one common storage facility:** Not required.

- **Further information about storage conditions:**

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls and personal protection

- **Additional information about design of technical facilities:** No further data; see section 7.

- **Ingredients with limit values that require monitoring at the workplace:**

**110-54-3 n-hexane**

WES Long-term value: 72 mg/m<sup>3</sup>, 20 ppm

- **Additional information:** The lists valid during the making were used as basis.

- **Personal protective equipment:**

- **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Do not inhale gases / fumes / aerosols.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

- **Respiratory protection:**

When used as intended with Agilent instruments the use of the product under normal laboratory conditions and with standard practices does not result in significant airborne exposures and therefore respiratory protection is not needed.

Under an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved device equipment with appropriate organic or acid gas cartridge.

- **Protection of hands:**

Although not recommended for constant contact with the chemicals or for clean up, nitrile gloves 11-13mil thickness are recommended for normal use. The breakthrough time is 1hr. For cleaning a spill where there is direct contact of the chemical, butyl rubber gloves are recommended 12-15mil thickness with breakthrough times exceeding 4 hrs. Supplier recommendations should be followed.

(Contd. on page 5)

AU

# Safety Data Sheet

## according to WHS Regulations

Printing date 27.03.2025

Revision: 27.03.2025

**Trade name: Aroclor 5442, 100 ug/mL in hexane (1X1 mL)**

(Contd. of page 4)

**· Material of gloves**

For normal use: nitrile rubber, 11-13 mil thickness

For direct contact with the chemical: butyl rubber, 12-15 mil thickness

**· Penetration time of glove material**

For normal use: nitrile rubber: 1 hour

For direct contact with the chemical: butyl rubber: &gt; 4 hours

**· Eye protection:**

Tightly sealed goggles

\*

## 9 Physical and Chemical Properties

**· General Information****· Appearance:****· Form:** Fluid**· Colour:** Colourless**· Odour:** Characteristic**· Odour threshold:** Not determined.**· pH-value:** Not determined.**· Change in condition****· Melting point/freezing point:** -95 °C**· Initial boiling point and boiling range:** 69 °C**· Flash point:** -22 °C**· Flammability (solid, gas):** Highly flammable.**· Auto-ignition temperature:** 240 °C**· Decomposition temperature:** Not determined.**· Ignition temperature:** Product is not selfigniting.**· Explosive properties:** Product is not explosive. However, formation of explosive air/vapour mixtures are possible.**· Explosion limits:****· Lower:** 1.2 Vol %**· Upper:** 7.4 Vol %**· Vapour pressure at 20 °C:** 110 hPa**· Vapour pressure at 50 °C:** 540 hPa**· Density at 20 °C:** 0.7 g/cm<sup>3</sup>**· Relative density****· Vapour density****· Evaporation rate****· Solubility in / Miscibility with****· water at 20 °C:** 0.1 g/l**· Partition coefficient: n-octanol/water:** Not determined.**· Viscosity:****· Dynamic:** Not determined.**· Kinematic:** Not determined.**· Solvent content:****· Organic solvents:** 100.0 %**· VOC (EC)** 99.98 %

(Contd. on page 6)

AU

# Safety Data Sheet

## according to WHS Regulations

Printing date 27.03.2025

Revision: 27.03.2025

**Trade name: Aroclor 5442, 100 ug/mL in hexane (1X1 mL)**

(Contd. of page 5)

· Other information	No further relevant information available.
---------------------	--

## 10 Stability and Reactivity

- **Reactivity** No further relevant information available.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological Information

- **Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

- **LD/LC50 values relevant for classification:**

### 110-54-3 n-hexane

Oral	LD50	5,000 mg/kg (rat)
Dermal	LD50	3,000 mg/kg (rabbit)

- **Skin corrosion/irritation** Causes skin irritation.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Suspected of damaging fertility or the unborn child.
- **STOT-single exposure** May cause drowsiness or dizziness.
- **STOT-repeated exposure** May cause damage to organs through prolonged or repeated exposure.
- **Aspiration hazard** May be fatal if swallowed and enters airways.

## 12 Ecological Information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water  
Do not allow product to reach ground water, water course or sewage system.  
Danger to drinking water if even small quantities leak into the ground.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 7)

AU

# Safety Data Sheet

## according to WHS Regulations

Printing date 27.03.2025

Revision: 27.03.2025

**Trade name: Aroclor 5442, 100 ug/mL in hexane (1X1 mL)**

(Contd. of page 6)

- **Other adverse effects** No further relevant information available.

### 13 Disposal considerations

- **Waste treatment methods**

- **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- **Uncleaned packaging:**

- **Recommendation:** Disposal must be made according to official regulations.

### 14 Transport information

- **Not Regulated, De minimis Quantities**

- **UN-Number**

- **ADG, IMDG, IATA**

UN1208

- **UN proper shipping name**

- **ADG**

1208 HEXANES mixture, ENVIRONMENTALLY HAZARDOUS

- **IMDG**

HEXANES mixture, MARINE POLLUTANT

- **IATA**

HEXANES mixture

- **Transport hazard class(es)**

- **ADG, IMDG**



- **Class**

- **Label**

3 Flammable liquids.

3

- **IATA**



- **Class**

- **Label**

3 Flammable liquids.

3

- **Packing group**

- **ADG, IMDG, IATA**

II

- **Environmental hazards:**

Product contains environmentally hazardous substances: n-hexane

- **Marine pollutant:**

Symbol (fish and tree)

- **Special marking (ADG):**

Symbol (fish and tree)

- **Special precautions for user**

Warning: Flammable liquids.

- **Hazard identification number (Kemler code):**

33

(Contd. on page 8)

AU

# Safety Data Sheet

## according to WHS Regulations

Printing date 27.03.2025

Revision: 27.03.2025

**Trade name: Aroclor 5442, 100 ug/mL in hexane (1X1 mL)**

(Contd. of page 7)

· EMS Number:	F-E,S-D
· Stowage Category	E
· Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
<b>· Transport/Additional information:</b>	
· ADG	1L
· Limited quantities (LQ)	Code: E2
· Excepted quantities (EQ)	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· Transport category	2
· Tunnel restriction code	D/E
· IMDG	1L
· Limited quantities (LQ)	Code: E2
· Excepted quantities (EQ)	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1208 HEXANES MIXTURE, 3, II, ENVIRONMENTALLY HAZARDOUS

## 15 Regulatory information

**· Safety, health and environmental regulations/legislation specific for the substance or mixture****· Australian Inventory of Industrial Chemicals**

110-54-3 | n-hexane

**· Standard for the Uniform Scheduling of Medicines and Poisons**

None of the ingredients is listed.

**· Australia: Priority Existing Chemicals**

None of the ingredients is listed.

**· Directive 2012/18/EU****· Named dangerous substances - ANNEX I** None of the ingredients is listed.**· Seveso category**

E2 Hazardous to the Aquatic Environment

P5c FLAMMABLE LIQUIDS

**· Qualifying quantity (tonnes) for the application of lower-tier requirements** 200 t**· Qualifying quantity (tonnes) for the application of upper-tier requirements** 500 t**· Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

**· Relevant phrases**

H225 Highly flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

(Contd. on page 9)

AU

# Safety Data Sheet

## according to WHS Regulations

Printing date 27.03.2025

Revision: 27.03.2025

**Trade name: Aroclor 5442, 100 ug/mL in hexane (1X1 mL)**

(Contd. of page 8)

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H361 Suspected of damaging fertility or the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

· **Department issuing SDS:** Document Control / Regulatory

· **Contact:** pdl-acg-regulatory-cq@agilent.com

· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flammable liquids – Category 2: Flammable liquids – Category 2

Skin corrosion/irritation – Category 2: Skin corrosion/irritation – Category 2

Reproductive toxicity – Category 2: Reproductive toxicity – Category 2

Specific target organ toxicity (single exposure) – Category 3: Specific target organ toxicity (single exposure) – Category 3

Specific target organ toxicity (repeated exposure) – Category 2: Specific target organ toxicity (repeated exposure) – Category 2

Aspiration hazard – Category 1: Aspiration hazard – Category 1

· \* Data compared to the previous version altered.

AU

# Safety Data Sheet

## according to WHS Regulations

Printing date 27.03.2025

Revision: 27.03.2025

### 1 Identification

- **Product identifier**
- **Trade name:** Aroclor 5460, 100 ug/mL in hexane (1X1 mL)
- **Part number:** RTP-2B
- **Relevant identified uses of the substance or mixture and uses advised against**  
Reagents and Standards for Analytical Chemical Laboratory Use
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Agilent Technologies Australia Pty Ltd  
679 Springvale Road  
Mulgrave  
Victoria 3170, Australia
- **Further information obtainable from:**  
Telephone: 1800 802 402  
e-mail: pdl-msds\_author@agilent.com
- **Emergency telephone number:** CHEMTRAC®: +(61) - 290372994

### 2 Hazard(s) Identification

- **Classification of the substance or mixture**



flame

Flammable liquids – Category 2

H225 Highly flammable liquid and vapour.



health hazard

Reproductive toxicity – Category 2

H361 Suspected of damaging fertility or the unborn child.

Specific target organ toxicity (repeated exposure) – Category 2

H373 May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard – Category 1

H304 May be fatal if swallowed and enters airways.



Skin corrosion/irritation – Category 2

H315 Causes skin irritation.

Specific target organ toxicity (single exposure) – Category 3

H336 May cause drowsiness or dizziness.

- **Label elements**

- **GHS label elements** The product is classified and labelled according to the Globally Harmonised System (GHS).
- **Hazard pictograms**



GHS02



GHS07



GHS08

# Safety Data Sheet

## according to WHS Regulations

Printing date 27.03.2025

Revision: 27.03.2025

**Trade name: Aroclor 5460, 100 ug/mL in hexane (1X1 mL)**

(Contd. of page 1)

**· Signal word** Danger**· Hazard-determining components of labelling:**

n-hexane (&gt;60 %)

**· Hazard statements**

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H361 Suspected of damaging fertility or the unborn child.

H336 May cause drowsiness or dizziness.

H373 May cause damage to organs through prolonged or repeated exposure.

H304 May be fatal if swallowed and enters airways.

**· Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P260 Do not breathe vapours.

P241 Use explosion-proof electrical/ventilating/lighting equipment.

P280 Wear protective gloves / protective clothing.

P240 Ground/bond container and receiving equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P321 Specific treatment (see on this label).

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P312 Call a POISON CENTER/doctor if you feel unwell.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P314 Get medical advice/attention if you feel unwell.

P331 Do NOT induce vomiting.

P370+P378 In case of fire: Use CO<sub>2</sub>, powder or water spray to extinguish.

P362+P364 Take off contaminated clothing and wash it before reuse.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**· Other hazards****· Results of PBT and vPvB assessment**· **PBT:** Not applicable.· **vPvB:** Not applicable.

AU

(Contd. on page 3)

# Safety Data Sheet

## according to WHS Regulations

Printing date 27.03.2025

Revision: 27.03.2025

**Trade name: Aroclor 5460, 100 ug/mL in hexane (1X1 mL)**

(Contd. of page 2)

### \* 3 Composition and Information on Ingredients

- **Chemical characterisation:** Mixtures
- **Description:** Mixture of substances listed below with nonhazardous additions.

- **Dangerous components:**

110-54-3	n-hexane	>60%
	❖ Flammable liquids – Category 2, H225; ❖ Reproductive toxicity – Category 2, H361; Specific target organ toxicity (repeated exposure) – Category 2, H373; Aspiration hazard – Category 1, H304; ❖ Skin corrosion/irritation – Category 2, H315; Specific target organ toxicity (single exposure) – Category 3, H336	

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

### 4 First Aid Measures

- **General information:**  
Immediately remove any clothing soiled by the product.  
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Fire Fighting Measures

- **Suitable extinguishing agents:**  
CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture**  
During heating or in case of fire poisonous gases are produced.
- **Protective equipment:** Mouth respiratory protective device.

### \* 6 Accidental Release Measures

- **Personal precautions, protective equipment and emergency procedures**  
Mount respiratory protective device.  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to section 13.  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.

(Contd. on page 4)

AU

# Safety Data Sheet

## according to WHS Regulations

Printing date 27.03.2025

Revision: 27.03.2025

**Trade name: Aroclor 5460, 100 ug/mL in hexane (1X1 mL)**

(Contd. of page 3)

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and Storage

- **Handling:**

- **Precautions for safe handling:**

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

- **Information about fire - and explosion protection:**

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

- **Storage:**

- **Requirements to be met by storerooms and receptacles:** Store in a cool location.

- **Information about storage in one common storage facility:** Not required.

- **Further information about storage conditions:**

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls and personal protection

- **Additional information about design of technical facilities:** No further data; see section 7.

- **Ingredients with limit values that require monitoring at the workplace:**

- 110-54-3 n-hexane

WES	Long-term value: 72 mg/m <sup>3</sup> , 20 ppm
-----	--

- **Additional information:** The lists valid during the making were used as basis.

- **Personal protective equipment:**

- **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Do not inhale gases / fumes / aerosols.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

- **Respiratory protection:**

When used as intended with Agilent instruments the use of the product under normal laboratory conditions and with standard practices does not result in significant airborne exposures and therefore respiratory protection is not needed.

Under an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved device equipment with appropriate organic or acid gas cartridge.

- **Protection of hands:**

Although not recommended for constant contact with the chemicals or for clean up, nitrile gloves 11-13mil thickness are recommended for normal use. The breakthrough time is 1hr. For cleaning a spill where there is direct contact of the chemical, butyl rubber gloves are recommended 12-15mil thickness with breakthrough times exceeding 4 hrs. Supplier recommendations should be followed.

(Contd. on page 5)

AU

# Safety Data Sheet

## according to WHS Regulations

Printing date 27.03.2025

Revision: 27.03.2025

**Trade name: Aroclor 5460, 100 ug/mL in hexane (1X1 mL)**

(Contd. of page 4)

**· Material of gloves**

For normal use: nitrile rubber, 11-13 mil thickness

For direct contact with the chemical: butyl rubber, 12-15 mil thickness

**· Penetration time of glove material**

For normal use: nitrile rubber: 1 hour

For direct contact with the chemical: butyl rubber: &gt; 4 hours

**· Eye protection:**

Tightly sealed goggles

\*

## 9 Physical and Chemical Properties

**· General Information****· Appearance:****· Form:** Fluid**· Colour:** Colourless**· Odour:** Characteristic**· Odour threshold:** Not determined.**· pH-value:** Not determined.**· Change in condition****· Melting point/freezing point:** -95 °C**· Initial boiling point and boiling range:** 69 °C**· Flash point:** -22 °C**· Flammability (solid, gas):** Highly flammable.**· Auto-ignition temperature:** 240 °C**· Decomposition temperature:** Not determined.**· Ignition temperature:** Product is not selfigniting.**· Explosive properties:** Product is not explosive. However, formation of explosive air/vapour mixtures are possible.**· Explosion limits:****· Lower:** 1.2 Vol %**· Upper:** 7.4 Vol %**· Vapour pressure at 20 °C:** 110 hPa**· Vapour pressure at 50 °C:** 540 hPa**· Density at 20 °C:** 0.7 g/cm<sup>3</sup>**· Relative density****· Vapour density****· Evaporation rate****· Solubility in / Miscibility with****· water at 20 °C:** 0.1 g/l**· Partition coefficient: n-octanol/water:** Not determined.**· Viscosity:****· Dynamic:** Not determined.**· Kinematic:** Not determined.**· Solvent content:****· Organic solvents:** 100.0 %**· VOC (EC)** 99.98 %

(Contd. on page 6)

AU

# Safety Data Sheet

## according to WHS Regulations

Printing date 27.03.2025

Revision: 27.03.2025

**Trade name: Aroclor 5460, 100 ug/mL in hexane (1X1 mL)**

(Contd. of page 5)

· Other information	No further relevant information available.
---------------------	--

## 10 Stability and Reactivity

- **Reactivity** No further relevant information available.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological Information

- **Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

- **LD/LC50 values relevant for classification:**

### 110-54-3 n-hexane

Oral	LD50	5,000 mg/kg (rat)
Dermal	LD50	3,000 mg/kg (rabbit)

- **Skin corrosion/irritation** Causes skin irritation.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Suspected of damaging fertility or the unborn child.
- **STOT-single exposure** May cause drowsiness or dizziness.
- **STOT-repeated exposure** May cause damage to organs through prolonged or repeated exposure.
- **Aspiration hazard** May be fatal if swallowed and enters airways.

## 12 Ecological Information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water  
Do not allow product to reach ground water, water course or sewage system.  
Danger to drinking water if even small quantities leak into the ground.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 7)

AU

# Safety Data Sheet

## according to WHS Regulations

Printing date 27.03.2025

Revision: 27.03.2025

**Trade name: Aroclor 5460, 100 ug/mL in hexane (1X1 mL)**

(Contd. of page 6)

- **Other adverse effects** No further relevant information available.

### 13 Disposal considerations

- **Waste treatment methods**

- **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- **Uncleaned packaging:**

- **Recommendation:** Disposal must be made according to official regulations.

### 14 Transport information

- **Not Regulated, De minimis Quantities**

- **UN-Number**

- **ADG, IMDG, IATA**

UN1208

- **UN proper shipping name**

- **ADG**

1208 HEXANES mixture, ENVIRONMENTALLY HAZARDOUS

- **IMDG**

HEXANES mixture, MARINE POLLUTANT

- **IATA**

HEXANES mixture

- **Transport hazard class(es)**

- **ADG, IMDG**



- **Class**

- **Label**

3 Flammable liquids.

3

- **IATA**



- **Class**

- **Label**

3 Flammable liquids.

3

- **Packing group**

- **ADG, IMDG, IATA**

II

- **Environmental hazards:**

Product contains environmentally hazardous substances: n-hexane

- **Marine pollutant:**

Symbol (fish and tree)

- **Special marking (ADG):**

Symbol (fish and tree)

- **Special precautions for user**

Warning: Flammable liquids.

- **Hazard identification number (Kemler code):**

33

(Contd. on page 8)

AU

# Safety Data Sheet

## according to WHS Regulations

Printing date 27.03.2025

Revision: 27.03.2025

**Trade name: Aroclor 5460, 100 ug/mL in hexane (1X1 mL)**

(Contd. of page 7)

· EMS Number:	F-E,S-D
· Stowage Category	E
· Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
<b>· Transport/Additional information:</b>	
· ADG	1L
· Limited quantities (LQ)	Code: E2
· Excepted quantities (EQ)	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· Transport category	2
· Tunnel restriction code	D/E
· IMDG	1L
· Limited quantities (LQ)	Code: E2
· Excepted quantities (EQ)	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1208 HEXANES MIXTURE, 3, II, ENVIRONMENTALLY HAZARDOUS

## 15 Regulatory information

**· Safety, health and environmental regulations/legislation specific for the substance or mixture****· Australian Inventory of Industrial Chemicals**

110-54-3 | n-hexane

**· Standard for the Uniform Scheduling of Medicines and Poisons**

None of the ingredients is listed.

**· Australia: Priority Existing Chemicals**

None of the ingredients is listed.

**· Directive 2012/18/EU****· Named dangerous substances - ANNEX I** None of the ingredients is listed.**· Seveso category**

E2 Hazardous to the Aquatic Environment

P5c FLAMMABLE LIQUIDS

**· Qualifying quantity (tonnes) for the application of lower-tier requirements** 200 t**· Qualifying quantity (tonnes) for the application of upper-tier requirements** 500 t**· Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

**· Relevant phrases**

H225 Highly flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

(Contd. on page 9)

AU

# Safety Data Sheet

## according to WHS Regulations

Printing date 27.03.2025

Revision: 27.03.2025

**Trade name: Aroclor 5460, 100 ug/mL in hexane (1X1 mL)**

(Contd. of page 8)

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H361 Suspected of damaging fertility or the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

· **Department issuing SDS:** Document Control / Regulatory

· **Contact:** pdl-acg-regulatory-cq@agilent.com

· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flammable liquids – Category 2: Flammable liquids – Category 2

Skin corrosion/irritation – Category 2: Skin corrosion/irritation – Category 2

Reproductive toxicity – Category 2: Reproductive toxicity – Category 2

Specific target organ toxicity (single exposure) – Category 3: Specific target organ toxicity (single exposure) – Category 3

Specific target organ toxicity (repeated exposure) – Category 2: Specific target organ toxicity (repeated exposure) – Category 2

Aspiration hazard – Category 1: Aspiration hazard – Category 1

· \* Data compared to the previous version altered.

AU

# Safety Data Sheet

## according to WHS Regulations

Printing date 27.03.2025

Revision: 27.03.2025

### 1 Identification

- **Product identifier**
- **Trade name:** Aroclor 5060, 100 ug/mL in hexane (1X1 mL)
- **Part number:** RTP-2C
- **Relevant identified uses of the substance or mixture and uses advised against**  
Reagents and Standards for Analytical Chemical Laboratory Use
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Agilent Technologies Australia Pty Ltd  
679 Springvale Road  
Mulgrave  
Victoria 3170, Australia
- **Further information obtainable from:**  
Telephone: 1800 802 402  
e-mail: pdl-msds\_author@agilent.com
- **Emergency telephone number:** CHEMTRAC®: +(61) - 290372994

### 2 Hazard(s) Identification

- **Classification of the substance or mixture**



flame

Flammable liquids – Category 2

H225 Highly flammable liquid and vapour.



health hazard

Reproductive toxicity – Category 2

H361 Suspected of damaging fertility or the unborn child.

Specific target organ toxicity (repeated exposure) – Category 2

H373 May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard – Category 1

H304 May be fatal if swallowed and enters airways.



Skin corrosion/irritation – Category 2

H315 Causes skin irritation.

Specific target organ toxicity (single exposure) – Category 3

H336 May cause drowsiness or dizziness.

- **Label elements**

- **GHS label elements** The product is classified and labelled according to the Globally Harmonised System (GHS).
- **Hazard pictograms**



GHS02



GHS07



GHS08

# Safety Data Sheet

## according to WHS Regulations

Printing date 27.03.2025

Revision: 27.03.2025

**Trade name: Aroclor 5060, 100 ug/mL in hexane (1X1 mL)**

(Contd. of page 1)

**· Signal word** Danger**· Hazard-determining components of labelling:**

n-hexane (&gt;60 %)

**· Hazard statements**

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H361 Suspected of damaging fertility or the unborn child.

H336 May cause drowsiness or dizziness.

H373 May cause damage to organs through prolonged or repeated exposure.

H304 May be fatal if swallowed and enters airways.

**· Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P260 Do not breathe vapours.

P241 Use explosion-proof electrical/ventilating/lighting equipment.

P280 Wear protective gloves / protective clothing.

P240 Ground/bond container and receiving equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P321 Specific treatment (see on this label).

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P312 Call a POISON CENTER/doctor if you feel unwell.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P314 Get medical advice/attention if you feel unwell.

P331 Do NOT induce vomiting.

P370+P378 In case of fire: Use CO<sub>2</sub>, powder or water spray to extinguish.

P362+P364 Take off contaminated clothing and wash it before reuse.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**· Other hazards****· Results of PBT and vPvB assessment**· **PBT:** Not applicable.· **vPvB:** Not applicable.

AU

(Contd. on page 3)

# Safety Data Sheet

## according to WHS Regulations

Printing date 27.03.2025

Revision: 27.03.2025

**Trade name: Aroclor 5060, 100 ug/mL in hexane (1X1 mL)**

(Contd. of page 2)

### \* 3 Composition and Information on Ingredients

- **Chemical characterisation:** Mixtures
- **Description:** Mixture of substances listed below with nonhazardous additions.

- **Dangerous components:**

110-54-3	n-hexane	>60%
	❖ Flammable liquids – Category 2, H225; ❖ Reproductive toxicity – Category 2, H361; Specific target organ toxicity (repeated exposure) – Category 2, H373; Aspiration hazard – Category 1, H304; ❖ Skin corrosion/irritation – Category 2, H315; Specific target organ toxicity (single exposure) – Category 3, H336	

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

### 4 First Aid Measures

- **General information:**  
Immediately remove any clothing soiled by the product.  
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Fire Fighting Measures

- **Suitable extinguishing agents:**  
CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture**  
During heating or in case of fire poisonous gases are produced.
- **Protective equipment:** Mouth respiratory protective device.

### \* 6 Accidental Release Measures

- **Personal precautions, protective equipment and emergency procedures**  
Mount respiratory protective device.  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to section 13.  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.

(Contd. on page 4)

AU

# Safety Data Sheet

## according to WHS Regulations

Printing date 27.03.2025

Revision: 27.03.2025

**Trade name: Aroclor 5060, 100 ug/mL in hexane (1X1 mL)**

(Contd. of page 3)

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and Storage

- **Handling:**

- **Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

- **Information about fire - and explosion protection:**

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

- **Storage:**

- **Requirements to be met by storerooms and receptacles:** Store in a cool location.

- **Information about storage in one common storage facility:** Not required.

- **Further information about storage conditions:**

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

- **Specific end use(s)** No further relevant information available.

### 8 Exposure controls and personal protection

- **Additional information about design of technical facilities:** No further data; see section 7.

- **Ingredients with limit values that require monitoring at the workplace:**

**110-54-3 n-hexane**

WES Long-term value: 72 mg/m<sup>3</sup>, 20 ppm

- **Additional information:** The lists valid during the making were used as basis.

- **Personal protective equipment:**

- **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Do not inhale gases / fumes / aerosols.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

- **Respiratory protection:**

When used as intended with Agilent instruments the use of the product under normal laboratory conditions and with standard practices does not result in significant airborne exposures and therefore respiratory protection is not needed.

Under an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved device equipment with appropriate organic or acid gas cartridge.

- **Protection of hands:**

Although not recommended for constant contact with the chemicals or for clean up, nitrile gloves 11-13mil thickness are recommended for normal use. The breakthrough time is 1hr. For cleaning a spill where there is direct contact of the chemical, butyl rubber gloves are recommended 12-15mil thickness with breakthrough times exceeding 4 hrs. Supplier recommendations should be followed.

(Contd. on page 5)

AU

# Safety Data Sheet

## according to WHS Regulations

Printing date 27.03.2025

Revision: 27.03.2025

**Trade name: Aroclor 5060, 100 ug/mL in hexane (1X1 mL)**

(Contd. of page 4)

**· Material of gloves**

For normal use: nitrile rubber, 11-13 mil thickness

For direct contact with the chemical: butyl rubber, 12-15 mil thickness

**· Penetration time of glove material**

For normal use: nitrile rubber: 1 hour

For direct contact with the chemical: butyl rubber: &gt; 4 hours

**· Eye protection:**

Tightly sealed goggles

\*

## 9 Physical and Chemical Properties

**· General Information****· Appearance:****· Form:** Fluid**· Colour:** Colourless**· Odour:** Characteristic**· Odour threshold:** Not determined.**· pH-value:** Not determined.**· Change in condition****· Melting point/freezing point:** -95 °C**· Initial boiling point and boiling range:** 69 °C**· Flash point:** -22 °C**· Flammability (solid, gas):** Highly flammable.**· Auto-ignition temperature:** 240 °C**· Decomposition temperature:** Not determined.**· Ignition temperature:** Product is not selfigniting.**· Explosive properties:** Product is not explosive. However, formation of explosive air/vapour mixtures are possible.**· Explosion limits:****· Lower:** 1.2 Vol %**· Upper:** 7.4 Vol %**· Vapour pressure at 20 °C:** 110 hPa**· Vapour pressure at 50 °C:** 540 hPa**· Density at 20 °C:** 0.7 g/cm³**· Relative density****· Vapour density****· Evaporation rate****· Solubility in / Miscibility with****· water at 20 °C:** 0.1 g/l**· Partition coefficient: n-octanol/water:** Not determined.**· Viscosity:****· Dynamic:** Not determined.**· Kinematic:** Not determined.**· Solvent content:****· Organic solvents:** 100.0 %**· VOC (EC)** 99.98 %

(Contd. on page 6)

AU

# Safety Data Sheet

## according to WHS Regulations

Printing date 27.03.2025

Revision: 27.03.2025

**Trade name: Aroclor 5060, 100 ug/mL in hexane (1X1 mL)**

(Contd. of page 5)

· Other information	No further relevant information available.
---------------------	--

## 10 Stability and Reactivity

- **Reactivity** No further relevant information available.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological Information

- **Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

- **LD/LC50 values relevant for classification:**

### 110-54-3 n-hexane

Oral	LD50	5,000 mg/kg (rat)
Dermal	LD50	3,000 mg/kg (rabbit)

- **Skin corrosion/irritation** Causes skin irritation.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Suspected of damaging fertility or the unborn child.
- **STOT-single exposure** May cause drowsiness or dizziness.
- **STOT-repeated exposure** May cause damage to organs through prolonged or repeated exposure.
- **Aspiration hazard** May be fatal if swallowed and enters airways.

## 12 Ecological Information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water  
Do not allow product to reach ground water, water course or sewage system.  
Danger to drinking water if even small quantities leak into the ground.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 7)

AU

# Safety Data Sheet

## according to WHS Regulations

Printing date 27.03.2025

Revision: 27.03.2025

**Trade name: Aroclor 5060, 100 ug/mL in hexane (1X1 mL)**

(Contd. of page 6)

- **Other adverse effects** No further relevant information available.

### 13 Disposal considerations

- **Waste treatment methods**

- **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- **Uncleaned packaging:**

· **Recommendation:** Disposal must be made according to official regulations.

### 14 Transport information

- **Not Regulated, De minimis Quantities**

- **UN-Number**

- **ADG, IMDG, IATA**

UN1208

- **UN proper shipping name**

- **ADG**

1208 HEXANES mixture, ENVIRONMENTALLY HAZARDOUS

- **IMDG**

HEXANES mixture, MARINE POLLUTANT

- **IATA**

HEXANES mixture

- **Transport hazard class(es)**

- **ADG, IMDG**



- **Class**

- **Label**

3 Flammable liquids.

3

- **IATA**



- **Class**

- **Label**

3 Flammable liquids.

3

- **Packing group**

- **ADG, IMDG, IATA**

II

- **Environmental hazards:**

Product contains environmentally hazardous substances: n-hexane

- **Marine pollutant:**

Symbol (fish and tree)

- **Special marking (ADG):**

Symbol (fish and tree)

- **Special precautions for user**

Warning: Flammable liquids.

- **Hazard identification number (Kemler code):**

33

(Contd. on page 8)

AU

# Safety Data Sheet

## according to WHS Regulations

Printing date 27.03.2025

Revision: 27.03.2025

**Trade name: Aroclor 5060, 100 ug/mL in hexane (1X1 mL)**

(Contd. of page 7)

· EMS Number:	F-E,S-D
· Stowage Category	E
· Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
<b>· Transport/Additional information:</b>	
· ADG	1L
· Limited quantities (LQ)	Code: E2
· Excepted quantities (EQ)	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· Transport category	2
· Tunnel restriction code	D/E
· IMDG	1L
· Limited quantities (LQ)	Code: E2
· Excepted quantities (EQ)	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1208 HEXANES MIXTURE, 3, II, ENVIRONMENTALLY HAZARDOUS

## 15 Regulatory information

**· Safety, health and environmental regulations/legislation specific for the substance or mixture****· Australian Inventory of Industrial Chemicals**

110-54-3 | n-hexane

**· Standard for the Uniform Scheduling of Medicines and Poisons**

None of the ingredients is listed.

**· Australia: Priority Existing Chemicals**

None of the ingredients is listed.

**· Directive 2012/18/EU****· Named dangerous substances - ANNEX I** None of the ingredients is listed.**· Seveso category**

E2 Hazardous to the Aquatic Environment

P5c FLAMMABLE LIQUIDS

**· Qualifying quantity (tonnes) for the application of lower-tier requirements** 200 t**· Qualifying quantity (tonnes) for the application of upper-tier requirements** 500 t**· Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

**· Relevant phrases**

H225 Highly flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

(Contd. on page 9)

AU

# Safety Data Sheet

## according to WHS Regulations

Printing date 27.03.2025

Revision: 27.03.2025

**Trade name: Aroclor 5060, 100 ug/mL in hexane (1X1 mL)**

(Contd. of page 8)

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H361 Suspected of damaging fertility or the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

· **Department issuing SDS:** Document Control / Regulatory

· **Contact:** pdl-acg-regulatory-cq@agilent.com

· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flammable liquids – Category 2: Flammable liquids – Category 2

Skin corrosion/irritation – Category 2: Skin corrosion/irritation – Category 2

Reproductive toxicity – Category 2: Reproductive toxicity – Category 2

Specific target organ toxicity (single exposure) – Category 3: Specific target organ toxicity (single exposure) – Category 3

Specific target organ toxicity (repeated exposure) – Category 2: Specific target organ toxicity (repeated exposure) – Category 2

Aspiration hazard – Category 1: Aspiration hazard – Category 1

· \* Data compared to the previous version altered.

AU