

Revision date: 11/12/2025

# 1 Identification

· Product identifier

· Product Name: Aroclor 5442, 100 ug/mL in hexane (1X1 mL)

· Other means of identification

· Part no.: RTP-2A

· Application of the substance / the mixture Reagents and Standards for Analytical Chemical Laboratory Use

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Agilent Technologies, Inc. 5301 Stevens Creek Blvd. Santa Clara, CA 95051 USA

· Information department:

Telephone: 800-227-9770

e-mail: pdl-msds author@agilent.com

· Emergency telephone number: CHEMTREC®: 1-800-424-9300

## 2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flammable liquids 2 H225 Highly flammable liquid and vapor.



GHS08 Health hazard

Reproductive toxicity 2 H361 Suspected of damaging fertility or the unborn child.

Specific target organ toxicity (repeated exposure) 1 H372 Causes damage to the nervous system through

prolonged or repeated exposure.

Aspiration hazard 1 H304 May be fatal if swallowed and enters airways.



GHS07

Skin irritation 2 H315 Causes skin irritation.

Specific target organ toxicity (single exposure) 3 H336 May cause drowsiness or dizziness.

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms







GHS02 GHS07

GHS08

- · Signal word Danger
- · Hazard-determining components of labeling: n-hexane

(Contd. on page 2)



Revision date: 11/12/2025

Product Name: Aroclor 5442, 100 ug/mL in hexane (1X1 mL)

(Contd. of page 1)

#### · Hazard statements

H225 Highly flammable liquid and vapor.

H315 Causes skin irritation.

H361 Suspected of damaging fertility or the unborn child.

H336 May cause drowsiness or dizziness.

H372 Causes damage to the nervous system through prolonged or repeated exposure.

H304 May be fatal if swallowed and enters airways.

#### · Precautionary statements

P210	Keen away	v from heat.	hot surfaces.	sparks, o	onen flames and	l other ignition sources	s. No smoking.
1 2 1 0	11ccp ana	, mommune,	not buriaces,	sparits,	open names and	i outer ignition boureer	, ito billoming.

P260 Do not breathe vapors.

P241 Use explosion-proof [electrical/ventilating/lighting] equipment.

P280 Wear protective gloves / protective clothing.
P240 Ground / bond container and receiving equipment.

P242 Use non-sparking tools.

P243 Take action to prevent static discharge.
P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P301+P310 If swallowed: Immediately call a poison center/doctor. P308+P313 IF exposed or concerned: Get medical advice/attention.

P321 Specific treatment (see on this label).

P304+P340 If inhaled: Remove person to fresh air and keep comfortable for breathing.

P312 Call a poison center/doctor if you feel unwell.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or

shower].

P332+P313 If skin irritation occurs: Get medical advice/attention.
P314 Get medical advice/attention if you feel unwell.

P331 Do NOT induce vomiting.

P370+P378 In case of fire: Use CO2, powder or water spray to extinguish. P362+P364 Take off contaminated clothing and wash it before reuse. P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

#### · Information pertaining to particular dangers for man and environment:

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 1Fire = 3Reactivity = 0

#### · HMIS-ratings (scale 0 - 4)



(Contd. on page 3)



Revision date: 11/12/2025

Product Name: Aroclor 5442, 100 ug/mL in hexane (1X1 mL)

(Contd. of page 2)

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Classification according to (d)(1)(ii) of § 1910.1200

The SDS issuer does not object to the classifications provided by importers or manufacturers of precursor products.

· Hazards not otherwise classified

There are no adverse physical or health effects known that are not covered by the hazard classes of the Hazard Communications Standard.

# 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.
- · Dangerous components:

110-54-3 n-hexane

80-100%

## 4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- · **Protective equipment:** Mouth respiratory protective device.

## **6 Accidental release measures**

· Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.

(Contd. on page 4)



Revision date: 11/12/2025

Product Name: Aroclor 5442, 100 ug/mL in hexane (1X1 mL)

(Contd. of page 3)

Wear protective equipment. Keep unprotected persons away.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· Protective Action Criteria for Chemicals

· PAC-1:	
110-54-3 n-hexane	400 ppm
· PAC-2:	
110-54-3 n-hexane	2900 ppm
· PAC-3:	
110-54-3 n-hexane	8600 ppm

#### · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### 7 Handling and storage

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

· Control parameters

· Com	Components with limit values that require monitoring at the workplace:				
110-5	110-54-3 n-hexane				
PEL	Long-term value: 1800 mg/m³, 500 ppm				
REL	Long-term value: 180 mg/m³, 50 ppm				
TLV	Long-term value: 176 mg/m³, 50 ppm Skin; BEI				

(Contd. on page 5)



Revision date: 11/12/2025

Product Name: Aroclor 5442, 100 ug/mL in hexane (1X1 mL)

(Contd. of page 4)

### · Ingredients with biological limit values:

#### 110-54-3 n-hexane

BEI 0.5 mg/L

Medium: urine Time: end of shift

Parameter: 2.5-Hexanedione without hydrolysis

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Do not inhale gases / fumes / aerosols.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

#### **Breathing equipment:**

When used as intended with Agilent instruments, the use of the product under normal laboratory conditions and with standard practices does not result in significant airborne exposures and therefore respiratory protection is not needed.

Under an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved device/equipment with appropriate organic or acid gas cartridge.

#### **Protection of hands:**

Although not recommended for constant contact with the chemicals or for clean-up, nitrile gloves 11-13 mil thickness are recommended for normal use. The breakthrough time is 1 hr. For cleaning a spill where there is direct contact of the chemical, butyl rubber gloves are recommended 12-15 mil thickness with breakthrough times exceeding 4 hrs. Supplier recommendations should be followed.

#### · Material of gloves

For normal use: nitrile rubber, 11-13 mil thickness

For direct contact with the chemical: butyl rubber, 12-15 mil thickness

#### · Penetration time of glove material

For normal use: nitrile rubber: 1 hour

For direct contact with the chemical: butyl rubber: >4 hours

· Eye protection:



Tightly sealed goggles

## 9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information

· Physical state Liquid · Color: Colorless Odor:

Characteristic

(Contd. on page 6)



Revision date: 11/12/2025

Product Name: Aroclor 5442, 100 ug/mL in hexane (1X1 mL)

(Contd. of page 5)

Odor threshold:
 Melting point/Melting range:
 Boiling point/Boiling range:
 Flammability:
 Not determined.
 -95 °C (-139 °F)
 69 °C (156.2 °F)
 Highly flammable.

· Explosion limits:

 Lower:
 1.2 Vol %

 · Upper:
 7.4 Vol %

 · Flash point:
 -22 °C (-7.6 °F)

 · Auto igniting:
 240 °C (464 °F)

 · Decomposition temperature:
 Not determined.

 · pH-value:
 Not determined.

· Viscosity:

Kinematic: Not determined. Dynamic: Not determined.

· Solubility in / Miscibility with

• Water at 20 °C (68 °F): 0.1 g/l

Partition coefficient (n-octanol/water): Not determined.
Vapor pressure at 20 °C (68 °F): 110 hPa (82.5 mm Hg)
Vapor pressure at 50 °C (122 °F): 540 hPa (405 mm Hg)
Density at 20 °C (68 °F): 0.7 g/cm³ (5.8415 lbs/gal)

Relative density
 Vapor density
 Particle characteristics
 Not determined.
 Not applicable.

· Other information · Appearance:

· Form: Fluid

· Important information on protection of health and

environment, and on safety.

• **Ignition temperature:** Product is not selfigniting.

• Danger of explosion: Product is not explosive. However, formation of explosive

air/vapor mixtures are possible.

· Solvent content:

• **Organic solvents:** 100.0 % • **VOC content:** 99.98 %

999.8 g/l / 8.34 lb/gal

· Solids content: 0.0 %

· Change in condition

• Evaporation rate Not determined.

# 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.

(Contd. on page 7)



Revision date: 11/12/2025

Product Name: Aroclor 5442, 100 ug/mL in hexane (1X1 mL)

(Contd. of page 6)

· Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

#### · LD/LC50 values that are relevant for classification:

#### 110-54-3 n-hexane

Oral LD50 5,000 mg/kg (rat)
Dermal LD50 3,000 mg/kg (rabbit)

- Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

- · Interactive effects No interactive effects between components are known.
- · Carcinogenic categories

#### · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

#### · NTP (National Toxicology Program)

None of the ingredients is listed.

### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### · Alternative sources for toxicological information

No non-standard sources for toxicological information where used.

## 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

US



Revision date: 11/12/2025

Product Name: Aroclor 5442, 100 ug/mL in hexane (1X1 mL)

(Contd. of page 7)

## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

# 14 Transport information

· Not Regulated, De minimis Quantities	-
· UN-Number · DOT, IMDG, IATA	UN1208
· UN proper shipping name · DOT · IMDG · IATA	Hexanes solution HEXANES solution, MARINE POLLUTANT HEXANES solution

- · Transport hazard class(es)
- $\cdot$  DOT



· Class 3 Flammable liquids · Label 3

 $\cdot\, IMDG$ 





· Class· Label3 Flammable liquids3

 $\cdot$  IATA



· Class 3 Flammable liquids · Label 3

· Packing group

· DOT, IMDG, IATA

(Contd. on page 9)



Revision date: 11/12/2025

Product Name: Aroclor 5442, 100 ug/mL in hexane (1X1 mL)

	(Contd. of page
· Environmental hazards: · Marine pollutant:	Symbol (fish and tree)
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· DOT	
Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
· Hazardous substance:	5000 lbs, 2270 kg
· IMDG	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E2
• •	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· Special precautions for user	Warning: Flammable liquids
· Hazard identification number (Kemler code)	<b>3</b> 3
· EMS Number:	F-E,S-D
· Stowage Category	E
· UN "Model Regulation":	UN 1208 HEXANES SOLUTION, 3, II,
_	ENVIRONMENTALLY HAZARDOUS

# 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara

· Section 355 (extremely hazardous substances):
None of the ingredients is listed.
· Section 313 (Specific toxic chemical listings):
110-54-3 n-hexane

· TSCA (Toxic Substances Control Act):

110-54-3 n-hexane ACTIVE

· Hazardous Air Pollutants

110-54-3 n-hexane

Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

110-54-3 n-hexane

(Contd. on page 10)



Revision date: 11/12/2025

Product Name: Aroclor 5442, 100 ug/mL in hexane (1X1 mL)

(Contd. of page 9)

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

110-54-3 n-hexane

II

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

- · Department issuing SDS: Document Control / Regulatory
- · Contact: pdl-acg-regulatory-cq@agilent.com
- Date of previous version 07/07/2024
- · Version number of previous version: 3
- · Date of preparation 11/12/2025
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

**REL: Recommended Exposure Limit** 

BEI: Biological Exposure Limit

Flammable liquids 2: Flammable liquids – Category 2

Skin irritation 2: Skin corrosion/irritation – Category 2

Reproductive toxicity 2: Reproductive toxicity – Category 2

Specific target organ toxicity (single exposure) 3: Specific target organ toxicity (single exposure) - Category 3

Specific target organ toxicity (repeated exposure) 1: Specific target organ toxicity (repeated exposure) - Category 1

Aspiration hazard 1: Aspiration hazard - Category 1

\* \* Data compared to the previous version altered.

US