

# SAFETY DATA SHEET

Aniline Blue

Agilent  
Dako

## Section 1. Identification

### 1.1 Product identifier

**Product name** : Aniline Blue  
**Part no.** : AR173  
**Validation date** : 12/17/2024

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** :  Laboratory use  
 Container type: Dispenser Pack  
 AR173 // Aniline Blue // Artisan Masson's Trichrome Stain Kit // 65 mL and 115 mL  
 Reference number: SDS013

### 1.3 Details of the supplier of the safety data sheet

**Supplier/Manufacturer** : Agilent Technologies, Inc.  
 5301 Stevens Creek Blvd  
 Santa Clara, CA 95051, USA  
 Tel: +1 800 227 9770

Agilent Technologies Singapore (International) Pte Ltd.  
 No. 1 Yishun Avenue 7  
 Singapore, 768923  
 Tel. (65) 6276 2622

Agilent Technologies Denmark ApS  
 Produktionsvej 42  
 2600 Glostrup,  
 Denmark  
 Tel. +45 44 85 95 00

[www.Agilent.com](http://www.Agilent.com)

**e-mail address of person responsible for this SDS** : SDS@Agilent.com

### 1.4 Emergency telephone number

**In case of emergency** : CHEMTRIC®: 1-800-424-9300

## Section 2. Hazards identification

### 2.1 Classification of the substance or mixture

**OSHA/HCS status** : This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

### Classification of the substance or mixture

H315 SKIN IRRITATION - Category 2  
 H319 EYE IRRITATION - Category 2A  
 H412 AQUATIC HAZARD (LONG-TERM) - Category 3

Percentage of the mixture consisting of ingredient(s) of unknown hazards to the aquatic environment: 2.5%

### 2.2 GHS label elements

## Section 2. Hazards identification

### Hazard pictograms



### Signal word

: Warning

### Hazard statements

: H315 - Causes skin irritation.  
H319 - Causes serious eye irritation.  
H412 - Harmful to aquatic life with long lasting effects.

### Precautionary statements

#### Prevention

: P280 - Wear protective gloves. Wear eye or face protection.  
P273 - Avoid release to the environment.  
P264 - Wash thoroughly after handling.

#### Response

: P302 + P352 - IF ON SKIN: Wash with plenty of water.  
P362 + P364 - Take off contaminated clothing and wash it before reuse.  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes.  
Remove contact lenses, if present and easy to do. Continue rinsing.  
P337 + P313 - If eye irritation persists: Get medical advice or attention.

#### Storage

: Not applicable.

#### Disposal

: P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.

### 2.3 Other hazards

#### Hazards not otherwise classified

: None known.

## Section 3. Composition/information on ingredients

### Substance/mixture

: Mixture

| Ingredient name  | %    | Identifiers     |
|--|------|-----------------|
| Disodium hydrogen aminomethyl[[4-[(sulphonatophenyl)amino]phenyl][4-[(sulphonatophenyl)imino]cyclohexa-2,5-dien-1-ylidene]methyl]benzenesulphonate | ≤3   | CAS: 28631-66-5 |
| Acetic acid  | ≤3   | CAS: 64-19-7    |
| Polyoxyethylene octyl phenyl ether   | ≤1.8 | CAS: 9002-93-1  |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First aid measures

### 4.1 Description of necessary first aid measures

#### Eye contact

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.

## Section 4. First aid measures

**Inhalation** : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

**Skin contact** : Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.

**Ingestion** : Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

### 4.2 Most important symptoms/effects, acute and delayed

#### Potential acute health effects

**Eye contact** : Causes serious eye irritation.

**Inhalation** : No known significant effects or critical hazards.

**Skin contact** : Causes skin irritation.

**Ingestion** : No known significant effects or critical hazards.

#### Over-exposure signs/symptoms

**Eye contact** : Adverse symptoms may include the following:  
pain or irritation  
watering  
redness

**Inhalation** : No specific data.

**Skin contact** : Adverse symptoms may include the following:  
irritation  
redness

**Ingestion** : No specific data.

### 4.3 Indication of immediate medical attention and special treatment needed, if necessary

**Notes to physician** : In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

**Specific treatments** : No specific treatment.

**Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

## Section 5. Fire-fighting measures

### 5.1 Extinguishing media

**Suitable extinguishing media** : Use an extinguishing agent suitable for the surrounding fire.

**Unsuitable extinguishing media** : None known.

### 5.2 Special hazards arising from the substance or mixture

**Specific hazards arising from the chemical** : In a fire or if heated, a pressure increase will occur and the container may burst. This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

**Hazardous thermal decomposition products**

: Decomposition products may include the following materials:  
carbon dioxide  
carbon monoxide  
nitrogen oxides  
sulfur oxides  
metal oxide/oxides

### 5.3 Advice for firefighters

**Special protective actions for fire-fighters** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

**Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

**For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

**For emergency responders** : If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

### 6.2 Environmental precautions

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.

### 6.3 Methods and materials for containment and cleaning up

**Methods for cleaning up** : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

## Section 7. Handling and storage

### 7.1 Precautions for safe handling

**Protective measures**

- : Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

**Advice on general occupational hygiene**

- : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

**7.2 Conditions for safe storage, including any incompatibilities**

- : Specific storage conditions: Please consult the label. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

### 7.3 Specific end use(s)

**Recommendations**

- : Industrial applications, Professional applications.

**Industrial sector specific solutions**

- : Not available.

## Section 8. Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational exposure limits

| Ingredient name   | Exposure limits   |
|---|---|
| Disodium hydrogen aminomethyl[[4-[(sulphonatophenyl)amino]phenyl][4-[(sulphonatophenyl)imino]cyclohexa-2,5-dien-1-ylidene]methyl]benzenesulphonate<br>Acetic acid | <p>None.</p> <p><b>NIOSH REL (United States, 10/2020)</b><br/>           TWA 10 hours: 10 ppm.<br/>           TWA 10 hours: 25 mg/m<sup>3</sup>.<br/>           STEL 15 minutes: 15 ppm.<br/>           STEL 15 minutes: 37 mg/m<sup>3</sup>.</p> <p><b>CAL OSHA PEL (United States, 5/2018)</b><br/>           STEL 15 minutes: 37 mg/m<sup>3</sup>.<br/>           STEL 15 minutes: 15 ppm.<br/>           C: 40 ppm.<br/>           TWA 8 hours: 25 mg/m<sup>3</sup>.<br/>           TWA 8 hours: 10 ppm.</p> <p><b>OSHA PEL (United States, 5/2018)</b><br/>           TWA 8 hours: 10 ppm.<br/>           TWA 8 hours: 25 mg/m<sup>3</sup>.</p> <p><b>OSHA PEL 1989 (United States, 3/1989)</b><br/>           TWA 8 hours: 10 ppm.<br/>           TWA 8 hours: 25 mg/m<sup>3</sup>.</p> <p><b>ACGIH TLV (United States, 1/2024)</b><br/>           TWA 8 hours: 10 ppm.<br/>           TWA 8 hours: 25 mg/m<sup>3</sup>.<br/>           STEL 15 minutes: 15 ppm.<br/>           STEL 15 minutes: 37 mg/m<sup>3</sup>.</p> |

## Section 8. Exposure controls/personal protection

|                                    |       |
|------------------------------------|-------|
| Polyoxyethylene octyl phenyl ether | None. |
|------------------------------------|-------|

### Biological exposure indices

No exposure indices known.

### 8.2 Exposure controls

#### **Appropriate engineering controls**

- : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

#### **Environmental exposure controls**

- : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

### Individual protection measures

#### **Hygiene measures**

- : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

#### **Eye/face protection**

- : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

#### **Skin protection**

##### **Hand protection**

- : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

##### **Body protection**

- : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

##### **Other skin protection**

- : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

##### **Respiratory protection**

- : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

## Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

### Appearance

#### **Physical state**

- : Liquid.

#### **Color**

- : Blue.

#### **Odor**

- : Vinegar-like [Slight]

#### **Odor threshold**

- : Not available.

#### **pH**

- : Not available.

#### **Melting point/freezing point**

- : Not available.

## Section 9. Physical and chemical properties and safety characteristics

| Boiling point or initial boiling point and boiling range | : Not available.   |                 |                        |                        |         |                        |     |       |       |     |        |       |     |        |             |      |       |   |        |      |   |                                    |          |        |   |   |   |   |
|--|--|-----------------|------------------------|------------------------|---------|------------------------|-----|-------|-------|-----|--------|-------|-----|--------|-------------|------|-------|---|--------|------|---|------------------------------------|----------|--------|---|---|---|---|
| Flash point  | : <table border="1"> <thead> <tr> <th rowspan="2">Ingredient name</th> <th colspan="3">Closed cup</th> <th colspan="3">Open cup</th> </tr> <tr> <th>°C</th> <th>°F</th> <th>Method</th> <th>°C</th> <th>°F</th> <th>Method</th> </tr> </thead> <tbody> <tr> <td>Acetic acid</td><td>39</td><td>102.2</td><td>-</td><td>-</td><td>-</td><td>-</td></tr> <tr> <td>Polyoxyethylene octyl phenyl ether</td><td>&gt;109.85</td><td>&gt;229.7</td><td>-</td><td>-</td><td>-</td><td>-</td></tr> </tbody> </table>      | Ingredient name | Closed cup             |                        |         | Open cup               |     |       | °C    | °F  | Method | °C    | °F  | Method | Acetic acid | 39   | 102.2 | - | -      | -    | - | Polyoxyethylene octyl phenyl ether | >109.85  | >229.7 | - | - | - | - |
| Ingredient name  | Closed cup   |                 |                        | Open cup               |         |                        |     |       |       |     |        |       |     |        |             |      |       |   |        |      |   |                                    |          |        |   |   |   |   |
|  | °C   | °F              | Method                 | °C                     | °F      | Method                 |     |       |       |     |        |       |     |        |             |      |       |   |        |      |   |                                    |          |        |   |   |   |   |
| Acetic acid  | 39   | 102.2           | -                      | -                      | -       | -                      |     |       |       |     |        |       |     |        |             |      |       |   |        |      |   |                                    |          |        |   |   |   |   |
| Polyoxyethylene octyl phenyl ether                       | >109.85  | >229.7          | -                      | -                      | -       | -                      |     |       |       |     |        |       |     |        |             |      |       |   |        |      |   |                                    |          |        |   |   |   |   |
| Evaporation rate   | : Not available.   |                 |                        |                        |         |                        |     |       |       |     |        |       |     |        |             |      |       |   |        |      |   |                                    |          |        |   |   |   |   |
| Flammability   | : Not applicable.  |                 |                        |                        |         |                        |     |       |       |     |        |       |     |        |             |      |       |   |        |      |   |                                    |          |        |   |   |   |   |
| Lower and upper explosion limit/flammability limit       | : Not available.   |                 |                        |                        |         |                        |     |       |       |     |        |       |     |        |             |      |       |   |        |      |   |                                    |          |        |   |   |   |   |
| Vapor pressure   | : <table border="1"> <thead> <tr> <th rowspan="2">Ingredient name</th> <th colspan="3">Vapor Pressure at 20°C</th> <th colspan="3">Vapor pressure at 50°C</th> </tr> <tr> <th>mm Hg</th> <th>kPa</th> <th>Method</th> <th>mm Hg</th> <th>kPa</th> <th>Method</th> </tr> </thead> <tbody> <tr> <td>Water</td><td>17.5</td><td>2.3</td><td>-</td><td>92.258</td><td>12.3</td><td>-</td></tr> <tr> <td>Acetic acid</td><td>15.59383</td><td>2.1</td><td>-</td><td>-</td><td>-</td><td>-</td></tr> </tbody> </table> | Ingredient name | Vapor Pressure at 20°C |                        |         | Vapor pressure at 50°C |     |       | mm Hg | kPa | Method | mm Hg | kPa | Method | Water       | 17.5 | 2.3   | - | 92.258 | 12.3 | - | Acetic acid                        | 15.59383 | 2.1    | - | - | - | - |
| Ingredient name  | Vapor Pressure at 20°C   |                 |                        | Vapor pressure at 50°C |         |                        |     |       |       |     |        |       |     |        |             |      |       |   |        |      |   |                                    |          |        |   |   |   |   |
|  | mm Hg  | kPa             | Method                 | mm Hg                  | kPa     | Method                 |     |       |       |     |        |       |     |        |             |      |       |   |        |      |   |                                    |          |        |   |   |   |   |
| Water  | 17.5   | 2.3             | -                      | 92.258                 | 12.3    | -                      |     |       |       |     |        |       |     |        |             |      |       |   |        |      |   |                                    |          |        |   |   |   |   |
| Acetic acid  | 15.59383   | 2.1             | -                      | -                      | -       | -                      |     |       |       |     |        |       |     |        |             |      |       |   |        |      |   |                                    |          |        |   |   |   |   |
| Relative vapor density                                   | : Not available.   |                 |                        |                        |         |                        |     |       |       |     |        |       |     |        |             |      |       |   |        |      |   |                                    |          |        |   |   |   |   |
| Relative density   | : Not available.   |                 |                        |                        |         |                        |     |       |       |     |        |       |     |        |             |      |       |   |        |      |   |                                    |          |        |   |   |   |   |
| Solubility(ies)  | : <table border="1"> <thead> <tr> <th>Media</th> <th>Result</th> </tr> </thead> <tbody> <tr> <td>water</td> <td>Soluble</td> </tr> </tbody> </table>   | Media           | Result                 | water                  | Soluble |                        |     |       |       |     |        |       |     |        |             |      |       |   |        |      |   |                                    |          |        |   |   |   |   |
| Media  | Result   |                 |                        |                        |         |                        |     |       |       |     |        |       |     |        |             |      |       |   |        |      |   |                                    |          |        |   |   |   |   |
| water  | Soluble  |                 |                        |                        |         |                        |     |       |       |     |        |       |     |        |             |      |       |   |        |      |   |                                    |          |        |   |   |   |   |
| Miscible with water                                      | : Yes.   |                 |                        |                        |         |                        |     |       |       |     |        |       |     |        |             |      |       |   |        |      |   |                                    |          |        |   |   |   |   |
| Partition coefficient: n-octanol/water                   | : Not applicable.  |                 |                        |                        |         |                        |     |       |       |     |        |       |     |        |             |      |       |   |        |      |   |                                    |          |        |   |   |   |   |
| Auto-ignition temperature                                | : <table border="1"> <thead> <tr> <th>Ingredient name</th> <th>°C</th> <th>°F</th> <th>Method</th> </tr> </thead> <tbody> <tr> <td>Acetic acid</td><td>463</td><td>865.4</td><td>-</td></tr> </tbody> </table>   | Ingredient name | °C                     | °F                     | Method  | Acetic acid            | 463 | 865.4 | -     |     |        |       |     |        |             |      |       |   |        |      |   |                                    |          |        |   |   |   |   |
| Ingredient name  | °C   | °F              | Method                 |                        |         |                        |     |       |       |     |        |       |     |        |             |      |       |   |        |      |   |                                    |          |        |   |   |   |   |
| Acetic acid  | 463  | 865.4           | -                      |                        |         |                        |     |       |       |     |        |       |     |        |             |      |       |   |        |      |   |                                    |          |        |   |   |   |   |
| Decomposition temperature                                | : Not available.   |                 |                        |                        |         |                        |     |       |       |     |        |       |     |        |             |      |       |   |        |      |   |                                    |          |        |   |   |   |   |
| Viscosity  | : Dynamic (room temperature): Not available.<br>Kinematic (room temperature): Not available.<br>Kinematic (40°C (104°F)): Not available.   |                 |                        |                        |         |                        |     |       |       |     |        |       |     |        |             |      |       |   |        |      |   |                                    |          |        |   |   |   |   |
| <u>Particle characteristics</u>                          |  |                 |                        |                        |         |                        |     |       |       |     |        |       |     |        |             |      |       |   |        |      |   |                                    |          |        |   |   |   |   |
| Median particle size                                     | : Not applicable.  |                 |                        |                        |         |                        |     |       |       |     |        |       |     |        |             |      |       |   |        |      |   |                                    |          |        |   |   |   |   |

## Section 10. Stability and reactivity

|   |  |
|---|--|
| 10.1 Reactivity                         | : No specific test data related to reactivity available for this product or its ingredients. |
| 10.2 Chemical stability                 | : The product is stable.   |
| 10.3 Possibility of hazardous reactions | : Under normal conditions of storage and use, hazardous reactions will not occur.            |
| 10.4 Conditions to avoid                | : No specific data.  |
| 10.5 Incompatible materials             | : May react or be incompatible with oxidizing materials.                                     |

## Section 10. Stability and reactivity

**10.6 Hazardous decomposition products** : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 11. Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

| Product/ingredient name            | Result                            |
|------------------------------------|-----------------------------------|
| Acetic acid                        | Rat - Oral - LD50                 |
|                                    | Rabbit - Dermal - LD50            |
|                                    | Rat - Inhalation - LC50 Vapor     |
| Polyoxyethylene octyl phenyl ether | Rat - Oral - LD50                 |
|                                    | 3310 mg/kg                        |
|                                    | 1060 mg/kg                        |
|                                    | 11000 mg/m <sup>3</sup> [4 hours] |
|                                    | 1800 mg/kg                        |

**Conclusion/Summary [Product]** : Not available.

#### Skin corrosion/irritation

| Product/ingredient name            | Result                          |
|------------------------------------|---------------------------------|
| Acetic acid                        | Rabbit - Skin - Severe irritant |
| Polyoxyethylene octyl phenyl ether | Rabbit - Skin - Mild irritant   |

**Conclusion/Summary [Product]** : Not available.

#### Serious eye damage/eye irritation

#### Result

Not available.

**Conclusion/Summary [Product]** : Not available.

#### Respiratory corrosion/irritation

#### Product/ingredient name

**Conclusion/Summary [Product]** : Not available.

#### Respiratory or skin sensitization

##### Skin

**Conclusion/Summary [Product]** : Not available.

##### Respiratory

**Conclusion/Summary [Product]** : Not available.

#### Germ cell mutagenicity

**Conclusion/Summary [Product]** : Not available.

#### Carcinogenicity

Not available.

**Conclusion/Summary [Product]** : Not available.

#### Reproductive toxicity

**Conclusion/Summary [Product]** : Not available.

#### Specific target organ toxicity (single exposure)

| Product/ingredient name | Result |
|-------------------------|--------|
|-------------------------|--------|

## Section 11. Toxicological information

Disodium hydrogen aminomethyl[[4-[  
(sulphonatophenyl)amino]phenyl][4-[  
(sulphonatophenyl)imino]cyclohexa-  
2,5-dien-1-ylidene]methyl]  
benzenesulphonate

SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory  
tract irritation) - Category 3

### Specific target organ toxicity (repeated exposure)

Not available.

### Aspiration hazard

Not available.

**Information on the likely routes of exposure** : Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes.

### Potential acute health effects

**Eye contact** : Causes serious eye irritation.  
**Inhalation** : No known significant effects or critical hazards.  
**Skin contact** : Causes skin irritation.  
**Ingestion** : No known significant effects or critical hazards.

### Symptoms related to the physical, chemical and toxicological characteristics

**Eye contact** : Adverse symptoms may include the following:  
 pain or irritation  
 watering  
 redness  
**Inhalation** : No specific data.  
**Skin contact** : Adverse symptoms may include the following:  
 irritation  
 redness  
**Ingestion** : No specific data.

### Delayed and immediate effects and also chronic effects from short and long term exposure

#### Short term exposure

**Potential immediate effects** : Not available.  
**Potential delayed effects** : Not available.  
**Long term exposure**  
**Potential immediate effects** : Not available.  
**Potential delayed effects** : Not available.

### Potential chronic health effects

**Conclusion/Summary [Product]** : Not available.  
**General** : No known significant effects or critical hazards.  
**Carcinogenicity** : No known significant effects or critical hazards.  
**Mutagenicity** : No known significant effects or critical hazards.  
**Reproductive toxicity** : No known significant effects or critical hazards.

## Section 11. Toxicological information

### Numerical measures of toxicity

#### Acute toxicity estimates

| Product/ingredient name            | Oral (mg/kg) | Dermal (mg/kg) | Inhalation (gases) (ppm) | Inhalation (vapors) (mg/l) | Inhalation (dusts and mists) (mg/l) |
|------------------------------------|--------------|----------------|--------------------------|----------------------------|-------------------------------------|
| Aniline Blue                       | 86222.9      | 53000.0        | N/A                      | 550.0                      | N/A                                 |
| Acetic acid                        | 3310         | 1060           | N/A                      | 11                         | N/A                                 |
| Polyoxyethylene octyl phenyl ether | 1800         | N/A            | N/A                      | N/A                        | N/A                                 |

## Section 12. Ecological information

### 12.1 Toxicity

| Product/ingredient name            | Result  |
|------------------------------------|---|
| Acetic acid                        | Acute - LC50 - Marine water<br>Acute - LC50 - Fresh water   |
| Polyoxyethylene octyl phenyl ether | Acute - LC50 - Fresh water<br>Acute - LC50 - Fresh water<br>Chronic - NOEC - Fresh water                        |
|                                    | 32 mg/l [48 hours]<br>75 ppm [96 hours]<br>4500 µg/l [96 hours]<br>5.85 mg/l [48 hours]<br>0.004 mg/l [28 days] |

Conclusion/Summary : Not available.  
[Product]

### 12.2 Persistence and degradability

Conclusion/Summary : Not available.  
[Product]

| Product/ingredient name            | Aquatic half-life | Photolysis | Biodegradability |
|------------------------------------|-------------------|------------|------------------|
| Acetic acid                        | -                 | -          | Readily          |
| Polyoxyethylene octyl phenyl ether | -                 | -          | Readily          |

### 12.3 Bioaccumulative potential

| Product/ingredient name            | LogP <sub>ow</sub> | BCF  | Potential |
|------------------------------------|--------------------|------|-----------|
| Acetic acid                        | -0.17              | 3.16 | Low       |
| Polyoxyethylene octyl phenyl ether | 4.86               | -    | High      |

### 12.4 Mobility in soil

Soil/Water partition coefficient : Not available.

### 12.5 Other adverse effects

: No known significant effects or critical hazards.

## Section 13. Disposal considerations

### 13.1 Waste treatment methods

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been

## Section 13. Disposal considerations

cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements.

The information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

## Section 14. Transport information

**DOT / TDG / Mexico / IMDG /** : Not regulated.  
**IATA**

**Special precautions for user** : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

**Transport in bulk according to IMO instruments** : Not available.

## Section 15. Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**U.S. Federal regulations** : Clean Water Act (CWA) 311: Acetic acid

#### TSCA 12(b) - Chemical export notification

Not applicable.

**Clean Air Act Section 112** : Not listed  
**(b) Hazardous Air Pollutants (HAPs)**

**Clean Air Act Section 602** : Not listed  
**Class I Substances**

**Clean Air Act Section 602** : Not listed  
**Class II Substances**

**DEA List I Chemicals (Precursor Chemicals)** : Not listed

**DEA List II Chemicals (Essential Chemicals)** : Not listed

#### SARA 302/304

##### Composition/information on ingredients

No products were found.

**SARA 304 RQ** : Not applicable.

**SARA 311/312 Classification** : SKIN IRRITATION - Category 2  
EYE IRRITATION - Category 2A

##### Composition/information on ingredients

## Section 15. Regulatory information

| Name  | %    | Classification  |
|---|------|---|
| Disodium hydrogen aminomethyl<br>[[4-[(sulphonatophenyl)amino]<br>phenyl][4-[(sulphonatophenyl)<br>imino]cyclohexa-2,5-dien-<br>1-ylidene]methyl]<br>benzenesulphonate<br>Acetic acid | ≤3   | COMBUSTIBLE DUSTS<br>SKIN IRRITATION - Category 2<br>EYE IRRITATION - Category 2A<br>SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract<br>irritation) - Category 3  |
|   | ≤3   | FLAMMABLE LIQUIDS - Category 3<br>ACUTE TOXICITY (dermal) - Category 4<br>ACUTE TOXICITY (inhalation) - Category 4<br>SKIN CORROSION - Category 1A<br>SERIOUS EYE DAMAGE - Category 1<br>HNOC - Corrosive to digestive tract [severe] |
| Polyoxyethylene octyl phenyl<br>ether   | ≤1.8 | ACUTE TOXICITY (oral) - Category 4<br>SKIN IRRITATION - Category 2<br>SERIOUS EYE DAMAGE - Category 1   |

### State regulations

- [\*\*Massachusetts\*\*](#) : The following components are listed: ACETIC ACID
- [\*\*New York\*\*](#) : The following components are listed: Acetic acid
- [\*\*New Jersey\*\*](#) : The following components are listed: ACETIC ACID
- [\*\*Pennsylvania\*\*](#) : The following components are listed: ACETIC ACID
- [\*\*California Prop. 65\*\*](#)

This product does not require a Safe Harbor warning under California Prop. 65.

### International regulations

#### Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

#### Montreal Protocol

Not listed.

#### Stockholm Convention on Persistent Organic Pollutants

Not listed.

#### Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

#### UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

### Inventory list

- [\*\*Australia\*\*](#) : All components are listed or exempted.
- [\*\*Canada\*\*](#) : All components are listed or exempted.
- [\*\*China\*\*](#) : All components are listed or exempted.
- [\*\*Japan\*\*](#) : **Japan inventory (CSCL)**: All components are listed or exempted.  
**Japan inventory (ISHL)**: All components are listed or exempted.
- [\*\*New Zealand\*\*](#) : All components are listed or exempted.
- [\*\*Philippines\*\*](#) : All components are listed or exempted.
- [\*\*Republic of Korea\*\*](#) : All components are listed or exempted.
- [\*\*Taiwan\*\*](#) : All components are listed or exempted.
- [\*\*Thailand\*\*](#) : Not determined.
- [\*\*Turkey\*\*](#) : Not determined.
- [\*\*United States\*\*](#) : All components are active or exempted.
- [\*\*Viet Nam\*\*](#) : All components are listed or exempted.

## Section 16. Other information

### Procedure used to derive the classification

| Classification                          | Justification      |
|---|--------------------|
| SKIN IRRITATION - Category 2            | Calculation method |
| EYE IRRITATION - Category 2A            | Calculation method |
| AQUATIC HAZARD (LONG-TERM) - Category 3 | Calculation method |

### History

|                                       |   |  |
|---------------------------------------|---|--|
| <b>Date of issue/Date of revision</b> | : | 12/17/2024   |
| <b>Date of previous issue</b>         | : | 12/09/2022   |
| <b>Version</b>                        | : | 7  |
| <b>Key to abbreviations</b>           | : | <p>ATE = Acute Toxicity Estimate<br/> BCF = Bioconcentration Factor<br/> GHS = Globally Harmonized System of Classification and Labelling of Chemicals<br/> IATA = International Air Transport Association<br/> IBC = Intermediate Bulk Container<br/> IMDG = International Maritime Dangerous Goods<br/> LogPow = logarithm of the octanol/water partition coefficient<br/> MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)<br/> N/A = Not available<br/> UN = United Nations</p> |

 Indicates information that has changed from previously issued version.

### Notice to reader

**Disclaimer:** The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.