SAFETY DATA SHEET



Glycergel Mounting Medium

Section 1. Identification

GHS product identifier : Glycergel Mounting Medium

Part no. : C0563

Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory use

Container type: Bottle

C0563 // Glycergel Mounting Medium // 1 x 15 mL

Reference number: SDS073

Supplier/Manufacturer: Agilent Technologies, Inc.

5301 Stevens Creek Blvd Santa Clara, CA 95051, USA

Tel: +1 800 227 9770

Agilent Technologies Singapore (International) Pte Ltd.

No. 1 Yishun Avenue 7 Singapore, 768923 Tel. (65) 6276 2622

Agilent Technologies Denmark ApS

Produktionsvej 42 2600 Glostrup, Denmark

Tel. +45 44 85 95 00

www.Agilent.com

e-mail address of person

responsible for this SDS

: SDS@Agilent.com

Emergency telephone number (with hours of operation) : CHEMTREC®: 1-800-424-9300

Section 2. Hazards identification

OSHA/HCS status : This material is considered hazardous by the OSHA Hazard Communication Standard

(29 CFR 1910.1200).

Classification of the substance or mixture

H320 EYE IRRITATION - Category 2B

Percentage of the mixture consisting of ingredient(s) of unknown hazards to the aquatic

environment: 6.3%

GHS label elements

Signal word : Warning

Hazard statements : H320 - Causes eye irritation.

Precautionary statements

Prevention: P264 - Wash hands thoroughly after handling.

Date of issue/Date of revision : 10/10/2025 Date of previous issue : 05/17/2023 Version : 6 1/12

Section 2. Hazards identification

: P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Response

Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 - If eye irritation persists: Get medical attention.

: Not applicable. **Storage Disposal** : Not applicable.

Other hazards

Hazards not otherwise

classified

: None known.

Hazards identified when

used

: No known significant effects or critical hazards.

Section 3. Composition/information on ingredients

Mixture Substance/mixture

Ingredient name	Synonyms	%	Identifiers
Ø lycerol	-	≥45 - ≤70	CAS: 56-81-5
Phenol	-	≥0.1 - ≤1	CAS: 108-95-2

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10

minutes. If irritation persists, get medical attention.

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial

respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar,

tie, belt or waistband.

Flush contaminated skin with plenty of water. Remove contaminated clothing and Skin contact shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean

shoes thoroughly before reuse.

Ingestion : Wash out mouth with water. Remove dentures if any. If material has been swallowed

> and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately.

Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact : Causes eye irritation.

Inhalation : No known significant effects or critical hazards.

Date of issue/Date of revision : 10/10/2025 : 05/17/2023 Version: 6 Date of previous issue

Section 4. First aid measures

Skin contactIngestionNo known significant effects or critical hazards.No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact: Adverse symptoms may include the following:

irritation watering redness

Inhalation: No specific data.Skin contact: No specific data.Ingestion: No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large

quantities have been ingested or inhaled.

Specific treatments: No specific treatment.

Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training. It may

be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing

media

: Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing

media

: None known.

Specific hazards arising from the chemical

Hazardous thermal

decomposition products

: In a fire or if heated, a pressure increase will occur and the container may burst.

 Decomposition products may include the following materials: carbon dioxide

carbon monoxide

Special protective actions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders:

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Date of issue/Date of revision : 10/10/2025 Date of previous issue : 05/17/2023 Version : 6 3/12

Section 6. Accidental release measures

Environmental precautions

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

Methods for cleaning up

: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Section 7. Handling and storage

Precautions for safe handling

Protective measures

: Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene

: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities

Specific storage conditions: Please consult the label.

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
€ Îycerol	CAL OSHA PEL (United States, 1/2025) TWA 8 hours: 5 mg/m³. Form: respirable fraction. TWA 8 hours: 10 mg/m³. Form: total dust. OSHA PEL (United States, 5/2018) TWA 8 hours: 15 mg/m³. Form: Total dust. TWA 8 hours: 5 mg/m³. Form: Respirable fraction. OSHA PEL 1989 (United States, 3/1989) TWA 8 hours: 10 mg/m³. Form: Total dust. TWA 8 hours: 5 mg/m³. Form: Respirable fraction.
Phenol	NIOSH REL (United States, 10/2020) Absorbed through skin. TWA 10 hours: 5 ppm. TWA 10 hours: 19 mg/m³. CEIL 15 minutes: 15.6 ppm. CEIL 15 minutes: 60 mg/m³. CAL OSHA PEL (United States, 1/2025)

Date of issue/Date of revision : 10/10/2025 Date of previous issue : 05/17/2023 Version : 6 4/12

Section 8. Exposure controls/personal protection

Absorbed through skin.
TWA 8 hours: 19 mg/m³.
TWA 8 hours: 5 ppm.
OSHA PEL (United States, 5/2018) Absorbed
through skin.
TWA 8 hours: 5 ppm.
TWA 8 hours: 19 mg/m³.
OSHA PEL 1989 (United States, 3/1989)
Absorbed through skin.
TWA 8 hours: 5 ppm.
TWA 8 hours: 19 mg/m³.
ACGIH TLV (United States, 1/2024) A4.
Absorbed through skin.
TWA 8 hours: 5 ppm.
TWA 8 hours: 19 mg/m³.

Biological exposure indices

Ingredient name	Exposure indices	
Phenol	ACGIH BEI (United States, 1/2024)	
	BEI: 250 mg/g creatinine, phenol [in urine].	
	Sampling time: end of shift.	

Appropriate engineering controls

Environmental exposure controls

- : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
- Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

Skin protection

Hand protection

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Body protection

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Date of issue/Date of revision : 10/10/2025 Date of previous issue : 05/17/2023 Version : 6 5/12

Section 8. Exposure controls/personal protection

Respiratory protection

: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

Appearance

Physical state : Liquid. [Gel] Color : Amber. Odor : Sweet. : Not available. **Odor threshold** Ha : Not available.

Melting point/freezing point Boiling point or initial boiling point and boiling

range

: Not available. : Not available.

Flash point

	Closed cup				Open	cup
Ingredient name	°C	°F	Method	°C	°F	Method
Glycerol	-	-	-	177	350.6	-

Evaporation rate : Not available. **Flammability** : Not applicable. Lower and upper explosion

limit/flammability limit

Vapor pressure

: Not available.

	Vapor Pressure at 20°C			Vapor pressure at 50°C			
Ingredient name	mm Hg	kPa	Method	mm Hg	kPa	Method	
₩ater	17.5	2.3	-	92.258	12.3	-	
Glycerol	0.000075	0.00001	-	0.0025	0.00033	-	

Result

Soluble

: Not available. Relative vapor density Not available. **Relative density**

water

Miscible with water Yes.

octanol/water

Solubility(ies)

: Not applicable.

Media

Auto-ignition temperature

Partition coefficient: n-

Ingredient name	°C	°F	Method
Glycerol	370	698	-

Decomposition temperature

: Not available.

Viscosity

Dynamic (room temperature): Not available. Kinematic (room temperature): Not available. Kinematic (40°C (104°F)): Not available.

Particle characteristics

Median particle size : Not applicable.

Date of issue/Date of revision : 10/10/2025 : 05/17/2023 Version: 6 6/12 Date of previous issue

Section 10. Stability and reactivity

Reactivity : No specific test data related to reactivity available for this product or its ingredients.

Chemical stability : The product is stable.

Possibility of hazardous

reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid : Keep away from heat. May discolor on exposure to light or air. (prolonged exposure)

Incompatible materials : May react or be incompatible with oxidizing materials.

Hazardous decomposition

products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name Result

6 lycerol Rat - Oral - LD50 12600 mg/kg Phenol Rabbit - Dermal - LD50 630 mg/kg Rat - Oral - LD50 317 mg/kg

Rat - Dermal - LD50 669 mg/kg

Rat - Inhalation - LC50 Dusts and mists 316 mg/m³ [4 hours]

Conclusion/Summary

[Product]

: Not available.

Skin corrosion/irritation

Product/ingredient name Result

Slycerol Rabbit - Skin - Mild irritant Duration of treatment/ exposure: 24 hours

Rabbit - Skin - Severe irritant Phenol

Conclusion/Summary

[Product]

Not available.

Serious eye damage/eye irritation

Result

6 lycerol Duration of treatment/ Rabbit - Eyes - Mild irritant exposure: 24 hours

Phenol Rabbit - Eyes - Severe irritant

Conclusion/Summary

[Product]

: Not available.

Respiratory corrosion/irritation

Product/ingredient name

Conclusion/Summary : Not available.

[Product]

Respiratory or skin sensitization

Skin

Date of issue/Date of revision : 10/10/2025 Date of previous issue : 05/17/2023 Version 7/12

Section 11. Toxicological information

Conclusion/Summary

[Product]

: Not available.

Respiratory

Conclusion/Summary

[Product]

: Not available.

Germ cell mutagenicity

Conclusion/Summary

[Product]

: Not available.

Carcinogenicity

Not available.

Conclusion/Summary

[Product]

: Not available.

Classification

Product/ingredient name	OSHA	IARC	NTP
Phenol	-	3	-

Reproductive toxicity

Conclusion/Summary

: Not available.

[Product]

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Product/ingredient name

Phenol SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) -

Category 2

Result

Aspiration hazard

Not available.

Information on the likely

routes of exposure

: Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes.

Potential acute health effects

Eye contact : Causes eye irritation.

Inhalation: No known significant effects or critical hazards.Skin contact: No known significant effects or critical hazards.Ingestion: No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact: Adverse symptoms may include the following:

irritation watering redness

Inhalation : No specific data.

Date of issue/Date of revision : 10/10/2025 Date of previous issue : 05/17/2023 Version : 6 8/12

Section 11. Toxicological information

Skin contact : No specific data.

Ingestion : No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate : Not available.

effects

Potential delayed effects : Not available.

Long term exposure

Potential immediate : Not available.

effects

Potential delayed effects : Not available.

Potential chronic health effects

Conclusion/Summary : Not available.

[Product]

General : No known significant effects or critical hazards.
 Carcinogenicity : No known significant effects or critical hazards.
 Mutagenicity : No known significant effects or critical hazards.
 Reproductive toxicity : No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Product/ingredient name	(3	,	(vapors)	Inhalation (dusts and mists) (mg/ I)
Ølycerol	12600	N/A	N/A	N/A
Phenol	100	N/A	3	N/A

Section 12. Ecological information

Toxicity

Product/ingredient name Result

 Ølycerol
 Acute - LC50 - Fresh water
 54000 mg/l [96 hours]

 Phenol
 Chronic - NOEC - Fresh water
 118 μg/l [90 days]

 Chronic - NOEC - Fresh water
 1.5 mg/l [21 days]

 Chronic - NOEC - Marine water
 16 μg/l [72 hours]

 Acute - IC50 - Fresh water
 0.52 mg/l [3 days]

Conclusion/Summary : Not available.

[Product]

Persistence and degradability

Product/ingredient name Result

☑ycerol Ready Biodegradability - 93% [30 days] -

Closed Bottle Test

Conclusion/Summary

[Product]

: Not available.

Date of issue/Date of revision : 10/10/2025 Date of previous issue : 05/17/2023 Version : 6 9/12

Section 12. Ecological information

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
Phenol	-	-	Inherent

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Siycerol	-1.76	-	Low
Phenol	1.47	647 [OECD 305 E]	High

Mobility in soil

Soil/Water partition

coefficient

: Not available.

Other adverse effects

: No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

DOT / TDG / Mexico / IMDG / : Not regulated.

IATA

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the

event of an accident or spillage.

Transport in bulk according: Not available.

to IMO instruments

Section 15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

U.S. Federal regulations : Clean Water Act (CWA) 307: Phenol

Clean Water Act (CWA) 311: Phenol; Sodium hydroxide

TSCA 12(b) - Chemical export notification

Not applicable.

Clean Air Act Section 112 : Listed

(b) Hazardous Air **Pollutants (HAPs)**

Date of issue/Date of revision : 10/10/2025 10/12 Date of previous issue : 05/17/2023 Version: 6

Section 15. Regulatory information

Clean Air Act Section 602

Class I Substances

: Not listed

Clean Air Act Section 602

Class II Substances

DEA List I Chemicals

: Not listed

: Not listed

(Precursor Chemicals)

DEA List II Chemicals

: Not listed

(Essential Chemicals)

SARA 302/304

Composition/information on ingredients

			SARA 302 TPQ		SARA 304 RQ	
Name	%	EHS	(lbs)	(gallons)	(lbs)	(gallons)
Phenol	≥0.1 - ≤1	Yes.	500 / 10000	-	1000	-

SARA 304 RQ : 150829.6 lbs / 68476.6 kg

SARA 311/312

Classification : EYE IRRITATION - Category 2B

Composition/information on ingredients

Name	%	Classification
6 lycerol	≥45 - ≤70	EYE IRRITATION - Category 2B

State regulations

Massachusetts : The following components are listed: GLYCERINE MIST

New York : None of the components are listed.

: The following components are listed: GLYCERIN; PHENOL **New Jersey Pennsylvania** : The following components are listed: 1,2,3-PROPANETRIOL

California Prop. 65

This product does not require a Safe Harbor warning under California Prop. 65.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

Australia : All components are listed or exempted. Canada : All components are listed or exempted. China : All components are listed or exempted.

Date of issue/Date of revision : 10/10/2025 : 05/17/2023 Version: 6 11/12 Date of previous issue

Section 15. Regulatory information

Japan : Japan inventory (CSCL): Not determined.

Japan inventory (ISHL): Not determined.

New Zealand : All components are listed or exempted.

Philippines : All components are listed or exempted.

Republic of Korea : All components are listed or exempted.

Taiwan : All components are listed or exempted.
Thailand : All components are listed or exempted.

Turkey All components are listed or exempted

Turkey : All components are listed or exempted.
United States : All components are active or exempted.

Viet Nam : All components are listed or exempted.

Section 16. Other information

Procedure used to derive the classification

Classification	Justification
EYE IRRITATION - Category 2B	Calculation method

History

Date of issue/Date of

revision

: 10/10/2025

Date of previous issue : 05/17/2023

Version : 6

Key to abbreviations

: ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

DOT = Department of Transportation

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

IMO = International Maritime Organization

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973

as modified by the Protocol of 1978. ("Marpol" = marine pollution)

N/A = Not available

SGG = Segregation Group

TDG = Transportation of Dangerous Goods

UN = United Nations

Indicates information that has changed from previously issued version.

Notice to reader

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

Date of issue/Date of revision : 10/10/2025 Date of previous issue : 05/17/2023 Version : 6 12/12