

Revision date: 01/08/2025

1 Identification

· Product identifier

· Product Name: Aromatic Hydrocarbon Standard (1X1 mL)

· Part no.: SMA-301-1

· Restrictions

After February 3, 2025, this chemical substance (as defined in TSCA section 3(2))/ product cannot be distributed in commerce to retailers. After January 28, 2026, this chemical substance (as defined in TSCA section 3(2))/ product is and can only be distributed in commerce or processed with a concentration of methylene chloride equal to or greater than 0.1% by weight for the following purposes: (1) Processing as a reactant; (2) Processing for incorporation into a formulation, mixture, or reaction product; (3) Processing for recycling; (5) Industrial or commercial use as a laboratory chemical; (6) Industrial or commercial use as a bonding agent for solvent welding; (7) Industrial and commercial use as a paint and coating remover from safety critical, corrosion sensitive components of aircraft and spacecraft; (8) Industrial and commercial use as a processing aid; (9) Industrial and commercial use for plastic and rubber products manufacturing; (10) Industrial and commercial use as a solvent that becomes part of a formulation or mixture, where that formulation or mixture will be used inside a manufacturing process, and the solvent (methylene chloride) will be reclaimed; (11) Industrial and commercial use in the refinishing for wooden furniture, decorative pieces, and architectural fixtures of artistic, cultural or historic value until May 8, 2029; (12) Industrial and commercial use in adhesives and sealants in aircraft, space vehicle, and turbine applications for structural and safety critical non-structural applications until May 8, 2029; (13) Disposal; and (14) Export.

- · Application of the substance / the mixture Reagents and Standards for Analytical Chemical Laboratory Use
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Agilent Technologies, Inc. 5301 Stevens Creek Blvd.

Santa Clara, CA 95051 USA

· **Information department:** Telephone: 800-227-9770

e-mail: pdl-msds author@agilent.com

· Emergency telephone number: CHEMTREC®: 1-800-424-9300

2 Hazard(s) identification

Classification of the substance or mixture



GHS02 Flame

Flammable Liquids 2

H225 Highly flammable liquid and vapor.



GHS06 Skull and crossbones

Acute Toxicity - Inhalation 3

H331 Toxic if inhaled.



GHS08 Health hazard

Carcinogenicity 1B

H350 May cause cancer.

(Contd. on page 2)



Printing date: 01/08/2025 Revision date: 01/08/2025

Product Name: Aromatic Hydrocarbon Standard (1X1 mL)

(Contd. of page 1)

Specific Target Organ Toxicity - Single Exposure 1

H370 Causes damage to the central nervous system and

the visual organs.

Specific Target Organ Toxicity - Repeated Exposure 2 H373 May cause damage to organs through prolonged or

repeated exposure.



Skin Irritation 2 H315 Causes skin irritation.

Eye Irritation 2A H319 Causes serious eye irritation.

Specific Target Organ Toxicity - Single Exposure 3

H335 May cause respiratory irritation.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms









GHS02 GHS06 GHS07 GH

- · Signal word Danger
- · Hazard-determining components of labeling:

methanol

dichloromethane

- · Hazard statements
- H225 Highly flammable liquid and vapor.
- H331 Toxic if inhaled.
- H315 Causes skin irritation.
- H319 Causes serious eve irritation.
- H350 May cause cancer.
- H370 Causes damage to the central nervous system and the visual organs.
- H335 May cause respiratory irritation.
- H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P260 Do not breathe vapours.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P240 Ground/bond container and receiving equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P321 Specific treatment (see on this label).

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

(Contd. on page 3)



Printing date: 01/08/2025 Revision date: 01/08/2025

Product Name: Aromatic Hydrocarbon Standard (1X1 mL)

(Contd. of page 2)

P312 Call a poison center/doctor if you feel unwell.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/

shower.

P332+P313 If skin irritation occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.
P314 Get medical advice/attention if you feel unwell.

P370+P378 In case of fire: Use CO2, powder or water spray to extinguish.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P362+P364 Take off contaminated clothing and wash it before reuse.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 2Fire = 3Reactivity = 0

· HMIS-ratings (scale 0 - 4)



*2 Health = *2 3 Fire = 3

REACTIVITY 0 Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.

| · I | · Dangerous components: | | | | |
|-----|-------------------------|-----------------|----------|--|--|
| 7 | 75-09-2 | dichloromethane | 62.3225% | | |
| 6 | 67-56-1 | methanol | 37.1773% | | |

4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

(Contd. on page 4)



Printing date: 01/08/2025 Revision date: 01/08/2025

Product Name: Aromatic Hydrocarbon Standard (1X1 mL)

(Contd. of page 3)

· After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eve contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

| | 7 110010 | |
|----------|-----------------------|-------------------------|
| · PAC-1: | | |
| 75-09-2 | dichloromethane | 200 ppm |
| 67-56-1 | methanol | 530 ppm |
| 83-32-9 | Acenaphthene | 3.6 mg/m ³ |
| 91-20-3 | naphthalene | 15 ppm |
| 91-57-6 | 2-methylnaphthalene | 9 mg/m ³ |
| 208-96-8 | acenaphthylene | 10 mg/m ³ |
| 50-32-8 | benzo[a]pyrene | 0.6 mg/m^3 |
| 53-70-3 | dibenz[a,h]anthracene | 0.093 mg/m ³ |
| | | (Contd. on page 5 |



Printing date: 01/08/2025 Revision date: 01/08/2025

Product Name: Aromatic Hydrocarbon Standard (1X1 mL)

| 56.55.3 | | (Contd. of page |
|----------|--------------------------|------------------------|
| | benz[a]anthracene | 0.6 mg/m ³ |
| | phenanthrene | 5.4 mg/m ³ |
| | Fluorene | 6.6 mg/m ³ |
| | anthracene | 48 mg/m ³ |
| 129-00-0 | | 0.15 mg/m ³ |
| | benzo[ghi]perylene | 30 mg/m ³ |
| | indeno[1,2,3-cd]pyrene | 1.2 mg/m ³ |
| | benz[e]acephenanthrylene | 0.12 mg/m ³ |
| 206-44-0 | fluoranthene | 8.2 mg/m ³ |
| 218-01-9 | chrysene | 0.6 mg/m^3 |
| · PAC-2: | | |
| 75-09-2 | dichloromethane | 560 ppm |
| 67-56-1 | methanol | 2,100 ppi |
| 83-32-9 | Acenaphthene | 40 mg/m ³ |
| 91-20-3 | naphthalene | 83 ppm |
| 91-57-6 | 2-methylnaphthalene | 54 mg/m ³ |
| 208-96-8 | acenaphthylene | 110 mg/n |
| 50-32-8 | benzo[a]pyrene | 120 mg/n |
| 53-70-3 | dibenz[a,h]anthracene | 1 mg/m³ |
| 56-55-3 | benz[a]anthracene | 1.4 ppm |
| | phenanthrene | 1.8 ppm |
| | Fluorene | 72 mg/m ² |
| 120-12-7 | anthracene | 530 mg/n |
| 129-00-0 | pyrene | 1.7 ppm |
| | benzo[ghi]perylene | 330 mg/n |
| | indeno[1,2,3-cd]pyrene | 13 mg/m ³ |
| | benz[e]acephenanthrylene | 1.3 mg/m |
| | fluoranthene | 8.0 ppm |
| 218-01-9 | chrysene | 12 mg/m ² |
| · PAC-3: | | |
| 75-09-2 | dichloromethane | 6,900 ppm |
| | methanol | 7200* ppm |
| 83-32-9 | Acenaphthene | 240 mg/m ³ |
| | naphthalene | 500 ppm |
| | 2-methylnaphthalene | 320 mg/m ³ |
| | acenaphthylene | 660 mg/m ³ |
| | benzo[a]pyrene | 700 mg/m ³ |
| | dibenz[a,h]anthracene | 2.9 mg/m ³ |
| | benz[a]anthracene | 8.5 ppm |
| | phenanthrene | 10 ppm |
| | Fluorene | 430 mg/m ³ |
| 00 10 1 | | (Contd. on page |



Printing date: 01/08/2025 Revision date: 01/08/2025

Product Name: Aromatic Hydrocarbon Standard (1X1 mL)

| | | (Contd. of page 5) |
|----------|--------------------------|-------------------------|
| 120-12-7 | anthracene | 3,200 mg/m ³ |
| 129-00-0 | | 10 ppm |
| | benzo[ghi]perylene | 2,000 mg/m ³ |
| | indeno[1,2,3-cd]pyrene | 79 mg/m ³ |
| | benz[e]acephenanthrylene | 7.9 mg/m ³ |
| 206-44-0 | fluoranthene | 48 ppm |
| 218-01-9 | chrysene | 69 mg/m³ |

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- $\cdot \ Further \ information \ about \ storage \ conditions:$

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters

| · Com | · Components with limit values that require monitoring at the workplace: | | | | |
|-------|---|--|--|--|--|
| 75-09 | 9-2 dichloromethane | | | | |
| PEL | Short-term value: 125 ppm Long-term value: 25 ppm see 29 CFR 1910.1052 | | | | |
| REL | See Pocket Guide App. A | | | | |
| TLV | Long-term value: 50 ppm BEI, A3 | | | | |
| 67-56 | 67-56-1 methanol | | | | |
| PEL | Long-term value: 260 mg/m³, 200 ppm | | | | |
| REL | Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin | | | | |
| 1 | (Contd. on page 7) | | | | |

Contd. on page 7



Printing date: 01/08/2025 Revision date: 01/08/2025

Product Name: Aromatic Hydrocarbon Standard (1X1 mL)

(Contd. of page 6)

TLV Short-term value: 250 ppm Long-term value: 200 ppm

Skin; BEIc

· Ingredients with biological limit values:

75-09-2 dichloromethane

BEI 0.3 mg/L

Medium: urine Time: end of shift

Parameter: Dichloromethane (semi-quantitative)

67-56-1 methanol

BEI 15 mg/L

Medium: urine Time: end of shift

Parameter: Methanol (background, nonspecific)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

· Breathing equipment:

When used as intended with Agilent instruments, the use of the product under normal laboratory conditions and with standard practices does not result in significant airborne exposures and therefore respiratory protection is not needed.

Under an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved device/equipment with appropriate organic or acid gas cartridge.

· Protection of hands:

Although not recommended for constant contact with the chemicals or for clean-up, nitrile gloves 11-13 mil thickness are recommended for normal use. The breakthrough time is 1 hr. For cleaning a spill where there is direct contact of the chemical, butyl rubber gloves are recommended 12-15 mil thickness with breakthrough times exceeding 4 hrs. Supplier recommendations should be followed.

· Material of gloves

For normal use: nitrile rubber, 11-13 mil thickness

For direct contact with the chemical: butyl rubber, 12-15 mil thickness

· Penetration time of glove material

For normal use: nitrile rubber: 1 hour

For direct contact with the chemical: butyl rubber: >4 hours

· Eve protection:



Tightly sealed goggles



Printing date: 01/08/2025 Revision date: 01/08/2025

Product Name: Aromatic Hydrocarbon Standard (1X1 mL)

(Contd. of page 7)

| 9 Physical and chemical propert | ties |
|---|--|
| · Information on basic physical and cl | hemical properties |
| · General Information | |
| · Appearance: | PI '1 |
| Form: Color: | Fluid According to product specification |
| · Odor: | Characteristic |
| · Odor threshold: | Not determined. |
| · pH-value: | Not determined. |
| · Change in condition | |
| Melting point/Melting range: | Undetermined. |
| Boiling point/Boiling range: | 40 °C (104 °F) |
| · Flash point: | 9 °C (48.2 °F) |
| · Flammability (solid, gaseous): | Highly flammable. |
| · Auto igniting: | 455 °C (851 °F) |
| · Decomposition temperature: | Not determined. |
| · Ignition temperature: | Product is not selfigniting. |
| · Danger of explosion: | Product is not explosive. However, formation of explosive air/vapor mixtures are possible. |
| · Explosion limits: | |
| Lower: | 5.5 Vol % |
| Upper: | 44 Vol % |
| · Vapor pressure at 20 °C (68 °F): | 360 hPa (270 mm Hg) |
| · Density: | Not determined. |
| Relative density | Not determined. |
| Vapor density | Not determined. |
| · Evaporation rate | Not determined. |
| · Solubility in / Miscibility with Water: | Not miscible or difficult to mix. |
| · Partition coefficient (n-octanol/wate | |
| · Viscosity: | -y |
| Dynamic: | Not determined. |
| Kinematic: | Not determined. |
| · Solvent content: | |
| Organic solvents: | 99.5 % |
| VOC content: | 37.18 % |
| | 371.8 g/l / 3.10 lb/gal |
| Solids content: | 0.5 % |
| · Other information | No further relevant information available. |



Printing date: 01/08/2025 Revision date: 01/08/2025

Product Name: Aromatic Hydrocarbon Standard (1X1 mL)

(Contd. of page 8)

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

| · LD/LC50 | · LD/LC50 values that are relevant for classification: | | | | | |
|------------|--|-----------------------|--|--|--|--|
| ATE (Acu | ATE (Acute Toxicity Estimate) | | | | | |
| Inhalative | LC50/4 h | 8.07 mg/L | | | | |
| 75-09-2 di | 75-09-2 dichloromethane | | | | | |
| Oral | LD50 | 1,600 mg/kg (rat) | | | | |
| Dermal | LD50 | >2,000 mg/kg (rat) | | | | |
| Inhalative | LC50/4 h | 88 mg/L (rat) | | | | |
| 67-56-1 m | 67-56-1 methanol | | | | | |
| Oral | LD50 | 5,628 mg/kg (rat) | | | | |
| Dermal | LD50 | 15,800 mg/kg (rabbit) | | | | |

- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- $\cdot \ Additional \ toxicological \ information:$

The product shows the following dangers according to internally approved calculation methods for preparations: Toxic

Irritant

· Carcinogenic categories

| · IARC (Ir | ternational Agency for Research on Cancer) | |
|------------|--|----------|
| 75-09-2 | dichloromethane | 2A |
| 83-32-9 | Acenaphthene | 3 |
| 91-20-3 | naphthalene | 2B |
| 50-32-8 | benzo[a]pyrene | 1 |
| | dibenz[a,h]anthracene | 2A |
| | benz[a]anthracene | 2B |
| | phenanthrene | 3 |
| 86-73-7 | Fluorene | 3 |
| | anthracene | 2B |
| 129-00-0 | pyrene | 3 |
| | (Contd. on | page 10) |



Printing date: 01/08/2025 Revision date: 01/08/2025

Product Name: Aromatic Hydrocarbon Standard (1X1 mL)

| | | (Contd. of page |
|-----------|---|-----------------|
| | benzo[ghi]perylene | 3 |
| | indeno[1,2,3-cd]pyrene | 2] |
| | benz[e]acephenanthrylene | 21 |
| 206-44-0 | fluoranthene | 3 |
| 207-08-9 | benzo[k]fluoranthene | 2] |
| 218-01-9 | chrysene | 21 |
| · NTP (Na | tional Toxicology Program) | • |
| 75-09-2 | dichloromethane | |
| 91-20-3 | naphthalene | - |
| 50-32-8 | benzo[a]pyrene | |
| 53-70-3 | dibenz[a,h]anthracene | |
| 56-55-3 | benz[a]anthracene | |
| 85-01-8 | phenanthrene | |
| 86-73-7 | Fluorene | |
| 120-12-7 | anthracene | |
| 129-00-0 | pyrene | |
| 193-39-5 | indeno[1,2,3-cd]pyrene | |
| 205-99-2 | benz[e]acephenanthrylene | |
| 206-44-0 | fluoranthene | |
| 207-08-9 | benzo[k]fluoranthene | |
| 218-01-9 | chrysene | - |
| · OSHA-C | a (Occupational Safety & Health Administration) | |
| 75-09-2 | lichloromethane | |

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

IIQ.



Printing date: 01/08/2025 Revision date: 01/08/2025

Product Name: Aromatic Hydrocarbon Standard (1X1 mL)

(Contd. of page 10)

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

| 4 4 5 | | | P | 4.0 |
|-------|-------|---------|-------|-------|
| 4. | ranci | port in | torma | fion |
| | т ашь | | потша | LIUII |

| · Not Regulated, De minimis Quantities | - |
|--|--|
| · UN-Number · DOT, IMDG, IATA | UN1992 |
| · UN proper shipping name · DOT · IMDG, IATA | Flammable liquids, toxic, n.o.s. (Methanol, Dichloromethane) FLAMMABLE LIQUID, TOXIC, N.O.S. (METHANOL, DICHLOROMETHANE) |

- · Transport hazard class(es)
- · DOT





• Class 3 Flammable liquids • Label 3, 6.1

 \cdot IMDG





· Class· Label3 Flammable liquids3/6.1

 \cdot IATA





Class
Label
3 Flammable liquids
3 (6.1)

Packing group
DOT, IMDG, IATA
II

Environmental hazards:
Not applicable.

Special precautions for user

Warning: Flammable liquids

(Contd. on page 12)



Printing date: 01/08/2025 Revision date: 01/08/2025

Product Name: Aromatic Hydrocarbon Standard (1X1 mL)

(Contd. of page 11)

| · Hazard identification number (Kemler code): | 336 |
|---|---------|
| · EMS Number: | F-E,S-D |

· Segregation groups (SGG10) Liquid halogenated hydrocarbons

· Stowage Category B

· Stowage Code SW2 Clear of living quarters.

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· Transport/Additional information:

· DOT

• Quantity limitations On passenger aircraft/rail: 1 L On cargo aircraft only: 60 L

· IMDG

Limited quantities (LQ)Excepted quantities (EQ)Code: E2

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

• UN "Model Regulation": UN 1992 FLAMMABLE LIQUID, TOXIC, N.O.S. (METHANOL, DICHLOROMETHANE), 3 (6.1), II

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

| Section 3: | 55 (extremely hazardous substances): |
|------------|--------------------------------------|
| 120_00_0 | nyrene |

129-00-0 pyrene

Section 313 (Specific toxic chemical listings):

75-09-2 dichloromethane 67-56-1 methanol

91-20-3 naphthalene

50-32-8 benzo[a]pyrene

53-70-3 dibenz[a,h]anthracene

56-55-3 benz[a]anthracene

85-01-8 phenanthrene

120-12-7 anthracene

191-24-2 benzo[ghi]perylene

193-39-5 indeno[1,2,3-cd]pyrene

205-99-2 benz[e]acephenanthrylene

206-44-0 fluoranthene

207-08-9 benzo[k]fluoranthene

218-01-9 chrysene

· TSCA (Toxic Substances Control Act):

After February 3, 2025, this chemical substance (as defined in TSCA section 3(2))/ product cannot be distributed in commerce to retailers. After January 28, 2026, this chemical substance (as defined in TSCA section 3(2))/ product is and can only be distributed in commerce or processed with a concentration of methylene chloride equal (Contd. on page 13)



Printing date: 01/08/2025 Revision date: 01/08/2025

Product Name: Aromatic Hydrocarbon Standard (1X1 mL)

(Contd. of page 12)

to or greater than 0.1% by weight for the following purposes: (1) Processing as a reactant; (2) Processing for incorporation into a formulation, mixture, or reaction product; (3) Processing for repackaging; (4) Processing for recycling; (5) Industrial or commercial use as a laboratory chemical; (6) Industrial or commercial use as a bonding agent for solvent welding; (7) Industrial and commercial use as a paint and coating remover from safety critical, corrosion sensitive components of aircraft and spacecraft; (8) Industrial and commercial use as a processing aid; (9) Industrial and commercial use for plastic and rubber products manufacturing; (10) Industrial and commercial use as a solvent that becomes part of a formulation or mixture, where that formulation or mixture will be used inside a manufacturing process, and the solvent (methylene chloride) will be reclaimed; (11) Industrial and commercial use in the refinishing for wooden furniture, decorative pieces, and architectural fixtures of artistic, cultural or historic value until May 8, 2029; (12) Industrial and commercial use in adhesives and sealants in aircraft, space vehicle, and turbine applications for structural and safety critical non-structural applications until May 8, 2029; (13) Disposal; and (14) Export.

| | 75-09-2 | dichloromethane | ACTIVE | |
|---|--|---|--------|--|
| | 67-56-1 | methanol | ACTIVE | |
| | 83-32-9 | Acenaphthene | ACTIVE | |
| | 91-20-3 | naphthalene | ACTIVE | |
| | 91-57-6 | 2-methylnaphthalene | ACTIVE | |
| | 208-96-8 | acenaphthylene | ACTIVE | |
| | 50-32-8 | benzo[a]pyrene | ACTIVE | |
| | | dibenz[a,h]anthracene | ACTIVE | |
| | | benz[a]anthracene | ACTIVE | |
| | 85-01-8 | phenanthrene | ACTIVE | |
| | 86-73-7 | Fluorene | ACTIVE | |
| | 120-12-7 | anthracene | ACTIVE | |
| | 129-00-0 | pyrene | ACTIVE | |
| | 193-39-5 | indeno[1,2,3-cd]pyrene | ACTIVE | |
| | 206-44-0 | fluoranthene | ACTIVE | |
| | 218-01-9 | chrysene | ACTIVE | |
| Ì | · Hazardoı | us Air Pollutants | | |
| | 75-09-2 | 5-09-2 dichloromethane | | |
| | 67-56-1 | methanol | | |
| | | 0-3 naphthalene | | |
| | | -32-8 benzo[a]pyrene | | |
| | | dibenz[a,h]anthracene | | |
| | | benz[a]anthracene | | |
| | 85-01-8 | phenanthrene | | |
| | 86-73-7 | Fluorene | | |
| | 100 10 7 | 1 1 100 1 100 100 100 100 100 100 100 1 | | |
| | 120-12-7 | anthracene | | |
| | 129-00-0 | anthracene pyrene | | |
| | 129-00-0 193-39-5 | anthracene pyrene indeno[1,2,3-cd]pyrene | | |
| | 129-00-0 193-39-5 205-99-2 | anthracene pyrene indeno[1,2,3-cd]pyrene benz[e]acephenanthrylene | | |
| | 129-00-0 193-39-5 205-99-2 206-44-0 | anthracene pyrene indeno[1,2,3-cd]pyrene benz[e]acephenanthrylene fluoranthene | | |
| | 129-00-0 193-39-5 205-99-2 206-44-0 207-08-9 | anthracene pyrene indeno[1,2,3-cd]pyrene benz[e]acephenanthrylene fluoranthene benzo[k]fluoranthene | | |
| | 129-00-0 193-39-5 205-99-2 206-44-0 | anthracene pyrene indeno[1,2,3-cd]pyrene benz[e]acephenanthrylene fluoranthene benzo[k]fluoranthene | | |



Printing date: 01/08/2025 Revision date: 01/08/2025

Product Name: Aromatic Hydrocarbon Standard (1X1 mL)

(Contd. of page 13) · Proposition 65 · Chemicals known to cause cancer: 75-09-2 dichloromethane 91-20-3 naphthalene 50-32-8 benzo[a]pyrene 53-70-3 dibenz[a,h]anthracene 56-55-3 benz[a]anthracene 120-12-7 anthracene 193-39-5 indeno[1,2,3-cd]pyrene 205-99-2 benz[e]acephenanthrylene 207-08-9 benzo[k]fluoranthene 218-01-9 chrysene · Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. · Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. · Chemicals known to cause developmental toxicity: 67-56-1 methanol · Carcinogenic categories · EPA (Environmental Protection Agency) 75-09-2 dichloromethane L 91-20-3 naphthalene C, CBD 91-57-6 2-methylnaphthalene 208-96-8 acenaphthylene D 50-32-8 benzo[a]pyrene CaH 53-70-3 dibenz[a,h]anthracene B2 56-55-3 benz[a]anthracene B2 85-01-8 phenanthrene D 86-73-7 Fluorene D 120-12-7 anthracene D

| • | |
|-------------------------------|--|
| · TLV (Threshold Limit Value) | |

129-00-0 pyrene

191-24-2 benzo[ghi]perylene

206-44-0 fluoranthene

218-01-9 chrysene

193-39-5 indeno[1,2,3-cd]pyrene

207-08-9 benzo[k]fluoranthene

205-99-2 benz[e]acephenanthrylene

| 75-09-2 | dichloromethane | A3 |
|---------|---------------------|----|
| 91-20-3 | naphthalene | A4 |
| 91-57-6 | 2-methylnaphthalene | A4 |

(Contd. on page 15)

D

D

В2

B2

D

В2

B2



Printing date: 01/08/2025 Revision date: 01/08/2025

Product Name: Aromatic Hydrocarbon Standard (1X1 mL)

| | | (Contd. of page 14) | | |
|--|--------------------------|---------------------|--|--|
| | benzo[a]pyrene | A2 | | |
| | benz[a]anthracene | A2 | | |
| 205-99-2 | benz[e]acephenanthrylene | A2 | | |
| 218-01-9 | chrysene | A3 | | |
| · NIOSH-Ca (National Institute for Occupational Safety and Health) | | | | |
| | dichloromethane | | | |
| | benzo[a]pyrene | | | |
| 218-01-9 | chrysene | | | |

- · National regulations:
- · Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

- · Contact:
- · Date of preparation / last revision 01/08/2025 / 3
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flammable Liquids 2: Flammable liquids – Category 2

Acute Toxicity - Inhalation 3: Acute toxicity - Category 3

Skin Irritation 2: Skin corrosion/irritation – Category 2

Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A

Carcinogenicity 1B: Carcinogenicity – Category 1B

Specific Target Organ Toxicity - Single Exposure 1: Specific target organ toxicity (single exposure) - Category 1

Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) - Category 2

* Data compared to the previous version altered.