

Safety Data Sheet

acc. to OSHA HCS

Revision date 08/24/2024

1 Identification

- **Product identifier**
- **Product Name:** Organophosphorous Pesticide Standard (1X1 mL)
- **Part number:** SPM-630-1
- **Application of the substance / the mixture** Reagents and Standards for Analytical Chemical Laboratory Use
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Agilent Technologies, Inc.
5301 Stevens Creek Blvd.
Santa Clara, CA 95051 USA
- **Information department:**
Telephone: 800-227-9770
e-mail: pdl-msds_author@agilent.com
- **Emergency telephone number:** CHEMTREC®: 1-800-424-9300

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS02 Flame

Flammable Liquids 2

H225 Highly flammable liquid and vapor.



GHS08 Health hazard

Carcinogenicity 2

H351 Suspected of causing cancer.

Aspiration Hazard 1

H304 May be fatal if swallowed and enters airways.



GHS07

Acute Toxicity - Oral 4

H302 Harmful if swallowed.

Acute Toxicity - Inhalation 4

H332 Harmful if inhaled.

Skin Irritation 2

H315 Causes skin irritation.

Eye Irritation 2A

H319 Causes serious eye irritation.

Sensitization - Skin 1

H317 May cause an allergic skin reaction.

Specific Target Organ Toxicity - Single Exposure 3 H336 May cause drowsiness or dizziness.

- **Label elements**

- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS02



GHS07



GHS08

- **Signal word** Danger

(Contd. on page 2)

Safety Data Sheet
acc. to OSHA HCS

Printing date 08/24/2024

Revision date 08/24/2024

Product Name: Organophosphorous Pesticide Standard (1X1 mL)

(Contd. of page 1)

· Hazard-determining components of labeling:

HEXANE
acetone
parathion (ISO)
azinphos-methyl (ISO)
malathion (ISO)

· Hazard statements

H225 Highly flammable liquid and vapor.
H302+H332 Harmful if swallowed or if inhaled.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H317 May cause an allergic skin reaction.
H351 Suspected of causing cancer.
H336 May cause drowsiness or dizziness.
H304 May be fatal if swallowed and enters airways.

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P241 Use explosion-proof electrical/ventilating/lighting/equipment.
P261 Avoid breathing dust/fume/gas/mist/vapors/spray
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P240 Ground/bond container and receiving equipment.
P242 Use only non-sparking tools.
P243 Take precautionary measures against static discharge.
P264 Wash thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P272 Contaminated work clothing must not be allowed out of the workplace.
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P301+P310 If swallowed: Immediately call a poison center/doctor.
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P321 Specific treatment (see on this label).
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P363 Wash contaminated clothing before reuse.
P308+P313 IF exposed or concerned: Get medical advice/attention.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.
P330 Rinse mouth.
P331 Do NOT induce vomiting.
P370+P378 In case of fire: Use CO₂, powder or water spray to extinguish.
P362+P364 Take off contaminated clothing and wash it before reuse.
P405 Store locked up.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.
P403+P235 Store in a well-ventilated place. Keep cool.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 3)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/24/2024

Revision date 08/24/2024

Product Name: Organophosphorous Pesticide Standard (1X1 mL)

(Contd. of page 2)

- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**



- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

67-64-1	acetone	53.9499%
	HEXANE	44.9469%
56-38-2	parathion (ISO)	0.1379%
86-50-0	azinphos-methyl (ISO)	0.1379%
121-75-5	malathion (ISO)	0.1379%
298-00-0	parathion -methyl (ISO)	0.1379%
298-04-4	disulfoton	0.1379%
563-12-2	ethion (ISO)	0.1379%
8065-48-3	demeton	0.1379%

4 First-aid measures

- **Description of first aid measures**
- **General information:**
Immediately remove any clothing soiled by the product.
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- **After inhalation:**
Supply fresh air and to be sure call for a doctor.
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** Immediately call a doctor.

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/24/2024

Revision date 08/24/2024

Product Name: Organophosphorous Pesticide Standard (1X1 mL)

(Contd. of page 3)

- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** Mouth respiratory protective device.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· PAC-1:

67-64-1	acetone	200 ppm
56-38-2	parathion (ISO)	0.15 mg/m ³
86-50-0	azinphos-methyl (ISO)	0.6 mg/m ³
121-75-5	malathion (ISO)	15 mg/m ³
298-00-0	parathion -methyl (ISO)	0.11 mg/m ³
298-04-4	disulfoton	0.18 mg/m ³
563-12-2	ethion (ISO)	1.2 mg/m ³
8065-48-3	demeton	0.18 mg/m ³

· PAC-2:

67-64-1	acetone	3200* ppm
56-38-2	parathion (ISO)	1.5 mg/m ³
86-50-0	azinphos-methyl (ISO)	0.7 mg/m ³
121-75-5	malathion (ISO)	120 mg/m ³
298-00-0	parathion -methyl (ISO)	1.2 mg/m ³
298-04-4	disulfoton	2 mg/m ³

(Contd. on page 5)

Safety Data Sheet acc. to OSHA HCS

Printing date 08/24/2024

Revision date 08/24/2024

Product Name: Organophosphorous Pesticide Standard (1X1 mL)

(Contd. of page 4)

563-12-2	ethion (ISO)	13 mg/m ³
8065-48-3	demeton	2 mg/m ³
· PAC-3:		
67-64-1	acetone	5700* ppm
56-38-2	parathion (ISO)	2.0 mg/m ³
86-50-0	azinphos-methyl (ISO)	20 mg/m ³
121-75-5	malathion (ISO)	390 mg/m ³
298-00-0	parathion -methyl (ISO)	3.5 mg/m ³
298-04-4	disulfoton	8.8 mg/m ³
563-12-2	ethion (ISO)	38 mg/m ³
8065-48-3	demeton	20 mg/m ³

7 Handling and storage

· Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles: Store in a cool location.

· Information about storage in one common storage facility: Not required.

· Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

67-64-1 acetone

PEL Long-term value: 2400 mg/m³, 1000 ppm

REL Long-term value: 590 mg/m³, 250 ppm

TLV Short-term value: 500 ppm

Long-term value: 250 ppm

A4, BEI

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/24/2024

Revision date 08/24/2024

Product Name: Organophosphorous Pesticide Standard (1X1 mL)

(Contd. of page 5)

HEXANE

REL Long-term value: 350 mg/m³, 100 ppm
Ceiling limit value: 1800* mg/m³, 510* ppm
*15-min

86-50-0 azinphos-methyl (ISO)

PEL Long-term value: 0.2 mg/m³
Skin

REL Long-term value: 0.2 mg/m³
Skin

TLV Long-term value: 0.2* mg/m³
Skin, BEI-C, DSEN; *inh. fraction+vapor, A4

298-00-0 parathion -methyl (ISO)

REL Long-term value: 0.2 mg/m³
Skin

TLV Long-term value: 0.02* mg/m³
Skin; BEI-C;*as inh. fraction and vapor, A4

298-04-4 disulfoton

REL Long-term value: 0.1 mg/m³
Skin

TLV Long-term value: 0.05* mg/m³
Skin; BEI-C;*as inh. fraction and vapor, A4

563-12-2 ethion (ISO)

REL Long-term value: 0.4 mg/m³
Skin

TLV Long-term value: 0.05* mg/m³
Skin; BEI-C*as inh. fraction and vapor, A4

8065-48-3 demeton

PEL Long-term value: 0.1 mg/m³
Skin

REL Long-term value: 0.1 mg/m³
Skin

TLV Long-term value: 0.05* mg/m³
Skin; BEI-C;*as inhalable fraction and vapor

· Ingredients with biological limit values:
67-64-1 acetone

BEI 25 mg/L
Medium: urine
Time: end of shift
Parameter: Acetone (nonspecific)

86-50-0 azinphos-methyl (ISO)

BEI 70 % of baseline
Medium: red blood cells
Time: discretionary
Parameter: Cholinesterase activity (nonspecific)

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/24/2024

Revision date 08/24/2024

Product Name: Organophosphorous Pesticide Standard (1X1 mL)

(Contd. of page 6)

298-00-0 parathion -methyl (ISO)

BEI	70 % of baseline Medium: red blood cells Time: discretionary Parameter: Cholinesterase activity (nonspecific)
-----	--

298-04-4 disulfoton

BEI	70 % of baseline Medium: red blood cells Time: discretionary Parameter: Cholinesterase activity (nonspecific)
-----	--

563-12-2 ethion (ISO)

BEI	70 % of baseline Medium: red blood cells Time: discretionary Parameter: Cholinesterase activity (nonspecific)
-----	--

8065-48-3 demeton

BEI	70 % of baseline Medium: red blood cells Time: discretionary Parameter: Cholinesterase activity (nonspecific)
-----	--

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Store protective clothing separately.
Avoid contact with the eyes and skin.

· **Breathing equipment:**

When used as intended with Agilent instruments, the use of the product under normal laboratory conditions and with standard practices does not result in significant airborne exposures and therefore respiratory protection is not needed.

Under an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved device/equipment with appropriate organic or acid gas cartridge.

· **Protection of hands:**

Although not recommended for constant contact with the chemicals or for clean-up, nitrile gloves 11-13 mil thickness are recommended for normal use. The breakthrough time is 1 hr. For cleaning a spill where there is direct contact of the chemical, butyl rubber gloves are recommended 12-15 mil thickness with breakthrough times exceeding 4 hrs. Supplier recommendations should be followed.

· **Material of gloves**

For normal use: nitrile rubber, 11-13 mil thickness
For direct contact with the chemical: butyl rubber, 12-15 mil thickness

· **Penetration time of glove material**

For normal use: nitrile rubber: 1 hour
For direct contact with the chemical: butyl rubber: >4 hours

(Contd. on page 8)

Safety Data Sheet acc. to OSHA HCS

Printing date 08/24/2024

Revision date 08/24/2024

Product Name: Organophosphorous Pesticide Standard (1X1 mL)

(Contd. of page 7)

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form:

Fluid

Color:

According to product specification

· Odor:

Characteristic

· Odor threshold:

Not determined.

· pH-value:

Not determined.

· Change in condition

Melting point/Melting range:

Undetermined.

Boiling point/Boiling range:

55.8-56.6 °C (132.4-133.9 °F)

· Flash point:

<-20 °C (<-4 °F)

· Flammability (solid, gaseous):

Highly flammable.

· Auto igniting:

465 °C (869 °F)

· Decomposition temperature:

Not determined.

· Ignition temperature:

Product is not selfigniting.

· Danger of explosion:

Product is not explosive. However, formation of explosive air/vapor mixtures are possible.

· Explosion limits:

Lower:

2.6 Vol %

Upper:

13 Vol %

· Vapor pressure at 20 °C (68 °F):

175 hPa (131.3 mm Hg)

· Vapor pressure at 50 °C (122 °F):

800 hPa (600 mm Hg)

· Density at 20 °C (68 °F):

0.75989 g/cm³ (6.34128 lbs/gal)

· Relative density

Not determined.

· Vapor density

Not determined.

· Evaporation rate

Not determined.

· Solubility in / Miscibility with

Water:

Not miscible or difficult to mix.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic:

Not determined.

Kinematic:

Not determined.

(Contd. on page 9)

Safety Data Sheet acc. to OSHA HCS

Printing date 08/24/2024

Revision date 08/24/2024

Product Name: Organophosphorous Pesticide Standard (1X1 mL)

(Contd. of page 8)

· Solvent content:	
Organic solvents:	54.6 %
VOC content:	0.69 %
	5.2 g/l / 0.04 lb/gal
· Solids content:	0.3 %
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

ATE (Acute Toxicity Estimate)

Oral	LD50	367 mg/kg (rat)
Dermal	LD50	2,146 mg/kg (rat)
Inhalative	LC50/4 h	17.3 mg/L

67-64-1 acetone

Oral	LD50	5,800 mg/kg (rat)
Dermal	LD50	20,000 mg/kg (rabbit)

56-38-2 parathion (ISO)

Oral	LD50	2 mg/kg (rat)
Dermal	LD50	6.8 mg/kg (rat)

86-50-0 azinphos-methyl (ISO)

Oral	LD50	7 mg/kg (rat)
Dermal	LD50	250 mg/kg (rat)

121-75-5 malathion (ISO)

Oral	LD50	1,000 mg/kg (rat)
Dermal	LD50	8,790 mg/kg (rabbit)

298-00-0 parathion -methyl (ISO)

Oral	LD50	6.01 mg/kg (rat)
Dermal	LD50	67 mg/kg (rat)

(Contd. on page 10)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/24/2024

Revision date 08/24/2024

Product Name: Organophosphorous Pesticide Standard (1X1 mL)

(Contd. of page 9)

		300 mg/kg (rabbit)
298-04-4 disulfoton		
Oral	LD50	2 mg/kg (rat)
Dermal	LD50	20 mg/kg (rat)
563-12-2 ethion (ISO)		
Oral	LD50	13 mg/kg (rat)
Dermal	LD50	62 mg/kg (rat)
Inhalative	LC50/4 h	864 mg/L (rat)
8065-48-3 demeton		
Oral	LD50	1.7 mg/kg (rat)
Dermal	LD50	8.2 mg/kg (rat)

· **Primary irritant effect:**

· **on the skin:** Irritant to skin and mucous membranes.

· **on the eye:** Irritating effect.

· **Sensitization:** Sensitization possible through skin contact.

· **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful

Irritant

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

56-38-2	parathion (ISO)	2B
121-75-5	malathion (ISO)	2A
298-00-0	parathion -methyl (ISO)	3
333-41-5	diazinon (ISO)	2A

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

· **Toxicity**

· **Aquatic toxicity:** No further relevant information available.

· **Persistence and degradability** No further relevant information available.

· **Behavior in environmental systems:**

· **Bioaccumulative potential** No further relevant information available.

· **Mobility in soil** No further relevant information available.

· **Additional ecological information:**

· **General notes:**

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

(Contd. on page 11)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/24/2024

Revision date 08/24/2024

Product Name: Organophosphorous Pesticide Standard (1X1 mL)

(Contd. of page 10)

- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

· Not Regulated, De minimis Quantities	-
· UN-Number	
· DOT, IMDG, IATA	UN1993
· UN proper shipping name	
· DOT	Flammable liquids, n.o.s. (Acetone, HEXANE)
· IMDG	FLAMMABLE LIQUID, N.O.S. (ACETONE, HEXANE), MARINE POLLUTANT
· IATA	FLAMMABLE LIQUID, N.O.S. (ACETONE, HEXANE)
· Transport hazard class(es)	
· DOT	
	
· Class	3 Flammable liquids
· Label	3
· IMDG	
 	
· Class	3 Flammable liquids
· Label	3
· IATA	
	
· Class	3 Flammable liquids
· Label	3

(Contd. on page 12)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/24/2024

Revision date 08/24/2024

Product Name: Organophosphorous Pesticide Standard (1X1 mL)

(Contd. of page 11)

· Packing group · DOT, IMDG, IATA	II
· Environmental hazards: · Marine pollutant:	Product contains environmentally hazardous substances: azinphos-methyl (ISO) Symbol (fish and tree)
· Special precautions for user · Hazard identification number (Kemler code): 33 · EMS Number: · Stowage Category	Warning: Flammable liquids F-E, <u>S-E</u> B
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information: · DOT · Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (ACETONE, HEXANE), 3, II, ENVIRONMENTALLY HAZARDOUS

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
No further relevant information available.
- **Sara**

· **Section 355 (extremely hazardous substances):**

56-38-2	parathion (ISO)
86-50-0	azinphos-methyl (ISO)
298-00-0	parathion -methyl (ISO)
298-04-4	disulfoton
563-12-2	ethion (ISO)
8065-48-3	demeton

· **Section 313 (Specific toxic chemical listings):**

56-38-2	parathion (ISO)
121-75-5	malathion (ISO)
298-00-0	parathion -methyl (ISO)
333-41-5	diazinon (ISO)

· **TSCA (Toxic Substances Control Act):**

67-64-1	acetone	ACTIVE
---------	---------	--------

(Contd. on page 13)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/24/2024

Revision date 08/24/2024

Product Name: Organophosphorous Pesticide Standard (1X1 mL)

(Contd. of page 12)

333-41-5	diazinon (ISO)	ACTIVE
· Hazardous Air Pollutants		
56-38-2	parathion (ISO)	
· Proposition 65		
· Chemicals known to cause cancer:		
56-38-2	parathion (ISO)	
121-75-5	malathion (ISO)	
· Chemicals known to cause reproductive toxicity for females:		
None of the ingredients is listed.		
· Chemicals known to cause reproductive toxicity for males:		
None of the ingredients is listed.		
· Chemicals known to cause developmental toxicity:		
None of the ingredients is listed.		
· Carcinogenic categories		
· EPA (Environmental Protection Agency)		
67-64-1	acetone	I
56-38-2	parathion (ISO)	C
· TLV (Threshold Limit Value)		
67-64-1	acetone	A4
56-38-2	parathion (ISO)	A4
86-50-0	azinphos-methyl (ISO)	A4
121-75-5	malathion (ISO)	A4
298-00-0	parathion -methyl (ISO)	A4
298-04-4	disulfoton	A4
333-41-5	diazinon (ISO)	A4
563-12-2	ethion (ISO)	A4
· NIOSH-Ca (National Institute for Occupational Safety and Health)		
None of the ingredients is listed.		
· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.		

16 Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

· **Contact:**

· **Date of preparation / last revision** 08/24/2024 / 4

· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 14)

Safety Data Sheet
acc. to OSHA HCS

Printing date 08/24/2024

Revision date 08/24/2024

Product Name: Organophosphorous Pesticide Standard (1X1 mL)

(Contd. of page 13)

NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
BEI: Biological Exposure Limit
Flammable Liquids 2: Flammable liquids – Category 2
Acute Toxicity - Oral 4: Acute toxicity – Category 4
Skin Irritation 2: Skin corrosion/irritation – Category 2
Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A
Sensitization - Skin 1: Skin sensitisation – Category 1
Carcinogenicity 2: Carcinogenicity – Category 2
Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3
Aspiration Hazard 1: Aspiration hazard – Category 1

· * **Data compared to the previous version altered.**

US