

Revision date: 01/08/2025

1 Identification

· Product identifier

· Product Name: Semi-Volatiles Standard (1X1 mL)

· Part no.: SVM-140-1

· Restrictions

After February 3, 2025, this chemical substance (as defined in TSCA section 3(2))/ product cannot be distributed in commerce to retailers. After January 28, 2026, this chemical substance (as defined in TSCA section 3(2))/ product is and can only be distributed in commerce or processed with a concentration of methylene chloride equal to or greater than 0.1% by weight for the following purposes: (1) Processing as a reactant; (2) Processing for incorporation into a formulation, mixture, or reaction product; (3) Processing for repackaging; (4) Processing for recycling; (5) Industrial or commercial use as a laboratory chemical; (6) Industrial or commercial use as a bonding agent for solvent welding; (7) Industrial and commercial use as a paint and coating remover from safety critical, corrosion sensitive components of aircraft and spacecraft; (8) Industrial and commercial use as a processing aid; (9) Industrial and commercial use for plastic and rubber products manufacturing; (10) Industrial and commercial use as a solvent that becomes part of a formulation or mixture, where that formulation or mixture will be used inside a manufacturing process, and the solvent (methylene chloride) will be reclaimed; (11) Industrial and commercial use in the refinishing for wooden furniture, decorative pieces, and architectural fixtures of artistic, cultural or historic value until May 8, 2029; (12) Industrial and commercial use in adhesives and sealants in aircraft, space vehicle, and turbine applications for structural and safety critical non-structural applications until May 8, 2029; (13) Disposal; and (14) Export.

- · Application of the substance / the mixture Reagents and Standards for Analytical Chemical Laboratory Use
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Agilent Technologies, Inc. 5301 Stevens Creek Blvd. Santa Clara, CA 95051 USA

· Information department:

Telephone: 800-227-9770

e-mail: pdl-msds author@agilent.com

· Emergency telephone number: CHEMTREC®: 1-800-424-9300

2 Hazard(s) identification

Classification of the substance or mixture



GHS08 Health hazard

Sensitization - Respiratory 1

H334 May cause allergy or asthma symptoms or breathing

difficulties if inhaled.

Carcinogenicity 1A H350 May cause cancer.

Specific Target Organ Toxicity - Repeated Exposure 2 H373 May cause damage to organs through prolonged or

repeated exposure.



Skin Irritation 2 H315 Causes skin irritation.

Eye Irritation 2A H319 Causes serious eye irritation. Sensitization - Skin 1

H317 May cause an allergic skin reaction.

(Contd. on page 2)



Printing date: 01/08/2025 Revision date: 01/08/2025

Product Name: Semi-Volatiles Standard (1X1 mL)

(Contd. of page 1)

Specific Target Organ Toxicity - Single Exposure 3 H335 May cause respiratory irritation.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS07

· Signal word Danger

· Hazard-determining components of labeling:

dichloromethane

3-methylcholanthrene

7,12-dimethylbenz[a]anthracene

phenacetin

quintozene (ISO)

4-dimethylaminoazobenzene

Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction.

H350 May cause cancer.

H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

| ٠ | · Precautionary sta | atements |
|---|---------------------|--|
| | P260 | Do not breathe vapours. |
| | P284 | [In case of inadequate ventilation] wear respiratory protection. |
| | P280 | Wear protective gloves/protective clothing/eye protection/face protection. |
| | P264 | Wash thoroughly after handling. |
| | P271 | Use only outdoors or in a well-ventilated area. |
| | P272 | Contaminated work clothing must not be allowed out of the workplace. |
| | P201 | Obtain special instructions before use. |
| | P202 | Do not handle until all safety precautions have been read and understood. |
| | P308+P313 | IF exposed or concerned: Get medical advice/attention. |
| | P321 | Specific treatment (see on this label). |
| | P342+P311 | If experiencing respiratory symptoms: Call a poison center/doctor. |
| | P304+P340 | IF INHALED: Remove person to fresh air and keep comfortable for breathing. |
| | P312 | Call a poison center/doctor if you feel unwell. |
| | P363 | Wash contaminated clothing before reuse. |
| | P333+P313 | If skin irritation or rash occurs: Get medical advice/attention. |
| | P337+P313 | If eye irritation persists: Get medical advice/attention. |
| | P314 | Get medical advice/attention if you feel unwell. |
| | P302+P352 | If on skin: Wash with plenty of water. |
| | P305+P351+P338 | If in eyes: Rinse cautiously with water for several minutes. Remove contact lens |
| | | and easy to do. Continue rinsing. |
| | D262+D264 | Talsa off contaminated alathing and weak it hafare rayes |

ises, if present

Take off contaminated clothing and wash it before reuse. P362+P364 Store in a well-ventilated place. Keep container tightly closed. P403+P233

P405 Store locked up.

(Contd. on page 3)



Printing date: 01/08/2025 Revision date: 01/08/2025

Product Name: Semi-Volatiles Standard (1X1 mL)

(Contd. of page 2)

P501

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- NFPA ratings (scale 0 4)



Health = 2Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



 *2 Health = *2Fire = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.

| · Dangerous | · Dangerous components: | | |
|-------------|------------------------------------|----------|--|
| 75-09-2 | dichloromethane | 97.1348% | |
| 56-49-5 | 3-methylcholanthrene | 0.1508% | |
| 57-97-6 | 7,12-dimethylbenz[a]anthracene | 0.1508% | |
| 60-11-7 | 4-dimethylaminoazobenzene | 0.1508% | |
| 62-44-2 | phenacetin | 0.1508% | |
| 82-68-8 | quintozene (ISO) | 0.1508% | |
| 91-59-8 | 2-naphthylamine | 0.1508% | |
| 92-67-1 | 4-aminobiphenyl | 0.1508% | |
| 100-75-4 | 1-nitrosopiperidine | 0.1508% | |
| 122-09-8 | alpha,alpha-dimethylphenethylamine | 0.1508% | |
| 122-39-4 | diphenylamine | 0.1508% | |
| 134-32-7 | 1-naphthylamine | 0.1508% | |
| 224-42-0 | Dibenz(a,j)acridine | 0.1508% | |
| 608-93-5 | pentachlorobenzene | 0.1508% | |
| 924-16-3 | N-nitrosodibutylamine | 0.1508% | |
| 23950-58-5 | propyzamide (ISO) | 0.1508% | |

(Contd. on page 4)



Printing date: 01/08/2025 Revision date: 01/08/2025

Product Name: Semi-Volatiles Standard (1X1 mL)

(Contd. of page 3)

4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

| PAC-1: | | |
|---------|---------------------------|-----------------------|
| 75-09-2 | dichloromethane | 200 ppm |
| 56-49-5 | 3-methylcholanthrene | 0.2 mg/m^3 |
| 60-11-7 | 4-dimethylaminoazobenzene | 0.6 mg/m ³ |
| 62-44-2 | phenacetin | 7.3 mg/m ³ |
| 82-68-8 | quintozene (ISO) | 1.5 mg/m ³ |
| 90-13-1 | 1-chloronaphthalene | 4.6 mg/m ³ |
| | | (Contd. on page |



Printing date: 01/08/2025 Revision date: 01/08/2025

Product Name: Semi-Volatiles Standard (1X1 mL)

| 01.70.0 | | (Contd. of page |
|----------|----------------------------|-----------------------|
| | 2-naphthylamine | 2.2 mg/m^3 |
| | 4-aminobiphenyl | 1.5 mg/m ³ |
| | 1,2,4,5-tetrachlorobenzene | 0.66 mg/m |
| | acetophenone | 30 ppm |
| | 2-methylpyridine | 5 ppm |
| | diphenylamine | 30 mg/m^3 |
| | 1-naphthylamine | 2 mg/m ³ |
| 608-93-5 | pentachlorobenzene | 4.4 mg/m ³ |
| · PAC-2: | | |
| 75-09-2 | dichloromethane | 560 ppm |
| | 3-methylcholanthrene | 2.3 mg/m ² |
| 60-11-7 | 4-dimethylaminoazobenzene | 6.6 mg/m |
| 62-44-2 | phenacetin | 80 mg/m ³ |
| 82-68-8 | quintozene (ISO) | 28 mg/m³ |
| 90-13-1 | 1-chloronaphthalene | 51 mg/m ³ |
| 91-59-8 | 2-naphthylamine | 24 mg/m³ |
| 92-67-1 | 4-aminobiphenyl | 2.5 ppm |
| 95-94-3 | 1,2,4,5-tetrachlorobenzene | 7.2 mg/m |
| 98-86-2 | acetophenone | 330 ppm |
| 109-06-8 | 2-methylpyridine | 7.7 ppm |
| 122-39-4 | diphenylamine | 180 mg/m |
| 134-32-7 | 1-naphthylamine | 22 mg/m³ |
| 608-93-5 | pentachlorobenzene | 36 mg/m ³ |
| · PAC-3: | | 1 |
| 75-09-2 | dichloromethane | 6,900 ppn |
| 56-49-5 | 3-methylcholanthrene | 29 mg/m³ |
| 60-11-7 | 4-dimethylaminoazobenzene | 40 mg/m ³ |
| 62-44-2 | phenacetin | 330 mg/m |
| 82-68-8 | quintozene (ISO) | 62 mg/m³ |
| 90-13-1 | 1-chloronaphthalene | 310 mg/m |
| 91-59-8 | 2-naphthylamine | 140 mg/m |
| | 4-aminobiphenyl | 14 ppm |
| 95-94-3 | 1,2,4,5-tetrachlorobenzene | 340 mg/m |
| 98-86-2 | acetophenone | 2000* ppr |
| 109-06-8 | 2-methylpyridine | 46 ppm |
| 122-39-4 | diphenylamine | 220 mg/m |
| | 1-naphthylamine | 130 mg/m |
| 608-93-5 | pentachlorobenzene | 210 mg/m |



Printing date: 01/08/2025 Revision date: 01/08/2025

Product Name: Semi-Volatiles Standard (1X1 mL)

(Contd. of page 5)

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

- Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

| 75-09 | 0-2 dichloromethane |
|-------|--|
| PEL | Short-term value: 125 ppm Long-term value: 25 ppm see 29 CFR 1910.1052 |
| REL | See Pocket Guide App. A |
| TLV | Long-term value: 50 ppm BEI, A3 |
| 60-11 | -7 4-dimethylaminoazobenzene |
| PEL | see 29 CFR 1910.1003 |
| REL | See Pocket Guide App. A |
| 82-68 | 3-8 quintozene (ISO) |
| TLV | Long-term value: 0.5 mg/m³ A4 |
| 91-59 | 0-8 2-naphthylamine |
| PEL | see 29 CFR 1910.1003 |
| REL | See Pocket Guide App. A |
| TLV | L, A1 |
| 92-67 | 7-1 4-aminobiphenyl |
| PEL | see 29 CFR 1910.1003 |
| REL | See Pocket Guide App. A |
| TLV | Skin; L, A1 |
| | (Contd. on page 7 |

(Contd. on page 7)



Printing date: 01/08/2025 Revision date: 01/08/2025

Product Name: Semi-Volatiles Standard (1X1 mL)

| | (Contd. of page 6) |
|--------|--|
| 122-3 | 9-4 diphenylamine |
| REL | Long-term value: 10 mg/m ³ |
| TLV | Long-term value: 10 mg/m ³ |
| | A4 |
| 134-3 | 2-7 1-naphthylamine |
| PEL | see 29 CFR 1910.1003 |
| REL | See Pocket Guide App. A |
| ·Ingre | dients with biological limit values: |
| 75-09 | -2 dichloromethane |
| | 0.3 mg/L |
| | Medium: urine |
| , | Time: end of shift |
| | Parameter: Dichloromethane (semi-quantitative) |

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

· Breathing equipment:

When used as intended with Agilent instruments, the use of the product under normal laboratory conditions and with standard practices does not result in significant airborne exposures and therefore respiratory protection is not needed.

Under an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved device/equipment with appropriate organic or acid gas cartridge.

· Protection of hands:

Although not recommended for constant contact with the chemicals or for clean-up, nitrile gloves 11-13 mil thickness are recommended for normal use. The breakthrough time is 1 hr. For cleaning a spill where there is direct contact of the chemical, butyl rubber gloves are recommended 12-15 mil thickness with breakthrough times exceeding 4 hrs. Supplier recommendations should be followed.

· Material of gloves

For normal use: nitrile rubber, 11-13 mil thickness

For direct contact with the chemical: butyl rubber, 12-15 mil thickness

· Penetration time of glove material

For normal use: nitrile rubber: 1 hour

For direct contact with the chemical: butyl rubber: >4 hours

· Eye protection:

Safety glasses


(Contd. on page 8)



Printing date: 01/08/2025 Revision date: 01/08/2025

Product Name: Semi-Volatiles Standard (1X1 mL)

(Contd. of page 7)



| Physical and chemical proper | ties | | | | | |
|---|--|--|--|--|--|--|
| · Information on basic physical and chemical properties | | | | | | |
| · General Information | | | | | | |
| · Appearance: | | | | | | |
| Form: | Fluid | | | | | |
| Color: | Colorless Like chlorine | | | | | |
| · Odor: · Odor threshold: | Not determined. | | | | | |
| · pH-value: | Not determined. | | | | | |
| * | Not determined. | | | | | |
| · Change in condition | 05 1 00 (120 2 0E) | | | | | |
| Melting point/Melting range: Boiling point/Boiling range: | -95.1 °C (-139.2 °F) 40 °C (104 °F) | | | | | |
| 0 1 0 0 | | | | | | |
| · Flash point: | Not applicable. | | | | | |
| · Flammability (solid, gaseous): | Not applicable. | | | | | |
| · Auto igniting: | 605 °C (1,121 °F) | | | | | |
| · Decomposition temperature: | Not determined. | | | | | |
| · Ignition temperature: | Product is not selfigniting. | | | | | |
| · Danger of explosion: | Product does not present an explosion hazard. | | | | | |
| · Explosion limits: | | | | | | |
| Lower: | 13 Vol % | | | | | |
| Upper: | 22 Vol % | | | | | |
| · Vapor pressure at 20 °C (68 °F): | 360 hPa (270 mm Hg) | | | | | |
| · Density at 20 °C (68 °F): | 1.3 g/cm³ (10.8485 lbs/gal) | | | | | |
| · Relative density | Not determined. | | | | | |
| · Vapor density | Not determined. | | | | | |
| · Evaporation rate | Not determined. | | | | | |
| · Solubility in / Miscibility with | | | | | | |
| Water at 20 °C (68 °F): | 20 g/l | | | | | |
| · Partition coefficient (n-octanol/wate | Partition coefficient (n-octanol/water): Not determined. | | | | | |
| · Viscosity: | | | | | | |
| Dynamic: | Not determined. | | | | | |
| Kinematic: | Not determined. | | | | | |
| · Solvent content: | | | | | | |
| Organic solvents: | 97.4 % | | | | | |
| VOC content: | 0.30 % | | | | | |
| | 3.0 g/l / 0.03 lb/gal | | | | | |

(Contd. on page 9)



Printing date: 01/08/2025 Revision date: 01/08/2025

Product Name: Semi-Volatiles Standard (1X1 mL)

(Contd. of page 8)

| Solids content: | 2.0 % |
|---------------------|--|
| · Other information | No further relevant information available. |

10 Stability and reactivity

- · Reactivity No further relevant information available.
- Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

| 4 4 7 | • 1 | • • | | A • |
|-------|----------|-------|-------------------|-------|
| | OVICO | ogica | Ormo | TON |
| | | | | |
| | U.H.C.C. | | O I I I I I I | CIUII |

- · Information on toxicological effects
- · Acute toxicity:

| · LD/LC50 | LD/LC50 values that are relevant for classification: | |
|-------------|--|--------------------|
| ATE (Acu | te Toxicity | y Estimate) |
| Oral | LD50 | 38,141 mg/kg |
| Dermal | LD50 | 119,044 mg/kg |
| Inhalative | LC50/4 h | 33.4 mg/L |
| 75-09-2 die | chloromet | hane |
| Oral | LD50 | 1,600 mg/kg (rat) |
| Dermal | LD50 | >2,000 mg/kg (rat) |
| Inhalative | LC50/4 h | 88 mg/L (rat) |
| 57-97-6 7,1 | 57-97-6 7,12-dimethylbenz[a]anthracene | |
| Oral | LD50 | 327 mg/kg (rat) |
| 60-11-7 4-0 | 60-11-7 4-dimethylaminoazobenzene | |
| Oral | LD50 | 200 mg/kg (rat) |
| 62-44-2 ph | enacetin | |
| Oral | LD50 | 1,650 mg/kg (rat) |
| 82-68-8 qu | | (ISO) |
| Oral | LD50 | 1,100 mg/kg (rat) |
| 91-59-8 2-1 | | mine |
| Oral | LD50 | 727 mg/kg (rat) |
| | 92-67-1 4-aminobiphenyl | |
| | LD50 | 500 mg/kg (rat) |
| 100-75-4 1 | -nitrosopi | iperidine |
| Oral | LD50 | 200 mg/kg (rat) |

(Contd. on page 10)



Printing date: 01/08/2025 Revision date: 01/08/2025

Product Name: Semi-Volatiles Standard (1X1 mL)

| | | (Contd. of page | |
|------------------------------|---|--------------------|--|
| 122-09-8 | 122-09-8 alpha,alpha-dimethylphenethylamine | | |
| Oral | LD50 | 154 mg/kg (mouse) | |
| 122-39-4 diphenylamine | | | |
| Oral | LD50 | 1,120 mg/kg (rat) | |
| 134-32-7 | 134-32-7 1-naphthylamine | | |
| Oral | LD50 | 680 mg/kg (rat) | |
| Dermal | LD50 | 447 mg/kg (rat) | |
| Inhalative | LC50/4 h | 0.056 mg/L (rat) | |
| 608-93-5 pentachlorobenzene | | | |
| Oral | LD50 | 1,080 mg/kg (rat) | |
| Dermal | LD50 | >2,500 mg/kg (rat) | |
| 924-16-3 | 924-16-3 N-nitrosodibutylamine | | |
| Oral | LD50 | 1,200 mg/kg (rat) | |
| 23950-58-5 propyzamide (ISO) | | mide (ISO) | |
| Oral | LD50 | 3,350 mg/kg (rat) | |
| D . | | | |

- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- **Sensitization:**

Sensitization possible through inhalation.

Sensitization possible through skin contact.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful Irritant

· Carcinogenic categories

| IARC (International Agency | y for Research on Cancer) | |
|------------------------------|---------------------------|-----------------|
| 75-09-2 dichloromethane | | 2.6 |
| 60-11-7 4-dimethylaminoaz | obenzene | 2H |
| 62-44-2 phenacetin | | 1 |
| 82-68-8 quintozene (ISO) | | 3 |
| 91-59-8 2-naphthylamine | | 1 |
| 92-67-1 4-aminobiphenyl | | 1 |
| 100-75-4 1-nitrosopiperidine | ; | 21 |
| 122-39-4 diphenylamine | | 21 |
| 134-32-7 1-naphthylamine | | 3 |
| 224-42-0 Dibenz(a,j)acridine | ; | 2.6 |
| 608-93-5 pentachlorobenzen | e | 2F |
| 924-16-3 N-nitrosodibutylam | nine | 2F |
| · NTP (National Toxicology F | Program) | |
| 75-09-2 dichloromethane | | I |
| 57-97-6 7,12-dimethylbenz | [a]anthracene | I |
| 60-11-7 4-dimethylaminoaz | cobenzene | I |
| • | | (Contd. on page |



Printing date: 01/08/2025 Revision date: 01/08/2025

Product Name: Semi-Volatiles Standard (1X1 mL)

| | | Contd. of page 10) | |
|----------|---|--------------------|--|
| | phenacetin | R | |
| 91-59-8 | 2-naphthylamine | K | |
| 92-67-1 | 4-aminobiphenyl | K | |
| 100-75-4 | 1-nitrosopiperidine | R | |
| 224-42-0 | Dibenz(a,j)acridine | R | |
| 924-16-3 | N-nitrosodibutylamine | R | |
| · OSHA-C | OSHA-Ca (Occupational Safety & Health Administration) | | |
| 75-09-2 | dichloromethane | | |
| | 4-dimethylaminoazobenzene | | |
| 91-59-8 | 2-naphthylamine | | |
| 92-67-1 | 4-aminobiphenyl | | |
| 134-32-7 | 1-naphthylamine | | |

12 Ecological information

- · Toxicity
- · Aquatic toxicity:

23950-58-5 propyzamide (ISO)

LC50 (96h) - for fish 72 mg/L/96h (Oncorhynchus mykiss (rainbow trout))

- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.

US



Printing date: 01/08/2025 Revision date: 01/08/2025

Product Name: Semi-Volatiles Standard (1X1 mL)

(Contd. of page 11)

| UN proper shipping name DOT IMDG, IATA Transport hazard class(es) DOT Class | UN1593 Dichloromethane DICHLOROMETHANE 6.1 Toxic substances 6.1 |
|---|--|
| DOT, IMDG, IATA UN proper shipping name DOT IMDG, IATA Transport hazard class(es) DOT Class Label IMDG, IATA | Dichloromethane DICHLOROMETHANE 6.1 Toxic substances |
| UN proper shipping name DOT IMDG, IATA Transport hazard class(es) DOT Class Label IMDG, IATA | Dichloromethane DICHLOROMETHANE 6.1 Toxic substances |
| DOT IMDG, IATA Transport hazard class(es) DOT Class Label IMDG, IATA | DICHLOROMETHANE 6.1 Toxic substances |
| IMDG, IATA Transport hazard class(es) DOT Class Label IMDG, IATA | DICHLOROMETHANE 6.1 Toxic substances |
| Transport hazard class(es) DOT Class Label IMDG, IATA | 6.1 Toxic substances |
| Class Label IMDG, IATA | *** |
| Label IMDG, IATA | *** |
| Label IMDG, IATA | *** |
| Label IMDG, IATA | *** |
| E E | |
| E E | |
| • | |
| • | |
| Class | |
| Class | |
| | 6.1 Toxic substances |
| Label | 6.1 |
| Packing group | |
| | III |
| Environmental hazards: | Not applicable. |
| Special precautions for user | Warning: Toxic substances |
| Hazard identification number (Kemler code): | |
| EMS Number: | F-A,S-A |
| Segregation groups | (SGG10) Liquid halogenated hydrocarbons |
| Stowage Category | A |
| Transport in bulk according to Annex II of | |
| MARPOL73/78 and the IBC Code | Not applicable. |
| Transport/Additional information: | |
| DOT | |
| Quantity limitations | On passenger aircraft/rail: 60 L |
| - | On cargo aircraft only: 220 L |
| Hazardous substance: | 1000 lbs, 454 kg |
| IMDG | |
| Limited quantities (LQ) | 5L |
| Excepted quantities (EQ) | Code: E1 |
| | Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml |



Printing date: 01/08/2025 Revision date: 01/08/2025

Product Name: Semi-Volatiles Standard (1X1 mL)

(Contd. of page 12)

· UN "Model Regulation":

UN 1593 DICHLOROMETHANE, 6.1, III

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- ·Sara

Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

| | \ I | 0 / |
|---------|----------------------|-----|
| 75-09-2 | dichloromethane | |
| 56-49-5 | 3-methylcholanthrene | |

57-97-6 7,12-dimethylbenz[a]anthracene

60-11-7 4-dimethylaminoazobenzene

82-68-8 quintozene (ISO)

91-59-8 2-naphthylamine

92-67-1 4-aminobiphenyl

98-86-2 acetophenone

100-75-4 1-nitrosopiperidine

109-06-8 2-methylpyridine

122-39-4 diphenylamine

134-32-7 1-naphthylamine

224-42-0 Dibenz(a,j)acridine

608-93-5 pentachlorobenzene

924-16-3 N-nitrosodibutylamine

23950-58-5 propyzamide (ISO)

· TSCA (Toxic Substances Control Act):

After February 3, 2025, this chemical substance (as defined in TSCA section 3(2))/ product cannot be distributed in commerce to retailers. After January 28, 2026, this chemical substance (as defined in TSCA section 3(2))/ product is and can only be distributed in commerce or processed with a concentration of methylene chloride equal to or greater than 0.1% by weight for the following purposes: (1) Processing as a reactant; (2) Processing for incorporation into a formulation, mixture, or reaction product; (3) Processing for repackaging; (4) Processing for recycling; (5) Industrial or commercial use as a laboratory chemical; (6) Industrial or commercial use as a bonding agent for solvent welding; (7) Industrial and commercial use as a paint and coating remover from safety critical, corrosion sensitive components of aircraft and spacecraft; (8) Industrial and commercial use as a processing aid; (9) Industrial and commercial use for plastic and rubber products manufacturing; (10) Industrial and commercial use as a solvent that becomes part of a formulation or mixture, where that formulation or mixture will be used inside a manufacturing process, and the solvent (methylene chloride) will be reclaimed; (11) Industrial and commercial use in the refinishing for wooden furniture, decorative pieces, and architectural fixtures of artistic, cultural or historic value until May 8, 2029; (12) Industrial and commercial use in adhesives and sealants in aircraft, space vehicle, and turbine applications for structural and safety critical non-structural applications until May 8, 2029; (13) Disposal; and (14) Export.

| 75-09-2 dichlor | omethane | ACTIVE |
|-----------------|----------------|---------------------|
| 56-49-5 3-meth | ylcholanthrene | ACTIVE |
| | | (Contd. on page 14) |

HIC



Printing date: 01/08/2025 Revision date: 01/08/2025

Product Name: Semi-Volatiles Standard (1X1 mL)

| 57-97-6 7,12-dimethylbenz[a]anthracene | (Contd. of page ACTIV |
|---|-----------------------|
| 60-11-7 4-dimethylaminoazobenzene | ACTIV |
| 62-44-2 phenacetin | ACTIV |
| 82-68-8 quintozene (ISO) | ACTIV |
| 90-13-1 1-chloronaphthalene | ACTIV |
| 92-67-1 4-aminobiphenyl | ACTIV |
| 95-94-3 1,2,4,5-tetrachlorobenzene | ACTIV |
| 98-86-2 acetophenone | ACTIV |
| 100-75-4 1-nitrosopiperidine | ACTIV |
| 109-06-8 2-methylpyridine | ACTIV |
| 122-09-8 alpha,alpha-dimethylphenethylamine | ACTIV |
| 122-39-4 diphenylamine | ACTIV |
| 134-32-7 1-naphthylamine | ACTIV |
| 608-93-5 pentachlorobenzene | ACTIV |
| 924-16-3 N-nitrosodibutylamine | ACTIV |
| Hazardous Air Pollutants | I |
| 75-09-2 dichloromethane | |
| 57-97-6 7,12-dimethylbenz[a]anthracene | |
| 60-11-7 4-dimethylaminoazobenzene | |
| 82-68-8 quintozene (ISO) | |
| 92-67-1 4-aminobiphenyl | |
| 98-86-2 acetophenone | |
| Proposition 65 | |
| · Chemicals known to cause cancer: | |
| 75-09-2 dichloromethane | |
| 56-49-5 3-methylcholanthrene | |
| 57-97-6 7,12-dimethylbenz[a]anthracene | |
| 60-11-7 4-dimethylaminoazobenzene | |
| 62-44-2 phenacetin | |
| 91-59-8 2-naphthylamine | |
| 92-67-1 4-aminobiphenyl | |
| 100-75-4 1-nitrosopiperidine | |
| 134-32-7 1-naphthylamine | |
| 224-42-0 Dibenz(a,j)acridine | |
| 924-16-3 N-nitrosodibutylamine | |
| 23950-58-5 propyzamide (ISO) | |
| Chemicals known to cause reproductive toxicity for females: | |
| 37 01 1 11 11 1 | |
| None of the ingredients is listed. | |
| None of the ingredients is listed. Chemicals known to cause reproductive toxicity for males: | |



Printing date: 01/08/2025 Revision date: 01/08/2025

Product Name: Semi-Volatiles Standard (1X1 mL)

(Contd. of page 14)

· Chemicals known to cause developmental toxicity: None of the ingredients is listed.

| None of the | ne ingredients is listed. | |
|-------------|--|----|
| · Carcinog | enic categories | |
| · EPA (En | rironmental Protection Agency) | |
| 75-09-2 | dichloromethane | L |
| 98-86-2 | acetophenone | D |
| 608-93-5 | pentachlorobenzene | D |
| 924-16-3 | N-nitrosodibutylamine | B2 |
| · TLV (Th | reshold Limit Value) | |
| 75-09-2 | dichloromethane | A3 |
| 82-68-8 | quintozene (ISO) | A4 |
| 91-59-8 | 2-naphthylamine | A1 |
| 92-67-1 | 4-aminobiphenyl | A1 |
| 122-39-4 | diphenylamine | A4 |
| · NIOSH-C | Ca (National Institute for Occupational Safety and Health) | |
| 75-09-2 | dichloromethane | |
| 60-11-7 | 4-dimethylaminoazobenzene | |
| 91-59-8 | 2-naphthylamine | |
| 92-67-1 | 4-aminobiphenyl | |

· National regulations:

134-32-7 1-naphthylamine

· Additional classification according to Decree on Hazardous Materials:

Carcinogenic hazardous material group III (dangerous).

· Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

- · Department issuing SDS: Document Control / Regulatory
- · Contact: pdl-acg-regulatory-cq@agilent.com
- · Date of preparation / last revision 01/08/2025 / 3
- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

(Contd. on page 16)



Printing date: 01/08/2025 Revision date: 01/08/2025

Product Name: Semi-Volatiles Standard (1X1 mL)

(Contd. of page 15)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Skin Irritation 2: Skin corrosion/irritation – Category 2

Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A

Sensitization - Respiratory 1: Respiratory sensitisation - Category 1

Sensitization - Skin 1: Skin sensitisation - Category 1

Carcinogenicity 1A: Carcinogenicity - Category 1A

Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3

Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) - Category 2

* * Data compared to the previous version altered.