

SAFETY DATA SHEET



SureSelect XT Target Enrichment Box 1 - S5500

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : SureSelect XT Target Enrichment Box 1 - S5500
Part no. (chemical kit) : 5190-5931, 5190-5932
Part no. : SureSelect Hyb 1 5190-4396 / 5190-4404
SureSelect Hyb 2 5190-4397 / 5190-4405
SureSelect Hyb 4 5190-4406
SureSelect Binding Buffer 5190-4399 / 5190-4407
SureSelect Wash Buffer 1 5190-4400 / 5190-4408
SureSelect Wash Buffer 2 5190-4401 / 5190-4409

1.2 Relevant identified uses of the substance or mixture and uses advised against

Material uses : Analytical reagent.
SureSelect Hyb 1 0.4 ml - 2.4 ml
SureSelect Hyb 2 0.096 ml - 1.25 ml
SureSelect Hyb 4 1.25 ml
SureSelect Binding Buffer 13.2 ml - 80 ml
SureSelect Wash Buffer 1 8 ml - 48 ml
SureSelect Wash Buffer 2 24 ml - 144 ml

1.3 Details of the supplier of the safety data sheet

Agilent Technologies Manufacturing GmbH & Co. KG
Hewlett-Packard-Str. 8
76337 Waldbronn
Germany
0800 603 1000

e-mail address of person responsible for this SDS : pdl-msds_author@agilent.com

1.4 Emergency telephone number

Emergency telephone number (with hours of operation) : CHEMTREC®: +(44)-870-8200418

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition : SureSelect Hyb 1 Mixture
SureSelect Hyb 2 Mixture
SureSelect Hyb 4 Mixture
SureSelect Binding Buffer Mixture
SureSelect Wash Buffer 1 Mixture
SureSelect Wash Buffer 2 Mixture

[Classification according to Regulation \(EC\) No. 1272/2008 \[CLP/GHS\]](#)

SureSelect XT Target Enrichment Box 1 - S5500

SECTION 2: Hazards identification

Prevention	: SureSelect Hyb 1 SureSelect Hyb 2 SureSelect Hyb 4 SureSelect Binding Buffer SureSelect Wash Buffer 1 SureSelect Wash Buffer 2	P280 - Wear eye or face protection. P260 - Do not breathe vapour. Not applicable. Not applicable. Not applicable. Not applicable.
Response	: SureSelect Hyb 1 SureSelect Hyb 2 SureSelect Hyb 4 SureSelect Binding Buffer SureSelect Wash Buffer 1 SureSelect Wash Buffer 2	P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical advice or attention. P314 - Get medical advice/attention if you feel unwell. Not applicable. Not applicable. Not applicable.
Storage	: SureSelect Hyb 1 SureSelect Hyb 2 SureSelect Hyb 4 SureSelect Binding Buffer SureSelect Wash Buffer 1 SureSelect Wash Buffer 2	Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable.
Disposal	: SureSelect Hyb 1 SureSelect Hyb 2 SureSelect Hyb 4 SureSelect Binding Buffer SureSelect Wash Buffer 1 SureSelect Wash Buffer 2	Not applicable. P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations. Not applicable. Not applicable. Not applicable. Not applicable.
Hazardous ingredients	: SureSelect Hyb 1 SureSelect Hyb 2 SureSelect Hyb 4 SureSelect Binding Buffer	Not applicable. - Disodium dihydrogen ethylenediaminetetraacetate Not applicable. Not applicable.
Supplemental label elements	: SureSelect Hyb 1 SureSelect Hyb 2 SureSelect Hyb 4 SureSelect Binding Buffer SureSelect Wash Buffer 1 SureSelect Wash Buffer 2	Not applicable. Not applicable. Safety data sheet available on request. Safety data sheet available on request. Not applicable. Not applicable.

SureSelect XT Target Enrichment Box 1 - S5500

SECTION 2: Hazards identification

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	: SureSelect Hyb 1	Not applicable.
	SureSelect Hyb 2	Not applicable.
	SureSelect Hyb 4	Not applicable.
	SureSelect Binding Buffer	Not applicable.
	SureSelect Wash Buffer 1	Not applicable.
	SureSelect Wash Buffer 2	Not applicable.

Special packaging requirements

Tactile warning of danger	: SureSelect Hyb 1	Not applicable.
	SureSelect Hyb 2	Not applicable.
	SureSelect Hyb 4	Not applicable.
	SureSelect Binding Buffer	Not applicable.
	SureSelect Wash Buffer 1	Not applicable.
	SureSelect Wash Buffer 2	Not applicable.

2.3 Other hazards

Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII	: SureSelect Hyb 1	This mixture does not contain any substances that are assessed to be a PBT or a vPvB.
	SureSelect Hyb 2	This mixture does not contain any substances that are assessed to be a PBT or a vPvB.
	SureSelect Hyb 4	This mixture does not contain any substances that are assessed to be a PBT or a vPvB.
	SureSelect Binding Buffer	This mixture does not contain any substances that are assessed to be a PBT or a vPvB.
	SureSelect Wash Buffer 1	This mixture does not contain any substances that are assessed to be a PBT or a vPvB.
	SureSelect Wash Buffer 2	This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

Other hazards which do not result in classification	: SureSelect Hyb 1	None known.
	SureSelect Hyb 2	None known.
	SureSelect Hyb 4	None known.
	SureSelect Binding Buffer	None known.
	SureSelect Wash Buffer 1	None known.
	SureSelect Wash Buffer 2	None known.

SECTION 3: Composition/information on ingredients

3.1 Substances	: SureSelect Hyb 1	Mixture
	SureSelect Hyb 2	Mixture
	SureSelect Hyb 4	Mixture
	SureSelect Binding Buffer	Mixture
	SureSelect Wash Buffer 1	Mixture
	SureSelect Wash Buffer 2	Mixture

Product/ingredient name	Identifiers	%	Regulation (EC) No. 1272/2008 [CLP]	Type
SureSelect Hyb 1 Sodium chloride	EC: 231-598-3 CAS: 7647-14-5	≥10 - ≤25	Eye Irrit. 2, H319	[1]
SureSelect Hyb 2 Disodium dihydrogen ethylenediaminetetraacetate	EC: 205-358-3 CAS: 139-33-3	≥10 - ≤25	Acute Tox. 4, H302 Acute Tox. 4, H332	[1]

SureSelect XT Target Enrichment Box 1 - S5500

SECTION 3: Composition/information on ingredients

			STOT RE 2, H373 (respiratory tract) (inhalation)	
SureSelect Hyb 4 Sulfuric acid monododecyl ester sodium salt (1:1)	CAS: 8012-56-4	≤3	Acute Tox. 4, H302	[1]
SureSelect Binding Buffer Sodium chloride	EC: 231-598-3 CAS: 7647-14-5	<10	Eye Irrit. 2, H319	[1]
			See Section 16 for the full text of the H statements declared above.	

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Type

- [1] Substance classified with a health or environmental hazard
- [2] Substance with a workplace exposure limit
- [3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII
- [4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII
- [5] Substance of equivalent concern
- [6] Additional disclosure due to company policy

SECTION 4: First aid measures

4.1 Description of first aid measures

Eye contact	: SureSelect Hyb 1	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
	SureSelect Hyb 2	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention following exposure or if feeling unwell.
	SureSelect Hyb 4	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect Binding Buffer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect Wash Buffer 1	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect Wash Buffer 2	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	: SureSelect Hyb 1	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
	SureSelect Hyb 2	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-

SECTION 4: First aid measures

mouth resuscitation. Get medical attention following exposure or if feeling unwell. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

SureSelect Hyb 4 Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

SureSelect Binding Buffer Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

SureSelect Wash Buffer 1 Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

SureSelect Wash Buffer 2 Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

Skin contact

: SureSelect Hyb 1 Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.

SureSelect Hyb 2 Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention following exposure or if feeling unwell. Wash clothing before reuse. Clean shoes thoroughly before reuse.

SureSelect Hyb 4 Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

SureSelect Binding Buffer Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

SureSelect Wash Buffer 1 Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

SureSelect Wash Buffer 2 Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

Ingestion

: SureSelect Hyb 1 Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

SureSelect Hyb 2 Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs,

SECTION 4: First aid measures

		the head should be kept low so that vomit does not enter the lungs. Get medical attention following exposure or if feeling unwell. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	SureSelect Hyb 4	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	SureSelect Binding Buffer	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	SureSelect Wash Buffer 1	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	SureSelect Wash Buffer 2	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Protection of first-aiders	: SureSelect Hyb 1	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
	SureSelect Hyb 2	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
	SureSelect Hyb 4	No action shall be taken involving any personal risk or without suitable training.
	SureSelect Binding Buffer	No action shall be taken involving any personal risk or without suitable training.
	SureSelect Wash Buffer 1	No action shall be taken involving any personal risk or without suitable training.
	SureSelect Wash Buffer 2	No action shall be taken involving any personal risk or without suitable training.

4.2 Most important symptoms and effects, both acute and delayed

Potential acute health effects

Eye contact	: SureSelect Hyb 1	Causes serious eye irritation.
	SureSelect Hyb 2	No known significant effects or critical hazards.
	SureSelect Hyb 4	No known significant effects or critical hazards.
	SureSelect Binding Buffer	No known significant effects or critical hazards.
	SureSelect Wash Buffer 1	No known significant effects or critical hazards.
	SureSelect Wash Buffer 2	No known significant effects or critical hazards.

SureSelect XT Target Enrichment Box 1 - S5500

SECTION 4: First aid measures

Inhalation	:	SureSelect Hyb 1	No known significant effects or critical hazards.
		SureSelect Hyb 2	No known significant effects or critical hazards.
		SureSelect Hyb 4	No known significant effects or critical hazards.
		SureSelect Binding Buffer	No known significant effects or critical hazards.
		SureSelect Wash Buffer 1	No known significant effects or critical hazards.
		SureSelect Wash Buffer 2	No known significant effects or critical hazards.
Skin contact	:	SureSelect Hyb 1	No known significant effects or critical hazards.
		SureSelect Hyb 2	No known significant effects or critical hazards.
		SureSelect Hyb 4	No known significant effects or critical hazards.
		SureSelect Binding Buffer	No known significant effects or critical hazards.
		SureSelect Wash Buffer 1	No known significant effects or critical hazards.
		SureSelect Wash Buffer 2	No known significant effects or critical hazards.
Ingestion	:	SureSelect Hyb 1	No known significant effects or critical hazards.
		SureSelect Hyb 2	No known significant effects or critical hazards.
		SureSelect Hyb 4	No known significant effects or critical hazards.
		SureSelect Binding Buffer	No known significant effects or critical hazards.
		SureSelect Wash Buffer 1	No known significant effects or critical hazards.
		SureSelect Wash Buffer 2	No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact	:	SureSelect Hyb 1	Adverse symptoms may include the following: pain or irritation watering redness
		SureSelect Hyb 2	No specific data.
		SureSelect Hyb 4	No specific data.
		SureSelect Binding Buffer	No specific data.
		SureSelect Wash Buffer 1	No specific data.
		SureSelect Wash Buffer 2	No specific data.
Inhalation	:	SureSelect Hyb 1	No specific data.
		SureSelect Hyb 2	No specific data.
		SureSelect Hyb 4	No specific data.
		SureSelect Binding Buffer	No specific data.
		SureSelect Wash Buffer 1	No specific data.
		SureSelect Wash Buffer 2	No specific data.
Skin contact	:	SureSelect Hyb 1	No specific data.
		SureSelect Hyb 2	No specific data.
		SureSelect Hyb 4	No specific data.
		SureSelect Binding Buffer	No specific data.
		SureSelect Wash Buffer 1	No specific data.
		SureSelect Wash Buffer 2	No specific data.

SureSelect XT Target Enrichment Box 1 - S5500

SECTION 4: First aid measures

Ingestion	:	SureSelect Hyb 1	No specific data.
		SureSelect Hyb 2	No specific data.
		SureSelect Hyb 4	No specific data.
		SureSelect Binding	No specific data.
		Buffer	
		SureSelect Wash Buffer 1	No specific data.
		SureSelect Wash Buffer 2	No specific data.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician	:	SureSelect Hyb 1	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.	
		SureSelect Hyb 2	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.	
		SureSelect Hyb 4	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.	
		SureSelect Binding	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.	
		Buffer	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.	
		SureSelect Wash Buffer 1	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.	
		SureSelect Wash Buffer 2	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.	
	Specific treatments	:	SureSelect Hyb 1	No specific treatment.
			SureSelect Hyb 2	No specific treatment.
		SureSelect Hyb 4	No specific treatment.	
		SureSelect Binding	No specific treatment.	
		Buffer		
		SureSelect Wash Buffer 1	No specific treatment.	
		SureSelect Wash Buffer 2	No specific treatment.	

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	:	SureSelect Hyb 1	Use an extinguishing agent suitable for the surrounding fire.
		SureSelect Hyb 2	Use an extinguishing agent suitable for the surrounding fire.
		SureSelect Hyb 4	Use an extinguishing agent suitable for the surrounding fire.
		SureSelect Binding	Use an extinguishing agent suitable for the surrounding fire.
		Buffer	
		SureSelect Wash Buffer 1	Use an extinguishing agent suitable for the surrounding fire.
		SureSelect Wash Buffer 2	Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	:	SureSelect Hyb 1	None known.
		SureSelect Hyb 2	None known.
		SureSelect Hyb 4	None known.
		SureSelect Binding	None known.
		Buffer	
		SureSelect Wash Buffer 1	None known.
		SureSelect Wash Buffer 2	None known.

5.2 Special hazards arising from the substance or mixture

SureSelect XT Target Enrichment Box 1 - S5500

SECTION 5: Firefighting measures

Hazards from the substance or mixture	: SureSelect Hyb 1	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect Hyb 2	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect Hyb 4	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect Binding Buffer	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect Wash Buffer 1	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect Wash Buffer 2	In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous combustion products	: SureSelect Hyb 1	Decomposition products may include the following materials: phosphorus oxides halogenated compounds metal oxide/oxides
	SureSelect Hyb 2	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides
	SureSelect Hyb 4	Decomposition products may include the following materials: carbon dioxide carbon monoxide sulfur oxides metal oxide/oxides
	SureSelect Binding Buffer	Decomposition products may include the following materials: halogenated compounds metal oxide/oxides
	SureSelect Wash Buffer 1	No specific data.
	SureSelect Wash Buffer 2	No specific data.
5.3 Advice for firefighters		
Special precautions for fire-fighters	: SureSelect Hyb 1	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect Hyb 2	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect Hyb 4	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect Binding Buffer	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect Wash Buffer 1	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect Wash Buffer 2	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: SureSelect Hyb 1	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
	SureSelect Hyb 2	Fire-fighters should wear appropriate protective equipment

SureSelect XT Target Enrichment Box 1 - S5500

SECTION 5: Firefighting measures

	and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
SureSelect Hyb 4	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
SureSelect Binding Buffer	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
SureSelect Wash Buffer 1	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
SureSelect Wash Buffer 2	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	: SureSelect Hyb 1	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
	SureSelect Hyb 2	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
	SureSelect Hyb 4	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	SureSelect Binding Buffer	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	SureSelect Wash Buffer 1	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	SureSelect Wash Buffer	No action shall be taken involving any personal risk or

SECTION 6: Accidental release measures

	2	without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
For emergency responders	: SureSelect Hyb 1	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	SureSelect Hyb 2	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	SureSelect Hyb 4	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	SureSelect Binding Buffer	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	SureSelect Wash Buffer 1	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	SureSelect Wash Buffer 2	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	6.2 Environmental precautions	: SureSelect Hyb 1
SureSelect Hyb 2		Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect Hyb 4		Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect Binding Buffer		Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect Wash Buffer 1		Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect Wash Buffer 2		Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3 Methods and material for containment and cleaning up

SureSelect XT Target Enrichment Box 1 - S5500

SECTION 6: Accidental release measures

Methods for cleaning up	: SureSelect Hyb 1	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	SureSelect Hyb 2	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	SureSelect Hyb 4	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	SureSelect Binding Buffer	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	SureSelect Wash Buffer 1	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	SureSelect Wash Buffer 2	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

6.4 Reference to other sections : See Section 1 for emergency contact information.
See Section 8 for information on appropriate personal protective equipment.
See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Protective measures	: SureSelect Hyb 1	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
	SureSelect Hyb 2	Put on appropriate personal protective equipment (see Section 8). Do not breathe vapour or mist. Do not ingest. Avoid contact with eyes, skin and clothing. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
	SureSelect Hyb 4	Put on appropriate personal protective equipment (see Section 8).
	SureSelect Binding Buffer	Put on appropriate personal protective equipment (see Section 8).
	SureSelect Wash Buffer 1	Put on appropriate personal protective equipment (see Section 8).
	SureSelect Wash Buffer 2	Put on appropriate personal protective equipment (see Section 8).

SureSelect XT Target Enrichment Box 1 - S5500

SECTION 7: Handling and storage

Advice on general occupational hygiene

: SureSelect Hyb 1	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect Hyb 2	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect Hyb 4	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect Binding Buffer	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect Wash Buffer 1	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect Wash Buffer 2	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Storage

: SureSelect Hyb 1	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
SureSelect Hyb 2	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
SureSelect Hyb 4	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly

SureSelect XT Target Enrichment Box 1 - S5500

SECTION 7: Handling and storage

	closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
SureSelect Binding Buffer	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
SureSelect Wash Buffer 1	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
SureSelect Wash Buffer 2	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s)

Recommendations

: SureSelect Hyb 1	Industrial applications, Professional applications.
SureSelect Hyb 2	Industrial applications, Professional applications.
SureSelect Hyb 4	Industrial applications, Professional applications.
SureSelect Binding Buffer	Industrial applications, Professional applications.
SureSelect Wash Buffer 1	Industrial applications, Professional applications.
SureSelect Wash Buffer 2	Industrial applications, Professional applications.

Industrial sector specific solutions

: SureSelect Hyb 1	Not applicable.
SureSelect Hyb 2	Not applicable.
SureSelect Hyb 4	Not applicable.
SureSelect Binding Buffer	Not applicable.
SureSelect Wash Buffer 1	Not applicable.
SureSelect Wash Buffer 2	Not applicable.

SureSelect XT Target Enrichment Box 1 - S5500

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

No exposure limit value known.

Recommended monitoring procedures : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNELs/DMELs

Product/ingredient name	Type	Exposure	Value	Population	Effects
SureSelect Hyb 1 Sodium chloride	DNEL	Short term Oral	126.65 mg/kg bw/day	General population	Systemic
	DNEL	Long term Oral	126.65 mg/kg bw/day	General population	Systemic
	DNEL	Short term Dermal	126.65 mg/kg bw/day	General population	Systemic
	DNEL	Long term Dermal	126.65 mg/kg bw/day	General population	Systemic
	DNEL	Short term Dermal	295.52 mg/kg bw/day	Workers	Systemic
	DNEL	Long term Dermal	295.52 mg/kg bw/day	Workers	Systemic
	DNEL	Short term Inhalation	443.28 mg/m ³	General population	Systemic
	DNEL	Long term Inhalation	443.28 mg/m ³	General population	Systemic
	DNEL	Short term Inhalation	2068.62 mg/m ³	Workers	Systemic
	DNEL	Long term Inhalation	2068.62 mg/m ³	Workers	Systemic
SureSelect Hyb 2 Disodium dihydrogen ethylenediaminetetraacetate	DNEL	Long term Inhalation	0.6 mg/m ³	General population	Local
	DNEL	Short term Inhalation	1.2 mg/m ³	General population	Local
	DNEL	Long term Inhalation	1.5 mg/m ³	Workers	Local
	DNEL	Short term Inhalation	3 mg/m ³	Workers	Local
	DNEL	Long term Oral	25 mg/kg bw/day	General population	Systemic
SureSelect Binding Buffer Sodium chloride	DNEL	Short term Oral	126.65 mg/kg bw/day	General population	Systemic
	DNEL	Long term Oral	126.65 mg/kg bw/day	General population	Systemic
	DNEL	Short term Dermal	126.65 mg/kg bw/day	General population	Systemic
	DNEL	Long term Dermal	126.65 mg/kg bw/day	General population	Systemic

SureSelect XT Target Enrichment Box 1 - S5500

SECTION 8: Exposure controls/personal protection

	DNEL	Short term Dermal	kg bw/day 295.52 mg/	population Workers	Systemic
	DNEL	Long term Dermal	kg bw/day 295.52 mg/	Workers	Systemic
	DNEL	Short term Inhalation	kg bw/day 443.28 mg/ m ³	General population	Systemic
	DNEL	Long term Inhalation	443.28 mg/ m ³	General population	Systemic
	DNEL	Short term Inhalation	2068.62 mg/m ³	Workers	Systemic
	DNEL	Long term Inhalation	2068.62 mg/m ³	Workers	Systemic

PNECs

No PNECs available

8.2 Exposure controls

Appropriate engineering controls : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Individual protection measures

Hygiene measures : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

Skin protection

Hand protection : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Body protection : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Environmental exposure controls : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SureSelect XT Target Enrichment Box 1 - S5500

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	: SureSelect Hyb 1	Liquid.	
	SureSelect Hyb 2	Liquid.	
	SureSelect Hyb 4	Liquid.	
	SureSelect Binding Buffer	Liquid.	
	SureSelect Wash Buffer 1	Liquid.	
	SureSelect Wash Buffer 2	Liquid.	
	Colour	: SureSelect Hyb 1	Not available.
		SureSelect Hyb 2	Not available.
SureSelect Hyb 4		Not available.	
SureSelect Binding Buffer		Not available.	
SureSelect Wash Buffer 1		Not available.	
SureSelect Wash Buffer 2		Not available.	
Odour		: SureSelect Hyb 1	Not available.
		SureSelect Hyb 2	Not available.
	SureSelect Hyb 4	Not available.	
	SureSelect Binding Buffer	Not available.	
	SureSelect Wash Buffer 1	Not available.	
	SureSelect Wash Buffer 2	Not available.	
	Odour threshold	: SureSelect Hyb 1	Not available.
		SureSelect Hyb 2	Not available.
SureSelect Hyb 4		Not available.	
SureSelect Binding Buffer		Not available.	
SureSelect Wash Buffer 1		Not available.	
SureSelect Wash Buffer 2		Not available.	
pH		: SureSelect Hyb 1	7.4
		SureSelect Hyb 2	8
	SureSelect Hyb 4	5.2 to 6.2	
	SureSelect Binding Buffer	7.5	
	SureSelect Wash Buffer 1	7	
	SureSelect Wash Buffer 2	7	
	Melting point/freezing point	: SureSelect Hyb 1	Not available.
		SureSelect Hyb 2	Not available.
SureSelect Hyb 4		0°C	
SureSelect Binding Buffer		Not available.	
SureSelect Wash Buffer 1		0°C	
SureSelect Wash Buffer 2		0°C	

SureSelect XT Target Enrichment Box 1 - S5500

SECTION 9: Physical and chemical properties

Initial boiling point and boiling range	: SureSelect Hyb 1	Not available.
	SureSelect Hyb 2	Not available.
	SureSelect Hyb 4	100°C
	SureSelect Binding Buffer	Not available.
	SureSelect Wash Buffer 1	100°C
	SureSelect Wash Buffer 2	100°C
Flash point	: SureSelect Hyb 1	Not available.
	SureSelect Hyb 2	Not available.
	SureSelect Hyb 4	Not available.
	SureSelect Binding Buffer	Not available.
	SureSelect Wash Buffer 1	Not available.
	SureSelect Wash Buffer 2	Not available.
Evaporation rate	: SureSelect Hyb 1	Not available.
	SureSelect Hyb 2	Not available.
	SureSelect Hyb 4	Not available.
	SureSelect Binding Buffer	Not available.
	SureSelect Wash Buffer 1	Not available.
	SureSelect Wash Buffer 2	Not available.
Flammability (solid, gas)	: SureSelect Hyb 1	Not applicable.
	SureSelect Hyb 2	Not applicable.
	SureSelect Hyb 4	Not applicable.
	SureSelect Binding Buffer	Not applicable.
	SureSelect Wash Buffer 1	Not applicable.
	SureSelect Wash Buffer 2	Not applicable.
Upper/lower flammability or explosive limits	: SureSelect Hyb 1	Not available.
	SureSelect Hyb 2	Not available.
	SureSelect Hyb 4	Not available.
	SureSelect Binding Buffer	Not available.
	SureSelect Wash Buffer 1	Not available.
	SureSelect Wash Buffer 2	Not available.
Vapour pressure	: SureSelect Hyb 1	Not available.
	SureSelect Hyb 2	Not available.
	SureSelect Hyb 4	Not available.
	SureSelect Binding Buffer	Not available.
	SureSelect Wash Buffer 1	Not available.
	SureSelect Wash Buffer 2	Not available.

SureSelect XT Target Enrichment Box 1 - S5500

SECTION 9: Physical and chemical properties

Vapour density	:	SureSelect Hyb 1	Not available.
		SureSelect Hyb 2	Not available.
		SureSelect Hyb 4	Not available.
		SureSelect Binding Buffer	Not available.
		SureSelect Wash Buffer 1	Not available.
		SureSelect Wash Buffer 2	Not available.
Relative density	:	SureSelect Hyb 1	Not available.
		SureSelect Hyb 2	Not available.
		SureSelect Hyb 4	Not available.
		SureSelect Binding Buffer	Not available.
		SureSelect Wash Buffer 1	Not available.
		SureSelect Wash Buffer 2	Not available.
Solubility(ies)	:	<input checked="" type="checkbox"/> SureSelect Hyb 1	Soluble in the following materials: cold water and hot water.
		SureSelect Hyb 2	Easily soluble in the following materials: cold water and hot water.
		SureSelect Hyb 4	Easily soluble in the following materials: cold water and hot water.
		SureSelect Binding Buffer	Easily soluble in the following materials: cold water and hot water.
		SureSelect Wash Buffer 1	Easily soluble in the following materials: cold water and hot water.
		SureSelect Wash Buffer 2	Easily soluble in the following materials: cold water and hot water.
Partition coefficient: n-octanol/water	:	SureSelect Hyb 1	Not available.
		SureSelect Hyb 2	Not available.
		SureSelect Hyb 4	Not available.
		SureSelect Binding Buffer	Not available.
		SureSelect Wash Buffer 1	Not available.
		SureSelect Wash Buffer 2	Not available.
Auto-ignition temperature	:	SureSelect Hyb 1	Not available.
		SureSelect Hyb 2	Not available.
		SureSelect Hyb 4	Not available.
		SureSelect Binding Buffer	Not available.
		SureSelect Wash Buffer 1	Not available.
		SureSelect Wash Buffer 2	Not available.
Decomposition temperature	:	SureSelect Hyb 1	Not available.
		SureSelect Hyb 2	Not available.
		SureSelect Hyb 4	Not available.
		SureSelect Binding Buffer	Not available.
		SureSelect Wash Buffer 1	Not available.
		SureSelect Wash Buffer 2	Not available.

SureSelect XT Target Enrichment Box 1 - S5500

SECTION 9: Physical and chemical properties

Viscosity	: SureSelect Hyb 1	Not available.	
	SureSelect Hyb 2	Not available.	
	SureSelect Hyb 4	Not available.	
	SureSelect Binding Buffer	Not available.	
	SureSelect Wash Buffer 1	Not available.	
	SureSelect Wash Buffer 2	Not available.	
	Explosive properties	: SureSelect Hyb 1	Not available.
		SureSelect Hyb 2	Not available.
		SureSelect Hyb 4	Not available.
SureSelect Binding Buffer		Not available.	
SureSelect Wash Buffer 1		Not available.	
SureSelect Wash Buffer 2		Not available.	
Oxidising properties		: SureSelect Hyb 1	Not available.
		SureSelect Hyb 2	Not available.
		SureSelect Hyb 4	Not available.
	SureSelect Binding Buffer	Not available.	
	SureSelect Wash Buffer 1	Not available.	
	SureSelect Wash Buffer 2	Not available.	

9.2 Other information

No additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity	: SureSelect Hyb 1	No specific test data related to reactivity available for this product or its ingredients.
	SureSelect Hyb 2	No specific test data related to reactivity available for this product or its ingredients.
	SureSelect Hyb 4	No specific test data related to reactivity available for this product or its ingredients.
	SureSelect Binding Buffer	No specific test data related to reactivity available for this product or its ingredients.
	SureSelect Wash Buffer 1	No specific test data related to reactivity available for this product or its ingredients.
	SureSelect Wash Buffer 2	No specific test data related to reactivity available for this product or its ingredients.
	10.2 Chemical stability	: SureSelect Hyb 1
SureSelect Hyb 2		The product is stable.
SureSelect Hyb 4		The product is stable.
SureSelect Binding Buffer		The product is stable.
SureSelect Wash Buffer 1		The product is stable.
SureSelect Wash Buffer 2		The product is stable.

SureSelect XT Target Enrichment Box 1 - S5500

SECTION 10: Stability and reactivity

10.3 Possibility of hazardous reactions

: SureSelect Hyb 1	Under normal conditions of storage and use, hazardous reactions will not occur.
SureSelect Hyb 2	Under normal conditions of storage and use, hazardous reactions will not occur.
SureSelect Hyb 4	Under normal conditions of storage and use, hazardous reactions will not occur.
SureSelect Binding Buffer	Under normal conditions of storage and use, hazardous reactions will not occur.
SureSelect Wash Buffer 1	Under normal conditions of storage and use, hazardous reactions will not occur.
SureSelect Wash Buffer 2	Under normal conditions of storage and use, hazardous reactions will not occur.

10.4 Conditions to avoid

: SureSelect Hyb 1	No specific data.
SureSelect Hyb 2	No specific data.
SureSelect Hyb 4	No specific data.
SureSelect Binding Buffer	No specific data.
SureSelect Wash Buffer 1	No specific data.
SureSelect Wash Buffer 2	No specific data.

10.5 Incompatible materials

: SureSelect Hyb 1	May react or be incompatible with oxidising materials.
SureSelect Hyb 2	May react or be incompatible with oxidising materials.
SureSelect Hyb 4	May react or be incompatible with oxidising materials.
SureSelect Binding Buffer	May react or be incompatible with oxidising materials.
SureSelect Wash Buffer 1	May react or be incompatible with oxidising materials.
SureSelect Wash Buffer 2	May react or be incompatible with oxidising materials.

10.6 Hazardous decomposition products

: SureSelect Hyb 1	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect Hyb 2	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect Hyb 4	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect Binding Buffer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect Wash Buffer 1	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect Wash Buffer 2	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
<input checked="" type="checkbox"/> SureSelect Hyb 1 Sodium chloride	LD50 Oral	Rat	3000 mg/kg	-
SureSelect Hyb 2 Disodium dihydrogen ethylenediaminetetraacetate	LD50 Oral	Rat	2 g/kg	-
SureSelect Binding Buffer Sodium chloride	LD50 Oral	Rat	3000 mg/kg	-

SureSelect XT Target Enrichment Box 1 - S5500

SECTION 11: Toxicological information

Acute toxicity estimates

Product/ingredient name	Oral (mg/kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapours) (mg/l)	Inhalation (dusts and mists) (mg/l)
<input checked="" type="checkbox"/> SureSelect Hyb 1 Sodium chloride	3000	N/A	N/A	N/A	N/A
SureSelect Hyb 2 SureSelect Hyb 2	13698.6	N/A	N/A	N/A	10.3
Disodium dihydrogen ethylenediaminetetraacetate	2000	N/A	N/A	N/A	1.5
SureSelect Hyb 4 SureSelect Hyb 4	128800	N/A	N/A	N/A	N/A
Sulfuric acid monododecyl ester sodium salt (1:1)	1288	N/A	N/A	N/A	N/A
SureSelect Binding Buffer Sodium chloride	3000	N/A	N/A	N/A	N/A

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
<input checked="" type="checkbox"/> SureSelect Hyb 1 Sodium chloride	Eyes - Moderate irritant	Rabbit	-	24 hours 100 mg	-
	Eyes - Moderate irritant	Rabbit	-	10 mg	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 mg	-
SureSelect Binding Buffer Sodium chloride	Eyes - Moderate irritant	Rabbit	-	24 hours 100 mg	-
	Eyes - Moderate irritant	Rabbit	-	10 mg	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 mg	-

Sensitiser

Conclusion/Summary : Not available.

Mutagenicity

Conclusion/Summary : Not available.

Carcinogenicity

Conclusion/Summary : Not available.

Reproductive toxicity

Conclusion/Summary : Not available.

Teratogenicity

Conclusion/Summary : Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Product/ingredient name	Category	Route of exposure	Target organs
<input checked="" type="checkbox"/> SureSelect Hyb 2 Disodium dihydrogen ethylenediaminetetraacetate	Category 2	inhalation	respiratory tract

Aspiration hazard

Not available.

SureSelect XT Target Enrichment Box 1 - S5500

SECTION 11: Toxicological information

Information on likely routes of exposure	: SureSelect Hyb 1	Routes of entry anticipated: Oral, Dermal, Inhalation.
	SureSelect Hyb 2	Routes of entry anticipated: Oral, Dermal, Inhalation.
	SureSelect Hyb 4	Not available.
	SureSelect Binding	Not available.
	Buffer	
	SureSelect Wash Buffer 1	Not available.
	SureSelect Wash Buffer 2	Not available.

Potential acute health effects

Inhalation	: SureSelect Hyb 1	No known significant effects or critical hazards.
	SureSelect Hyb 2	No known significant effects or critical hazards.
	SureSelect Hyb 4	No known significant effects or critical hazards.
	SureSelect Binding	No known significant effects or critical hazards.
	Buffer	
	SureSelect Wash Buffer 1	No known significant effects or critical hazards.
	SureSelect Wash Buffer 2	No known significant effects or critical hazards.

Ingestion	: SureSelect Hyb 1	No known significant effects or critical hazards.
	SureSelect Hyb 2	No known significant effects or critical hazards.
	SureSelect Hyb 4	No known significant effects or critical hazards.
	SureSelect Binding	No known significant effects or critical hazards.
	Buffer	
	SureSelect Wash Buffer 1	No known significant effects or critical hazards.
	SureSelect Wash Buffer 2	No known significant effects or critical hazards.

Skin contact	: SureSelect Hyb 1	No known significant effects or critical hazards.
	SureSelect Hyb 2	No known significant effects or critical hazards.
	SureSelect Hyb 4	No known significant effects or critical hazards.
	SureSelect Binding	No known significant effects or critical hazards.
	Buffer	
	SureSelect Wash Buffer 1	No known significant effects or critical hazards.
	SureSelect Wash Buffer 2	No known significant effects or critical hazards.

Eye contact	: SureSelect Hyb 1	Causes serious eye irritation.
	SureSelect Hyb 2	No known significant effects or critical hazards.
	SureSelect Hyb 4	No known significant effects or critical hazards.
	SureSelect Binding	No known significant effects or critical hazards.
	Buffer	
	SureSelect Wash Buffer 1	No known significant effects or critical hazards.
	SureSelect Wash Buffer 2	No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation	: SureSelect Hyb 1	No specific data.
	SureSelect Hyb 2	No specific data.
	SureSelect Hyb 4	No specific data.
	SureSelect Binding	No specific data.
	Buffer	
	SureSelect Wash Buffer 1	No specific data.
	SureSelect Wash Buffer 2	No specific data.

SureSelect XT Target Enrichment Box 1 - S5500

SECTION 11: Toxicological information

Ingestion	: SureSelect Hyb 1	No specific data.
	SureSelect Hyb 2	No specific data.
	SureSelect Hyb 4	No specific data.
	SureSelect Binding	No specific data.
	Buffer	
	SureSelect Wash Buffer 1	No specific data.
	SureSelect Wash Buffer 2	No specific data.
Skin contact	: SureSelect Hyb 1	No specific data.
	SureSelect Hyb 2	No specific data.
	SureSelect Hyb 4	No specific data.
	SureSelect Binding	No specific data.
	Buffer	
	SureSelect Wash Buffer 1	No specific data.
	SureSelect Wash Buffer 2	No specific data.
Eye contact	: SureSelect Hyb 1	Adverse symptoms may include the following: pain or irritation watering redness
	SureSelect Hyb 2	No specific data.
	SureSelect Hyb 4	No specific data.
	SureSelect Binding	No specific data.
	Buffer	
	SureSelect Wash Buffer 1	No specific data.
	SureSelect Wash Buffer 2	No specific data.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Potential chronic health effects

General	: SureSelect Hyb 1	No known significant effects or critical hazards.
	SureSelect Hyb 2	May cause damage to organs through prolonged or repeated exposure.
	SureSelect Hyb 4	No known significant effects or critical hazards.
	SureSelect Binding	No known significant effects or critical hazards.
	Buffer	
	SureSelect Wash Buffer 1	No known significant effects or critical hazards.
	SureSelect Wash Buffer 2	No known significant effects or critical hazards.
Carcinogenicity	: SureSelect Hyb 1	No known significant effects or critical hazards.
	SureSelect Hyb 2	No known significant effects or critical hazards.
	SureSelect Hyb 4	No known significant effects or critical hazards.
	SureSelect Binding	No known significant effects or critical hazards.
	Buffer	
SureSelect Wash Buffer 1	No known significant effects or critical hazards.	

SureSelect XT Target Enrichment Box 1 - S5500

SECTION 11: Toxicological information

	SureSelect Wash Buffer 2	No known significant effects or critical hazards.
Mutagenicity	: SureSelect Hyb 1	No known significant effects or critical hazards.
	SureSelect Hyb 2	No known significant effects or critical hazards.
	SureSelect Hyb 4	No known significant effects or critical hazards.
	SureSelect Binding Buffer	No known significant effects or critical hazards.
	SureSelect Wash Buffer 1	No known significant effects or critical hazards.
	SureSelect Wash Buffer 2	No known significant effects or critical hazards.
Teratogenicity	: SureSelect Hyb 1	No known significant effects or critical hazards.
	SureSelect Hyb 2	No known significant effects or critical hazards.
	SureSelect Hyb 4	No known significant effects or critical hazards.
	SureSelect Binding Buffer	No known significant effects or critical hazards.
	SureSelect Wash Buffer 1	No known significant effects or critical hazards.
	SureSelect Wash Buffer 2	No known significant effects or critical hazards.
Developmental effects	: SureSelect Hyb 1	No known significant effects or critical hazards.
	SureSelect Hyb 2	No known significant effects or critical hazards.
	SureSelect Hyb 4	No known significant effects or critical hazards.
	SureSelect Binding Buffer	No known significant effects or critical hazards.
	SureSelect Wash Buffer 1	No known significant effects or critical hazards.
	SureSelect Wash Buffer 2	No known significant effects or critical hazards.
Fertility effects	: SureSelect Hyb 1	No known significant effects or critical hazards.
	SureSelect Hyb 2	No known significant effects or critical hazards.
	SureSelect Hyb 4	No known significant effects or critical hazards.
	SureSelect Binding Buffer	No known significant effects or critical hazards.
	SureSelect Wash Buffer 1	No known significant effects or critical hazards.
	SureSelect Wash Buffer 2	No known significant effects or critical hazards.

SECTION 12: Ecological information

12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
SureSelect Hyb 1 Sodium chloride	Acute EC50 4.74 g/L Fresh water	Algae - Chlamydomonas reinhardtii	96 hours
	Acute EC50 519.6 mg/l Fresh water	Crustaceans - Cypris subglobosa	48 hours
	Acute IC50 6.87 g/L Fresh water	Aquatic plants - Lemna minor	96 hours
	Acute LC50 1000000 µg/l Fresh water	Fish - Morone saxatilis - Larvae	96 hours
	Chronic LC10 781 mg/l Fresh water	Crustaceans - Hyalella azteca - Juvenile (Fledgling, Hatchling, Weanling)	3 weeks
	Chronic NOEC 6 g/L Fresh water Chronic NOEC 0.314 g/L Fresh water Chronic NOEC 100 mg/l Fresh water	Aquatic plants - Lemna minor Daphnia - Daphnia pulex Fish - Gambusia holbrooki - Adult	96 hours 21 days 8 weeks
SureSelect Binding Buffer Sodium chloride	Acute EC50 4.74 g/L Fresh water	Algae - Chlamydomonas reinhardtii	96 hours

SureSelect XT Target Enrichment Box 1 - S5500

SECTION 12: Ecological information

	Acute EC50 519.6 mg/l Fresh water	Crustaceans - Cypris subglobosa	48 hours
	Acute IC50 6.87 g/L Fresh water	Aquatic plants - Lemna minor	96 hours
	Acute LC50 1000000 µg/l Fresh water	Fish - Morone saxatilis - Larvae	96 hours
	Chronic LC10 781 mg/l Fresh water	Crustaceans - Hyalella azteca - Juvenile (Fledgling, Hatchling, Weanling)	3 weeks
	Chronic NOEC 6 g/L Fresh water	Aquatic plants - Lemna minor	96 hours
	Chronic NOEC 0.314 g/L Fresh water	Daphnia - Daphnia pulex	21 days
	Chronic NOEC 100 mg/l Fresh water	Fish - Gambusia holbrooki - Adult	8 weeks

12.2 Persistence and degradability

Not available.

12.3 Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
SureSelect Hyb 2 Disodium dihydrogen ethylenediaminetetraacetate	-4.3	1.8	low

12.4 Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.

Mobility : Not available.

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Other adverse effects : No known significant effects or critical hazards.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Methods of disposal : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

Hazardous waste : The classification of the product may meet the criteria for a hazardous waste.

Packaging

Methods of disposal : The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Special precautions : This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

SureSelect XT Target Enrichment Box 1 - S5500

SECTION 14: Transport information

	ADR/RID	IMDG	IATA
14.1 UN number	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-
14.3 Transport hazard class(es)	-	-	-
14.4 Packing group	-	-	-
14.5 Environmental hazards	No.	No.	No.

Additional information

14.6 Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk according to IMO instruments : Not available.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Label	: SureSelect Hyb 1	Not applicable.
	SureSelect Hyb 2	Not applicable.
	SureSelect Hyb 4	Not applicable.
	SureSelect Binding Buffer	Not applicable.
	SureSelect Wash Buffer 1	Not applicable.
	SureSelect Wash Buffer 2	Not applicable.

Other EU regulations

Ozone depleting substances (1005/2009/EU)

Not listed.

Prior Informed Consent (PIC) (649/2012/EU)

Not listed.

Seveso Directive

This product is not controlled under the Seveso Directive.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

SureSelect XT Target Enrichment Box 1 - S5500

SECTION 15: Regulatory information

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

Australia	: Not determined.
Canada	: Not determined.
China	: Not determined.
Europe	: Not determined.
Japan	: Japan inventory (ENCS) : All components are listed or exempted. Japan inventory (ISHL) : All components are listed or exempted.
New Zealand	: Not determined.
Philippines	: Not determined.
Republic of Korea	: Not determined.
Taiwan	: Not determined.
Thailand	: Not determined.
Turkey	: Not determined.
United States	: Not determined.
Viet Nam	: Not determined.

15.2 Chemical safety assessment : This product contains substances for which Chemical Safety Assessments might still be required.

SECTION 16: Other information

Indicates information that has changed from previously issued version.

Abbreviations and acronyms	: ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement N/A = Not available PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number vPvB = Very Persistent and Very Bioaccumulative
-----------------------------------	---

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
SureSelect Hyb 1 Eye Irrit. 2, H319	Calculation method
SureSelect Hyb 2 STOT RE 2, H373	Calculation method

Full text of abbreviated H statements

SureSelect XT Target Enrichment Box 1 - S5500

SECTION 16: Other information

<p>SureSelect Hyb 1 H319</p> <p>SureSelect Hyb 2 H302 H332 H373</p> <p>SureSelect Hyb 4 H302</p> <p>SureSelect Binding Buffer H319</p>	<p>Causes serious eye irritation.</p> <p>Harmful if swallowed. Harmful if inhaled. May cause damage to organs through prolonged or repeated exposure.</p> <p>Harmful if swallowed.</p> <p>Causes serious eye irritation.</p>
--	--

[Full text of classifications \[CLP/GHS\]](#)

<p>SureSelect Hyb 1 Eye Irrit. 2</p> <p>SureSelect Hyb 2 Acute Tox. 4 STOT RE 2</p> <p>SureSelect Hyb 4 Acute Tox. 4</p> <p>SureSelect Binding Buffer Eye Irrit. 2</p>	<p>SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2</p> <p>ACUTE TOXICITY - Category 4 SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE - Category 2</p> <p>ACUTE TOXICITY - Category 4</p> <p>SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2</p>
--	---

Date of issue/ Date of revision : 06/05/2020

revision

Date of previous issue : 21/01/2018

Version : 3

[Notice to reader](#)

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.