

Revision date 08/24/2024

## 1 Identification

- · Product identifier
- · Product Name: Organochlorine Pesticides Standard (1X1 mL)
- · Part number: US-112A-1
- · Application of the substance / the mixture Reagents and Standards for Analytical Chemical Laboratory Use
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier:
   Agilent Technologies, Inc.
   5301 Stevens Creek Blvd.
   Santa Clara, CA 95051 USA
- Information department:

Telephone: 800-227-9770

e-mail: pdl-msds author@agilent.com

· Emergency telephone number: CHEMTREC®: 1-800-424-9300

### 2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flammable Liquids 2 H225 Highly flammable liquid and vapor.



GHS08 Health hazard

| Carcinogenicity 1A | H350  | May cause cancer.    |
|--------------------|-------|----------------------|
| Carcinogenicity 1A | 11330 | iviay cause calleel. |

Toxic to Reproduction 2 H361-H362 Suspected of damaging fertility or the unborn

child. May cause harm to breast-fed children.

Specific Target Organ Toxicity - Repeated Exposure 2 H373 May cause damage to organs through

prolonged or repeated exposure.

Aspiration Hazard 1 H304 May be fatal if swallowed and enters airways.



| Acute Toxicity - Oral 4                            | H302 | Harmful if swallowed.              |
|--|------|------------------------------------|
| Acute Toxicity - Dermal 4                          | H312 | Harmful in contact with skin.      |
| Skin Irritation 2                                  | H315 | Causes skin irritation.            |
| Specific Target Organ Toxicity - Single Exposure 3 | H336 | May cause drowsiness or dizziness. |

<sup>·</sup> Label elements

(Contd. on page 2)

<sup>•</sup> GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).



Printing date 08/24/2024 Revision date 08/24/2024

Product Name: Organochlorine Pesticides Standard (1X1 mL)

(Contd. of page 1)

#### · Hazard pictograms







GHS02 GHS07 GHS

#### · Signal word Danger

### · Hazard-determining components of labeling:

toluene dieldrin (ISO)

endosulfan sulfate

DDT (common name not adopted by ISO)

#### · Hazard statements

H225 Highly flammable liquid and vapor.

H302+H312 Harmful if swallowed or in contact with skin.

H315 Causes skin irritation. H350 May cause cancer.

H361-H362 Suspected of damaging fertility or the unborn child. May cause harm to breast-fed children.

H336 May cause drowsiness or dizziness.

H373 May cause damage to organs through prolonged or repeated exposure.

H304 May be fatal if swallowed and enters airways.

#### · Precautionary statements

P263 Avoid contact during pregnancy/while nursing.

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P260 Do not breathe dusts or mists.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P240 Ground/bond container and receiving equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P301+P310 If swallowed: Immediately call a poison center/doctor.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/

shower.

P321 Specific treatment (see on this label).

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P308+P313 IF exposed or concerned: Get medical advice/attention.
P332+P313 If skin irritation occurs: Get medical advice/attention.
P314 Get medical advice/attention if you feel unwell.

P330 Rinse mouth.

P331 Do NOT induce vomiting.

P370+P378 In case of fire: Use CO2, powder or water spray to extinguish. P362+P364 Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

(Contd. on page 3)



Printing date 08/24/2024 Revision date 08/24/2024

### Product Name: Organochlorine Pesticides Standard (1X1 mL)

(Contd. of page 2)

P501

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- NFPA ratings (scale 0 4)



Health = 1Fire = 3Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = \*1Fire = 3

· Other hazards

· Results of PBT and vPvB assessment

• **PBT:** Not applicable. · vPvB: Not applicable.

## 3 Composition/information on ingredients

· Chemical characterization: Mixtures

• **Description:** Mixture of the substances listed below with nonhazardous additions.

| · Dangerous | · Dangerous components:   |          |  |
|-------------|---|----------|--|
| 108-88-3    | toluene   | 54.2547% |  |
| 110-54-3    | n-hexane  | 41.2862% |  |
| 50-29-3     | DDT (common name not adopted by ISO)                              | 0.2623%  |  |
| 58-89-9     | γ -HCH or γ -BHC  | 0.2623%  |  |
| 60-57-1     | dieldrin (ISO)  | 0.2623%  |  |
| 72-20-8     | endrin (ISO)  | 0.2623%  |  |
| 72-43-5     | methoxychlor  | 0.2623%  |  |
| 72-54-8     | TDE   | 0.2623%  |  |
| 72-55-9     | 2,2-bis(p-chlorophenyl)-1,1-dichloroethylene                      | 0.2623%  |  |
| 76-44-8     | heptachlor (ISO)  | 0.2623%  |  |
| 309-00-2    | aldrin (ISO)  | 0.2623%  |  |
| 319-84-6    | alpha-BHC (alpha-HCH)   | 0.2623%  |  |
| 1           | (1alpha,2ß,3alpha,4ß,5alpha,6ß)-1,2,3,4,5,6-hexachlorocyclohexane | 0.2623%  |  |
| 319-86-8    | delta-BHC (delta-HCH)   | 0.2623%  |  |
| 959-98-8    | endosulfan I  | 0.2623%  |  |
| 1024-57-3   | heptachlor epoxide - isomer B                                     | 0.2623%  |  |
| 1031-07-8   | endosulfan sulfate  | 0.2623%  |  |
| 33213-65-9  | endosulfan II   | 0.2623%  |  |
|             |   |          |  |



Printing date 08/24/2024 Revision date 08/24/2024

Product Name: Organochlorine Pesticides Standard (1X1 mL)

(Contd. of page 3)

### 4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eve contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **5** Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

| TTOLCCLIV | e Action Criteria for Chemicals      |                       |
|-----------|--------------------------------------|-----------------------|
| · PAC-1:  |                                      |                       |
| 108-88-3  | d toluene                            | 67 ppm                |
| 110-54-3  | n-hexane                             | 260 ppm               |
| 50-29-3   | DDT (common name not adopted by ISO) | 3 mg/m <sup>3</sup>   |
| 58-89-9   | γ-HCH or γ-BHC                       | 9.1 mg/m <sup>3</sup> |
| 60-57-1   | dieldrin (ISO)                       | 0.3 mg/m <sup>3</sup> |
|           |                                      | (Contd. on page :     |

-US



Printing date 08/24/2024 Revision date 08/24/2024

### Product Name: Organochlorine Pesticides Standard (1X1 mL)

| 70.00.0   | 1: (100)                                     | (Contd. of pa       |
|-----------|--|---------------------|
|           | endrin (ISO)                                 | 1.8 mg/n            |
|           | methoxychlor                                 | 30 mg/m             |
| 72-54-8   |  | 2.4 mg/n            |
|           | 2,2-bis(p-chlorophenyl)-1,1-dichloroethylene | 6.5 mg/n            |
|           | heptachlor (ISO)                             | 0.15 mg/            |
|           | aldrin (ISO)                                 | 0.91 mg/            |
| 1024-57-3 | heptachlor epoxide - isomer B                | 0.15 mg/            |
| PAC-2:    |  |                     |
| 108-88-3  | toluene                                      | 560 ppm             |
| 110-54-3  | n-hexane                                     | 2900* թյ            |
|           | DDT (common name not adopted by ISO)         | 34 mg/m             |
|           | γ -HCH or γ -BHC                             | 100 mg/s            |
|           | dieldrin (ISO)                               | 6.8 mg/n            |
|           | endrin (ISO)                                 | 20 mg/m             |
| 72-43-5   | methoxychlor                                 | 150 mg/s            |
| 72-54-8   | TDE  | 26 mg/m             |
| 72-55-9   | 2,2-bis(p-chlorophenyl)-1,1-dichloroethylene | 72 mg/m             |
| 76-44-8   | heptachlor (ISO)                             | 14 mg/m             |
| 309-00-2  | aldrin (ISO)                                 | 10 mg/m             |
| 1024-57-3 | heptachlor epoxide - isomer B                | 0.5 mg/r            |
| PAC-3:    |  |                     |
| 108-88-3  | toluene                                      | 3700* ppr           |
| 110-54-3  | n-hexane                                     | 8600** pp           |
| 50-29-3   | DDT (common name not adopted by ISO)         | 210 mg/m            |
| 58-89-9   | γ -HCH or γ -BHC                             | 1,000 mg/           |
| 60-57-1   | dieldrin (ISO)                               | 450 mg/m            |
|           | endrin (ISO)                                 | 2,000 mg/           |
| 72-43-5   | methoxychlor                                 | 4,500 mg/           |
| 72-54-8   |  | 160 mg/m            |
|           | 2,2-bis(p-chlorophenyl)-1,1-dichloroethylene | 170 mg/m            |
| 76-44-8   | heptachlor (ISO)                             | 700 mg/m            |
|           | aldrin (ISO)                                 | 100 mg/m            |
| 1024-57-3 | heptachlor epoxide - isomer B                | 3 mg/m <sup>3</sup> |

# 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

(Contd. on page 6)



Printing date 08/24/2024 Revision date 08/24/2024

#### Product Name: Organochlorine Pesticides Standard (1X1 mL)

(Contd. of page 5)

Protect against electrostatic charges.

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

| 108-8 | 8-3 toluene   |
|-------|---|
|       | Long-term value: 200 ppm Ceiling limit value: 300; 500* ppm *10-min peak per 8-hr shift |
|       | Short-term value: 560 mg/m³, 150 ppm<br>Long-term value: 375 mg/m³, 100 ppm             |
|       | Long-term value: 20 ppm<br>BEI, OTO, A4   |
| 110-5 | 4-3 n-hexane  |
| PEL   | Long-term value: 1800 mg/m³, 500 ppm  |
| REL   | Long-term value: 180 mg/m³, 50 ppm  |
|       | Long-term value: 50 ppm<br>Skin; BEI  |
| 1024- | 57-3 heptachlor epoxide - isomer B  |
|       | Long-term value: 0.05 mg/m³<br>Skin, A3   |

(Contd. on page 7)



Printing date 08/24/2024 Revision date 08/24/2024

Product Name: Organochlorine Pesticides Standard (1X1 mL)

(Contd. of page 6)

#### · Ingredients with biological limit values:

#### 108-88-3 toluene

#### BEI 0.02 mg/L

Medium: blood

Time: prior to last shift of workweek

Parameter: Toluene

0.03 mg/L Medium: urine Time: end of shift Parameter: Toluene

0.3 mg/g creatinine Medium: urine Time: end of shift

Parameter: o-Cresol with hydrolysis (background)

#### 110-54-3 n-hexane

#### BEI 0.5 mg/L

Medium: urine Time: end of shift

Parameter: 2.5-Hexanedione without hydrolysis

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:

### · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

#### · Breathing equipment:

When used as intended with Agilent instruments, the use of the product under normal laboratory conditions and with standard practices does not result in significant airborne exposures and therefore respiratory protection is not needed

Under an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved device/equipment with appropriate organic or acid gas cartridge.

#### · Protection of hands:

Although not recommended for constant contact with the chemicals or for clean-up, nitrile gloves 11-13 mil thickness are recommended for normal use. The breakthrough time is 1 hr. For cleaning a spill where there is direct contact of the chemical, butyl rubber gloves are recommended 12-15 mil thickness with breakthrough times exceeding 4 hrs. Supplier recommendations should be followed.

#### · Material of gloves

For normal use: nitrile rubber, 11-13 mil thickness

For direct contact with the chemical: butyl rubber, 12-15 mil thickness

#### · Penetration time of glove material

For normal use: nitrile rubber: 1 hour

For direct contact with the chemical: butyl rubber: >4 hours

(Contd. on page 8)



Printing date 08/24/2024 Revision date 08/24/2024

Product Name: Organochlorine Pesticides Standard (1X1 mL)

· Eye protection:

(Contd. of page 7)



Tightly sealed goggles

| 0 DL       |     | _1 |         |      | 4.5    |
|------------|-----|----|---------|------|--------|
| 9 Physical | ana | C  | nemicai | prop | erties |
| •          |     |    |         | _ I  |        |

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Fluid

Color: According to product specification

· Odor: Characteristic · Odor threshold: Not determined.

· pH-value: Not determined.

· Change in condition

Melting point/Melting range:<br/>Boiling point/Boiling range:Undetermined.<br/>69 °C (156.2 °F)· Flash point:-22 °C (-7.6 °F)

· Flammability (solid, gaseous): Highly flammable.

· Auto igniting: 240 °C (464 °F)

· Decomposition temperature: Not determined.

• **Ignition temperature:** Product is not selfigniting.

• Danger of explosion: Product is not explosive. However, formation of explosive air/vapor

mixtures are possible.

· Explosion limits:

**Lower:** 1.2 Vol % **Upper:** 7.4 Vol %

• Vapor pressure at 20 °C (68 °F): 110 hPa (82.5 mm Hg) • Vapor pressure at 50 °C (122 °F): 540 hPa (405 mm Hg)

Density:
Not determined.
Relative density
Not determined.
Not determined.

• Vapor density
• Evaporation rate

Not determined.

Not determined.

· Solubility in / Miscibility with

Water: Not miscible or difficult to mix.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not determined. Kinematic: Not determined.

(Contd. on page 9)



Printing date 08/24/2024 Revision date 08/24/2024

Product Name: Organochlorine Pesticides Standard (1X1 mL)

(Contd. of page 8)

|                                    | ( 1  | U |
|------------------------------------|--|---|
| Solvent content: Organic solvents: | 95.8 %                                     |   |
| VOC content:                       | 95.80 %<br>958.0 g/l / 8.00 lb/gal         |   |
| Solids content:                    | 4.5 %                                      |   |
| · Other information                | No further relevant information available. |   |

## 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

| · LD/LC50 values that are relevant for classification: |                               |                              |  |
|--|-------------------------------|------------------------------|--|
| ATE (Acu   | ATE (Acute Toxicity Estimate) |                              |  |
| Oral   | LD50                          | 647 mg/kg                    |  |
| Dermal   | LD50                          | 1,954 mg/kg                  |  |
| 108-88-3 t   | oluene                        |                              |  |
| Oral   | LD50                          | 5,580 mg/kg (rat)            |  |
| Dermal   | LD50                          | 12,124 mg/kg (rabbit)        |  |
| Inhalative   | LC50/4 h                      | 5,320 mg/L (mouse)           |  |
|  |                               | 28.1 mg/L (rat)              |  |
| 110-54-3 r   | -hexane                       |                              |  |
| Oral   | LD50                          | 5,000 mg/kg (rat)            |  |
| Dermal   | LD50                          | 3,000 mg/kg (rabbit)         |  |
| 50-29-3 D  | DT (comm                      | non name not adopted by ISO) |  |
| Oral   | LD50                          | 87 mg/kg (rat)               |  |
| Dermal   | LD50                          | 2,510 mg/kg (rat)            |  |
|  |                               | 300 mg/kg (rabbit)           |  |
| 58-89-9 γ  | -HCH or γ                     | y-BHC                        |  |
| Oral   | LD50                          | 88 mg/kg (rat)               |  |
| Dermal   | LD50                          | 900 mg/kg (rat)              |  |
| Inhalative   | LC50/4 h                      | 1,560 mg/L (rat)             |  |
|  |                               | (Contd. on page 10)          |  |

US-



Printing date 08/24/2024 Revision date 08/24/2024

Product Name: Organochlorine Pesticides Standard (1X1 mL)

| 60-57-1          | dieldrin (l | (\$0)   | (Contd. of p |
|------------------|-------------|---|--------------|
| Oral             | LD50        | 38 mg/kg (mouse)  |              |
| Olai             | LD30        | 38 mg/kg (rat)  |              |
| Dermal           | LD50        | 10 mg/kg (rat)  |              |
| Dermai           | LD30        | 250 mg/kg (rabbit)  |              |
| 72-20-8 6        | endrin (IS  |   |              |
| Oral             | LD50        | 3 mg/kg (rat)   |              |
| Dermal           | LD50        | 60 mg/kg (rat)  |              |
| 2                |             | 60 mg/kg (rabbit)   |              |
| 72-43-5 r        | nethoxyc    |   |              |
| Oral             | LD50        | 1,855 mg/kg (rat)   |              |
| Dermal           | LD50        | 6,000 mg/kg (rat)   |              |
| <b>72-54-8</b> ] | ΓDE         | 7 8 8 7   |              |
| Dermal           | LD50        | 1,200 mg/kg (rabbit)                                      |              |
| 72-55-9 2        | 2,2-bis(p-c | chlorophenyl)-1,1-dichloroethylene                        |              |
| Oral             | LD50        | 880 mg/kg (rat)   |              |
| 76-44-8 l        | neptachlo   | r (ISO)   |              |
| Oral             | LD50        | 40 mg/kg (rat)  |              |
| Dermal           | LD50        | 119 mg/kg (rat)   |              |
| 309-00-2         | aldrin (I   | SO)   |              |
| Oral             | LD50        | 39 mg/kg (rat)  |              |
| Dermal           | LD50        | 98 mg/kg (rat)  |              |
|                  |             | 15 mg/kg (rabbit)   |              |
| 319-84-6         | alpha-BI    | HC (alpha-HCH)  |              |
| Oral             | LD50        | 177 mg/kg (rat)   |              |
| 319-85-7         |             | 2B,3alpha,4B,5alpha,6B)-1,2,3,4,5,6-hexachlorocyclohexane |              |
| Oral             | LD50        | 6,000 mg/kg (rat)   |              |
| 319-86-8         |             | IC (delta-HCH)  |              |
| Oral             | LD50        | 1,000 mg/kg (rat)   |              |
| 959-98-8         | endosulf    | an I  |              |
| Oral             | LD50        | 76 mg/kg (rat)  |              |
| 1024-57-         |             | lor epoxide - isomer B                                    |              |
| Oral             | LD50        | 15 mg/kg (rat)  |              |
|                  |             | fan sulfate   |              |
| Oral             | LD50        | 18 mg/kg (rat)  |              |
| 33213-65         | 5-9 endosı  |   |              |
| Oral             | LD50        | 240 mg/kg (rat)   |              |

- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.

(Contd. on page 11)



Printing date 08/24/2024 Revision date 08/24/2024

Product Name: Organochlorine Pesticides Standard (1X1 mL)

(Contd. of page 10)

### · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Irritant

#### · Carcinogenic categories

| · IARC (Int | ernational Agency for Research on Cancer)                         |    |
|-------------|---|----|
| 108-88-3    | toluene   | 3  |
| 50-29-3     | DDT (common name not adopted by ISO)                              | 2A |
| 58-89-9     | γ -HCH or γ -BHC  | 1  |
| 60-57-1     | dieldrin (ISO)  | 2A |
| 72-20-8     | endrin (ISO)  | 3  |
| 72-43-5     | methoxychlor  | 3  |
| 76-44-8     | heptachlor (ISO)  | 2B |
| 309-00-2    | aldrin (ISO)  | 2A |
| 319-84-6    | alpha-BHC (alpha-HCH)   | 2B |
| 319-85-7    | (1alpha,2ß,3alpha,4ß,5alpha,6ß)-1,2,3,4,5,6-hexachlorocyclohexane | 2B |
| 1024-57-3   | heptachlor epoxide - isomer B                                     | 2B |
| · NTP (Nati | ional Toxicology Program)   |    |
| 50-29-3     | DDT (common name not adopted by ISO)                              | R  |
| 58-89-9     | γ -HCH or γ -BHC  | R  |
| 319-84-6    | alpha-BHC (alpha-HCH)   | R  |
| 319-85-7 (  | (1alpha,2ß,3alpha,4ß,5alpha,6ß)-1,2,3,4,5,6-hexachlorocyclohexane | R  |
| 319-86-8    | delta-BHC (delta-HCH)   | R  |
| · OSHA-Ca   | (Occupational Safety & Health Administration)                     |    |
| None of the | e ingredients is listed.  |    |

## 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.



Printing date 08/24/2024 Revision date 08/24/2024

Product Name: Organochlorine Pesticides Standard (1X1 mL)

(Contd. of page 11)

## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

## 14 Transport information

| · Not Regulated, De minimis Quantities | -  |
|--|--|
| · UN-Number<br>· DOT, IMDG, IATA       | UN1993                                       |
| · UN proper shipping name              |  |
| ·DOT                                   | Flammable liquids, n.o.s. (Hexanes, Toluene) |
| · IMDG                                 | FLAMMABLE LIQUID, N.O.S. (HEXANES, TOLUENE), |
|  | MARINE POLLUTANT                             |
| · IATA                                 | FLAMMABLE LIQUID, N.O.S. (HEXANES, TOLUENE)  |

- · Transport hazard class(es)
- $\cdot$  DOT



· Class 3 Flammable liquids ·Label

·IMDG



·Class 3 Flammable liquids

·Label

 $\cdot$  IATA



· Class 3 Flammable liquids 3

·Label

· Packing group · DOT, IMDG, IATA

Product contains environmentally hazardous substances: aldrin · Environmental hazards:

II

(ISO),  $\gamma$  -HCH or  $\gamma$  -BHC

(Contd. on page 13)



Printing date 08/24/2024 Revision date 08/24/2024

Product Name: Organochlorine Pesticides Standard (1X1 mL)

|  | (Contd. of page 12                               |
|--|--|
| · Marine pollutant:                          | Symbol (fish and tree)                           |
| · Special precautions for user               | Warning: Flammable liquids                       |
| · Hazard identification number (Kemler code) | ): 33  |
| EMS Number:                                  | F-E, <u>S-E</u>                                  |
| · Stowage Category                           | В  |
| Transport in bulk according to Annex II of   |  |
| MARPOL73/78 and the IBC Code                 | Not applicable.                                  |
| · Transport/Additional information:          |  |
| · DOT  |  |
| · Quantity limitations                       | On passenger aircraft/rail: 5 L                  |
| •  | On cargo aircraft only: 60 L                     |
| · IMDG                                       |  |
| · Limited quantities (LQ)                    | 1L   |
| Excepted quantities (EQ)                     | Code: E2   |
|  | Maximum net quantity per inner packaging: 30 ml  |
|  | Maximum net quantity per outer packaging: 500 ml |
| UN "Model Regulation":                       | UN 1993 FLAMMABLE LIQUID, N.O.S. (HEXANES,       |
| G  | TOLUENE), 3, II, ENVIRONMENTALLY HAZARDOUS       |

# 15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

·Sara

| · Section 355 (extremely hazardous substances): |   |        |  |  |  |
|---|---|--------|--|--|--|
| 58-89-9   | γ -HCH or γ -BHC  |        |  |  |  |
|   | endrin (ISO)  |        |  |  |  |
| 309-00-2  | aldrin (ISO)  |        |  |  |  |
| · Section 3                                     | 13 (Specific toxic chemical listings):                            |        |  |  |  |
| 108-88-3  | toluene   |        |  |  |  |
| 110-54-3  | n-hexane  |        |  |  |  |
| 58-89-9   | γ -HCH or γ -BHC  |        |  |  |  |
| 72-43-5   | methoxychlor  |        |  |  |  |
| 76-44-8   | heptachlor (ISO)  |        |  |  |  |
| 309-00-2  | aldrin (ISO)  |        |  |  |  |
| 319-84-6  | alpha-BHC (alpha-HCH)   |        |  |  |  |
| · TSCA (T                                       | · TSCA (Toxic Substances Control Act):                            |        |  |  |  |
| 108-88-3  | toluene   | ACTIVE |  |  |  |
| 110-54-3  | n-hexane  | ACTIVE |  |  |  |
| 50-29-3   | DDT (common name not adopted by ISO)                              | ACTIVE |  |  |  |
| 58-89-9   | γ -HCH or γ -BHC  | ACTIVE |  |  |  |
| 319-84-6  | alpha-BHC (alpha-HCH)   | ACTIVE |  |  |  |
| 319-85-7  | (1alpha,2ß,3alpha,4ß,5alpha,6ß)-1,2,3,4,5,6-hexachlorocyclohexane | ACTIVE |  |  |  |
|   | (Contd. on page 14  |        |  |  |  |

US



Printing date 08/24/2024 Revision date 08/24/2024

Product Name: Organochlorine Pesticides Standard (1X1 mL)

| 319-86-8 delta-BHC (                  | delta-HCH)   | (Contd. of page ACTIV |
|---------------------------------------|--|-----------------------|
| · Hazardous Air Pollut                | *  |                       |
| 108-88-3 toluene                      |  |                       |
| 110-54-3 n-hexane                     |  |                       |
| 58-89-9 γ -HCH or γ                   | -BHC   |                       |
| 72-43-5 methoxychlo                   |  |                       |
| 76-44-8 heptachlor (1                 |  |                       |
| · Proposition 65                      |  |                       |
| · Chemicals known to o                | 'ause cancer'  |                       |
|                                       | mon name not adopted by ISO)                           |                       |
| 58-89-9 γ -HCH or                     |  |                       |
| 60-57-1 dieldrin (IS                  | ·  |                       |
| 72-54-8 TDE                           | <u></u>  |                       |
|                                       | hlorophenyl)-1,1-dichloroethylene                      |                       |
| 76-44-8 heptachlor                    |  |                       |
| 309-00-2 aldrin (ISO                  |  |                       |
| 319-84-6 alpha-BHC                    | <i>'</i>   |                       |
| -                                     | 3alpha,4ß,5alpha,6ß)-1,2,3,4,5,6-hexachlorocyclohexane |                       |
| 319-86-8 delta-BHC                    |  |                       |
| 1024-57-3 heptachlor                  |  |                       |
| -                                     | •  |                       |
|                                       | cause reproductive toxicity for females:               |                       |
| `                                     | on name not adopted by ISO)                            |                       |
|                                       | cause reproductive toxicity for males:                 |                       |
| 110-54-3 n-hexane                     |  |                       |
| `                                     | on name not adopted by ISO)                            |                       |
|                                       | lorophenyl)-1,1-dichloroethylene                       |                       |
| · Chemicals known to c                | cause developmental toxicity:                          |                       |
| 108-88-3 toluene                      |  |                       |
| • • • • • • • • • • • • • • • • • • • | on name not adopted by ISO)                            |                       |
| 72-20-8 endrin (ISO)                  |  |                       |
| · · · · · · · · · · · · · · · · · · · | lorophenyl)-1,1-dichloroethylene                       |                       |
| 76-44-8 heptachlor (l                 | SO)  |                       |
| · Carcinogenic categor                | ies  |                       |
| · EPA (Environmental                  | Protection Agency)                                     |                       |
| 108-88-3 toluene                      |  | II                    |
| 110-54-3 n-hexane                     |  | II                    |
| 50-29-3 DDT (com                      | mon name not adopted by ISO)                           | В                     |
| 60-57-1 dieldrin (IS                  | 0)   | В                     |
| 72-20-8 endrin (ISC                   | ))   | D                     |
| 72-43-5 methoxych                     | lor  | D                     |
| 72-54-8 TDE                           |  | В                     |
| <u> </u>                              |  | (Contd. on page       |



Printing date 08/24/2024 Revision date 08/24/2024

#### Product Name: Organochlorine Pesticides Standard (1X1 mL)

|            |   | (C +1 C           |
|------------|---|-------------------|
| 72-55-9    | 2,2-bis(p-chlorophenyl)-1,1-dichloroethylene                      | (Contd. of page 1 |
|            | heptachlor (ISO)  | B                 |
|            | aldrin (ISO)  | B                 |
|            | alpha-BHC (alpha-HCH)   | B                 |
|            | (1alpha,2ß,3alpha,4ß,5alpha,6ß)-1,2,3,4,5,6-hexachlorocyclohexane | С                 |
| 319-86-8   | delta-BHC (delta-HCH)   | D                 |
| 1024-57-3  | heptachlor epoxide - isomer B                                     | B                 |
| · TLV (Thr | eshold Limit Value)   |                   |
| 108-88-3   | toluene   | A4                |
| 50-29-3    | DDT (common name not adopted by ISO)                              | A3                |
| 58-89-9    | γ-HCH or γ-BHC  | A3                |
| 60-57-1    | dieldrin (ISO)  | (A4               |
| 72-20-8    | endrin (ISO)  | A4                |
| 72-43-5    | methoxychlor  | A4                |
| 76-44-8    | heptachlor (ISO)  | A3                |
|            | aldrin (ISO)  | A3                |
| 1024-57-3  | heptachlor epoxide - isomer B                                     | A3                |
| · NIOSH-C  | a (National Institute for Occupational Safety and Health)         |                   |
| 50-29-3    | DDT (common name not adopted by ISO)                              |                   |
| 60-57-1    | dieldrin (ISO)  |                   |
|            | methoxychlor  |                   |
|            | heptachlor (ISO)  |                   |
| 309-00-2   | aldrin (ISO)  |                   |

### · National regulations:

### · Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

- · Contact:
- · Date of preparation / last revision 08/24/2024 / 3
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

(Contd. on page 16)



Printing date 08/24/2024 Revision date 08/24/2024

### Product Name: Organochlorine Pesticides Standard (1X1 mL)

(Contd. of page 15)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health

TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
BEI: Biological Exposure Limit

Flammable Liquids 2: Flammable liquids – Category 2 Acute Toxicity - Oral 4: Acute toxicity – Category 4 Skin Irritation 2: Skin corrosion/irritation – Category 2 Carcinogenicity 1A: Carcinogenicity – Category 1A

Toxic to Reproduction 2: Reproductive toxicity – Category 2

Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3
Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) - Category 2

Aspiration Hazard 1: Aspiration hazard – Category 1

\* Data compared to the previous version altered.

US