

Safety Data Sheet

according to P.U.(A) 310/2013

Printing date 28.01.2026

Revision: 28.01.2026

1 Identification of the hazardous chemical and of the supplier

- **Product identifier**
- **Trade name:** Chlorinated Pesticides Standard (1X1 mL)
- **Part number:** US-335-1
- **Recommended use of the chemical and restrictions on use**
Reagents and Standards for Analytical Chemical Laboratory Use
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Agilent Technologies Deutschland GmbH
Hewlett-Packard-Str. 8
76337 Waldbronn
Germany
- **Further information obtainable from:**
Telephone: 0800 603 1000
pdl-msds_author@agilent.com
- **Emergency telephone number:** CHEMTREC®: +(60) 3-9212 5794

2 Hazard identification

- **Classification of the substance or mixture**



GHS02 flame

Flam. Liq. 2 H225 Highly flammable liquid and vapour.



GHS08 health hazard

Repr. 2	H361 Suspected of damaging fertility or the unborn child.
STOT RE 2	H373 May cause damage to the nervous system through prolonged or repeated exposure.
Asp. Haz.	H304 May be fatal if swallowed and enters airways.



GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



GHS07

Acute Tox. 4	H302 Harmful if swallowed.
Skin Irrit. 2	H315 Causes skin irritation.
STOT SE 3	H336 May cause drowsiness or dizziness.

- **Label elements**

- **GHS label elements** The product is classified and labelled according to the Globally Harmonised System (GHS).
(Contd. on page 2)

Safety Data Sheet

according to P.U.(A) 310/2013

Printing date 28.01.2026

Revision: 28.01.2026

Trade name: Chlorinated Pesticides Standard (1X1 mL)

(Contd. of page 1)

· Hazard pictograms

· Signal word Danger
· Hazard-determining components of labelling:

toluene
endosulfan sulfate
n-hexane
1,2,3,4,10,10-hexachloro-6,7-epoxy-1,4,4a,5,6,7,8,8a-octahydro-1,4:5,8-dimethanonaphthalene

· Hazard statements

H225 Highly flammable liquid and vapour.
H302 Harmful if swallowed.
H315 Causes skin irritation.
H361 Suspected of damaging fertility or the unborn child.
H336 May cause drowsiness or dizziness.
H373 May cause damage to the nervous system through prolonged or repeated exposure.
H304 May be fatal if swallowed and enters airways.
H411 Toxic to aquatic life with long lasting effects.

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces – No smoking.
P260 Do not breathe vapours.
P241 Use explosion-proof electrical/ ventilating/lighting equipment.
P280 Wear protective gloves / protective clothing.
P240 Ground/bond container and receiving equipment.
P242 Use only non-sparking tools.
P273 Avoid release to the environment.
P243 Take precautionary measures against static discharge.
P264 Wash thoroughly after handling.
P270 Do not eat, drink, or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P308+P313 IF exposed or concerned: Get medical advice/attention.
P391 Collect spillage.
P321 Specific treatment (see on this label).
P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P303+P361+P353 IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
P332+P313 If skin irritation occurs: Get medical advice/attention.
P314 Get medical advice/attention if you feel unwell.
P330 Rinse mouth.
P331 Do NOT induce vomiting.
P370+P378 In case of fire: Use CO₂, powder or water spray for extinction.
P362+P364 Take off contaminated clothing and wash it before reuse.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.
P403+P235 Store in a well-ventilated place. Keep cool.

(Contd. on page 3)

Safety Data Sheet

according to P.U.(A) 310/2013

Printing date 28.01.2026

Revision: 28.01.2026

Trade name: Chlorinated Pesticides Standard (1X1 mL)

(Contd. of page 2)

P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable
- **vPvB:** Not applicable

3 Composition and information of the ingredients of the hazardous chemical

- **Chemical characterisation: Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

108-88-3	toluene	55.2978%
	Flam. Liq. 2, H225; Repr. 2, H361d; STOT RE 2, H373; Asp. Haz., H304; Skin Irrit. 2, H315; STOT SE 3, H336	
110-54-3	n-hexane	42.0801%
	Flam. Liq. 2, H225; Repr. 2, H361f; STOT RE 2, H373; Asp. Haz., H304; Aquatic Chronic 2, H411; Skin Irrit. 2, H315; STOT SE 3, H336	
50-29-3	dichlorodiphenyltrichloroethane	0.1311%
	Acute Tox. 3, H301; Acute Tox. 3, H311; Carc. 2, H351; STOT RE 1, H372; Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
58-89-9	γ-1,2,3,4,5,6-hexachlorocyclohexane	0.1311%
	Acute Tox. 3, H301; STOT RE 2, H373; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H312; Acute Tox. 4, H332; Lact., H362	
60-57-1	dieldrin (ISO)	0.1311%
	Acute Tox. 3, H301; Acute Tox. 1, H310; Acute Tox. 2, H330; Carc. 2, H351; STOT RE 1, H372; Skin Corr. 1B, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
72-20-8	1,2,3,4,10,10-hexachloro-6,7-epoxy-1,4,4a,5,6,7,8,8a-octahydro-1,4:5,8-dimethanonaphthalene	0.1311%
	Acute Tox. 2, H300; Acute Tox. 3, H311; Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
72-43-5	methoxychlor	0.1311%
	Carc. 2, H351; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332	
72-54-8	TDE	0.1311%
	Acute Tox. 3, H301; Carc. 2, H351; Aquatic Chronic 1, H410; Acute Tox. 4, H312	
72-55-9	2,2-bis(p-chlorophenyl)-1,1-dichloroethylene	0.1311%
	Carc. 2, H351; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302	
76-44-8	heptachlor (ISO)	0.1311%
	Acute Tox. 3, H301; Acute Tox. 3, H311; Carc. 2, H351; STOT RE 2, H373; Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
309-00-2	aldrin (ISO)	0.1311%
	Acute Tox. 3, H301; Acute Tox. 3, H311; Carc. 2, H351; STOT RE 1, H372; Aquatic Acute 1, H400; Aquatic Chronic 1, H410	

(Contd. on page 4)

MY

Safety Data Sheet

according to P.U.(A) 310/2013

Printing date 28.01.2026

Revision: 28.01.2026

Trade name: Chlorinated Pesticides Standard (1X1 mL)

(Contd. of page 3)

319-84-6	alpha-BHC (alpha-HCH) ⚠ Acute Tox. 3, H301; ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ⚠ Acute Tox. 4, H312	0.1311%
319-85-7	(1alpha,2β,3alpha,4β,5alpha,6β)-1,2,3,4,5,6-hexachlorocyclohexane ⚠ Carc. 2, H351; ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ⚠ Acute Tox. 4, H312	0.1311%
319-86-8	delta-BHC (delta-HCH) ⚠ Acute Tox. 3, H301; ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ⚠ Acute Tox. 4, H312	0.1311%
959-98-8	endosulfan I ⚠ Acute Tox. 3, H301; Aquatic Chronic 4, H413	0.1311%
1024-57-3	heptachlor epoxide - isomer B ⚠ Acute Tox. 3, H301; ⚠ Carc. 2, H351; STOT RE 2, H373; ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410	0.1311%
1031-07-8	endosulfan sulfate ⚠ Acute Tox. 1, H300; ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410	0.1311%
1912-24-9	atrazine (ISO) ⚠ STOT RE 2, H373; ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ⚠ Acute Tox. 4, H302; Skin Sens. 1, H317	0.1311%
15972-60-8	alachlor (ISO) ⚠ Carc. 2, H351; ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ⚠ Acute Tox. 4, H302; Skin Sens. 1, H317	0.1311%
33213-65-9	endosulfan II ⚠ Acute Tox. 3, H301; ⚠ Aquatic Acute 1, H400; Aquatic Chronic 4, H413	0.1311%

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

· **After eye contact:** Rinse opened eye for several minutes under running water.

· **After swallowing:** Call for a doctor immediately.

· Information for doctor:

· **Most important symptoms and effects, both acute and delayed** No further relevant information available.

· **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

5 Fire-fighting measures

· Extinguishing media

· Suitable extinguishing agents:

CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· **For safety reasons unsuitable extinguishing agents:** Water with full jet

(Contd. on page 5)

MY

Safety Data Sheet

according to P.U.(A) 310/2013

Printing date 28.01.2026

Revision: 28.01.2026

Trade name: Chlorinated Pesticides Standard (1X1 mL)

(Contd. of page 4)

- **Special hazards arising from the substance or mixture**
During heating or in case of fire poisonous gases are produced.
- **Advice for firefighters**
- **Protective equipment:** Mouth respiratory protective device.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Mount respiratory protective device.
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:**
Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Open and handle receptacle with care.
Prevent formation of aerosols.
- **Information about fire - and explosion protection:**
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
Keep respiratory protective device available.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location.
- **Information about storage in one common storage facility:** Not required
- **Further information about storage conditions:**
Keep container tightly sealed.
Store in cool, dry conditions in well sealed receptacles.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls and personal protection

- **Additional information about design of technical facilities:** No further data; see section 7.

(Contd. on page 6)

-MY-

Safety Data Sheet

according to P.U.(A) 310/2013

Printing date 28.01.2026

Revision: 28.01.2026

Trade name: Chlorinated Pesticides Standard (1X1 mL)

(Contd. of page 5)

· Control parameters
· Ingredients with limit values that require monitoring at the workplace:

108-88-3 toluene	
PEL (Malaysia)	Long-term value: 188 mg/m ³ , 50 ppm (kulit)
110-54-3 n-hexane	
PEL (Malaysia)	Long-term value: 176 mg/m ³ , 50 ppm (kulit)
1024-57-3 heptachlor epoxide - isomer B	
PEL (Malaysia)	Long-term value: 0.05 mg/m ³ (kulit)

· Additional information: The lists valid during the making were used as basis.

· Exposure controls
· Personal protective equipment:
· General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Do not inhale gases / fumes / aerosols.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

· Respiratory protection:

When used as intended with Agilent instruments the use of the product under normal laboratory conditions and with standard practices does not result in significant airborne exposures and therefore respiratory protection is not needed.

Under an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved device equipment with appropriate organic or acid gas cartridge.

· Protection of hands:

Although not recommended for constant contact with the chemicals or for clean up, nitrile gloves 11-13mil thickness are recommended for normal use. The breakthrough time is 1hr. For cleaning a spill where there is direct contact of the chemical, butyl rubber gloves are recommended 12-15mil thickness with breakthrough times exceeding 4 hrs. Supplier recommendations should be followed.

· Material of gloves

For normal use: nitrile rubber, 11-13 mil thickness

For direct contact with the chemical: butyl rubber, 12-15 mil thickness

· Penetration time of glove material

For normal use: nitrile rubber: 1 hour

For direct contact with the chemical: butyl rubber: > 4 hours

· Eye protection:


Tightly sealed goggles

MY

(Contd. on page 7)

Safety Data Sheet

according to P.U.(A) 310/2013

Printing date 28.01.2026

Revision: 28.01.2026

Trade name: Chlorinated Pesticides Standard (1X1 mL)

(Contd. of page 6)

9 Physical and chemical properties

· Information on basic physical and chemical properties	
· General Information	
· Appearance:	
Form:	Liquid
Colour:	According to product specification
· Odour:	Characteristic
· Odour threshold:	Not determined
· pH-value:	Not determined
· Change in condition	
Melting point/freezing point	Undetermined
Initial boiling point and boiling range	69 °C
· Flash point:	-22 °C
· Flammability	Highly flammable.
· Auto-ignition temperature	240 °C
· Decomposition temperature:	Not determined
· Ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
· Explosion limits:	
Lower:	1.2 Vol %
Upper:	7.4 Vol %
· Vapour pressure at 20 °C:	110 hPa
· Density:	Not determined
· Relative density	Not determined
· Vapour density	Not determined
· Evaporation rate	Not determined
· Solubility in / Miscibility with water:	Not miscible or difficult to mix.
· Partition coefficient: n-octanol/water	Not determined
· Viscosity:	
Dynamic:	Not determined
Kinematic:	Not determined
· Solvent content:	
Organic solvents:	97.5 %
VOC (EC)	97.51 %
· Solids content:	2.6 %
· Other information	No further relevant information available.

MY

(Contd. on page 8)

Safety Data Sheet

according to P.U.(A) 310/2013

Printing date 28.01.2026

Revision: 28.01.2026

Trade name: Chlorinated Pesticides Standard (1X1 mL)

(Contd. of page 7)

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity**

· **LD/LC50 values relevant for classification:**

ATE (Acute Toxicity Estimates)

Oral	LD50	331 mg/kg
Dermal	LD50	6,730 mg/kg
Inhalative	LC50/4 h	38.1 mg/L (rat)

108-88-3 toluene

Oral	LD50	5,580 mg/kg (rat)
Dermal	LD50	12,124 mg/kg (rabbit)
Inhalative	LC50/4 h	5,320 mg/L (mouse) 28.1 mg/L (rat)

110-54-3 n-hexane

Oral	LD50	5,000 mg/kg (rat)
Dermal	LD50	3,000 mg/kg (rabbit)

50-29-3 dichlorodiphenyltrichloroethane

Oral	LD50	87 mg/kg (rat)
Dermal	LD50	2,510 mg/kg (rat) 300 mg/kg (rabbit)

58-89-9 γ -1,2,3,4,5,6-hexachlorocyclohexane

Oral	LD50	88 mg/kg (rat)
Dermal	LD50	900 mg/kg (rat)
Inhalative	LC50/4 h	1,560 mg/L (rat)

60-57-1 dieldrin (ISO)

Oral	LD50	38 mg/kg (mouse) 38 mg/kg (rat)
Dermal	LD50	10 mg/kg (rat) 250 mg/kg (rabbit)

72-20-8 1,2,3,4,10,10-hexachloro-6,7-epoxy-1,4,4a,5,6,7,8,8a-octahydro-1,4:5,8-dimethanonaphthalene

Oral	LD50	3 mg/kg (rat)
------	------	---------------

(Contd. on page 9)

MY

Safety Data Sheet

according to P.U.(A) 310/2013

Printing date 28.01.2026

Revision: 28.01.2026

Trade name: Chlorinated Pesticides Standard (1X1 mL)

(Contd. of page 8)

Dermal	LD50	60 mg/kg (rat) 60 mg/kg (rabbit)
72-43-5 methoxychlor		
Oral	LD50	1,855 mg/kg (rat)
Dermal	LD50	6,000 mg/kg (rat)
72-54-8 TDE		
Dermal	LD50	1,200 mg/kg (rabbit)
72-55-9 2,2-bis(p-chlorophenyl)-1,1-dichloroethylene		
Oral	LD50	880 mg/kg (rat)
76-44-8 heptachlor (ISO)		
Oral	LD50	40 mg/kg (rat)
Dermal	LD50	119 mg/kg (rat)
309-00-2 aldrin (ISO)		
Oral	LD50	39 mg/kg (rat)
Dermal	LD50	98 mg/kg (rat) 15 mg/kg (rabbit)
319-84-6 alpha-BHC (alpha-HCH)		
Oral	LD50	177 mg/kg (rat)
319-85-7 (1alpha,2beta,3alpha,4beta,5alpha,6beta)-1,2,3,4,5,6-hexachlorocyclohexane		
Oral	LD50	6,000 mg/kg (rat)
319-86-8 delta-BHC (delta-HCH)		
Oral	LD50	1,000 mg/kg (rat)
959-98-8 endosulfan I		
Oral	LD50	76 mg/kg (rat)
1024-57-3 heptachlor epoxide - isomer B		
Oral	LD50	15 mg/kg (rat)
1031-07-8 endosulfan sulfate		
Oral	LD50	18 mg/kg (rat)
1912-24-9 atrazine (ISO)		
Oral	LD50	672 mg/kg (rat)
Dermal	LD50	7,500 mg/kg (rabbit)
Inhalative	LC50/4 h	5,200 mg/L (rat)
15972-60-8 alachlor (ISO)		
Oral	LD50	930 mg/kg (rat)
Dermal	LD50	3,500 mg/kg (rabbit)
33213-65-9 endosulfan II		
Oral	LD50	240 mg/kg (rat)

- **Primary irritant effect:**
- **Skin corrosion or irritation** Irritant to skin and mucous membranes.
- **Serious eye damage or eye irritation** No irritating effect.
- **Respiratory / skin sensitization** No sensitising effects known.

(Contd. on page 10)

-MY-

Safety Data Sheet

according to P.U.(A) 310/2013

Printing date 28.01.2026

Revision: 28.01.2026

Trade name: Chlorinated Pesticides Standard (1X1 mL)

(Contd. of page 9)

· Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Harmful

Irritant

· CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Repr. 2

12 Ecological information

· Toxicity**· Aquatic toxicity:** No further relevant information available.**· Persistence and degradability** No further relevant information available.**· Behaviour in environmental systems:****· Bioaccumulative potential** No further relevant information available.**· Mobility in soil** No further relevant information available.**· Ecotoxicological effects:****· Remark:** Toxic for fish**· Additional ecological information:****· General notes:**

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

· Results of PBT and vPvB assessment**· PBT:** Not applicable**· vPvB:** Not applicable**· Other adverse effects** No further relevant information available.

13 Disposal information

· Waste treatment methods**· Recommendation**

Dispose of contents/container in accordance with local/regional/national/international regulations.

Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

· Uncleaned packaging:**· Recommendation:** Disposal must be made according to official regulations.

14 Transportation information

· Not Regulated, De minimus Quantities

-

· UN-Number**· ADR, IMDG, IATA**

UN1993

(Contd. on page 11)

MY

Safety Data Sheet

according to P.U.(A) 310/2013

Printing date 28.01.2026

Revision: 28.01.2026

Trade name: Chlorinated Pesticides Standard (1X1 mL)

(Contd. of page 10)

· **UN proper shipping name**
· **ADR**
· **IMDG, IATA**

1993 FLAMMABLE LIQUID, N.O.S. (TOLUENE, HEXANES), ENVIRONMENTALLY HAZARDOUS FLAMMABLE LIQUID, N.O.S. (TOLUENE, HEXANES)

· **Transport hazard class(es)**
· **ADR, IMDG**



· **Class**
· **Label**

3 Flammable liquids.
3

· **IATA**



· **Class**
· **Label**

3 Flammable liquids.
3

· **Packing group**
· **ADR, IMDG, IATA**

II

· **Environmental hazards:**
· **Marine pollutant:**
· **Special marking (ADR):**

Symbol (fish and tree)
Symbol (fish and tree)

· **Special precautions for user**
· **Hazard identification number (Kemler code):**
· **EMS Number:**

Warning: Flammable liquids.
33
F-E,S-E

· **Transport in bulk according to Annex II of Marpol and the IBC Code**

Not applicable

· **Transport/Additional information:**

· **ADR**
· **Limited quantities (LQ)**
· **Excepted quantities (EQ)**

1L
Code: E2
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 500 ml

· **Transport category**
· **Tunnel restriction code**

2
D/E

· **IMDG**
· **Limited quantities (LQ)**

1L

(Contd. on page 12)

MY

Safety Data Sheet

according to P.U.(A) 310/2013

Printing date 28.01.2026

Revision: 28.01.2026

Trade name: Chlorinated Pesticides Standard (1X1 mL)

(Contd. of page 11)

· Excepted quantities (EQ)

Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

· UN "Model Regulation":

UN 1993 FLAMMABLE LIQUID, N.O.S. (TOLUENE, HEXANES), 3, II, ENVIRONMENTALLY HAZARDOUS

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture
· EHS reference list

108-88-3	toluene
110-54-3	n-hexane
50-29-3	dichlorodiphenyltrichloroethane
58-89-9	γ-1,2,3,4,5,6-hexachlorocyclohexane
60-57-1	dieldrin (ISO)
72-20-8	1,2,3,4,10,10-hexachloro-6,7-epoxy-1,4,4a,5,6,7,8,8a-octahydro-1,4:5,8-dimethanonaphthalene
76-44-8	heptachlor (ISO)
309-00-2	aldrin (ISO)
319-84-6	alpha-BHC (alpha-HCH)
319-85-7	(1alpha,2β,3alpha,4β,5alpha,6β)-1,2,3,4,5,6-hexachlorocyclohexane
319-86-8	delta-BHC (delta-HCH)
1024-57-3	heptachlor epoxide - isomer B
1912-24-9	atrazine (ISO)
15972-60-8	alachlor (ISO)

· Directive 2012/18/EU
· Named dangerous substances - ANNEX I None of the ingredients is listed.

· Seveso category

E2 Hazardous to the Aquatic Environment

P5c FLAMMABLE LIQUIDS

· Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t

· Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

· Contact:
· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

(Contd. on page 13)

MY

Safety Data Sheet

according to P.U.(A) 310/2013

Printing date 28.01.2026

Revision: 28.01.2026

Trade name: Chlorinated Pesticides Standard (1X1 mL)

(Contd. of page 12)

CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Flam. Liq. 2: Flammable liquids – Category 2
Acute Tox. 3: Acute toxicity - oral – Category 3
Acute Tox. 1: Acute toxicity - oral – Category 1
Acute Tox. 4: Acute toxicity - oral – Category 4
Acute Tox. 2: Acute toxicity - oral – Category 2
Skin Corr. 1B: Skin corrosion or irritation – Category 1B
Skin Irrit. 2: Skin corrosion or irritation – Category 2
Eye Dam. 1: Serious eye damage or eye irritation – Category 1
Skin Sens. 1: Skin sensitization – Category 1
Carc. 2: Carcinogenicity – Category 2
Lact.: Reproductive toxicity - effect on or via lactation
Repr. 2: Reproductive toxicity – Category 2
Repr. 2: Reproductive toxicity – Category 2
Repr. 2: Reproductive toxicity – Category 2
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2
Asp. Haz.: Aspiration hazard – Category 1
Aquatic Acute 1: Hazardous to the aquatic environment - acute hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - chronic hazard – Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment - chronic hazard – Category 2
Aquatic Chronic 4: Hazardous to the aquatic environment - chronic hazard – Category 4

· * **Data compared to the previous version altered.**

MY