

Safety Data Sheet

acc. to OSHA HCS

Revision date: 01/08/2025

* 1 Identification	
· Product identifier	
· Product Name: USP 467 Calibration Standard (1X1 mL)	
· Part no. : USPM-467C-1	
· Restrictions	<p>After February 3, 2025, this chemical substance (as defined in TSCA section 3(2))/ product cannot be distributed in commerce to retailers. After January 28, 2026, this chemical substance (as defined in TSCA section 3(2))/ product is and can only be distributed in commerce or processed with a concentration of methylene chloride equal to or greater than 0.1% by weight for the following purposes: (1) Processing as a reactant; (2) Processing for incorporation into a formulation, mixture, or reaction product; (3) Processing for repackaging; (4) Processing for recycling; (5) Industrial or commercial use as a laboratory chemical; (6) Industrial or commercial use as a bonding agent for solvent welding; (7) Industrial and commercial use as a paint and coating remover from safety critical, corrosion sensitive components of aircraft and spacecraft; (8) Industrial and commercial use as a processing aid; (9) Industrial and commercial use for plastic and rubber products manufacturing; (10) Industrial and commercial use as a solvent that becomes part of a formulation or mixture, where that formulation or mixture will be used inside a manufacturing process, and the solvent (methylene chloride) will be reclaimed; (11) Industrial and commercial use in the refinishing for wooden furniture, decorative pieces, and architectural fixtures of artistic, cultural or historic value until May 8, 2029; (12) Industrial and commercial use in adhesives and sealants in aircraft, space vehicle, and turbine applications for structural and safety critical non-structural applications until May 8, 2029; (13) Disposal; and (14) Export.</p>
· Application of the substance / the mixture	Reagents and Standards for Analytical Chemical Laboratory Use
· Details of the supplier of the safety data sheet	
· Manufacturer/Supplier:	Agilent Technologies, Inc. 5301 Stevens Creek Blvd. Santa Clara, CA 95051 USA
· Information department:	Telephone: 800-227-9770 e-mail: pdl-msds_author@agilent.com
· Emergency telephone number:	CHEMTREC®: 1-800-424-9300
* 2 Hazard(s) identification	
· Classification of the substance or mixture	
 GHS08 Health hazard	
Carcinogenicity 1B H350 May cause cancer.	
Flammable Liquids 4 H227 Combustible liquid.	
· Label elements	
· GHS label elements	The product is classified and labeled according to the Globally Harmonized System (GHS).
· Hazard pictograms	
 GHS08	
· Signal word	Danger

(Contd. on page 2)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date: 01/08/2025

Revision date: 01/08/2025

Product Name: USP 467 Calibration Standard (1X1 mL)

(Contd. of page 1)

· Hazard-determining components of labeling:

dichloromethane

· Hazard statements

H227 Combustible liquid.

H350 May cause cancer.

· Precautionary statements

P210 Keep away from flames and hot surfaces. – No smoking.

P280 Wear protective gloves / protective clothing.

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P370+P378 In case of fire: Use CO₂, powder or water spray to extinguish.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Classification system:

· NFPA ratings (scale 0 - 4)



Health = 0
Fire = 2
Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH	0
FIRE	2
REACTIVITY	0

Health = *0
Fire = 2
Reactivity = 0

· Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.· **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

67-68-5	dimethyl sulfoxide	99.2308%
75-09-2	dichloromethane	0.4525%

4 First-aid measures

· Description of first aid measures

· **After inhalation:** Supply fresh air; consult doctor in case of complaints.· **After skin contact:** Generally the product does not irritate the skin.· **After eye contact:** Rinse opened eye for several minutes under running water.· **After swallowing:** If symptoms persist consult doctor.

· Information for doctor:

· **Most important symptoms and effects, both acute and delayed** No further relevant information available.

(Contd. on page 3)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date: 01/08/2025

Revision date: 01/08/2025

Product Name: USP 467 Calibration Standard (1X1 mL)

(Contd. of page 2)

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· PAC-1:

67-68-5	dimethyl sulfoxide	150 ppm
75-09-2	dichloromethane	200 ppm
71-43-2	benzene	52 ppm
79-01-6	trichloroethylene	130 ppm
123-91-1	1,4-dioxane	17 ppm
67-66-3	trichloromethane	2 ppm

· PAC-2:

67-68-5	dimethyl sulfoxide	290 ppm
75-09-2	dichloromethane	560 ppm
71-43-2	benzene	800 ppm
79-01-6	trichloroethylene	450 ppm
123-91-1	1,4-dioxane	320 ppm
67-66-3	trichloromethane	64 ppm

· PAC-3:

67-68-5	dimethyl sulfoxide	1,800 ppm
75-09-2	dichloromethane	6,900 ppm
71-43-2	benzene	4000* ppm
79-01-6	trichloroethylene	3,800 ppm
123-91-1	1,4-dioxane	760 ppm

(Contd. on page 4)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date: 01/08/2025

Revision date: 01/08/2025

Product Name: USP 467 Calibration Standard (1X1 mL)

(Contd. of page 3)

67-66-3 trichloromethane

3,200 ppm

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
 - Ensure good ventilation/exhaustion at the workplace.
 - Open and handle receptacle with care.
- **Information about protection against explosions and fires:** Keep respiratory protective device available.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see section 7.

- **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

67-68-5 dimethyl sulfoxide

WEEL Long-term value: 250 ppm

75-09-2 dichloromethanePEL Short-term value: 125 ppm
Long-term value: 25 ppm
see 29 CFR 1910.1052

REL See Pocket Guide App. A

TLV Long-term value: 50 ppm
BEI, A3

- **Ingredients with biological limit values:**

75-09-2 dichloromethaneBEI 0.3 mg/L
Medium: urine
Time: end of shift
Parameter: Dichloromethane (semi-quantitative)

- **Additional information:** The lists that were valid during the creation were used as basis.

- **Exposure controls**

- **Personal protective equipment:**

- **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.
Wash hands before breaks and at the end of work.

Store protective clothing separately.

- **Breathing equipment:**

When used as intended with Agilent instruments, the use of the product under normal laboratory conditions and with standard practices does not result in significant airborne exposures and therefore respiratory protection is not

(Contd. on page 5)

US

Safety Data Sheet
acc. to OSHA HCS

Printing date: 01/08/2025

Revision date: 01/08/2025

Product Name: USP 467 Calibration Standard (1X1 mL)

(Contd. of page 4)

needed.

Under an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved device/equipment with appropriate organic or acid gas cartridge.

· Protection of hands:

Although not recommended for constant contact with the chemicals or for clean-up, nitrile gloves 11-13 mil thickness are recommended for normal use. The breakthrough time is 1 hr. For cleaning a spill where there is direct contact of the chemical, butyl rubber gloves are recommended 12-15 mil thickness with breakthrough times exceeding 4 hrs. Supplier recommendations should be followed.

· Material of gloves

For normal use: nitrile rubber, 11-13 mil thickness

For direct contact with the chemical: butyl rubber, 12-15 mil thickness

· Penetration time of glove material

For normal use: nitrile rubber: 1 hour

For direct contact with the chemical: butyl rubber: >4 hours

· Eye protection:

Tightly sealed goggles

*

9 Physical and chemical properties**· Information on basic physical and chemical properties****· General Information****· Appearance:****Form:** Fluid**Color:** Colorless**· Odor:** Odorless**· Odor threshold:** Not determined.**· pH-value:** Not determined.**· Change in condition****Melting point/Melting range:** 16-19 °C (60.8-66.2 °F)**Boiling point/Boiling range:** 189 °C (372.2 °F)**· Flash point:** 87 °C (188.6 °F)**· Flammability (solid, gaseous):** Not applicable.**· Auto igniting:** 270 °C (518 °F)**· Decomposition temperature:** Not determined.**· Ignition temperature:** Product is not selfigniting.**· Danger of explosion:** Not determined.**· Explosion limits:****Lower:** 1.8 Vol %**Upper:** 63 Vol %**· Vapor pressure at 20 °C (68 °F):** 0.41 hPa (0.3 mm Hg)**· Density at 20 °C (68 °F):** 1.10115 g/cm³ (9.1891 lbs/gal)

(Contd. on page 6)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date: 01/08/2025

Revision date: 01/08/2025

Product Name: USP 467 Calibration Standard (1X1 mL)

(Contd. of page 5)

· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	100.0 %
VOC content:	99.50 % 1,095.7 g/l / 9.14 lb/gal
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

67-68-5 dimethyl sulfoxide		
Oral	LD50	14,500 mg/kg (rat)
Dermal	LD50	>5,000 mg/kg (rabbit)
Inhalative	LC50/4 h	40,250 mg/L (rat)
75-09-2 dichloromethane		
Oral	LD50	1,600 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rat)
Inhalative	LC50/4 h	88 mg/L (rat)

· Primary irritant effect:

- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

(Contd. on page 7)

US

Safety Data Sheet acc. to OSHA HCS

Printing date: 01/08/2025

Revision date: 01/08/2025

Product Name: USP 467 Calibration Standard (1X1 mL)

(Contd. of page 6)

· Carcinogenic categories**· IARC (International Agency for Research on Cancer)**

75-09-2	dichloromethane	2A
71-43-2	benzene	1
79-01-6	trichloroethylene	1
123-91-1	1,4-dioxane	2B
67-66-3	trichloromethane	2B

· NTP (National Toxicology Program)

75-09-2	dichloromethane	R
71-43-2	benzene	K
79-01-6	trichloroethylene	K
123-91-1	1,4-dioxane	R
67-66-3	trichloromethane	R

· OSHA-Ca (Occupational Safety & Health Administration)

75-09-2	dichloromethane
71-43-2	benzene

12 Ecological information

· Toxicity**· Aquatic toxicity:** No further relevant information available.**· Persistence and degradability** No further relevant information available.**· Behavior in environmental systems:****· Bioaccumulative potential** No further relevant information available.**· Mobility in soil** No further relevant information available.**· Additional ecological information:****· General notes:**

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

· Results of PBT and vPvB assessment**· PBT:** Not applicable.**· vPvB:** Not applicable.**· Other adverse effects** No further relevant information available.

13 Disposal considerations

· Waste treatment methods**· Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:**· Recommendation:** Disposal must be made according to official regulations.

US

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS

Printing date: 01/08/2025

Revision date: 01/08/2025

Product Name: USP 467 Calibration Standard (1X1 mL)

(Contd. of page 7)

14 Transport information

· Not Regulated, De minimis Quantities	-
· UN-Number	
· DOT, ADN, IMDG, IATA	not regulated
· UN proper shipping name	
· DOT, ADN, IMDG, IATA	not regulated
· Transport hazard class(es)	
· DOT, ADN, IMDG, IATA	not regulated
· Class	not regulated
· Packing group	
· DOT, IMDG, IATA	not regulated
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· UN "Model Regulation":	not regulated

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

- Section 355 (extremely hazardous substances):

67-66-3	trichloromethane
· Section 313 (Specific toxic chemical listings):	
75-09-2	dichloromethane
71-43-2	benzene
79-01-6	trichloroethylene
123-91-1	1,4-dioxane
67-66-3	trichloromethane

- TSCA (Toxic Substances Control Act):

After February 3, 2025, this chemical substance (as defined in TSCA section 3(2))/ product cannot be distributed in commerce to retailers. After January 28, 2026, this chemical substance (as defined in TSCA section 3(2))/ product is and can only be distributed in commerce or processed with a concentration of methylene chloride equal to or greater than 0.1% by weight for the following purposes: (1) Processing as a reactant; (2) Processing for incorporation into a formulation, mixture, or reaction product; (3) Processing for repackaging; (4) Processing for recycling; (5) Industrial or commercial use as a laboratory chemical; (6) Industrial or commercial use as a bonding agent for solvent welding; (7) Industrial and commercial use as a paint and coating remover from safety critical, corrosion sensitive components of aircraft and spacecraft; (8) Industrial and commercial use as a processing aid; (9) Industrial and commercial use for plastic and rubber products manufacturing; (10) Industrial and commercial use as a solvent that becomes part of a formulation or mixture, where that formulation or mixture will be used inside a manufacturing process, and the solvent (methylene chloride) will be reclaimed; (11) Industrial and commercial use in the refinishing for wooden furniture, decorative pieces, and architectural fixtures of artistic, cultural or historic value until May 8, 2029; (12) Industrial and commercial use in adhesives and sealants in aircraft, space vehicle, and turbine applications for structural and safety critical non-structural applications until

(Contd. on page 9)

US

Safety Data Sheet
acc. to OSHA HCS

Printing date: 01/08/2025

Revision date: 01/08/2025

Product Name: USP 467 Calibration Standard (1X1 mL)

(Contd. of page 8)

May 8, 2029; (13) Disposal; and (14) Export.

All components have the value ACTIVE.

· Hazardous Air Pollutants

75-09-2	dichloromethane
71-43-2	benzene
79-01-6	trichloroethylene
123-91-1	1,4-dioxane
67-66-3	trichloromethane

· Proposition 65**· Chemicals known to cause cancer:**

75-09-2	dichloromethane
71-43-2	benzene
79-01-6	trichloroethylene
123-91-1	1,4-dioxane
67-66-3	trichloromethane

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

71-43-2	benzene
79-01-6	trichloroethylene

· Chemicals known to cause developmental toxicity:

71-43-2	benzene
79-01-6	trichloroethylene
67-66-3	trichloromethane

· Carcinogenic categories**· EPA (Environmental Protection Agency)**

75-09-2	dichloromethane	L
71-43-2	benzene	A, K/L
79-01-6	trichloroethylene	CaH
123-91-1	1,4-dioxane	L
67-66-3	trichloromethane	B2, L, NL

· TLV (Threshold Limit Value)

75-09-2	dichloromethane	A3
71-43-2	benzene	A1
79-01-6	trichloroethylene	A2
123-91-1	1,4-dioxane	A3
67-66-3	trichloromethane	A3

· NIOSH-Ca (National Institute for Occupational Safety and Health)

75-09-2	dichloromethane
71-43-2	benzene
79-01-6	trichloroethylene

(Contd. on page 10)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date: 01/08/2025

Revision date: 01/08/2025

Product Name: USP 467 Calibration Standard (1X1 mL)

(Contd. of page 9)

123-91-1	1,4-dioxane
67-66-3	trichloromethane

National regulations:**Information about limitation of use:**

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation.
Exceptions can be made by the authorities in certain cases.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.**16 Other information**

The information contained in this document is based on Agilent's state of knowledge at the time of preparation.
No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

Department issuing SDS: Document Control / Regulatory**Contact:** pdl-acg-regulatory-cq@agilent.com**Date of preparation / last revision** 01/08/2025 / 3**Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flammable Liquids 4: Flammable liquids – Category 4

Carcinogenicity 1B: Carcinogenicity – Category 1B

*** Data compared to the previous version altered.**

US