



G111426-8 0006838073



Lot **0006838073**
Page 1 of 1

Catalog Number G111426-8
Product Name SureFISH IGH BCL2 DF P20
Materials Provided G111426-85510, 1 tube (20 µl)
Description IGH DF 1519kb, Green, genomic coordinates: Human hg19 chr14:105767975-107288785
BCL2 DF 994kb, Orange-Red, genomic coordinates: Human hg19 chr18:60309881-61304141
Manufacturing Date 2025-03-18
Expiration Date 2028-03-31
Certified By Todd Parsons
Quality Controlled By Zulema Bates
Test Conditions The translocation probes are tested by FISH to ensure detection of and specificity for the stated genomic coordinates in both interphase nuclei and metaphase spreads. For a representative image of FISH results obtained with this probe sequences, see the SureFISH website at www.agilent.com/genomics/surefish



Agilent Technologies, Inc.
5301 Stevens Creek Blvd, Santa Clara, CA 95051, USA
Manufactured at:
1834 State Hwy 71 W, Cedar Creek, TX 78612, USA
www.agilent.com

Made in USA
For support within the US or Canada: 1-800-227-9770-3-4-2
For global support: www.agilent.com/genomics/contactus

013222-SureFISH-Transloc

Volume	20 µl
Shipping Conditions	Shipped on dry ice.
Storage Conditions	Store at -25°C to -15°C upon receipt. Protect from light whenever possible.
Warning	Fluorophores are light-sensitive and will readily photobleach. Handle all solutions and slides containing labeled probes under reduced light. Perform all incubations and washes in the dark whenever possible. Ensure that all slides are light protected prior to imaging.
Notice to Purchaser	Patent information for this product is available on the web at www.agilent.com/genomics/aboutsurefish .
Limited Product Warranty	This warranty limits our liability to replacement of this product. No other warranties of any kind, express or implied, including, without limitation, implied warranties of merchantability or fitness for a particular purpose, are provided by Agilent. Agilent shall have no liability for any direct, indirect, consequential, or incidental damages arising out of the use, the results of use, or the inability to use this product.

**For Research Use Only. Not for use in diagnostic procedures.
This certificate is a declaration of analysis at the time of manufacture.**