SAFETY DATA SHEET



GeneJammer Transfection Reagent, Part Number 204130

undertaking	fication of the substance/mixture and of the company/
1.1 Product identifier	
Product name	: GeneJammer Transfection Reagent, Part Number 204130
Part no.	: 204130
1.2 Relevant identified us	es of the substance or mixture and uses advised against
Identified uses	: Analytical reagent.
	1 ml GeneJammer Transfection Reagent 204130-21
Uses advised against	: None known.
1.3 Details of the supplier	of the safety data sheet
Agilent Technologies LDA 5500 Lakeside Cheadle R Cheadle, Cheshire, SK8 3 United Kingdom Tel: +44 (0) 345 712 5292	oyal Business Park, GR
e-mail address of person responsible for this SDS	n : pdl-msds_author@agilent.com
1.4 Emergency telephone	number
Emergency telephone number (with hours of	: CHEMTREC®: +(44)-870-8200418

SECTION 2: Hazards identification

operation)

2.1 Classification of t	he substance or mixture	
Product definition	: Mixture	
Classification accor	ding to Regulation (EC) No. 1272/2008 [CLP/GH	<u>HS]</u>
⊮ 225	FLAMMABLE LIQUIDS	Category 2
H319	SERIOUS EYE DAMAGE/EYE IRRITATION	Category 2
The product is classifi	ied as hazardous according to UK CLP Regulatior	n SI 2019/720 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

s identification
 F305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical advice or attention.
: Not applicable.
: P 501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.
: Not applicable.
: Not applicable.
ements
: Not applicable.
: Not applicable.
: ₱his mixture does not contain any substances that are assessed to be a PBT or a vPvB.
: None known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures : Mixture				
Product/ingredient name	Identifiers	%	Classification	Туре
€ thanol	EC: 200-578-6 CAS: 64-17-5 Index: 603-002-00-5	≥75 - ≤90	Flam. Liq. 2, H225 Eye Irrit. 2, H319	[1] [2]
			See Section 16 for the full text of the H statements declared above.	

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

<u>Type</u>

Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid r	neasures
Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	: Fush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	: Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

. . ..

. .. .

4.2 Most important symptoms and effects, both acute and delayed

Over-exposure signs/symptoms

Eye contact	: Adverse symptoms may include the following: pain or irritation
	watering
	redness
Inhalation	: 📈 specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician	: Freat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media	:
Unsuitable extinguishing media	: 🗭 o not use water jet.
5.2 Special hazards arising	from the substance or mixture

Hazards from the substance or mixture	: Fighly flammable liquid and vapour. Runoff to sewer may create fire or explosion hazard. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion.
Hazardous combustion products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide

SECTION 5: Firefighting measures

5.3 Advice for firefighters		
Special protective actions for fire-fighters	:	Fromptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
Special protective equipment for fire- fighters	:	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

SECTION 6: Accidental release measures

6.1 Personal precautions, p	oro	tective equipment and emergency procedures
For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	Fspecialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	:	Kvoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
6.3 Methods and material f	or	containment and cleaning up
Methods for cleaning up	:	Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
6.4 Reference to other sections	:	See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Take precautionary measures against electrostatic discharges. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	: Fating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

See Section 13 for additional waste treatment information.

7.2 Conditions for safe storage, including any incompatibilities

SECTION 7: Handling and storage

Storage	: Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidising materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Seveso Directive - Reporting thresholds

Danger criteria

	Notification and MAPP threshold	Safety report threshold
₽5c	5000 tonne	50000 tonne

7.3 Specific end use(s)

: Industrial applications, Professional applications.

Industrial sector specific

- solutions
- : Not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

Product/ingredient name	Exposure limit values
<mark>∉</mark> thanol	EH40/2005 WELs (United Kingdom (UK), 1/2020). TWA: 1000 ppm 8 hours. TWA: 1920 mg/m ³ 8 hours.

Biological exposure indices

No exposure indices known.

: Reference should be made to appropriate monitoring standards. Reference to national Recommended guidance documents for methods for the determination of hazardous substances will monitoring procedures also be required.

DNELs/DMELs

Product/ingredient name	Туре	Exposure	Value	Population	Effects
ethanol	DNEL	Long term Oral	87 mg/kg bw/day	General population	Systemic
	DNEL	Long term Inhalation	114 mg/m ³	General population	Systemic
	DNEL	Long term Dermal	206 mg/kg bw/day	General population	Systemic
	DNEL	Long term Dermal	343 mg/kg bw/day	Workers	Systemic
	DNEL	Short term Inhalation	950 mg/m ³	General population	Local
	DNEL	Long term Inhalation	950 mg/m³	Workers	Systemic
	DNEL	Short term Inhalation	1900 mg/ m³	Workers	Local

PNECs

No PNECs available

8.2 Exposure controls

SECTION 8: Exposure controls/personal protection

Appropriate engineering		Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or
controls		other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapour or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.
Individual protection mea	su	<u>res</u>
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. When there is a risk of ignition from static electricity, wear antistatic protective clothing. For the greatest protection from static discharges, clothing should include anti-static overalls, boots and gloves.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	-	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

9.1 Information on basic physical and chemical properties

Date of issue/Date of revision	: 30/06/2023 Date of previous issue : 03/01/2020	Version : 3	6/1
Flash point	: Closed cup: -18 to 23°C		
Upper/lower flammability or explosive limits	: Not available.		
Flammability	: Not applicable.		
Initial boiling point and boiling range	: 78°C		
Melting point/freezing point	: Not available.		
Odour threshold	: Not available.		
Odour	: Not available.		
Colour	: Not available.		
Physical state	: 🗹quid. [Clear. / solution]		
<u>Appearance</u>			

Auto-ignition		Ingredient name		°C	Method
temperature		₽ thanol	4	55	DIN 51794
Decomposition temperature	:	Not available.			
рН	:	Not available.			
Viscosity	:	Not available.			
Solubility(ies)	:	Media	Resu	ult	
		water	Solub	ole	
Miscible with water	:	₩es.	Ļ		
Partition coefficient: n- octanol/water	1	Not applicable.			
Vapour pressure	:	<mark>≸</mark> .9 kPa (44.6 mm Hg)			
Evaporation rate	:	Not available.			
Relative density	:	0.7906			
Density	:	0.7906 g/cm³			
Vapour density	:	Not available.			
Explosive properties	:	Not available.			
Oxidising properties	:	Not available.			
Particle characteristics					
Median particle size	1	Not applicable.			

9.2 Other information

No additional information.

SECTION 10: Stability and reactivity				
10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.			
10.2 Chemical stability	: The product is stable.			
10.3 Possibility of hazardous reactions	: Inder normal conditions of storage and use, hazardous reactions will not occur.			
10.4 Conditions to avoid	: Kvoid all possible sources of ignition (spark or flame). Do not pressurise, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition.			
10.5 Incompatible materials	 Reactive or incompatible with the following materials: oxidising materials Reactive or incompatible with the following materials: acids. 			
10.6 Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.			

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
-	LC50 Inhalation Vapour	Rat	124700 mg/m³	4 hours
	LD50 Oral	Rat	7 g/kg	-

Acute toxicity estimates

SECTION 11: Toxicological information

Product/ing	redient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapours) (mg/l)	
ethanol		7000	N/A	N/A	124.7	N/A

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
ethanol	Eyes - Mild irritant	Rabbit	-	24 hours 500	-
	Eyes - Moderate irritant	Rabbit	_	mg 0.066666667	_
	Lyes - Moderate initiant	TADDIC	-	minutes 100	-
				mg	
	Eyes - Moderate irritant	Rabbit	-	100 uL	-
	Repeated exposure may cause	skin dryness or	cracking		
<u>Sensitiser</u>					
· · · · · ·	Not available.				
Mutagenicity					
· · · · · ·	Not available.				
Carcinogenicity					
· · · · · ·	Not available.				
Reproductive toxicity					
	Not available.				
Teratogenicity					
· · · · · · · · · · · · · · · · · · ·	Not available.				
Specific target organ toxicity	<u>r (single exposure)</u>				
Not available.					
Specific target organ toxicity	<u> (repeated exposure)</u>				
Not available.					
Aspiration hazard					
Not available.					
Information on likely	Routes of entry anticipated: Oral	Dormal Inhol	ation Eve		
Information on likely : routes of exposure	Notices of entry anticipated. Ora	i, Dernai, innai	ation, Eye	55.	
Potential acute health effects	5				
	- ₩o known significant effects or c	ritical hazards.			
	No known significant effects or c				
-	No known significant effects or c				
	Zauses serious eye irritation.				
· · · · · · · · · · · · · · · · · · ·	vsical, chemical and toxicologic	al characteris	tics		
	No specific data.				
Ingestion :	No specific data.				
Skin contact :	No specific data.				
Eye contact :	Adverse symptoms may include	the following:			
,	pain or irritation	9.			
	watering				
Dolaved and immediate offer	redness	om chort and l	ong tor		
	ts as well as chronic effects fro	on short and I	ong-tern	<u>rexposure</u>	
Short term exposure	Notavailable				
Potential immediate : effects	Not available.				
010013					

SECTION 11: Toxicological information

	5
Potential delayed effects	: Not available.
Long term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Potential chronic health of	<u>effects</u>
Conclusion/Summary	: Not available.
General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Reproductive toxicity	: No known significant effects or critical hazards.
Other information	: Adverse symptoms may include the following: liver abnormalities Narcotic effect. May cause nervous system disturbances.

SECTION 12: Ecological information

12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
ethanol	Acute EC50 3306 mg/l Marine water	Algae - Green algae - Ulva pertusa	96 hours
	Acute EC50 1074 mg/l Fresh water	Crustaceans - Ostracod - Cypris subglobosa	48 hours
	Acute LC50 5680 mg/l Fresh water	Daphnia - Water flea - Daphnia magna - Neonate	48 hours
	Acute LC50 11000000 μg/l Marine water	Fish - Bleak - Alburnus alburnus	96 hours
	Chronic NOEC 4.995 mg/l Marine water	Algae - Green algae - <i>Ulva</i> pertusa	96 hours
	Chronic NOEC 100 ul/L Fresh water	, Daphnia - Water flea - <i>Daphnia</i> <i>magna</i> - Neonate	21 days

Conclusion/Summary : Not available.

12.2 Persistence and degradability

Conclusion/Summary : Not available.

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
<mark>∉t</mark> hanol	-	-	Readily

12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
ethanol	-0.35	0.5	Low

12.4 Mobility in soil

Soil/water partition coefficient (Koc)	: Not available.
Mobility	: Not available.

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Other adverse effects	5	No known significant effects or critical hazards.
----------------------------	---	---

Date of issue/Date of revision : 30/06/2023 Date of previous issue	: 03/01/2020 Version : 3	9/12
--	--------------------------	------

SECTION 12: Ecological information

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	: The classification of the product may meet the criteria for a hazardous waste.
Packaging	
Methods of disposal	 The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
Special precautions	: This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Vapour from product residues may create a highly flammable or explosive atmosphere inside the container. Do not cut, weld or grind used containers unless they have been cleaned thoroughly internally. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

	ADR/RID	IMDG	ΙΑΤΑ
14.1 UN number	UN1170	UN1170	UN1170
14.2 UN proper shipping name	ETHANOL solution	ETHANOL solution	Ethyl alcohol solution
14.3 Transport hazard class(es)	3	3	3
14.4 Packing group	11	11	11
14.5 Environmental hazards	No.	No.	No.

Additional information

Remarks: De minimis quantities

ADR/RID	:	Hazard identification number 33 Limited quantity 1 L Special provisions 144, 601 Tunnel code (D/E)				
IMDG	:	Emergency schedules F-E, S-D Special provisions 144				
ΙΑΤΑ	:	Quantity limitation Passenger and Cargo Aircraft Only: 60 L. Packaging Aircraft: 1 L. Packaging instructions Special provisions A3, A58, A180	g instructions: 364. I : Y341.			
14.6 Special precautions for user	:	Transport within user's premises upright and secure. Ensure that per event of an accident or spillage.				
Date of issue/Date of revision		: 30/06/2023 Date of previous issue	: 03/01/2020	Version	:3	10/12

SECTION 14: Transport information

 14.7 Transport in bulk
 : Not available.

 according to IMO
 instruments

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture <u>UK (GB)/REACH</u>

Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Ozone depleting substances

Not listed.

Prior Informed Consent (PIC)

Not listed.

Persistent Organic Pollutants

Not listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Product / Ingredient name	Identifiers	Status
SeneJammer Transfection Reagent, Part Number 204130	-	3

Label : Not applicable.

Seveso Directive

This product is controlled under the Seveso Directive.

Danger criteria

	Category
	P5c
C 1 1	L regulations

EU regulations

EU regulations		
Industrial emissions (integrated pollution prevention and control) - Air	: Not listed	
Industrial emissions (integrated pollution prevention and control) - Water	: Not listed	
15.2 Chemical safety assessment	: This product contains substances for which Chemical Safety Assessments might still be required.	
International regulations		
Chemical Weapon Convention List Schedules I, II & III Chemicals		
Not listed.		
Montreal Protocol		
Not listed.		
Stockholm Convention on	Persistent Organic Pollutants	

SECTION 15: Regulatory information

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

United States

: All components are active or exempted.

SECTION 16: Other information

Indicates information that has changed from previously issued version.

Abbreviations and acronyms	 ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement N/A = Not available PBT = Persistent Bioaccumulative and Toxic
	PBT = Persistent, Bioaccumulative and Toxic
	PNEC = Predicted No Effect Concentration
	RRN = REACH Registration Number
	vPvB = Very Persistent and Very Bioaccumulative

Procedure used to derive the classification

Classification	Justification
✓am. Liq. 2, H225	On basis of test data
Eye Irrit. 2, H319	Calculation method

Full text of abbreviated H statements

<mark>⊮</mark> 225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.

Full text of classifications

	<mark>E</mark> ye Irrit. 2 Flam. Liq. 2	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2 FLAMMABLE LIQUIDS - Category 2
	ate of issue/ Date of vision	: 30/06/2023
D	ate of previous issue	: 03/01/2020
V	ersion	: 3
	Notice to reader	

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.