

SAFETY DATA SHEET

High Sensitivity D1000 Reagents, Part Number 5067-5585

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : High Sensitivity D1000 Reagents, Part Number 5067-5585
Part no. (chemical kit) : 5067-5585
Part no. : High Sensitivity D1000 5190-6504
 Sample Buffer
 High Sensitivity D1000 5067-5587
 Ladder

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : For research use only.
 High Sensitivity D1000 Sample Buffer 1 x 300 µl vials
 High Sensitivity D1000 Ladder 1 x 20 µl vials

Uses advised against : Not for use in diagnostic procedures (RUO).

1.3 Details of the supplier of the safety data sheet

Agilent Technologies LDA UK Ltd.
 5500 Lakeside Cheadle Royal Business Park,
 Cheadle, Cheshire, SK8 3GR
 United Kingdom
 Tel: +44 (0) 345 712 5292
e-mail address of person responsible for this SDS : pdl-msds_author@agilent.com

1.4 Emergency telephone number

Emergency telephone number (with hours of operation) : CHEMTREC®: +(44)-870-8200418

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition : High Sensitivity D1000 Mixture
 Sample Buffer
 High Sensitivity D1000 Mixture
 Ladder

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Not classified.

High Sensitivity D1000 Sample Buffer The product is not classified as hazardous according to UK CLP Regulation SI 2019/720 as amended.
 High Sensitivity D1000 Ladder The product is not classified as hazardous according to UK CLP Regulation SI 2019/720 as amended.

Ingredients of unknown toxicity : High Sensitivity D1000 Sample Buffer Percentage of the mixture consisting of ingredient(s) of unknown acute inhalation toxicity: 10 - 30%

Ingredients of unknown ecotoxicity : High Sensitivity D1000 Sample Buffer Contains 13.7% of components with unknown hazards to the aquatic environment

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

SECTION 2: Hazards identification

Signal word	: High Sensitivity D1000 Sample Buffer High Sensitivity D1000 Ladder	No signal word. No signal word.
Hazard statements	: High Sensitivity D1000 Sample Buffer High Sensitivity D1000 Ladder	No known significant effects or critical hazards. No known significant effects or critical hazards.
<u>Precautionary statements</u>		
Prevention	: High Sensitivity D1000 Sample Buffer High Sensitivity D1000 Ladder	Not applicable. Not applicable.
Response	: High Sensitivity D1000 Sample Buffer High Sensitivity D1000 Ladder	Not applicable. Not applicable.
Storage	: High Sensitivity D1000 Sample Buffer High Sensitivity D1000 Ladder	Not applicable. Not applicable.
Disposal	: High Sensitivity D1000 Sample Buffer High Sensitivity D1000 Ladder	Not applicable. Not applicable.
Supplemental label elements	: High Sensitivity D1000 Sample Buffer High Sensitivity D1000 Ladder	Safety data sheet available on request. Not applicable.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	: High Sensitivity D1000 Sample Buffer High Sensitivity D1000 Ladder	Not applicable. Not applicable.
<u>Special packaging requirements</u>		
Containers to be fitted with child-resistant fastenings	: High Sensitivity D1000 Sample Buffer High Sensitivity D1000 Ladder	Not applicable. Not applicable.
Tactile warning of danger	: High Sensitivity D1000 Sample Buffer High Sensitivity D1000 Ladder	Not applicable. Not applicable.
2.3 Other hazards		
Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII	: High Sensitivity D1000 Sample Buffer High Sensitivity D1000 Ladder	This mixture does not contain any substances that are assessed to be a PBT or a vPvB. This mixture does not contain any substances that are assessed to be a PBT or a vPvB.
Other hazards which do not result in classification	: High Sensitivity D1000 Sample Buffer High Sensitivity D1000 Ladder	None known. None known.

SECTION 3: Composition/information on ingredients

3.1 Substances : High Sensitivity D1000 Sample Buffer Mixture
 High Sensitivity D1000 Ladder Mixture

Product/ingredient name	Identifiers	%	Classification	Type
High Sensitivity D1000 Sample Buffer Sucrose	UK (GB) REACH #: Annex IV REACH #: Annex IV EC: 200-334-9 CAS: 57-50-1	≥10 - ≤25	Not classified. See Section 16 for the full text of the H statements declared above.	[1]

There are no additional ingredients present which, within the current knowledge of the supplier, are classified and contribute to the classification of the substance and hence require reporting in this section.

Type

High Sensitivity D1000 Sample Buffer [1] Substance with a workplace exposure limit
 Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures

Eye contact : High Sensitivity D1000 Sample Buffer Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
 High Sensitivity D1000 Ladder Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

Inhalation : High Sensitivity D1000 Sample Buffer Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
 High Sensitivity D1000 Ladder Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

Skin contact : High Sensitivity D1000 Sample Buffer Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
 High Sensitivity D1000 Ladder Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

Ingestion : High Sensitivity D1000 Sample Buffer Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
 High Sensitivity D1000 Ladder Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Protection of first-aiders : High Sensitivity D1000 Sample Buffer No action shall be taken involving any personal risk or without suitable training.
 High Sensitivity D1000 Ladder No action shall be taken involving any personal risk or without suitable training.

4.2 Most important symptoms and effects, both acute and delayed

Over-exposure signs/symptoms

SECTION 4: First aid measures

Eye contact	: High Sensitivity D1000	No specific data.
	Sample Buffer	
	High Sensitivity D1000	No specific data.
Inhalation	: High Sensitivity D1000	No specific data.
	Sample Buffer	
	High Sensitivity D1000	No specific data.
Skin contact	: High Sensitivity D1000	No specific data.
	Sample Buffer	
	High Sensitivity D1000	No specific data.
Ingestion	: High Sensitivity D1000	No specific data.
	Sample Buffer	
	High Sensitivity D1000	No specific data.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician	: High Sensitivity D1000	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	Sample Buffer	
	High Sensitivity D1000	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: High Sensitivity D1000	No specific treatment.
	Sample Buffer	
	High Sensitivity D1000	No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	: High Sensitivity D1000	Use an extinguishing agent suitable for the surrounding fire.
	Sample Buffer	
	High Sensitivity D1000	Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: High Sensitivity D1000	None known.
	Sample Buffer	
	High Sensitivity D1000	None known.

5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture	: High Sensitivity D1000	In a fire or if heated, a pressure increase will occur and the container may burst.
	Sample Buffer	
	High Sensitivity D1000	In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous combustion products	: High Sensitivity D1000	Decomposition products may include the following materials:
	Sample Buffer	carbon dioxide carbon monoxide
	High Sensitivity D1000	No specific data.

5.3 Advice for firefighters

Special protective actions for fire-fighters	: High Sensitivity D1000	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	Sample Buffer	
	High Sensitivity D1000	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

SECTION 5: Firefighting measures

Special protective equipment for fire-fighters	: High Sensitivity D1000 Sample Buffer	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	High Sensitivity D1000 Ladder	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	: High Sensitivity D1000 Sample Buffer	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	High Sensitivity D1000 Ladder	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
For emergency responders	: High Sensitivity D1000 Sample Buffer	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	High Sensitivity D1000 Ladder	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

6.2 Environmental precautions

: High Sensitivity D1000 Sample Buffer	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
High Sensitivity D1000 Ladder	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	: High Sensitivity D1000 Sample Buffer	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	High Sensitivity D1000 Ladder	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

6.4 Reference to other sections

: See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Protective measures	: High Sensitivity D1000 Sample Buffer High Sensitivity D1000 Ladder	Put on appropriate personal protective equipment (see Section 8). Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational hygiene	: High Sensitivity D1000 Sample Buffer High Sensitivity D1000 Ladder	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Storage	: High Sensitivity D1000 Sample Buffer High Sensitivity D1000 Ladder	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
----------------	---	--

7.3 Specific end use(s)

Recommendations	: High Sensitivity D1000 Sample Buffer High Sensitivity D1000 Ladder	Industrial applications, Professional applications. Industrial applications, Professional applications.
Industrial sector specific solutions	: High Sensitivity D1000 Sample Buffer High Sensitivity D1000 Ladder	Not available. Not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

SECTION 8: Exposure controls/personal protection

Product/ingredient name	Exposure limit values
High Sensitivity D1000 Sample Buffer Sucrose	EH40/2005 WELs (United Kingdom (UK), 1/2020). STEL: 20 mg/m ³ 15 minutes. TWA: 10 mg/m ³ 8 hours.

Biological exposure indices

No exposure indices known.

Recommended monitoring procedures : Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNELs/DMELs

No DNELs/DMELs available.

PNECs

No PNECs available

8.2 Exposure controls

Appropriate engineering controls : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Individual protection measures

Hygiene measures : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

Skin protection

Hand protection : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Body protection : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Environmental exposure controls : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

9.1 Information on basic physical and chemical properties**Appearance**

Physical state	: High Sensitivity D1000 Sample Buffer	Liquid.
	: High Sensitivity D1000 Ladder	Liquid.
Colour	: High Sensitivity D1000 Sample Buffer	Colourless.
	: High Sensitivity D1000 Ladder	Colourless.
Odour	: High Sensitivity D1000 Sample Buffer	Odourless.
	: High Sensitivity D1000 Ladder	Odourless.
Odour threshold	: High Sensitivity D1000 Sample Buffer	Not available.
	: High Sensitivity D1000 Ladder	Not available.
Melting point/freezing point	: High Sensitivity D1000 Sample Buffer	Not available.
	: High Sensitivity D1000 Ladder	0°C
Initial boiling point and boiling range	: High Sensitivity D1000 Sample Buffer	~189°C
	: High Sensitivity D1000 Ladder	100°C
Flammability	: High Sensitivity D1000 Sample Buffer	Not applicable.
	: High Sensitivity D1000 Ladder	Not applicable.
Upper/lower flammability or explosive limits	: High Sensitivity D1000 Sample Buffer	Not available.
	: High Sensitivity D1000 Ladder	Not available.
Flash point	: High Sensitivity D1000 Sample Buffer	Not available.
	: High Sensitivity D1000 Ladder	Not available.
Auto-ignition temperature	: Not available.	
Decomposition temperature	: High Sensitivity D1000 Sample Buffer	Not available.
	: High Sensitivity D1000 Ladder	Not available.
pH	: High Sensitivity D1000 Sample Buffer	8
	: High Sensitivity D1000 Ladder	8
Viscosity	: High Sensitivity D1000 Sample Buffer	Not available.
	: High Sensitivity D1000 Ladder	Not available.
Solubility(ies)	: Media	Result
	High Sensitivity D1000 Sample Buffer water	Soluble
	High Sensitivity D1000 Ladder water	Soluble

SECTION 9: Physical and chemical properties

Partition coefficient: n-octanol/water : High Sensitivity D1000 Sample Buffer Not applicable.
High Sensitivity D1000 Ladder Not applicable.

Vapour pressure :

Ingredient name	Vapour Pressure at 20°C			Vapour pressure at 50°C		
	mm Hg	kPa	Method	mm Hg	kPa	Method
High Sensitivity D1000 Sample Buffer						
water	17.5	2.3	-	92.258	12.3	-
High Sensitivity D1000 Ladder						
water	17.5	2.3	-	92.258	12.3	-

Evaporation rate : High Sensitivity D1000 Sample Buffer Not available.
High Sensitivity D1000 Ladder Not available.

Relative density : High Sensitivity D1000 Sample Buffer Not available.
High Sensitivity D1000 Ladder Not available.

Vapour density : High Sensitivity D1000 Sample Buffer Not available.
High Sensitivity D1000 Ladder Not available.

Explosive properties : High Sensitivity D1000 Sample Buffer Not available.
High Sensitivity D1000 Ladder Not available.

Oxidising properties : High Sensitivity D1000 Sample Buffer Not available.
High Sensitivity D1000 Ladder Not available.

Particle characteristics

Median particle size : High Sensitivity D1000 Sample Buffer Not applicable.
High Sensitivity D1000 Ladder Not applicable.

9.2 Other information

No additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity : High Sensitivity D1000 Sample Buffer No specific test data related to reactivity available for this product or its ingredients.
High Sensitivity D1000 Ladder No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability : High Sensitivity D1000 Sample Buffer The product is stable.
High Sensitivity D1000 Ladder The product is stable.

SECTION 10: Stability and reactivity

10.3 Possibility of hazardous reactions	: High Sensitivity D1000 Sample Buffer	Under normal conditions of storage and use, hazardous reactions will not occur.
	: High Sensitivity D1000 Ladder	Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	: High Sensitivity D1000 Sample Buffer	No specific data.
	: High Sensitivity D1000 Ladder	No specific data.
10.5 Incompatible materials	: High Sensitivity D1000 Sample Buffer	May react or be incompatible with oxidising materials.
	: High Sensitivity D1000 Ladder	May react or be incompatible with oxidising materials.
10.6 Hazardous decomposition products	: High Sensitivity D1000 Sample Buffer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	: High Sensitivity D1000 Ladder	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
High Sensitivity D1000 Sample Buffer Sucrose	LD50 Oral	Rat	29700 mg/kg	-

Acute toxicity estimates

Product/ingredient name	Oral (mg/kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapours) (mg/l)	Inhalation (dusts and mists) (mg/l)
High Sensitivity D1000 Sample Buffer Sucrose	29700	N/A	N/A	N/A	N/A

Irritation/Corrosion

Conclusion/Summary : Not available.

Sensitiser

Conclusion/Summary : Not available.

Mutagenicity

Conclusion/Summary : Not available.

Carcinogenicity

Conclusion/Summary : Not available.

Reproductive toxicity

Conclusion/Summary : Not available.

Teratogenicity

Conclusion/Summary : Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

SECTION 11: Toxicological information

Information on likely routes of exposure : High Sensitivity D1000 Not available.
 Sample Buffer
 High Sensitivity D1000 Not available.
 Ladder

Potential acute health effects

Inhalation : High Sensitivity D1000 No known significant effects or critical hazards.
 Sample Buffer
 High Sensitivity D1000 No known significant effects or critical hazards.
 Ladder

Ingestion : High Sensitivity D1000 No known significant effects or critical hazards.
 Sample Buffer
 High Sensitivity D1000 No known significant effects or critical hazards.
 Ladder

Skin contact : High Sensitivity D1000 No known significant effects or critical hazards.
 Sample Buffer
 High Sensitivity D1000 No known significant effects or critical hazards.
 Ladder

Eye contact : High Sensitivity D1000 No known significant effects or critical hazards.
 Sample Buffer
 High Sensitivity D1000 No known significant effects or critical hazards.
 Ladder

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation : High Sensitivity D1000 No specific data.
 Sample Buffer
 High Sensitivity D1000 No specific data.
 Ladder

Ingestion : High Sensitivity D1000 No specific data.
 Sample Buffer
 High Sensitivity D1000 No specific data.
 Ladder

Skin contact : High Sensitivity D1000 No specific data.
 Sample Buffer
 High Sensitivity D1000 No specific data.
 Ladder

Eye contact : High Sensitivity D1000 No specific data.
 Sample Buffer
 High Sensitivity D1000 No specific data.
 Ladder

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Potential chronic health effects

Conclusion/Summary : Not available.

General : High Sensitivity D1000 No known significant effects or critical hazards.
 Sample Buffer
 High Sensitivity D1000 No known significant effects or critical hazards.
 Ladder

SECTION 11: Toxicological information

Carcinogenicity	: <input checked="" type="checkbox"/> High Sensitivity D1000	No known significant effects or critical hazards.
	Sample Buffer	
	High Sensitivity D1000	No known significant effects or critical hazards.
Mutagenicity	: <input checked="" type="checkbox"/> High Sensitivity D1000	No known significant effects or critical hazards.
	Sample Buffer	
	High Sensitivity D1000	No known significant effects or critical hazards.
Reproductive toxicity	: <input checked="" type="checkbox"/> High Sensitivity D1000	No known significant effects or critical hazards.
	Sample Buffer	
	High Sensitivity D1000	No known significant effects or critical hazards.
	Ladder	

SECTION 12: Ecological information

12.1 Toxicity

Conclusion/Summary : Not available.

12.2 Persistence and degradability

Conclusion/Summary : Not available.

12.3 Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
<input checked="" type="checkbox"/> High Sensitivity D1000 Sample Buffer Sucrose	-3.7	-	Low

12.4 Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.

Mobility : Not available.

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Other adverse effects : No known significant effects or critical hazards.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Methods of disposal : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

Hazardous waste : Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 2008/98/EC.

Packaging

Methods of disposal : The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Special precautions : This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

	ADR/RID	IMDG	IATA
14.1 UN number	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-
14.3 Transport hazard class(es)	-	-	-
14.4 Packing group	-	-	-
14.5 Environmental hazards	No.	No.	No.

Additional information

14.6 Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk according to IMO instruments : Not available.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture UK (GB)/REACH

Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Ozone depleting substances

Not listed.

Prior Informed Consent (PIC)

Not listed.

Persistent Organic Pollutants

Not listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

No listed substance

Label : High Sensitivity D1000 Sample Buffer Not applicable.
 High Sensitivity D1000 Ladder Not applicable.

Seveso Directive

This product is not controlled under the Seveso Directive.

EU regulations

SECTION 15: Regulatory information

Industrial emissions (integrated pollution prevention and control) - Air : Not listed

Industrial emissions (integrated pollution prevention and control) - Water : Not listed

15.2 Chemical safety assessment : This product contains substances for which Chemical Safety Assessments might still be required.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

United States : Not determined.

SECTION 16: Other information

 Indicates information that has changed from previously issued version.

Abbreviations and acronyms :

- ATE = Acute Toxicity Estimate
- CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
- DMEL = Derived Minimal Effect Level
- DNEL = Derived No Effect Level
- EUH statement = CLP-specific Hazard statement
- N/A = Not available
- PBT = Persistent, Bioaccumulative and Toxic
- PNEC = Predicted No Effect Concentration
- RRN = REACH Registration Number
- vPvB = Very Persistent and Very Bioaccumulative

Procedure used to derive the classification

Classification	Justification
Not classified.	

Full text of abbreviated H statements

Not applicable.

Full text of classifications

Not applicable.

Date of issue/ Date of revision : 30/06/2023

Date of previous issue : 25/02/2020

Version : 5

Notice to reader

SECTION 16: Other information

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.