## **SAFETY DATA SHEET**



SureSelect Target Enrichment Kit - Box 2, 96 Reactions, Part Number 5190-9458

### **Section 1. Identification**

Product identifier : SureSelect Target Enrichment Kit - Box 2, 96 Reactions, Part Number 5190-9458

Part no. (chemical kit) : 5190-9458

Part no. : SureSelect Hyb 3 5972-3696

SureSelect Indexing Block 1 5972-3697 SureSelect RNase Block 5972-3700 SureSelect Block 2 5972-3698

Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Analytical reagent.

SureSelect Hyb 33 x 400 µlSureSelect Indexing Block 13 x 300 µlSureSelect RNase Block2 x 80 µlSureSelect Block 23 x 300 µl

**Supplier/Manufacturer**: Agilent Technologies, Inc.

5301 Stevens Creek Blvd Santa Clara, CA 95051, USA

800-227-9770

**Emergency telephone** number (with hours of

operation)

: CHEMTREC®: 1-800-424-9300

### Section 2. Hazard identification

### Classification of the substance or mixture

SureSelect RNase Block

H320 EYE IRRITATION - Category 2B

**GHS label elements** 

Signal word : SureSelect Hyb 3 No signal word.

SureSelect Indexing Block 1 No signal word.
SureSelect RNase Block Warning
SureSelect Block 2 No signal word.

Hazard statements : SureSelect Hyb 3 No known significant effects or critical hazards.

SureSelect Indexing Block 1 No known significant effects or critical hazards. SureSelect RNase Block H320 - Causes eye irritation.

SureSelect RNase Block 1320 - Gauses eye imation.

SureSelect Block 2 No known significant effects or critical hazards.

**Precautionary statements** 

Prevention : SureSelect Hyb 3 Not applicable.

SureSelect Indexing Block 1
SureSelect RNase Block
SureSelect Block 2
Not applicable.
SureSelect Hyb 3
Not applicable.

Response : SureSelect Hyb 3 Not applicable.
SureSelect Indexing Block 1 Not applicable.

SureSelect RNase Block P305 + P351 + P338 - IF IN EYES: Rinse cautiously

with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical

advice or attention.

SureSelect Block 2 Not applicable.

## Section 2. Hazard identification

Storage	: SureSelect Hyb 3 SureSelect Indexing Block 1 SureSelect RNase Block SureSelect Block 2	Not applicable. Not applicable. Not applicable. Not applicable.
Disposal	: SureSelect Hyb 3 SureSelect Indexing Block 1 SureSelect RNase Block SureSelect Block 2	Not applicable. Not applicable. Not applicable. Not applicable.
Supplemental label elements	: SureSelect Hyb 3 SureSelect Indexing Block 1 SureSelect RNase Block SureSelect Block 2	None known. None known. None known. None known.
	<b>S</b> ureSelect Hyb 3	Percentage of the mixture consisting of ingredient(s) of unknown hazards to the aquatic environment: 3%
Other hazards which do not result in classification	: SureSelect Hyb 3 SureSelect Indexing Block 1 SureSelect RNase Block SureSelect Block 2	None known. None known. None known. None known.

## Section 3. Composition/information on ingredients

Substance/mixture	:	SureSelect Hyb 3	Mixture
		SureSelect Indexing Block 1	Mixture
		SureSelect RNase Block	Mixture
		SureSelect Block 2	Mixture

Ingredient name	Synonyms	% (w/w)	CAS number
SureSelect RNase Block			
Glycerol	Glycerol	≥30 - ≤60	56-81-5

Ranges if listed above for hazardous ingredient(s) are prescribed ranges. The actual concentration(s) or actual concentration range(s) are being withheld as a trade secret.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First-aid measures

Description of necessa	ary first aid measures	
Eye contact	: SureSelect Hyb 3	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect Indexing Block 1	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect RNase Block	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention.
	SureSelect Block 2	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

Date of issue/Date of revision : 02/29/2024 Date of previous issue : 02/25/2021 Version: 4 2/18

### Section 4. First-aid measures

: SureSelect Hyb 3 Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. SureSelect Indexing Block 1 Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. Remove victim to fresh air and keep at rest in a SureSelect RNase Block position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. SureSelect Block 2 Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. Skin contact : SureSelect Hyb 3 Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Flush contaminated skin with plenty of water. SureSelect Indexing Block 1 Remove contaminated clothing and shoes. Get medical attention if symptoms occur. SureSelect RNase Block Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse. SureSelect Block 2 Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Ingestion : SureSelect Hyb 3 Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. Wash out mouth with water. If material has been SureSelect Indexing Block 1 swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. SureSelect RNase Block Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Date of issue/Date of revision : 02/29/2024 Date of previous issue : 02/25/2021 Version : 4 3/18

### Section 4. First-aid measures

SureSelect Block 2

Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

### Most important symptoms/effects, acute and delayed

### Potential acute health effects

**Eye contact** : SureSelect Hyb 3

SureSelect Indexing Block 1

SureSelect RNase Block SureSelect Block 2

Causes eye irritation. No known significant effects or critical hazards.

Inhalation SureSelect Hvb 3

SureSelect Indexing Block 1 SureSelect RNase Block SureSelect Block 2

No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards.

**Skin contact** : SureSelect Hyb 3

> SureSelect Indexing Block 1 SureSelect RNase Block SureSelect Block 2

No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

Ingestion : SureSelect Hyb 3

> SureSelect Indexing Block 1 SureSelect RNase Block SureSelect Block 2

No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

### Over-exposure signs/symptoms

Inhalation

: SureSelect Hyb 3 Eye contact

SureSelect Indexing Block 1 SureSelect RNase Block

No specific data. No specific data.

Adverse symptoms may include the following:

irritation watering redness

SureSelect Block 2 : SureSelect Hyb 3

No specific data.

SureSelect Indexing Block 1 SureSelect RNase Block

SureSelect Block 2

No specific data. No specific data. No specific data. No specific data.

No specific data.

Skin contact : SureSelect Hyb 3

SureSelect Indexing Block 1 SureSelect RNase Block SureSelect Block 2

No specific data. No specific data. No specific data.

Ingestion : SureSelect Hyb 3

SureSelect Indexing Block 1 SureSelect RNase Block SureSelect Block 2

No specific data. No specific data. No specific data. No specific data.

### Indication of immediate medical attention and special treatment needed, if necessary

: SureSelect Hyb 3 In case of inhalation of decomposition products in a Notes to physician

fire, symptoms may be delayed. The exposed person may need to be kept under medical

surveillance for 48 hours.

Treat symptomatically. Contact poison treatment SureSelect Indexing Block 1

specialist immediately if large quantities have been

ingested or inhaled.

SureSelect RNase Block Treat symptomatically. Contact poison treatment

specialist immediately if large quantities have been

ingested or inhaled.

Date of issue/Date of revision : 02/29/2024 Date of previous issue : 02/25/2021 Version: 4 4/18

### Section 4. First-aid measures

SureSelect Block 2 Treat symptomatically. Contact poison treatment

specialist immediately if large quantities have been

ingested or inhaled.

Specific treatments : SureSelect Hyb 3

SureSelect Indexing Block 1 SureSelect RNase Block SureSelect Block 2 No specific treatment. No specific treatment. No specific treatment. No specific treatment.

**Protection of first-aiders** 

: SureSelect Hyb 3

No action shall be taken involving any personal risk

or without suitable training.

SureSelect Indexing Block 1

No action shall be taken involving any personal risk

or without suitable training.

SureSelect RNase Block

No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth

resuscitation.

SureSelect Block 2 No action shall be taken involving any personal risk

or without suitable training.

See toxicological information (Section 11)

## Section 5. Fire-fighting measures

### **Extinguishing media**

Suitable extinguishing media

: SureSelect Hyb 3 Use an extinguishing agent suitable for the

surrounding fire.

SureSelect Indexing Block 1 Use an extinguishing agent suitable for the

surrounding fire.

surrounding fire.

SureSelect Block 2 Use an extinguishing agent suitable for the

surrounding fire.

Unsuitable extinguishing

media

: SureSelect Hyb 3

SureSelect Indexing Block 1 SureSelect RNase Block SureSelect Block 2 None known. None known. None known.

None known.

Specific hazards arising from the chemical

: SureSelect Hyb 3

In a fire or if heated, a pressure increase will occur

and the container may burst.

SureSelect Indexing Block 1

In a fire or if heated, a pressure increase will occur

and the container may burst.

SureSelect RNase Block

In a fire or if heated, a pressure increase will occur

and the container may burst.

SureSelect Block 2

In a fire or if heated, a pressure increase will occur

and the container may burst.

Hazardous thermal decomposition products

: SureSelect Hyb 3

Decomposition products may include the following

materials: carbon dioxide carbon monoxide nitrogen oxides

sulfur oxides

halogenated compounds

carbonyl halides

SureSelect Indexing Block 1

No specific data.

SureSelect RNase Block

Decomposition products may include the following

materials: carbon dioxide carbon monoxide

SureSelect Block 2 No specific data.

Date of issue/Date of revision : 02/29/2024 Date of previous issue : 02/25/2021 Version : 4 5/18

## Section 5. Fire-fighting measures

Special protective actions for fire-fighters

: SureSelect Hyb 3 Promptly isolate the scene by removing all persons

from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or

without suitable training.

SureSelect Indexing Block 1 Promptly isolate the scene by removing all persons

from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or

without suitable training.

SureSelect RNase Block Promptly isolate the scene by removing all persons

from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or

without suitable training.

SureSelect Block 2 Promptly isolate the scene by removing all persons

from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or

without suitable training.

Special protective equipment for fire-fighters

: SureSelect Hyb 3 Fire-fighters should wear appropriate protective

equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive

pressure mode.

SureSelect Indexing Block 1 Fire-fighters should wear appropriate protective

equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive

pressure mode.

SureSelect RNase Block Fire-fighters should wear appropriate protective

equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive

pressure mode.

SureSelect Block 2 Fire-fighters should wear appropriate protective

equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive

pressure mode.

### Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: SureSelect Hyb 3

SureSelect Block 2

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk

through spilled material. Put on appropriate personal

protective equipment.

SureSelect Indexing Block 1 No action shall be taken involving any personal risk

or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal

protective equipment.

SureSelect RNase Block No action shall be taken involving any personal risk

or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or

mist. Provide adequate ventilation. Wear

appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding

areas. Keep unnecessary and unprotected

Date of issue/Date of revision : 02/29/2024 Date of previous issue : 02/25/2021 Version : 4 6/18

### Section 6. Accidental release measures

For emergency responders: SureSelect Hyb 3

through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the

personnel from entering. Do not touch or walk

spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialized clothing is required to deal with the

SureSelect Indexing Block 1 spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the

information in "For non-emergency personnel". If specialized clothing is required to deal with the SureSelect RNase Block spillage, take note of any information in Section 8 on

> suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on

suitable and unsuitable materials. See also the information in "For non-emergency personnel".

**Environmental precautions** : SureSelect Hyb 3 Avoid dispersal of spilled material and runoff and

SureSelect Block 2

contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways,

soil or air).

SureSelect Indexing Block 1 Avoid dispersal of spilled material and runoff and

> contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways,

soil or air).

SureSelect RNase Block Avoid dispersal of spilled material and runoff and

contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways,

soil or air).

SureSelect Block 2 Avoid dispersal of spilled material and runoff and

contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways,

soil or air).

Methods and materials for containment and cleaning up

Methods for cleaning up : SureSelect Hyb 3 Stop leak if without risk. Move containers from spill

area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste

disposal contractor.

Stop leak if without risk. Move containers from spill SureSelect Indexing Block 1

area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste

disposal contractor.

SureSelect RNase Block Stop leak if without risk. Move containers from spill

area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste

Date of issue/Date of revision : 02/29/2024 Date of previous issue : 02/25/2021 Version: 4

### Section 6. Accidental release measures

SureSelect Block 2

disposal contractor.

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

## Section 7. Handling and storage

Precautions for safe handling

**Protective measures** 

: SureSelect Hyb 3

Put on appropriate personal protective equipment

(see Section 8).

SureSelect Indexing Block 1

Put on appropriate personal protective equipment

(see Section 8).

SureSelect RNase Block

Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not

reuse container.

SureSelect Block 2

Put on appropriate personal protective equipment

(see Section 8).

Advice on general occupational hygiene

: SureSelect Hyb 3

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and

processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for

additional information on hygiene measures.

SureSelect Indexing Block 1

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for

additional information on hygiene measures.

SureSelect RNase Block

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for

additional information on hygiene measures.

SureSelect Block 2

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for

additional information on hygiene measures.

Date of issue/Date of revision : 02/29/2024 Date of previous issue : 02/25/2021 Version : 4 8/18

## Section 7. Handling and storage

Conditions for safe storage, : SureSelect Hyb 3 including any incompatibilities

SureSelect Indexing Block 1

SureSelect RNase Block

SureSelect Block 2

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

## Section 8. Exposure controls/personal protection

### **Control parameters**

Occupational exposure limits

Ingredient name	Exposure limits		
SureSelect RNase Block			
Glycerol	CA Alberta Provincial (Canada, 6/2018).  OEL: 10 mg/m³ 8 hours. Form: Mist  CA Quebec Provincial (Canada, 6/2022).  TWAEV: 10 mg/m³ 8 hours. Form: mist  CA Saskatchewan Provincial (Canada, 7/2013).  STEL: 20 mg/m³ 15 minutes. Form: mist		

Date of issue/Date of revision : 02/29/2024 Date of previous issue : 02/25/2021 Version: 4

### Section 8. Exposure controls/personal protection

TWA: 10 mg/m<sup>3</sup> 8 hours. Form: mist **CA British Columbia Provincial (Canada, 6/2023).** 

TWA: 3 mg/m<sup>3</sup> 8 hours. Form: respirable

mist

TWA: 10 mg/m<sup>3</sup> 8 hours. Form: total mist

### **Biological exposure indices**

No exposure indices known.

## Appropriate engineering controls

: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

## **Environmental exposure** controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

### **Individual protection measures**

### Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

### **Eye/face protection**

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

## Skin protection

Hand protection

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

### **Body protection**

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

### Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

### **Respiratory protection**

: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Date of issue/Date of revision : 02/29/2024 Date of previous issue : 02/25/2021 Version : 4 10/18

# Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

_								
Λ.	•	n	^	•	2	n	^	^
A	v	IJ	u	a	ıα	ш	u	u

**Odor threshold** 

**Boiling point, initial boiling** 

pH

Physical state : SureSelect Hyb 3 Liquid.
SureSelect Indexing Block 1 Liquid.
SureSelect RNase Block Liquid.

SureSelect Block 2 Liquid.

Color : SureSelect Hyb 3 Not available.

SureSelect Indexing Block 1
SureSelect RNase Block
SureSelect Block 2
Not available.
Not available.

Odor : SureSelect Hyb 3 Not available.
SureSelect Indexing Block 1 Not available.
SureSelect RNase Block Not available.

SureSelect Block 2
SureSelect Hyb 3
SureSelect Indexing Block 1
SureSelect RNase Block
Not available.
Not available.
Not available.

SureSelect Block 2 Not available.

SureSelect Hyb 3 7
SureSelect Indexing Block 1 Not available.

SureSelect RNase Block 7.6

SureSelect Block 2 Not available.

Melting point/freezing point : SureSelect Hyb 3 0°C (32°F)
SureSelect Indexing Block 1 0°C (32°F)
SureSelect RNase Block Not available.

SureSelect Hyb 3

Not available.
Not available.
Not available.
Not available.
10°C (32°F)
100°C (212°F)

point, and boiling range

SureSelect Indexing Block 1 100°C (212°F)

SureSelect RNase Block Not available.

SureSelect Block 2 100°C (212°F)

Flash point : Closed cup Open cup

Ingredient name

°C

°F

Method

°C

°F

Method

Glycerol

- - - 177

350.6

Not available.

**Evaporation rate**: SureSelect Hyb 3 Not available.

SureSelect Indexing Block 1 Not available.
SureSelect RNase Block Not available.
SureSelect Block 2 Not available.

SureSelect Hyb 3 Not applicable.

SureSelect Indexing Block 1 Not applicable.

Flammability : SureSelect Hyb 3 Not applicable.
SureSelect Indexing Block 1 Not applicable.
SureSelect RNase Block Not applicable.
SureSelect Block 2 Not applicable.

Lower and upper explosion : SureSelect Hyb 3
Iimit/flammability limit : SureSelect Indexing Block 1
SureSelect RNase Block

SureSelect Indexing Block 1
SureSelect RNase Block
SureSelect Block 2
Not available.
Not available.

Vapor pressure :

Date of issue/Date of revision : 02/29/2024 Date of previous issue : 02/25/2021 Version : 4 11/18

# Section 9. Physical and chemical properties and safety characteristics

	Vapor Pressure at 20°C			Vapor pressure at 50°C		
Ingredient name	mm Hg	kPa	Method	mm Hg	kPa	Method
SureSelect Hyb 3						
water	17.5	2.3	-	92.258	12.3	-
SureSelect Indexing Block 1						
water	17.5	2.3	-	92.258	12.3	-
SureSelect RNase Block						
water	17.5	2.3	-	92.258	12.3	-
Glycerol	0.000075	0.00001	-	0.0025	0.00033	-
SureSelect Block						
water	17.5	2.3	-	92.258	12.3	-

**Relative vapor density** 

: SureSelect Hyb 3

Not available.

SureSelect Indexing Block 1 SureSelect RNase Block Not available. Not available.

SureSelect Block 2

Relative density : SureSelect Hyb 3

Not available. Not available.

SureSelect Indexing Block 1 SureSelect RNase Block

SureSelect Block 2

Not available. Not available. Not available.

Solubility(ies)

: Media		Result	
SureSelect H	yb 3		
water		Soluble	
SureSelect In	dexing Block 1		
water	•	Soluble	
SureSelect R	Nase Block		
water		Soluble	
SureSelect B	lock 2		
water		Soluble	

Partition coefficient: n-octanol/water

SureSelect Hyb 3 Not applicable.
 SureSelect Indexing Block 1 Not applicable.
 SureSelect RNase Block SureSelect Block 2 Not applicable.
 Not applicable.
 Not applicable.

**Auto-ignition temperature** 

Ingredient name	°C	°F	Method
SureSelect RNase Block			
Glycerol	370	698	-

Date of issue/Date of revision : 02/29/2024 Date of previous issue : 02/25/2021 Version : 4 12/18

# Section 9. Physical and chemical properties and safety characteristics

**Decomposition temperature** 

: SureSelect Hyb 3 SureSelect Indexing Block 1

SureSelect RNase Block SureSelect Block 2

Viscosity : SureSelect Hyb 3

SureSelect Indexing Block 1 SureSelect RNase Block SureSelect Block 2 Not available. Not available. Not available. Not available.

Not available.

Not available.

Not available.

Not available.

Particle characteristics

Median particle size

: SureSelect Hyb 3

SureSelect Indexing Block 1 SureSelect RNase Block SureSelect Block 2 Not applicable. Not applicable. Not applicable. Not applicable.

## Section 10. Stability and reactivity

Reactivity

: SureSelect Hyb 3

No specific test data related to reactivity available for

this product or its ingredients.

SureSelect Indexing Block 1

No specific test data related to reactivity available for

this product or its ingredients.

SureSelect RNase Block

No specific test data related to reactivity available for

this product or its ingredients.

SureSelect Block 2

No specific test data related to reactivity available for

this product or its ingredients.

**Chemical stability** 

: SureSelect Hyb 3 SureSelect Indexing Block 1 SureSelect RNase Block SureSelect Block 2 The product is stable. The product is stable. The product is stable. The product is stable.

Possibility of hazardous reactions

: SureSelect Hyb 3

Under normal conditions of storage and use, hazardous reactions will not occur.

SureSelect Indexing Block 1

Under normal conditions of storage and use,

hazardous reactions will not occur.

SureSelect RNase Block

Under normal conditions of storage and use,

hazardous reactions will not occur.

SureSelect Block 2

Under normal conditions of storage and use,

hazardous reactions will not occur.

**Conditions to avoid** 

: SureSelect Hyb 3 SureSelect Indexing Block 1 SureSelect RNase Block SureSelect Block 2 No specific data. No specific data. No specific data. No specific data.

Incompatible materials

: SureSelect Hyb 3 SureSelect Indexing Block 1 SureSelect RNase Block SureSelect Block 2 May react or be incompatible with oxidizing materials. May react or be incompatible with oxidizing materials. May react or be incompatible with oxidizing materials. May react or be incompatible with oxidizing materials.

Date of issue/Date of revision : 02/29/2024 Date of previous issue : 02/25/2021 Version : 4 13/18

## Section 10. Stability and reactivity

Hazardous decomposition products

: SureSelect Hyb 3 Under normal conditions of storage and use,

hazardous decomposition products should not be

produced.

SureSelect Indexing Block 1 Under normal conditions of storage and use,

hazardous decomposition products should not be

produced.

SureSelect RNase Block Under normal conditions of storage and use,

hazardous decomposition products should not be

produced.

SureSelect Block 2 Under normal conditions of storage and use,

hazardous decomposition products should not be

produced.

## Section 11. Toxicological information

### Information on toxicological effects

### **Acute toxicity**

Product/ingredient name	Result	Species	Dose	Exposure
SureSelect RNase Block				
Glycerol	LD50 Oral	Rat	12600 mg/kg	-

### **Irritation/Corrosion**

Product/ingredient name	Result	Species	Score	Exposure	Observation
SureSelect RNase Block Glycerol	Eyes - Mild irritant Skin - Mild irritant	Rabbit Rabbit		24 hours 500 mg 24 hours 500 mg	

### **Sensitization**

Not available.

### **Mutagenicity**

Conclusion/Summary

: Not available.

**Carcinogenicity** 

**Conclusion/Summary** 

: Not available.

**Reproductive toxicity** 

**Conclusion/Summary** 

: Not available.

**Teratogenicity** 

Conclusion/Summary: Not available.

Specific target organ toxicity (single exposure)

Not available.

### Specific target organ toxicity (repeated exposure)

Not available.

### **Aspiration hazard**

Not available.

Information on the likely

: SureSelect Hyb 3

Not available. Not available.

routes of exposure SureSelect Indexing Block 1
SureSelect RNase Block

Routes of entry anticipated: Oral, Dermal, Inhalation,

Eyes.

SureSelect Block 2 Not available.

### Potential acute health effects

Date of issue/Date of revision : 02/29/2024 Date of previous issue : 02/25/2021 Version : 4 14/18

## Section 11. Toxicological information

Eye contact : SureSelect Hyb 3 No known significant effects or critical hazards.

Sure Select Indexing Block 1 No known significant effects or critical hazards.

No known significant effects or critical hazards.

SureSelect RNase Block Causes eye irritation.

SureSelect Block 2 No known significant effects or critical hazards.

SureSelect Indexing Block 1
SureSelect RNase Block
SureSelect Block 2
No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.

**Skin contact**: SureSelect Hyb 3 No known significant effects or critical hazards.

SureSelect Indexing Block 1
SureSelect RNase Block
SureSelect Block 2
No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.

Ingestion : SureSelect Hyb 3 No known significant effects or critical hazards.

SureSelect Indexing Block 1
SureSelect RNase Block
SureSelect Block 2
No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.

### Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : SureSelect Hyb 3 No specific data.
SureSelect Indexing Block 1 No specific data.

SureSelect Hyb 3

SureSelect RNase Block Adverse symptoms may include the following:

No specific data.

irritation watering redness

Inhalation : SureSelect Hyb 3 No specific data.

SureSelect Block 2

SureSelect Indexing Block 1
SureSelect RNase Block
SureSelect Block 2

SureSelect Hyb 3

SureSelect Hyb 3

No specific data.
No specific data.
No specific data.

SureSelect Indexing Block 1
SureSelect RNase Block
SureSelect Block 2
No specific data.

SureSelect Indexing Block 1 No specific data.

SureSelect RNase Block No specific data.

SureSelect Block 2 No specific data.

### Delayed and immediate effects and also chronic effects from short and long term exposure

**Short term exposure** 

Potential immediate : Not available.

effects

**Skin contact** 

Ingestion

Inhalation

Potential delayed effects : Not available.

**Long term exposure** 

Potential immediate : Not available.

effects

Potential delayed effects : Not available.

Potential chronic health effects

General: SureSelect Hyb 3 No known significant effects or critical hazards.

SureSelect Indexing Block 1 No known significant effects or critical hazards. SureSelect RNase Block SureSelect Block 2 No known significant effects or critical hazards. No known significant effects or critical hazards.

Date of issue/Date of revision : 02/29/2024 Date of previous issue : 02/25/2021 Version : 4 15/18

## Section 11. Toxicological information

Carcinogenicity	: SureSelect Hyb 3 SureSelect Indexing Block 1 SureSelect RNase Block SureSelect Block 2	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Mutagenicity	: SureSelect Hyb 3 SureSelect Indexing Block 1 SureSelect RNase Block SureSelect Block 2	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Reproductive toxicity	: SureSelect Hyb 3 SureSelect Indexing Block 1 SureSelect RNase Block SureSelect Block 2	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

### **Numerical measures of toxicity**

### **Acute toxicity estimates**

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapors) (mg/l)	Inhalation (dusts and mists) (mg/l)
SureSelect RNase Block Glycerol	12600	N/A	N/A	N/A	N/A

Other information : SureSelect RNase Block Adverse symptoms may include the following: May cause skin sensitization.

## **Section 12. Ecological information**

### **Toxicity**

Product/ingredient name	Result	Species	Exposure
SureSelect RNase Block			
Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours

### **Persistence and degradability**

Product/ingredient name	Test	Result	Dose	Inoculum
SureSelect RNase Block Glycerol	301D Ready Biodegradability - Closed Bottle Test	93 % - 30 days	-	-

### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
SureSelect RNase Block			
Glycerol	-1.76	-	Low

### **Mobility in soil**

Soil/water partition coefficient (K<sub>oc</sub>)

: Not available.

Date of issue/Date of revision : 02/29/2024 Date of previous issue : 02/25/2021 Version : 4 16/18

## Section 12. Ecological information

Other adverse effects

: No known significant effects or critical hazards.

## Section 13. Disposal considerations

### **Disposal methods**

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

## Section 14. Transport information

TDG / IMDG / IATA : Not regulated.

Special precautions for user : Transport within user's premises: always transport in closed containers that are

upright and secure. Ensure that persons transporting the product know what to do in

the event of an accident or spillage.

Transport in bulk according: Not available.

to IMO instruments

## Section 15. Regulatory information

**Canadian lists** 

Canadian NPRI : None of the components are listed. **CEPA Toxic substances** : None of the components are listed.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

**Montreal Protocol** 

Not listed.

**Stockholm Convention on Persistent Organic Pollutants** 

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

**UNECE Aarhus Protocol on POPs and Heavy Metals** 

Not listed.

**Inventory list** 

Canada Not determined.

**United States** : All components are active or exempted.

Date of issue/Date of revision : 02/29/2024 : 02/25/2021 Version 17/18 Date of previous issue

### Section 16. Other information

### **History**

Date of issue/Date of : 02/29/2024

revision

Date of previous issue : 02/25/2021

Version : 4

**Key to abbreviations** : ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

HPR = Hazardous Products Regulations IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships,

1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

N/A = Not available UN = United Nations

### Procedure used to derive the classification

Classification	Justification	
SureSelect RNase Block EYE IRRITATION - Category 2B	Calculation method	

Indicates information that has changed from previously issued version.

### **Notice to reader**

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

Date of issue/Date of revision : 02/29/2024 Date of previous issue : 02/25/2021 Version : 4 18/18