# SAFETY DATA SHEET



# Magnis SureSelect XT HS Reagent Plates Rev B, ILM, 32 Reactions (4 Runs), Part Number 5191-6804

#### Section 1. Identification

Product identifier	: Magnis SureSelect XT HS Reagent Plates Rev B, ILM, 32 Reactions (4 Runs), Part Number 5191-6804
Part no.	: 5191-6804
Relevant identified uses o	f the substance or mixture and uses advised against
Identified uses	<ul> <li>Analytical reagent.</li> <li>For research use only.</li> <li>4 x 4.768 ml</li> <li>Magnis SureSelect XT HS Reagent Plate Rev B, ILM</li> <li>5191-5737</li> </ul>
Uses advised against	: Not for use in diagnostic procedures.
Supplier/Manufacturer	: Agilent Technologies, Inc. 5301 Stevens Creek Blvd Santa Clara, CA 95051, USA 800-227-9770
Emergency telephone number (with hours of operation)	: CHEMTREC®: 1-800-424-9300

#### Section 2. Hazard identification

**Classification of the substance or mixture** 

Not classified.

GHS label elements		
Signal word	No signal word.	
Hazard statements	No known significant effects or critical hazards.	
Precautionary statements		
Prevention	Not applicable.	
Response	Not applicable.	
Storage	Not applicable.	
Disposal	Not applicable.	
Supplemental label elements	Percentage of the mixture consisting of ingredient(s) of unknown hazards to the aquatic environment: 1%	

### Section 3. Composition/information on ingredients

Substance/mixture : Mix	: Mixture					
Ingredient name	Synonyms	% (w/w)	CAS number			
Ølycerol	Glycerol	≥1 - ≤5	56-81-5			

Ranges if listed above for hazardous ingredient(s) are prescribed ranges. The actual concentration(s) or actual concentration range(s) are being withheld as a trade secret.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

### Section 3. Composition/information on ingredients

Occupational exposure limits, if available, are listed in Section 8.

#### Section 4. First-aid measures

#### **Description of necessary first aid measures**

Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	<ul> <li>Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.</li> </ul>
Skin contact	<ul> <li>Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.</li> </ul>
Ingestion	: Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

#### Most important symptoms/effects, acute and delayed

Potential acute health	effects
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs/s	symptoms
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.

Indication of immediate med	lica	l attention and special treatment needed, if necessary
Notes to physician	:	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

### Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide halogenated compounds metal oxide/oxides
Date of issue/Date of revision	: 03/28/2024 Date of previous issue : 03/09/2021 Version : 3 2/9

### Section 5. Fire-fighting measures

Special protective actions for fire-fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

### Section 6. Accidental release measures

Personal precautions, protec	ive equipment and emergency procedures
For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate perso protective equipment.
For emergency responders	: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for co	ntainment and cleaning up
Methods for cleaning up	: Stop leak if without risk. Move containers from spill area. Dilute with water and mup if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a

licensed waste disposal contractor.

### Section 7. Handling and storage

Precautions for safe handling	g	
Protective measures	:	Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

#### Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

### Section 8. Exposure controls/personal protection

Ingredient name	Exposure limits
<b>€</b> Îycerol	CA Alberta Provincial (Canada, 6/2018). OEL: 10 mg/m <sup>3</sup> 8 hours. Form: Mist CA Quebec Provincial (Canada, 6/2022). TWAEV: 10 mg/m <sup>3</sup> 8 hours. Form: mist CA Saskatchewan Provincial (Canada, 7/2013). STEL: 20 mg/m <sup>3</sup> 15 minutes. Form: mist TWA: 10 mg/m <sup>3</sup> 8 hours. Form: mist CA British Columbia Provincial (Canada, 6/2023). TWA: 3 mg/m <sup>3</sup> 8 hours. Form: respirable mist TWA: 10 mg/m <sup>3</sup> 8 hours. Form: total mist

#### **Biological exposure indices**

No exposure indices known.

Appropriate engineering controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measure	es	
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

# Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

#### **Appearance**

Physical state	:	Liquid.
Color	:	Not available.
Odor	:	Not available.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point/freezing point	:	Not available.
Boiling point, initial boiling	:	Not available.
point, and boiling range		
Flash point	4	

	Closed cup			Open cup		up
Ingredient name	°C	°F	Method	°C	°F	Method
Ølycerol	-	-	-	177	350.6	-

Vapor Pressure at 20°C

**Evaporation rate** 

Not available.Not applicable.

Flammability

: Not available.

:

#### limit/flammability limit Vapor pressure

Lower and upper explosion

			1			1		
	Ingredient name	mm Hg	kPa	Method	mm Hg	kPa	Method	
	water	17.5	2.3	-	92.258	12.3	-	
	Glycerol	0.000075	0.00001	-	0.0025	0.00033	-	
Relative vapor density :	Not available.							
Relative density :	Not available.							
Solubility(ies) :	: Media Resu				alt			
	water			Soluble				
Miscible with water :	Yes.	Ves.						
Partition coefficient: n- : octanol/water	Not applicable.							
Auto-ignition temperature :	Ingredient name		°C	°F	M	ethod		
	Siycerol 370			698	-			
Decomposition temperature :	Not available.		•		•			
Viscosity :	Not available.							

#### Particle characteristics Median particle size

: Not applicable.

Vapor pressure at 50°C

### Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: May react or be incompatible with oxidizing materials.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### Section 11. Toxicological information

#### Information on toxicological effects

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Glycerol	LD50 Oral	Rat	12600 mg/kg	-

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Slycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 mg	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 mg	-

#### **Sensitization**

Not available.

<b>Mutagenicity</b>	
Conclusion/Summary	: Not available.
Carcinogenicity	
Conclusion/Summary	: Not available.
· · · · · · · · · · · · · · · · · · ·	· Not available.
Reproductive toxicity	
Conclusion/Summary	: Not available.
Teratogenicity	
<b>Conclusion/Summary</b>	: Not available.
Specific target organ toxi	<u>city (single exposure)</u>
Not available.	
Specific target organ toxic Not available.	<u>city (repeated exposure)</u>
Aspiration hazard	
Not available.	

**Information on the likely** : **R**outes of entry anticipated: Oral, Dermal, Inhalation, Eyes.

#### routes of exposure

Potential acute health effects

Date of issue/Date of revision

: Not available.

: Not available.

### Section 11. Toxicological information

	5
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Symptoms related to the phy	vsical, chemical and toxicological characteristics
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.
Delayed and immediate effect	cts and also chronic effects from short and long term exposure
Short term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Long term exposure	

: No known significant effects or critical hazards.

Oral (mg/

kg)

12600

Dermal

(mg/kg)

**Species** 

N/A

Inhalation

Fish - Oncorhynchus mykiss

(gases) (ppm)

N/A

Inhalation

(vapors)

(mg/l)

N/A

Inhalation

and mists) (mg/l)

**Exposure** 

96 hours

:3

(dusts

N/A

Product/ingredient name

Persistence and degradability

**Potential immediate** 

Potential delayed effects

Potential chronic health effects

effects

General

Slycerol

**Toxicity** 

Slycerol

Carcinogenicity

**Reproductive toxicity** 

Numerical measures of toxicity Acute toxicity estimates Product/ingredient name

Section 12. Ecological information

Result

**Mutagenicity** 

Acute LC50 54000 mg/l Fresh water

### Section 12. Ecological information

Product/ingredient name	Test	Result	Dose	Inoculum
Slycerol	301D Ready Biodegradability - Closed Bottle Test	93 % - 30 days	-	-

#### **Bioaccumulative potential**

Product/ingredient name	LogP <sub>ow</sub>	BCF	Potential
Siycerol	-1.76	-	Low

Mobility in soil	
Soil/water partition coefficient (Koc)	: Not available.

Other adverse effects	1	No known significant effects or critical hazards.
-----------------------	---	---

### Section 13. Disposal considerations

Disposal methods	: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact
	some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

### Section 14. Transport information

TDG / IMDG / IATA : Not regulated.

Special precautions for user	1	Transport within user's premises: always transport in closed containers that are
		upright and secure. Ensure that persons transporting the product know what to do in
		the event of an accident or spillage.

Transport in bulk according : Not available. to IMO instruments

### Section 15. Regulatory information

Canadian lists			
Canadian NPRI	: None of the components are listed.		
CEPA Toxic substances	: None of the components are listed.		
International regulations			
Chemical Weapon Conven	tion List Schedules I, II & III Chemicals		
Not listed.			
Montreal Protocol Not listed.			
Stockholm Convention on Persistent Organic Pollutants			

Date of issue/Date of revision

### Section 15. Regulatory information

Not listed.

<b>Rotterdam Convention</b>	on	<b>Prior</b>	Informed	Consent	(PIC)

Not listed.

**UNECE Aarhus Protocol on POPs and Heavy Metals** 

Not listed.

Inventory list

Canada	:	Not determined.
United States	:	Not determined.

#### Section 16. Other information

<u>History</u>	
Date of issue/Date of revision	: 03/28/2024
Date of previous issue	: 03/09/2021
Version	: 3
Key to abbreviations	<ul> <li>ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals HPR = Hazardous Products Regulations IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) N/A = Not available UN = United Nations</li> </ul>
Dropoduro upod to dorivo ti	a classification

#### Procedure used to derive the classification

Classification	Justification
Not classified.	

Indicates information that has changed from previously issued version.

#### Notice to reader

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.