SAFETY DATA SHEET



Magnis SureSelect XT HS Reagent Plates Rev B, ILM, 96 Reactions (12 Runs), Part Number 5191-6805

Section 1. Identification

: Magnis SureSelect XT HS Reagent Plates Rev B, ILM, 96 Reactions (12 Runs), **Product identifier**

Part Number 5191-6805

5191-6805 Part no.

Relevant identified uses of the substance or mixture and uses advised against

Identified uses Analytical reagent.

For research use only.

12 x 4.768 ml Magnis SureSelect XT HS Reagent Plate Rev B, ILM

5191-5737

: Not for use in diagnostic procedures. **Uses advised against**

: Agilent Technologies Australia Pty Ltd Supplier/Manufacturer

679 Springvale Road

Mulgrave

Victoria 3170. Australia

1800 802 402

Emergency telephone number (with hours of

operation)

: CHEMTREC®: +(61)-290372994

Section 2. Hazard(s) identification

Classification of the substance or mixture

Not classified.

Percentage of the mixture consisting of ingredient(s) of unknown hazards to the

aquatic environment: 1%

GHS label elements

Signal word : No signal word.

Hazard statements : No known significant effects or critical hazards.

Precautionary statements

Prevention : Not applicable. Response : Not applicable. **Storage** : Not applicable. : Not applicable. **Disposal**

Supplemental label elements

Additional warning : Not applicable.

phrases

Other hazards which do not : None known.

result in classification

Date of issue/Date of revision : 09/03/2021 1/9 : 28/03/2024 Date of previous issue Version

Magnis SureSelect XT HS Reagent Plates Rev B, ILM, 96 Reactions (12 Runs), Part Number 5191-6805

Section 3. Composition and ingredient information

Substance/mixture : Mixture

CAS number/other identifiers

| Ingredient name | % (w/w) | CAS number |
|--|---------|------------|
| Ø lycerol | ≤3 | 56-81-5 |
| Poly(oxy-1,2-ethanediyl),α-hydro-ω-hydroxy- Ethane-1,2-diol, ethoxylated | ≤3 | 25322-68-3 |

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

The total concentration of ingredients in this product, reported or not in this section, is 100%.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower

eyelids. Check for and remove any contact lenses. Get medical attention if irritation

ccurs.

Inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Get medical attention if symptoms occur.

Skin contact: Flush contaminated skin with plenty of water. Remove contaminated clothing and

shoes. Get medical attention if symptoms occur.

Ingestion : ₩ash out mouth with water. If material has been swallowed and the exposed

person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms

occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact
 Inhalation
 No known significant effects or critical hazards.
 Skin contact
 No known significant effects or critical hazards.
 Ingestion
 No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact : No specific data.

Inhalation : No specific data.

Skin contact : No specific data.

Ingestion : No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large

quantities have been ingested or inhaled.

Specific treatments: No specific treatment.

Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Date of issue/Date of revision : 28/03/2024 Date of previous issue : 09/03/2021 Version : 3 2/9

Section 5. Firefighting measures

Extinguishing media

Suitable extinguishing media

: Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing media

: None known.

Specific hazards arising from the chemical

Hazardous thermal decomposition products

: In a fire or if heated, a pressure increase will occur and the container may burst.

 Decomposition products may include the following materials: carbon dioxide carbon monoxide halogenated compounds

nalogenated compound metal oxide/oxides

Special protective actions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.

For emergency responders:

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Environmental precautions

: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and material for containment and cleaning up

Methods for cleaning up

: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Section 7. Handling and storage

Precautions for safe handling

Protective measures
Advice on general
occupational hygiene

- : Put on appropriate personal protective equipment (see Section 8).
- Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Date of issue/Date of revision : 28/03/2024 Date of previous issue : 09/03/2021 Version : 3 3/9

Section 7. Handling and storage

Conditions for safe storage, including any incompatibilities

: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Section 8. Exposure controls and personal protection

Control parameters

Occupational exposure limits

| Ingredient name | Exposure limits |
|---|---|
| Siycerol Poly(oxy-1,2-ethanediyl),α-hydro-ω-hydroxy- Ethane-1,2-diol, ethoxylated | Safe Work Australia (Australia, 10/2022). TWA: 10 mg/m³ 8 hours. DFG MAC-values list (Germany, 7/2023). PEAK: 400 mg/m³, 4 times per shift, 15 minutes. Form: inhalable fraction TWA: 200 mg/m³ 8 hours. Form: inhalable fraction |

Biological exposure indices

No exposure indices known.

Appropriate engineering controls

Environmental exposure controls

- : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
- : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

Skin protection

Hand protection

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Body protection

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Date of issue/Date of revision : 28/03/2024 Date of previous issue : 09/03/2021 Version : 3 4/9

Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

Appearance

Physical state : Liquid.

Colour : Not available.

Odour : Not available.

Odour threshold : Not available.

pH : Not available.

Melting point/freezing point : Not available.

Boiling point, initial boiling : Not available.

Boiling point, initial boiling point, and boiling range

Flash point

Closed cup Open cup °F °F **Method** °C °C **Method** Ingredient name Poly(oxy-199 to 390.2 171 to 339.8 1,2-ethanediyl),α-238 235 to 455 to 460.4 hydro-ω-hydroxy-

hydro-ω-hydroxyEthane-1,2-diol,
ethoxylated

Glycerol - - 177 350.6 -

Evaporation rate
Flammability
Lower and upper explosion
limit/flammability limit

Not applicable.Not available.

Not available.

Vapour pressure

| | Vapour Pressure at 20°C | | | Vapour pressure at 50°C | | | |
|-----------------|-------------------------|---------|--------|-------------------------|---------|--------|--|
| Ingredient name | mm Hg | kPa | Method | mm Hg | kPa | Method | |
| w ater | 17.5 | 2.3 | - | 92.258 | 12.3 | - | |
| Glycerol | 0.000075 | 0.00001 | - | 0.0025 | 0.00033 | - | |

Relative vapour density
Relative density

Not available.Not available.

Solubility(ies) : Media

MediaResultWaterSoluble

Miscible with water

Partition coefficient: n-

octanol/water

Auto-ignition temperature

: Not applicable.

Yes.

Ingredient name

°C

°F

Method

Poly(oxy-1,2-ethanediyl),αhydro-ω-hydroxy- Ethane1,2-diol, ethoxylated

Glycerol

370

°F

Method

680

-

Decomposition temperature : Not available.

Viscosity : Not available.

Particle characteristics

Median particle size : Not applicable.

Date of issue/Date of revision : 28/03/2024 Date of previous issue : 09/03/2021 Version : 3 5/9

Section 10. Stability and reactivity

Reactivity: No specific test data related to reactivity available for this product or its ingredients.

Chemical stability: The product is stable.

Possibility of hazardous reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid : No specific data.

Incompatible materials : May react or be incompatible with oxidising materials.

Hazardous decomposition products

: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

| Product/ingredient name | Result | Species | Dose | Exposure |
|-------------------------|-----------|---------|-------------|----------|
| Glycerol | LD50 Oral | Rat | 12600 mg/kg | - |

Irritation/Corrosion

| Product/ingredient name | Result | Species | Score | Exposure | Observation |
|---|--|------------------|-------|--------------------------|-------------|
| Ø lycerol | Eyes - Mild irritant | Rabbit | - | 24 hours 500 | - |
| | Skin - Mild irritant | Rabbit | - | mg 24 hours 500 | - |
| Poly(oxy-1,2-ethanediyl),α- hydro-ω-hydroxy- Ethane- | Eyes - Mild irritant | Rabbit | - | mg 24 hours 500 mg | - |
| 1,2-diol, ethoxylated | Eyes - Mild irritant Skin - Mild irritant | Rabbit Rabbit | - | 500 mg 24 hours 500 | - |
| | Skin - Mild irritant | Rabbit | - | mg 500 mg | - |

Sensitisation

Not available.

Mutagenicity

Conclusion/Summary: Not available.

Carcinogenicity

Conclusion/Summary: Not available.

Reproductive toxicity

Conclusion/Summary: Not available.

Teratogenicity

Conclusion/Summary: Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Date of issue/Date of revision : 28/03/2024 Date of previous issue : 09/03/2021 Version : 3 6/9

Magnis SureSelect XT HS Reagent Plates Rev B, ILM, 96 Reactions (12 Runs), Part Number 5191-6805

Section 11. Toxicological information

Information on likely routes : Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes.

of exposure

Potential acute health effects

Eye contact
 Inhalation
 No known significant effects or critical hazards.
 Skin contact
 No known significant effects or critical hazards.
 Ingestion
 No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : No specific data.
Inhalation : No specific data.
Skin contact : No specific data.
Ingestion : No specific data.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

Potential immediate : Not available.

effects

Potential delayed effects : Not available.

Long term exposure

Potential immediate : Not available.

effects

Potential delayed effects : Not available.

Potential chronic health effects

General : No known significant effects or critical hazards.
 Carcinogenicity : No known significant effects or critical hazards.
 Mutagenicity : No known significant effects or critical hazards.
 Reproductive toxicity : No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

| Product/ingredient name | Oral (mg/ kg) | Dermal (mg/kg) | Inhalation (gases) (ppm) | Inhalation (vapours) (mg/l) | Inhalation (dusts and mists) (mg/l) |
|---|------------------|-------------------|--------------------------------|-----------------------------------|--|
| Slycerol Poly(oxy-1,2-ethanediyl),α-hydro-ω-hydroxy- Ethane-1,2-diol, ethoxylated | 12600 | N/A | N/A | N/A | N/A |
| | 28000 | N/A | N/A | N/A | N/A |

Section 12. Ecological information

Toxicity

| Product/ingredient name | Result | Species | Exposure |
|---|---|---|----------------------|
| Flycerol Poly(oxy-1,2-ethanediyl),α- hydro-ω-hydroxy- Ethane- 1,2-diol, ethoxylated | Acute LC50 54000 mg/l Fresh water Acute EC50 >100 mg/l Fresh water | Fish - Oncorhynchus mykiss Daphnia - Daphnia magna | 96 hours 48 hours |
| | Acute LC50 >1000000 μg/l Fresh water | Fish - <i>Salmo salar</i> - Parr | 96 hours |

Date of issue/Date of revision : 28/03/2024 Date of previous issue : 09/03/2021 Version : 3 7/9

Magnis SureSelect XT HS Reagent Plates Rev B, ILM, 96 Reactions (12 Runs), Part Number 5191-6805

Section 12. Ecological information

Persistence and degradability

| Product/ingredient name | Test | Result | | Dose | Inoculum |
|--|--|---------------------|-----------|-------------|------------------|
| Poly(oxy-1,2-ethanediyl),α-hydro-ω-hydroxy- Ethane-1,2-diol, ethoxylated | 301D Ready Biodegradability - Closed Bottle Test OECD 301D Ready Biodegradability - Closed Bottle Test | 74.85 % - Readily - | 28 days | - 4 mg/l | - |
| Product/ingredient name | Aquatic half-life | | Photolysi | s | Biodegradability |
| Foly(oxy-1,2-ethanediyl),α- hydro-ω-hydroxy- Ethane- | - | | - | | Readily |

Bioaccumulative potential

1,2-diol, ethoxylated

| Product/ingredient name | LogPow | BCF | Potential |
|---|------------|-----|------------|
| Siycerol Poly(oxy-1,2-ethanediyl),α- hydro-ω-hydroxy- Ethane- 1,2-diol, ethoxylated | -1.76 - | 3.2 | Low Low |

Mobility in soil

Soil/water partition coefficient (Koc)

: Not available.

Other adverse effects

: No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods

: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

ADG / IMDG / IATA

: Not regulated as Dangerous Goods according to the ADG Code .

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not available. to IMO instruments

Date of issue/Date of revision : 28/03/2024 : 09/03/2021 Version:3 8/9 Date of previous issue

Section 15. Regulatory information

Standard for the Uniform Scheduling of Medicines and Poisons

5

Model Work Health and Safety Regulations - Scheduled Substances

No listed substance

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

Australia : Not determined.

New Zealand : Not determined.

United States : Not determined.

Section 16. Any other relevant information

History

Date of issue/Date of

revision

: 28/03/2024

Date of previous issue : 09/03/2021

Version : 3

Key to abbreviations : ADG = Australian Dangerous Goods

ADR = The European Agreement concerning the International Carriage of

Dangerous Goods by Road ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships,

1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

N/A = Not available

SUSMP = Standard Uniform Schedule of Medicine and Poisons

UN = United Nations

Procedure used to derive the classification

Classification

Not classified.

✓ Indicates information that has changed from previously issued version.

Notice to reader

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.