SAFETY DATA SHEET



SureSelect XT HS2 Library Preparation Kit for ILM (Pre PCR), 96 Rxn, Part Number 5500-0147

Section 1. Identification

Product identifier : SureSelect XT HS2 Library Preparation Kit for ILM (Pre PCR), 96 Rxn, Part Number

5500-0147

Part no. (chemical kit) : 5500-0147

Part no. : End Repair-A Tailing Enzyme Mix 5190-6435

End Repair-A Tailing Buffer 5190-6436
T4 DNA Ligase 5190-6437
Ligation Buffer 5190-6438
SureSelect XT HS2 Adaptor Oligo Mix 5191-6684
Herculase II Fusion DNA Polymerase 5600-3761

5X Herculase II Reaction Buffer with dNTPs 5191-6681

Material uses : Analytical reagent.

For Research Use Only. Not for use in diagnostic procedures.

End Repair-A Tailing Enzyme Mix1 x 0.512 ml (96 reactions)End Repair-A Tailing Buffer1 x 2.048 ml (96 reactions)T4 DNA Ligase1 x 0.256 ml (96 reactions)Ligation Buffer1 x 2.944 ml (96 reactions)SureSelect XT HS2 Adaptor Oligo Mix0.7 ml (96 reactions)Herculase II Fusion DNA Polymerase1 x 0.14 ml (96 reactions)

Herculase II Fusion DNA Polymerase 1 x 0.14 ml (96 reactions 5X Herculase II Reaction Buffer with dNTPs 1 x 1.5 ml (96 reactions)

Supplier/Manufacturer : Agilent Technologies, Inc.

5301 Stevens Creek Blvd Santa Clara, CA 95051, USA

800-227-9770

Emergency telephone number (with hours of

operation)

: CHEMTREC®: 1-800-424-9300

Section 2. Hazard identification

Classification of the substance or mixture

End Repair-A Tailing

Enzyme Mix

H320 EYE IRRITATION - Category 2B

T4 DNA Ligase

H320 EYE IRRITATION - Category 2B

Ligation Buffer

H320 EYE IRRITATION - Category 2B

Herculase II Fusion DNA

Polymerase

H320 EYE IRRITATION - Category 2B

GHS label elements

Section 2. Hazard identification Signal word : End Repair-A Tailing Warning Enzyme Mix End Repair-A Tailing Buffer No signal word. T4 DNA Ligase Warning Warning Ligation Buffer SureSelect XT HS2 Adaptor No signal word. Oligo Mix Herculase II Fusion DNA Warning Polymerase 5X Herculase II Reaction No signal word. Buffer with dNTPs **Hazard statements** : End Repair-A Tailing H320 - Causes eye irritation. Enzyme Mix End Repair-A Tailing Buffer No known significant effects or critical hazards. T4 DNA Ligase H320 - Causes eye irritation. **Ligation Buffer** H320 - Causes eye irritation. SureSelect XT HS2 Adaptor No known significant effects or critical hazards. Oligo Mix Herculase II Fusion DNA H320 - Causes eye irritation. Polymerase 5X Herculase II Reaction No known significant effects or critical hazards. Buffer with dNTPs **Precautionary statements** : End Repair-A Tailing **Prevention** Not applicable. Enzvme Mix End Repair-A Tailing Buffer Not applicable. T4 DNA Ligase Not applicable. Ligation Buffer Not applicable. SureSelect XT HS2 Adaptor Not applicable. Oligo Mix Herculase II Fusion DNA Not applicable. Polymerase 5X Herculase II Reaction Not applicable. Buffer with dNTPs Response : End Repair-A Tailing P305 + P351 + P338 - IF IN EYES: Rinse cautiously Enzyme Mix with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical advice or attention. Not applicable. End Repair-A Tailing Buffer P305 + P351 + P338 - IF IN EYES: Rinse cautiously T4 DNA Ligase with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical advice or attention. P305 + P351 + P338 - IF IN EYES: Rinse cautiously Ligation Buffer with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical advice or attention. SureSelect XT HS2 Adaptor Not applicable. Oligo Mix Herculase II Fusion DNA P305 + P351 + P338 - IF IN EYES: Rinse cautiously Polymerase with water for several minutes. Remove contact

Date of issue/Date of revision : 04/29/2022 Date of previous issue : 12/18/2019 Version 2/37

5X Herculase II Reaction

Buffer with dNTPs

lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical

advice or attention.

Not applicable.

Section 2. Hazard identification

: End Repair-A Tailing **Storage** Not applicable. Enzyme Mix End Repair-A Tailing Buffer Not applicable. T4 DNA Ligase Not applicable. Ligation Buffer Not applicable. SureSelect XT HS2 Adaptor Not applicable. Oligo Mix Herculase II Fusion DNA Not applicable. Polymerase 5X Herculase II Reaction Not applicable. Buffer with dNTPs **Disposal** : End Repair-A Tailing Not applicable. Enzyme Mix End Repair-A Tailing Buffer Not applicable. T4 DNA Ligase Not applicable. **Ligation Buffer** Not applicable. SureSelect XT HS2 Adaptor Not applicable. Oligo Mix Herculase II Fusion DNA Not applicable. Polymerase 5X Herculase II Reaction Not applicable. Buffer with dNTPs Supplemental label End Repair-A Tailing None known. elements Enzyme Mix End Repair-A Tailing Buffer None known. T4 DNA Ligase None known. Ligation Buffer None known. SureSelect XT HS2 Adaptor None known. Oligo Mix Herculase II Fusion DNA None known. Polymerase 5X Herculase II Reaction None known. Buffer with dNTPs X Herculase II Reaction Percentage of the mixture consisting of ingredient(s) Buffer with dNTPs of unknown hazards to the aquatic environment: 5.3% Other hazards which do not : End Repair-A Tailing None known. result in classification Enzyme Mix End Repair-A Tailing Buffer None known. T4 DNA Ligase None known. None known. **Ligation Buffer** SureSelect XT HS2 Adaptor None known. Oligo Mix Herculase II Fusion DNA None known. Polymerase 5X Herculase II Reaction None known. Buffer with dNTPs

Section 3. Composition/information on ingredients

Substance/mixture	: End Repair-A Tailing Enzyme Mix	Mixture
	End Repair-A Tailing Buffer	Mixture
	T4 DNA Ligase	Mixture
	Ligation Buffer	Mixture
	SureSelect XT HS2 Adaptor Oligo Mix	Mixture
	Herculase II Fusion DNA	Mixture
	Polymerase	
	5X Herculase II Reaction	Mixture

Date of issue/Date of revision : 04/29/2022 Date of previous issue : 12/18/2019 Version : 2 3/37

Section 3. Composition/information on ingredients

Buffer with dNTPs

Ingredient name	% (w/w)	CAS number
End Repair-A Tailing Enzyme Mix Glycerol	30 - 60	56-81-5
End Repair-A Tailing Buffer Potassium chloride	1 - 5	7447-40-7
T4 DNA Ligase Glycerol	30 - 60	56-81-5
Ligation Buffer Polyethylene glycol Glycerol	10 - 30 10 - 30	25322-68-3 56-81-5
Herculase II Fusion DNA Polymerase Glycerol	30 - 60	56-81-5
5X Herculase II Reaction Buffer with dNTPs Trometamol Ammonium sulphate Hexadecan-1-ol, ethoxylated	1 - 5 0.5 - 1.5 0.1 - 1	77-86-1 7783-20-2 9004-95-9

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. Firs	st-aid measures								
Description of necess	Description of necessary first aid measures								
Eye contact	: End Repair-A Tailing Enzyme Mix	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention.							
	End Repair-A Tailing Buffer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.							
	T4 DNA Ligase	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention.							
	Ligation Buffer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention.							
	SureSelect XT HS2 Adaptor Oligo Mix	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.							
	Herculase II Fusion DNA Polymerase	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention.							

Date of issue/Date of revision : 04/29/2022 Date of previous issue : 12/18/2019 Version : 2 4/37

5X Herculase II Reaction Buffer with dNTPs

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

Inhalation

: End Repair-A Tailing Enzyme Mix

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

End Repair-A Tailing Buffer

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

T4 DNA Ligase

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Ligation Buffer

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

SureSelect XT HS2 Adaptor Oligo Mix

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical

Herculase II Fusion DNA Polymerase

attention if symptoms occur.

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

5X Herculase II Reaction Buffer with dNTPs

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of

Date of previous issue Date of issue/Date of revision : 04/29/2022 : 12/18/2019 Version : 2

Skin contact

Ingestion

: End Repair-A Tailing Enzyme Mix

End Repair-A Tailing Buffer

T4 DNA Ligase

Ligation Buffer

SureSelect XT HS2 Adaptor

Oligo Mix

Herculase II Fusion DNA

Polymerase

5X Herculase II Reaction Buffer with dNTPs

: End Repair-A Tailing Enzyme Mix

End Repair-A Tailing Buffer

T4 DNA Ligase

decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept

under medical surveillance for 48 hours.

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse. Flush contaminated skin with plenty of water.

Remove contaminated clothing and shoes. Get

medical attention if symptoms occur.

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Flush contaminated skin with plenty of water.
Remove contaminated clothing and shoes. Get
medical attention if symptoms occur. Wash clothing
before reuse. Clean shoes thoroughly before reuse.
Flush contaminated skin with plenty of water.
Remove contaminated clothing and shoes. Get

medical attention if symptoms occur.

Flush contaminated skin with plenty of water.
Remove contaminated clothing and shoes. Get
medical attention if symptoms occur. Wash clothing
before reuse. Clean shoes thoroughly before reuse.
Flush contaminated skin with plenty of water.
Remove contaminated clothing and shoes. Get

medical attention if symptoms occur.

Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Wash out mouth with water. If material has been

swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open

airway. Loosen tight clothing such as a collar, tie,

Date of issue/Date of revision : 04/29/2022 Date of previous issue : 12/18/2019 Version : 2 6/37

Ligation Buffer

belt or waistband.

Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

SureSelect XT HS2 Adaptor Oligo Mix

Polymerase

Herculase II Fusion DNA

Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

5X Herculase II Reaction Buffer with dNTPs

Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact

: End Repair-A Tailing

Enzyme Mix

End Repair-A Tailing Buffer

T4 DNA Ligase Ligation Buffer

SureSelect XT HS2 Adaptor

Oligo Mix

Herculase II Fusion DNA

Polymerase

5X Herculase II Reaction Buffer with dNTPs

Causes eye irritation.

No known significant effects or critical hazards.

Causes eye irritation. Causes eve irritation.

No known significant effects or critical hazards.

Causes eye irritation.

No known significant effects or critical hazards.

Date of issue/Date of revision : 04/29/2022 Date of previous issue : 12/18/2019 Version : 2 7/37

Section 4. I iist-aid	illeasules	
Inhalation :	☑nd Repair-A Tailing Enzyme Mix	No known significant effects or critical hazards.
	End Repair-A Tailing Buffer	No known significant effects or critical hazards.
	T4 DNA Ligase	No known significant effects or critical hazards.
	Ligation Buffer	No known significant effects or critical hazards.
	SureSelect XT HS2 Adaptor Oligo Mix	No known significant effects or critical hazards.
	Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.
	5X Herculase II Reaction Buffer with dNTPs	No known significant effects or critical hazards.
Skin contact :	End Repair-A Tailing Enzyme Mix	No known significant effects or critical hazards.
	End Repair-A Tailing Buffer	No known significant effects or critical hazards.
	T4 DNA Ligase	No known significant effects or critical hazards.
	Ligation Buffer	No known significant effects or critical hazards.
	SureSelect XT HS2 Adaptor Oligo Mix	No known significant effects or critical hazards.
	Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.
	5X Herculase II Reaction Buffer with dNTPs	No known significant effects or critical hazards.
Ingestion :	End Repair-A Tailing Enzyme Mix	No known significant effects or critical hazards.
	End Repair-A Tailing Buffer	No known significant effects or critical hazards.
	T4 DNA Ligase	No known significant effects or critical hazards.
	Ligation Buffer	No known significant effects or critical hazards.
	SureSelect XT HS2 Adaptor Oligo Mix	No known significant effects or critical hazards.
	Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.
	5X Herculase II Reaction Buffer with dNTPs	No known significant effects or critical hazards.
Over-exposure signs/sympton	n <u>s</u>	
	— End Repair-A Tailing Enzyme Mix	Adverse symptoms may include the following:
	,	irritation watering
		redness
	End Repair-A Tailing Buffer	No specific data.
	T4 DNA Ligase	Adverse symptoms may include the following:
	-	irritation
		watering
		redness
	Ligation Buffer	Adverse symptoms may include the following: irritation
		watering
		redness
	SureSelect XT HS2 Adaptor Oligo Mix	No specific data.
	Herculase II Fusion DNA Polymerase	Adverse symptoms may include the following:
		irritation
		watering
		redness
	5X Herculase II Reaction Buffer with dNTPs	No specific data.

Date of issue/Date of revision : 04/29/2022 Date of previous issue : 12/18/2019 Version : 2 8/37

: End Repair-A Tailing Inhalation No specific data. Enzyme Mix End Repair-A Tailing Buffer No specific data. T4 DNA Ligase No specific data. Ligation Buffer No specific data. SureSelect XT HS2 Adaptor No specific data. Oligo Mix Herculase II Fusion DNA No specific data. Polymerase 5X Herculase II Reaction No specific data. Buffer with dNTPs Skin contact : End Repair-A Tailing No specific data. Enzyme Mix End Repair-A Tailing Buffer No specific data. T4 DNA Ligase No specific data. Ligation Buffer No specific data. SureSelect XT HS2 Adaptor No specific data. Oligo Mix Herculase II Fusion DNA No specific data. Polymerase 5X Herculase II Reaction No specific data. Buffer with dNTPs Ingestion End Repair-A Tailing No specific data. Enzyme Mix End Repair-A Tailing Buffer No specific data. T4 DNA Ligase No specific data. **Ligation Buffer** No specific data. SureSelect XT HS2 Adaptor No specific data. Oligo Mix Herculase II Fusion DNA No specific data. Polymerase 5X Herculase II Reaction No specific data. Buffer with dNTPs

Indication of immediate medical attention and special treatment needed, if necessary

Notes	to pi	างรเตเ	an
		_	

: End Repair-A Tailing Enzyme Mix Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been

ingested or inhaled.

End Repair-A Tailing Buffer

In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical

surveillance for 48 hours.

T4 DNA Ligase Treat symptomatically. Contact poison treatment

specialist immediately if large quantities have been

ingested or inhaled.

Ligation Buffer Treat symptomatically. Contact poison treatment

specialist immediately if large quantities have been

ingested or inhaled.

SureSelect XT HS2 Adaptor

Oligo Mix

Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been

ingested or inhaled.

Herculase II Fusion DNA

Polymerase

Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been

ingested or inhaled.

5X Herculase II Reaction Buffer with dNTPs

In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical

surveillance for 48 hours.

Date of issue/Date of revision : 04/29/2022 Date of previous issue : 12/18/2019 Version : 2 9/37

Specific treatments

Protection of first-aiders

: End Repair-A Tailing

Enzyme Mix

End Repair-A Tailing Buffer

T4 DNA Ligase Ligation Buffer

SureSelect XT HS2 Adaptor

Oligo Mix

Herculase II Fusion DNA

Polymerase

5X Herculase II Reaction

Buffer with dNTPs

: End Repair-A Tailing

Enzyme Mix

No specific treatment.

No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth

resuscitation.

End Repair-A Tailing Buffer No action shall be taken involving any personal risk

or without suitable training.

T4 DNA Ligase No action shall be taken involving any personal risk

or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth

resuscitation.

Ligation Buffer No action shall be taken involving any personal risk

> or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth

resuscitation.

SureSelect XT HS2 Adaptor

Oligo Mix

Herculase II Fusion DNA

Polymerase

No action shall be taken involving any personal risk

or without suitable training.

No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth

resuscitation.

5X Herculase II Reaction Buffer with dNTPs

No action shall be taken involving any personal risk

or without suitable training.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

: End Repair-A Tailing

Enzyme Mix

End Repair-A Tailing Buffer

Use an extinguishing agent suitable for the

surrounding fire.

Use an extinguishing agent suitable for the

surrounding fire.

T4 DNA Ligase Use an extinguishing agent suitable for the

surrounding fire.

Ligation Buffer Use an extinguishing agent suitable for the

surrounding fire.

SureSelect XT HS2 Adaptor

Oligo Mix

Herculase II Fusion DNA

Polymerase

5X Herculase II Reaction Buffer with dNTPs

Use an extinguishing agent suitable for the

surrounding fire.

Use an extinguishing agent suitable for the

surrounding fire.

Use an extinguishing agent suitable for the

surrounding fire.

Date of issue/Date of revision : 04/29/2022 : 12/18/2019 Version 10/37 Date of previous issue

Section 5. Fire-fighting measures

Unsuitable extinguishing media

: End Repair-A Tailing

Enzyme Mix End Repair-A Tailing Buffer

T4 DNA Ligase Ligation Buffer

SureSelect XT HS2 Adaptor

Oligo Mix

Herculase II Fusion DNA

Polymerase

5X Herculase II Reaction Buffer with dNTPs

None known.

None known. None known. None known.

None known.

None known.

Specific hazards arising from the chemical

Hazardous thermal

decomposition products

: End Repair-A Tailing

Enzyme Mix

End Repair-A Tailing Buffer

In a fire or if heated, a pressure increase will occur

and the container may burst.

In a fire or if heated, a pressure increase will occur

and the container may burst.

T4 DNA Ligase In a fire or if heated, a pressure increase will occur

and the container may burst.

Ligation Buffer In a fire or if heated, a pressure increase will occur

and the container may burst.

SureSelect XT HS2 Adaptor

Oligo Mix

Herculase II Fusion DNA

Polymerase

Enzyme Mix

5X Herculase II Reaction

Buffer with dNTPs
: End Repair-A Tailing

In a fire or if heated, a pressure increase will occur and the container may burst.

In a fire or if heated, a pressure increase will occur

and the container may burst.

In a fire or if heated, a pressure increase will occur

and the container may burst.

Decomposition products may include the following

materials: carbon dioxide carbon monoxide

End Repair-A Tailing Buffer

Decomposition products may include the following

materials: carbon dioxide carbon monoxide nitrogen oxides

halogenated compounds metal oxide/oxides

T4 DNA Ligase Decomposition products may include the following

materials: carbon dioxide carbon monoxide

Ligation Buffer Decomposition products may include the following

materials: carbon dioxide carbon monoxide No specific data.

SureSelect XT HS2 Adaptor

Oligo Mix

Herculase II Fusion DNA

Polymerase

... -

Decomposition products may include the following

materials: carbon dioxide carbon monoxide

5X Herculase II Reaction Buffer with dNTPs

Decomposition products may include the following materials:

carbon dioxide carbon monoxide nitrogen oxides sulfur oxides

phosphorus oxides metal oxide/oxides

Date of issue/Date of revision : 04/29/2022 Date of previous issue : 12/18/2019 Version : 2 11/37

Section 5. Fire-fighting measures

Special	protective	actions
for fire-f	ighters	

: End Repair-A Tailing Enzyme Mix

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or

without suitable training.

End Repair-A Tailing Buffer

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or

without suitable training.

T4 DNA Ligase

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or

without suitable training.

Ligation Buffer

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or

without suitable training.

SureSelect XT HS2 Adaptor

Oligo Mix

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Herculase II Fusion DNA Polymerase

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

5X Herculase II Reaction Buffer with dNTPs

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or

without suitable training.

Special protective equipment for fire-fighters

: End Repair-A Tailing

Enzyme Mix

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive

pressure mode.

End Repair-A Tailing Buffer

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive

pressure mode.

T4 DNA Ligase

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive

pressure mode.

Ligation Buffer

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive

pressure mode.

SureSelect XT HS2 Adaptor

Oligo Mix

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive

pressure mode.

Herculase II Fusion DNA

Polymerase

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive

pressure mode.

5X Herculase II Reaction Buffer with dNTPs

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive

pressure mode.

Date of issue/Date of revision : 04/29/2022 : 12/18/2019 Version : 2 Date of previous issue 12/37

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: End Repair-A Tailing Enzyme Mix No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear

End Repair-A Tailing Buffer

appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal

protective equipment.

T4 DNA Ligase

Ligation Buffer

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear

appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or

mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. No action shall be taken involving any personal risk

or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal

protective equipment.

SureSelect XT HS2 Adaptor Oligo Mix

Herculase II Fusion DNA Polymerase

5X Herculase II Reaction Buffer with dNTPs

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or

mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate.

Put on appropriate personal protective equipment.
No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected

personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment

protective equipment.

For emergency responders : End Repair-A Tailing

End Repair-A Tailing Enzyme Mix

End Repair-A Tailing Buffer

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Date of issue/Date of revision : 04/29/2022 Date of previous issue : 12/18/2019 Version : 2 13/37

Section 6. Accidental release measures

T4 DNA Ligase

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Ligation Buffer

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialized clothing is required to deal with the

SureSelect XT HS2 Adaptor Oligo Mix

spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on

Herculase II Fusion DNA Polymerase

suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

5X Herculase II Reaction Buffer with dNTPs

Environmental precautions

: End Repair-A Tailing Enzyme Mix

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

End Repair-A Tailing Buffer

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways,

soil or air).

T4 DNA Ligase

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways,

soil or air).

Ligation Buffer

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways,

soil or air).

SureSelect XT HS2 Adaptor

Oligo Mix

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways,

Herculase II Fusion DNA

Polymerase

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways,

soil or air).

5X Herculase II Reaction Buffer with dNTPs

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways,

soil or air).

Methods and materials for containment and cleaning up

Date of issue/Date of revision : 04/29/2022 : 12/18/2019 Version : 2 14/37 Date of previous issue

Section 6. Accidental release measures

Methods for cleaning up

: End Repair-A Tailing Enzyme Mix

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

End Repair-A Tailing Buffer

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste

disposal contractor.

T4 DNA Ligase

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste

disposal contractor.

Ligation Buffer

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste

disposal contractor.

SureSelect XT HS2 Adaptor

Oligo Mix

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste

disposal contractor.

Herculase II Fusion DNA

Polymerase

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste

disposal contractor.

5X Herculase II Reaction Buffer with dNTPs

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Section 7. Handling and storage

Precautions for safe handling

Protective measures

: End Repair-A Tailing Enzyme Mix

Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

End Repair-A Tailing Buffer

Put on appropriate personal protective equipment (see Section 8).

T4 DNA Ligase

Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved

Date of issue/Date of revision : 04/29/2022 Date of previous issue : 12/18/2019 Version : 2 15/37

Section 7. Handling and storage

Ligation Buffer

alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not

reuse container.

Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not

reuse container.

SureSelect XT HS2 Adaptor

Oligo Mix

Herculase II Fusion DNA

Polymerase

Put on appropriate personal protective equipment

(see Section 8).

Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not

reuse container.

5X Herculase II Reaction Buffer with dNTPs

Put on appropriate personal protective equipment

(see Section 8).

Advice on general occupational hygiene : End Repair-A Tailing Enzyme Mix

T4 DNA Ligase

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove

contaminated clothing and protective equipment before entering eating areas. See also Section 8 for

End Repair-A Tailing Buffer

additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face

before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for

additional information on hygiene measures.

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for

additional information on hygiene measures.

Eating, drinking and smoking should be prohibited in Ligation Buffer areas where this material is handled, stored and processed. Workers should wash hands and face

before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for

additional information on hygiene measures.

SureSelect XT HS2 Adaptor

Herculase II Fusion DNA

Oligo Mix

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Eating, drinking and smoking should be prohibited in

Date of issue/Date of revision : 04/29/2022 : 12/18/2019 Version : 2 Date of previous issue 16/37

Section 7. Handling and storage

Polymerase

5X Herculase II Reaction Buffer with dNTPs

areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, : End Repair-A Tailing including any incompatibilities

Enzyme Mix

End Repair-A Tailing Buffer

T4 DNA Ligase

Ligation Buffer

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a

SureSelect XT HS2 Adaptor Oligo Mix

: 04/29/2022 Version : 2 Date of issue/Date of revision Date of previous issue : 12/18/2019 17/37

Section 7. Handling and storage

Herculase II Fusion DNA Polymerase

5X Herculase II Reaction Buffer with dNTPs

dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
End Repair-A Tailing Enzyme Mix	
Glycerol	CA Alberta Provincial (Canada, 6/2018). 8 hrs OEL: 10 mg/m³ 8 hours. Form: Mist CA Quebec Provincial (Canada, 7/2019). TWAEV: 10 mg/m³ 8 hours. Form: mist CA Saskatchewan Provincial (Canada, 7/2013). STEL: 20 mg/m³ 15 minutes. Form: mist TWA: 10 mg/m³ 8 hours. Form: mist CA British Columbia Provincial (Canada, 1/2021). TWA: 3 mg/m³ 8 hours. Form: respirable mist TWA: 10 mg/m³ 8 hours. Form: total mist
T4 DNA Ligase Glycerol	CA Alberta Provincial (Canada, 6/2018). 8 hrs OEL: 10 mg/m³ 8 hours. Form: Mist CA Quebec Provincial (Canada, 7/2019). TWAEV: 10 mg/m³ 8 hours. Form: mist

Date of issue/Date of revision : 04/29/2022 Date of previous issue : 12/18/2019 Version : 2 18/37

Section 8. Exposure controls/personal protection

CA Saskatchewan Provincial (Canada, 7/2013).

STEL: 20 mg/m³ 15 minutes. Form: mist TWA: 10 mg/m³ 8 hours. Form: mist **CA British Columbia Provincial (Canada, 1/2021).**

TWA: 3 mg/m³ 8 hours. Form: respirable mist

TWA: 10 mg/m³ 8 hours. Form: total mist

Ligation Buffer

Polyethylene glycol

Glycerol

OARS WEEL (United States, 1/2021).

TWA: 10 mg/m³ 8 hours.

CA Alberta Provincial (Canada, 6/2018). 8 hrs OEL: 10 mg/m³ 8 hours. Form: Mist CA Quebec Provincial (Canada, 7/2019). TWAEV: 10 mg/m³ 8 hours. Form: mist CA Saskatchewan Provincial (Canada, 7/2013).

STEL: 20 mg/m³ 15 minutes. Form: mist TWA: 10 mg/m³ 8 hours. Form: mist **CA British Columbia Provincial (Canada, 1/2021).**

TWA: 3 mg/m³ 8 hours. Form: respirable mist

TWA: 10 mg/m³ 8 hours. Form: total mist

Herculase II Fusion DNA Polymerase

Glycerol

CA Alberta Provincial (Canada, 6/2018). 8 hrs OEL: 10 mg/m³ 8 hours. Form: Mist CA Quebec Provincial (Canada, 7/2019). TWAEV: 10 mg/m³ 8 hours. Form: mist CA Saskatchewan Provincial (Canada, 7/2013).

STEL: 20 mg/m³ 15 minutes. Form: mist TWA: 10 mg/m³ 8 hours. Form: mist **CA British Columbia Provincial (Canada, 1/2021).**

TWA: 3 mg/m³ 8 hours. Form: respirable

mist

TWA: 10 mg/m³ 8 hours. Form: total mist

Appropriate engineering controls

Environmental exposure controls

- : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
- : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Date of issue/Date of revision : 04/29/2022 Date of previous issue : 12/18/2019 Version : 2 19/37

Section 8. Exposure controls/personal protection

Eye/face protection

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

Skin protection

Hand protection

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately

Body protection

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

Appearance

Physical state : End Repair-A Tailing Liquid.

Enzyme Mix

End Repair-A Tailing Buffer Liquid. T4 DNA Ligase Liquid. Ligation Buffer Liquid. SureSelect XT HS2 Adaptor Liquid.

Oligo Mix

Herculase II Fusion DNA Liquid.

Polymerase

5X Herculase II Reaction Liquid.

Buffer with dNTPs

Color : End Repair-A Tailing Not available.

Enzyme Mix

End Repair-A Tailing Buffer Not available. T4 DNA Ligase Not available. **Ligation Buffer** Not available. SureSelect XT HS2 Adaptor Not available.

Oligo Mix

Herculase II Fusion DNA Not available.

Polymerase

5X Herculase II Reaction Not available.

Buffer with dNTPs

Date of issue/Date of revision : 04/29/2022 : 12/18/2019 Version : 2 Date of previous issue 20/37

Odor	:	End Repair-A Tailing Enzyme Mix	Not available.
		End Repair-A Tailing Buffer	Not available.
		T4 DNA Ligase	Not available.
		Ligation Buffer	Not available.
		SureSelect XT HS2 Adaptor Oligo Mix	Not available.
		Herculase II Fusion DNA Polymerase	Not available.
		5X Herculase II Reaction Buffer with dNTPs	Not available.
Odor threshold	:	End Repair-A Tailing Enzyme Mix	Not available.
		End Repair-A Tailing Buffer	Not available.
		T4 DNA Ligase	Not available.
		Ligation Buffer	Not available.
		SureSelect XT HS2 Adaptor	Not available.
		Oligo Mix Herculase II Fusion DNA	Not available.
		Polymerase	
		5X Herculase II Reaction Buffer with dNTPs	Not available.
pH	:	End Repair-A Tailing Enzyme Mix	6.5
		End Repair-A Tailing Buffer	8
		T4 DNA Ligase	7.5
		Ligation Buffer	8
		SureSelect XT HS2 Adaptor Oligo Mix	7.5
		Herculase II Fusion DNA	8.2
		Polymerase 5X Herculase II Reaction Buffer with dNTPs	10
Melting point/freezing point	:	End Repair-A Tailing Enzyme Mix	Not available.
		End Repair-A Tailing Buffer	0°C (32°F)
		T4 DNA Ligase	Not available.
		Ligation Buffer	Not available.
		SureSelect XT HS2 Adaptor	0°C (32°F)
		Oligo Mix	
		Herculase II Fusion DNA Polymerase	Not available.
		5X Herculase II Reaction Buffer with dNTPs	Not available.
Boiling point, initial boiling point, and boiling range	:	End Repair-A Tailing Enzyme Mix	Not available.
		End Repair-A Tailing Buffer	100°C (212°F)
		T4 DNA Ligase	Not available.
		Ligation Buffer	Not available.
		SureSelect XT HS2 Adaptor	100°C (212°F)
		Oligo Mix Herculase II Fusion DNA	Not available.
		Polymerase 5X Herculase II Reaction	Not available.
Floor works		Buffer with dNTPs	
Flash point	:		

Date of issue/Date of revision : 04/29/2022 Date of previous issue : 12/18/2019 Version : 2 21/37

	Closed cup		cup		Open o	up
Ingredient name	°C	°F	Method	°C	°F	Method
End Repair-A Tailing Enzyme Mix						
(R*,R*) -1,4-Dimercaptobutane- 2,3-diol	>110	>230				
Glycerol			Pensky- Martens	177	350.6	
End Repair-A Tailing Buffer						
(R*,R*) -1,4-Dimercaptobutane- 2,3-diol	>110	>230				
T4 DNA Ligase						
(R*,R*) -1,4-Dimercaptobutane- 2,3-diol	>110	>230				
Glycerol			Pensky- Martens	177	350.6	
Ligation Buffer						
(R*,R*) -1,4-Dimercaptobutane- 2,3-diol	>110	>230				
Polyethylene glycol	171 to 235	339.8 to 455		199 to 238	390.2 to 460.4	
SureSelect XT HS2 Adaptor Oligo Mix						
Edetic acid	>100	>212	DIN 51758			
Herculase II Fusion DNA Polymerase						
Edetic acid	>100	>212	DIN 51758			
(R*,R*) -1,4-Dimercaptobutane- 2,3-diol	>110	>230 Not avail				

Evaporation rate

: End Repair-A Tailing

Not available.

Enzyme Mix

End Repair-A Tailing Buffer

Not available. Not available.

T4 DNA Ligase Ligation Buffer

Not available. Not available.

SureSelect XT HS2 Adaptor Oligo Mix

Not available.

Herculase II Fusion DNA

Not available.

Polymerase

Buffer with dNTPs

5X Herculase II Reaction

Date of issue/Date of revision : 04/29/2022 :12/18/2019 Date of previous issue Version : 2 22/37

Flammability

: End Repair-A Tailing

Enzyme Mix

Not applicable. Not applicable.

End Repair-A Tailing Buffer T4 DNA Ligase Ligation Buffer

Not applicable. Not applicable.

SureSelect XT HS2 Adaptor

Not applicable.

Oligo Mix

Herculase II Fusion DNA

Not applicable.

Polymerase

5X Herculase II Reaction

Not applicable.

Buffer with dNTPs

Lower and upper explosion limit/flammability limit

: End Repair-A Tailing

Not available.

Enzyme Mix

End Repair-A Tailing Buffer

Not available. Not available. Not available.

T4 DNA Ligase Ligation Buffer

SureSelect XT HS2 Adaptor

Not available.

Oligo Mix

Herculase II Fusion DNA

Not available.

Polymerase

Not available.

5X Herculase II Reaction Buffer with dNTPs

Vapor pressure

	Vapor Pressure at 20°C		re at 20°C	Vapor pressure at 50°C		
Ingredient name	mm Hg	kPa	Method	mm Hg	kPa	Method
End Repair-A Tailing Enzyme Mix						
Water	23.8	3.2		92.258	12.3	
Adenosine 5'- (tetrahydrogen triphosphate), disodium salt	<0.00075006	<0.0001		<0.00075006	<0.0001	
End Repair-A Tailing Buffer						
Water	23.8	3.2		92.258	12.3	
Adenosine 5'- (tetrahydrogen triphosphate), disodium salt	<0.00075006	<0.0001		<0.00075006	<0.0001	
T4 DNA Ligase						
Water	23.8	3.2		92.258	12.3	
Glycerol	0.000075	0.00001		0.0025	0.00033	
Ligation Buffer						
Water	23.8	3.2		92.258	12.3	
Glycerol	0.000075	0.00001		0.0025	0.00033	
SureSelect XT HS2 Adaptor Oligo Mix						
Water	23.8	3.2		92.258	12.3	

Date of issue/Date of revision : 04/29/2022 Date of previous issue : 12/18/2019 Version : 2 23/37

2-Amino-2- (hydroxymethyl)propane- 1,3-diol hydrochloride	0.000027	0.0000036	0.000007501	0.000001	
Herculase II Fusion DNA Polymerase					
Water	23.8	3.2	92.258	12.3	
Glycerol	0.000075	0.00001	0.0025	0.00033	
5X Herculase II Reaction Buffer with dNTPs					
Water	23.8	3.2	92.258	12.3	
Sulfuric acid, magnesium salt, hydrate (1:1:7)	<0.1	<0.013			

Relative vapor density

Relative density

Solubility

: End Repair-A Tailing

Enzyme Mix

End Repair-A Tailing Buffer

T4 DNA Ligase Ligation Buffer SureSelect XT HS2 Adaptor

Oligo Mix

Herculase II Fusion DNA

Polymerase

5X Herculase II Reaction

Buffer with dNTPs

: End Repair-A Tailing

Enzyme Mix

End Repair-A Tailing Buffer

T4 DNA Ligase Ligation Buffer SureSelect XT HS2 Adaptor

Oligo Mix

Herculase II Fusion DNA

Polymerase

5X Herculase II Reaction

Buffer with dNTPs

: End Repair-A Tailing

Enzyme Mix

End Repair-A Tailing Buffer

T4 DNA Ligase

Ligation Buffer

SureSelect XT HS2 Adaptor

Oligo Mix

Herculase II Fusion DNA

Polymerase

5X Herculase II Reaction

Buffer with dNTPs

Not available.

Not available. Not available. Not available.

Not available.

Not available.

Not available.

Not available.

Not available.

Not available. Not available.

Not available.

Not available.

Not available.

Easily soluble in the following materials: cold water

and hot water.

Easily soluble in the following materials: cold water

and hot water.

Easily soluble in the following materials: cold water

and hot water.

Easily soluble in the following materials: cold water and hot water.

Easily soluble in the following materials: cold water

and hot water.

Easily soluble in the following materials: cold water

and hot water.

Easily soluble in the following materials: cold water

and hot water.

Date of issue/Date of revision : 04/29/2022 Date of previous issue : 12/18/2019 Version : 2 24/37

Partition coefficient: noctanol/water

: End Repair-A Tailing

Not applicable. Enzyme Mix

End Repair-A Tailing Buffer T4 DNA Ligase

Not applicable. Not applicable.

SureSelect XT HS2 Adaptor

Not applicable.

Not applicable.

Oligo Mix

Herculase II Fusion DNA

Not applicable.

Polymerase

Ligation Buffer

Not applicable.

5X Herculase II Reaction Buffer with dNTPs

Auto-ignition temperature

Ingredient name	°C	°F	Method
End Repair-A Tailing Enzyme Mix			
Glycerol	370	698	
T4 DNA Ligase			
Glycerol	370	698	
Ligation Buffer			
Polyethylene glycol	360	680	
Glycerol	370	698	
SureSelect XT HS2 Adaptor Oligo Mix			
Edetic acid	>400	>752	VDI 2263
Herculase II Fusion DNA Polymerase			
Glycerol	370	698	
Edetic acid	>400	>752	VDI 2263

Decomposition temperature

Viscosity

End Repair-A Tailing

Enzyme Mix

Not available.

End Repair-A Tailing Buffer T4 DNA Ligase

Not available. Not available. Not available.

Ligation Buffer SureSelect XT HS2 Adaptor

Not available.

Oligo Mix

Herculase II Fusion DNA Not available.

Polymerase

5X Herculase II Reaction Not available.

Buffer with dNTPs

: End Repair-A Tailing

Not available.

Enzyme Mix

End Repair-A Tailing Buffer

Not available. Not available.

T4 DNA Ligase Ligation Buffer SureSelect XT HS2 Adaptor

Not available. Not available.

Not available.

Oligo Mix

Herculase II Fusion DNA

Polymerase

5X Herculase II Reaction

Not available.

Buffer with dNTPs

Date of issue/Date of revision : 04/29/2022 Date of previous issue : 12/18/2019 Version 25/37

Particle characteristics Median particle size

: End Repair-A Tailing

Not applicable.

Enzvme Mix

End Repair-A Tailing Buffer

Not applicable. Not applicable.

T4 DNA Ligase Ligation Buffer

Not applicable.

SureSelect XT HS2 Adaptor

Not applicable.

Oligo Mix

Not applicable.

Herculase II Fusion DNA Polymerase

5X Herculase II Reaction

Not applicable.

Buffer with dNTPs

Section 10. Stability and reactivity

Reactivity

: End Repair-A Tailing

Enzyme Mix

End Repair-A Tailing Buffer

No specific test data related to reactivity available for this product or its ingredients. No specific test data related to reactivity available for

this product or its ingredients.

T4 DNA Ligase No specific test data related to reactivity available for

this product or its ingredients.

Ligation Buffer No specific test data related to reactivity available for

this product or its ingredients.

SureSelect XT HS2 Adaptor

Oligo Mix

No specific test data related to reactivity available for

this product or its ingredients.

Herculase II Fusion DNA

No specific test data related to reactivity available for

Polymerase 5X Herculase II Reaction this product or its ingredients.

No specific test data related to reactivity available for

this product or its ingredients.

Chemical stability

: End Repair-A Tailing

Buffer with dNTPs

Enzyme Mix

The product is stable.

End Repair-A Tailing Buffer

T4 DNA Ligase

Ligation Buffer SureSelect XT HS2 Adaptor

Oligo Mix

The product is stable. The product is stable. The product is stable.

The product may not be stable under certain conditions of storage or use. See "Possibility of Hazardous Reactions" for further information.

The product is stable.

Herculase II Fusion DNA

Polymerase

5X Herculase II Reaction Buffer with dNTPs

The product is stable.

Possibility of hazardous reactions

: End Repair-A Tailing

Enzyme Mix

End Repair-A Tailing Buffer

Under normal conditions of storage and use,

hazardous reactions will not occur.

Under normal conditions of storage and use,

hazardous reactions will not occur.

T4 DNA Ligase Under normal conditions of storage and use,

hazardous reactions will not occur.

Ligation Buffer Under normal conditions of storage and use,

hazardous reactions will not occur.

SureSelect XT HS2 Adaptor

Oligo Mix

Herculase II Fusion DNA

Polymerase

5X Herculase II Reaction Buffer with dNTPs

Under normal conditions of storage and use.

hazardous reactions will not occur.

Under normal conditions of storage and use,

hazardous reactions will not occur.

Under normal conditions of storage and use,

hazardous reactions will not occur.

Date of issue/Date of revision : 04/29/2022 Date of previous issue : 12/18/2019 Version : 2 26/37

Section 10. Stability and reactivity

Conditions to avoid

: End Repair-A Tailing

Enzyme Mix

End Repair-A Tailing Buffer

T4 DNA Ligase Ligation Buffer

SureSelect XT HS2 Adaptor

Oligo Mix

Herculase II Fusion DNA

Polymerase

5X Herculase II Reaction

Buffer with dNTPs

No specific data.

No specific data. No specific data. No specific data.

No specific data.

No specific data.

No specific data.

Incompatible materials

: End Repair-A Tailing

Enzyme Mix

End Repair-A Tailing Buffer

T4 DNA Ligase Ligation Buffer

SureSelect XT HS2 Adaptor

Oligo Mix

Herculase II Fusion DNA

Polymerase

5X Herculase II Reaction

Buffer with dNTPs

May react or be incompatible with oxidizing materials.

May react or be incompatible with oxidizing materials. May react or be incompatible with oxidizing materials. May react or be incompatible with oxidizing materials. May react or be incompatible with oxidizing materials.

May react or be incompatible with oxidizing materials.

May react or be incompatible with oxidizing materials.

Hazardous decomposition products

: End Repair-A Tailing

Enzyme Mix

Under normal conditions of storage and use. hazardous decomposition products should not be

produced.

End Repair-A Tailing Buffer

Under normal conditions of storage and use, hazardous decomposition products should not be

produced.

T4 DNA Ligase

Under normal conditions of storage and use, hazardous decomposition products should not be

produced.

Ligation Buffer

Under normal conditions of storage and use,

hazardous decomposition products should not be

produced.

SureSelect XT HS2 Adaptor

Oligo Mix

Under normal conditions of storage and use.

hazardous decomposition products should not be

produced.

Herculase II Fusion DNA

Polymerase

Under normal conditions of storage and use, hazardous decomposition products should not be

produced.

5X Herculase II Reaction

Buffer with dNTPs

Under normal conditions of storage and use, hazardous decomposition products should not be

produced.

Section 11. Toxicological information

Information on toxicological effects **Acute toxicity**

Date of issue/Date of revision : 04/29/2022 Date of previous issue : 12/18/2019 Version : 2 27/37

Product/ingredient name	Result	Species	Dose	Exposure
End Repair-A Tailing Enzyme Mix Glycerol	LD50 Oral	Rat	12600 mg/kg	-
End Repair-A Tailing Buffer				
Potassium chloride	LD50 Oral	Rat	2600 mg/kg	-
T4 DNA Ligase Glycerol	LD50 Oral	Rat	12600 mg/kg	-
Ligation Buffer Glycerol	LD50 Oral	Rat	12600 mg/kg	-
Herculase II Fusion DNA Polymerase Glycerol	LD50 Oral	Rat	12600 mg/kg	-
5X Herculase II Reaction Buffer with dNTPs				
Trometamol	LD50 Dermal	Rat	>5000 mg/kg	-
Ammonium sulphate Hexadecan-1-ol, ethoxylated	LD50 Oral LD50 Oral	Rat Rat	2840 mg/kg 2500 mg/kg	-

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
End Repair-A Tailing					
Enzyme Mix	Even Mild invitant	Dabbit		24 haves 500	
Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 mg	-
	Skin - Mild irritant	Rabbit	_	24 hours 500	_
				mg	
End Repair-A Tailing					
Buffer					
Potassium chloride	Eyes - Mild irritant	Rabbit	-	24 hours 500	-
				mg	
T4 DNA Ligase					
Glycerol	Eyes - Mild irritant	Rabbit	_	24 hours 500	_
				mg	
	Skin - Mild irritant	Rabbit	-	24 hours 500	-
				mg	
Ligation Buffer					
Polyethylene glycol	Eyes - Mild irritant	Rabbit	-	24 hours 500	-
	Even Mild invitant	Dabbit		mg	
	Eyes - Mild irritant Skin - Mild irritant	Rabbit Rabbit	-	500 mg 24 hours 500	-
	Skiii - Miliu IIIItani	Rabbit	[mg	-
	Skin - Mild irritant	Rabbit	-	500 mg	-
Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500	-
	Skin - Mild irritant	Rabbit		mg 24 hours 500	
	Skiii - Milia IIIItani	Kappit	-	mg	-
				9	
Herculase II Fusion DNA					
<u> </u>					

Date of issue/Date of revision : 04/29/2022 Date of previous issue : 12/18/2019 Version : 2 28/37

Polymerase Glycerol	Eyes - Mild irritant	Rabbit	_	24 hours 500	_
	Skin - Mild irritant	Rabbit		mg 24 hours 500	-
				mg	
5X Herculase II Reaction Buffer with dNTPs					
Trometamol	Skin - Moderate irritant Skin - Severe irritant	Rabbit Rabbit	- -	25 % 500 mg	-

Sensitization

Not available.

Mutagenicity

Conclusion/Summary: Not available.

Carcinogenicity

Conclusion/Summary: Not available.

Reproductive toxicity

Conclusion/Summary: Not available.

Teratogenicity

Conclusion/Summary: Not available.

Specific target organ toxicity (single exposure)

Name	Category	Route of exposure	Target organs
Trometamol	Category 3	-	Respiratory tract irritation

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely routes of exposure

e likely : End Repair-A Tailing

Enzyme Mix

End Repair-A Tailing Buffer

T4 DNA Ligase Ligation Buffer

SureSelect XT HS2 Adaptor

Oligo Mix

Herculase II Fusion DNA

Polymerase

5X Herculase II Reaction

Buffer with dNTPs

Routes of entry anticipated: Oral, Dermal, Inhalation.

Routes of entry anticipated: Oral, Dermal, Inhalation. Routes of entry anticipated: Oral, Dermal, Inhalation. Routes of entry anticipated: Oral, Dermal, Inhalation.

Not available.

Routes of entry anticipated: Oral, Dermal, Inhalation.

Routes of entry anticipated: Oral, Dermal, Inhalation.

Potential acute health effects

Eye contact : End Repair-A Tailing

Enzyme Mix

End Repair-A Tailing Buffer

T4 DNA Ligase

Ligation Buffer

SureSelect XT HS2 Adaptor

Oligo Mix

Herculase II Fusion DNA

Polymerase

Causes eye irritation.

No known significant effects or critical hazards.

Causes eye irritation. Causes eye irritation.

No known significant effects or critical hazards.

Causes eye irritation.

Date of issue/Date of revision : 04/29/2022 Date of previous issue : 12/18/2019 Version : 2 29/37

5X Herculase II Reaction No known significant effects or critical hazards. Buffer with dNTPs Inhalation : End Repair-A Tailing No known significant effects or critical hazards. Enzyme Mix End Repair-A Tailing Buffer No known significant effects or critical hazards. T4 DNA Ligase No known significant effects or critical hazards. Ligation Buffer No known significant effects or critical hazards. SureSelect XT HS2 Adaptor No known significant effects or critical hazards. Oligo Mix Herculase II Fusion DNA No known significant effects or critical hazards. Polymerase 5X Herculase II Reaction No known significant effects or critical hazards. Buffer with dNTPs **Skin contact** : End Repair-A Tailing No known significant effects or critical hazards. Enzyme Mix End Repair-A Tailing Buffer No known significant effects or critical hazards. T4 DNA Ligase No known significant effects or critical hazards. Ligation Buffer No known significant effects or critical hazards. SureSelect XT HS2 Adaptor No known significant effects or critical hazards. Oligo Mix Herculase II Fusion DNA No known significant effects or critical hazards. Polymerase 5X Herculase II Reaction No known significant effects or critical hazards. Buffer with dNTPs Ingestion : End Repair-A Tailing No known significant effects or critical hazards. Enzyme Mix

End Repair-A Tailing Buffer No known significant effects or critical hazards. T4 DNA Ligase No known significant effects or critical hazards. **Ligation Buffer** No known significant effects or critical hazards. No known significant effects or critical hazards. SureSelect XT HS2 Adaptor Oligo Mix

Herculase II Fusion DNA

Polymerase

5X Herculase II Reaction Buffer with dNTPs

No known significant effects or critical hazards.

No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : End Repair-A Tailing Adverse symptoms may include the following:

Enzyme Mix

irritation watering redness

End Repair-A Tailing Buffer

T4 DNA Ligase

No specific data.

Adverse symptoms may include the following:

irritation watering redness

Adverse symptoms may include the following: **Ligation Buffer**

> irritation watering redness

SureSelect XT HS2 Adaptor

Oligo Mix

Herculase II Fusion DNA

Polymerase

No specific data.

Adverse symptoms may include the following:

irritation watering redness

5X Herculase II Reaction No specific data.

Date of issue/Date of revision : 04/29/2022 Date of previous issue : 12/18/2019 Version 30/37

Buffer with dNTPs

Inhalation : End Repair-A Tailing No specific data.

Enzyme Mix

End Repair-A Tailing Buffer No specific data. T4 DNA Ligase No specific data. **Ligation Buffer** No specific data. SureSelect XT HS2 Adaptor No specific data.

Oligo Mix

Herculase II Fusion DNA

Polymerase

5X Herculase II Reaction No specific data.

Buffer with dNTPs

Skin contact End Repair-A Tailing No specific data.

Enzyme Mix

End Repair-A Tailing Buffer No specific data. T4 DNA Ligase No specific data. Ligation Buffer No specific data. No specific data. SureSelect XT HS2 Adaptor

Oligo Mix

Herculase II Fusion DNA

Polymerase

5X Herculase II Reaction

Buffer with dNTPs

: End Repair-A Tailing No specific data.

Enzyme Mix

End Repair-A Tailing Buffer No specific data. T4 DNA Ligase No specific data. **Ligation Buffer** No specific data. SureSelect XT HS2 Adaptor No specific data.

Oligo Mix

Herculase II Fusion DNA

Polymerase

5X Herculase II Reaction

Buffer with dNTPs

No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate : Not available.

effects

Ingestion

Potential delayed effects : Not available.

Long term exposure

Potential immediate Not available.

effects

Potential delayed effects : Not available.

Potential chronic health effects

General : End Repair-A Tailing No known significant effects or critical hazards.

Enzyme Mix

End Repair-A Tailing Buffer No known significant effects or critical hazards. T4 DNA Ligase No known significant effects or critical hazards. Ligation Buffer No known significant effects or critical hazards. No known significant effects or critical hazards.

SureSelect XT HS2 Adaptor

Oligo Mix

Herculase II Fusion DNA No known significant effects or critical hazards.

Polymerase

5X Herculase II Reaction No known significant effects or critical hazards. Buffer with dNTPs

Date of issue/Date of revision : 04/29/2022 Date of previous issue : 12/18/2019 Version : 2 31/37

Carcinogenicity	: End Repair-A Tailing Enzyme Mix	No known significant effects or critical hazards.
	End Repair-A Tailing Buffer	No known significant effects or critical hazards.
	T4 DNA Ligase	No known significant effects or critical hazards.
	Ligation Buffer	No known significant effects or critical hazards.
	SureSelect XT HS2 Adaptor Oligo Mix	No known significant effects or critical hazards.
	Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.
	5X Herculase II Reaction Buffer with dNTPs	No known significant effects or critical hazards.
Mutagenicity	: End Repair-A Tailing Enzyme Mix	No known significant effects or critical hazards.
	End Repair-A Tailing Buffer	No known significant effects or critical hazards.
	T4 DNA Ligase	No known significant effects or critical hazards.
	Ligation Buffer	No known significant effects or critical hazards.
	SureSelect XT HS2 Adaptor Oligo Mix	No known significant effects or critical hazards.
	Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.
	5X Herculase II Reaction Buffer with dNTPs	No known significant effects or critical hazards.
Reproductive toxicity	: ☑nd Repair-A Tailing Enzyme Mix	No known significant effects or critical hazards.
	End Repair-A Tailing Buffer	No known significant effects or critical hazards.
	T4 DNA Ligase	No known significant effects or critical hazards.
	Ligation Buffer	No known significant effects or critical hazards.
	SureSelect XT HS2 Adaptor Oligo Mix	No known significant effects or critical hazards.
	Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.
	5X Herculase II Reaction Buffer with dNTPs	No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapors) (mg/l)	Inhalation (dusts and mists) (mg/l)
End Repair-A Tailing Enzyme Mix					
Glycerol	12600	N/A	N/A	N/A	N/A
End Repair-A Tailing Buffer End Repair-A Tailing Buffer Potassium chloride	159509.2 2600	N/A N/A	N/A N/A	N/A N/A	N/A N/A
T4 DNA Ligase Glycerol	12600	N/A	N/A	N/A	N/A
Ligation Buffer Polyethylene glycol Glycerol	28000 12600	N/A N/A	N/A N/A	N/A N/A	N/A N/A
Herculase II Fusion DNA Polymerase Glycerol	12600	N/A	N/A	N/A	N/A
5X Herculase II Reaction Buffer with dNTPs					

Date of issue/Date of revision : 04/29/2022 Date of previous issue : 12/18/2019 Version : 2 32/37

SureSelect XT HS2 Library Preparation Kit for ILM (Pre PCR), 96 Rxn, Part Number 5500-0147

Section 11. Toxicological information

5X Herculase II Reaction Buffer with dNTPs	118512.9	N/A	N/A	N/A	N/A
Ammonium sulphate	2840	N/A	N/A	N/A	N/A
Hexadecan-1-ol, ethoxylated	2500	N/A	N/A	N/A	N/A

Other information

: End Repair-A Tailing

Not available.

Enzyme Mix

End Repair-A Tailing Buffer

Adverse symptoms may include the following: May

cause skin sensitization.

T4 DNA Ligase Ligation Buffer Not available. Not available.

SureSelect XT HS2 Adaptor

Not available.

Oligo Mix

Herculase II Fusion DNA

Not available.

Polymerase

5X Herculase II Reaction

Not available.

Buffer with dNTPs

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
End Repair-A Tailing Enzyme Mix			
Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
End Repair-A Tailing Buffer			
Potassium chloride	Acute EC50 1337000 µg/l Fresh water	Algae - Navicula seminulum	96 hours
r stassiani onionas	Acute EC50 9.24 g/L Fresh water	Algae - Desmodesmus subspicatus	72 hours
	Acute EC50 83000 μg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 9.68 mg/l Fresh water	Crustaceans - Pseudosida ramosa - Neonate	48 hours
	Acute LC50 509.65 mg/l Fresh water	Fish - Danio rerio	96 hours
T4 DNA Ligase			
Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
Ligation Buffer			
Polyethylene glycol	Acute LC50 >1000000 μg/l Fresh water	Fish - Salmo salar - Parr	96 hours
Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
Herculase II Fusion DNA			
Polymerase Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
Glycerol	Acute LC50 54000 High Fresh water	Fish - Offcornyfichus fffykiss	90 Hours
5X Herculase II Reaction Buffer with dNTPs			
Trometamol	Acute EC50 >980 mg/l Fresh water	Daphnia	48 hours
A way was a will was a state of the	Acute NOEC 520 mg/l Fresh water	Daphnia	48 hours
Ammonium sulphate	Chronic NOEC 7.5 mg/l Marine water	Algae - Phaeodactylum tricornutum - Exponential	96 hours
Hexadecan-1-ol, ethoxylated	Acute LC50 330000 to 1000000 µg/l	growth phase Crustaceans - Crangon crangon	48 hours
i lexadecari- i-oi, etrioxylated	Marine water	- Adult	40 HOUIS

Persistence and degradability

Date of issue/Date of revision : 04/29/2022 Date of previous issue : 12/18/2019 Version : 2 33/37

Product/ingredient name	Test	Result		Dose	Inoculum
End Repair-A Tailing Enzyme Mix Glycerol	301D Ready Biodegradability - Closed Bottle Test	93 % - 30 days		-	-
T4 DNA Ligase Glycerol	301D Ready Biodegradability - Closed Bottle Test	93 % - 30 days		-	-
Ligation Buffer Polyethylene glycol Glycerol	OECD 301D Ready Biodegradability - Closed Bottle Test 301D Ready Biodegradability -	74.85 % - Readily - 93 % - 30 days	28 days	4 mg/l	-
Herculase II Fusion DNA Polymerase Glycerol	Closed Bottle Test 301D Ready Biodegradability -	93 % - 30 days		-	-
5X Herculase II Reaction Buffer with dNTPs Trometamol	Closed Bottle Test OECD 301F Ready Biodegradability - Manometric Respirometry Test	97.1 % - Readily - 28 days		30 mg/l	-
Product/ingredient name	Aquatic half-life		Photolysis	<u> </u>	Biodegradability
End Repair-A Tailing Buffer Potassium chloride	-		-		Readily
Ligation Buffer Polyethylene glycol	-		-		Readily
5X Herculase II Reaction Buffer with dNTPs Trometamol Ammonium sulphate Hexadecan-1-ol, ethoxylated	- - -		- - -		Readily Readily Readily

Bioaccumulative potential

Date of issue/Date of revision : 04/29/2022 Date of previous issue : 12/18/2019 Version : 2 34/37

Product/ingredient name	LogPow	BCF	Potential
End Repair-A Tailing Enzyme Mix Glycerol	-1.76	-	low
End Repair-A Tailing Buffer Potassium chloride	-0.46	-	low
T4 DNA Ligase Glycerol	-1.76	-	low
Ligation Buffer Polyethylene glycol Glycerol	- -1.76	3.2	low low
Herculase II Fusion DNA Polymerase Glycerol	-1.76	-	low
5X Herculase II Reaction Buffer with dNTPs Trometamol Ammonium sulphate	-2.31 -5.1	- -	low low

Mobility in soil

Soil/water partition coefficient (Koc)

: Not available.

Other adverse effects

: No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

TDG / IMDG / IATA

: Not regulated.

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according: Not available.

to IMO instruments

Date of issue/Date of revision : 04/29/2022 : 12/18/2019 Version : 2 35/37 Date of previous issue

Section 15. Regulatory information

Canadian lists

Canadian NPRI : None of the components are listed.CEPA Toxic substances : None of the components are listed.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

Australia : Not determined.
Canada : Not determined.
China : Not determined.
Europe : Not determined.

Japan : Japan inventory (CSCL): Not determined.

Japan inventory (ISHL): Not determined.

New Zealand : Not determined.

Philippines : Not determined.

Republic of Korea : Not determined.

Taiwan : All components are listed or exempted.

Thailand : Not determined.

Turkey : Not determined.

United States : Not determined.

Viet Nam : Not determined.

Section 16. Other information

<u>History</u>

Date of issue/Date of : 04/29/2022

revision

Date of previous issue : 12/18/2019

Version : 2

Key to abbreviations : ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

HPR = Hazardous Products Regulations IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships,

1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

N/A = Not available

Date of issue/Date of revision : 04/29/2022 Date of previous issue : 12/18/2019 Version : 2 36/37

SureSelect XT HS2 Library Preparation Kit for ILM (Pre PCR), 96 Rxn, Part Number 5500-0147

Section 16. Other information

UN = United Nations

Procedure used to derive the classification

Classification	Justification
End Repair-A Tailing Enzyme Mix EYE IRRITATION - Category 2B	Calculation method
T4 DNA Ligase EYE IRRITATION - Category 2B	Calculation method
Ligation Buffer EYE IRRITATION - Category 2B	Calculation method
Herculase II Fusion DNA Polymerase EYE IRRITATION - Category 2B	Calculation method

References: Not available.

▼ Indicates information that has changed from previously issued version.

Notice to reader

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

Date of issue/Date of revision : 04/29/2022 Date of previous issue : 12/18/2019 Version : 2 37/37