Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by UK REACH Regulation SI 2019/758

# SAFETY DATA SHEET

Agilent Technologies

SureSelect XT HS2 RNA Library Preparation Kit for ILM (Pre PCR), 96 Reactions, Part Number 5500-0151

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier		
Product name	SureSelect XT HS2 RNA Library Preparation Kit for ILM (Pre PCR), 96 Reactions, Part Number 5500-0151	
Part no. (chemical kit)	: 5500-0151	
Part no.	: End Repair-A Tailing 5190-6435 Enzyme Mix	
	End Repair-A Tailing 5190-6436 Buffer	
	T4 DNA Ligase 5190-6437	
	Ligation Buffer 5190-6438	
	XŤ HS2 RNA Adaptor 5191-6844 Oligo Mix	
	Herculase II Fusion DNA 5600-3761 Polymerase	
	5X Herculase II Reaction 5191-6681 Buffer with dNTPs	
1.2 Relevant identified use	s of the substance or mixture and uses advised against	
Material uses	: Analytical reagent. For Research Use Only. Not for use in diagnostic procedures.	

End Repair-A Tailing Enzyme Mix0.512 ml (96 reactions)End Repair-A Tailing Buffer2.048 ml (96 reactions)T4 DNA Ligase0.256 ml (96 reactions)Ligation Buffer2.944 ml (96 reactions)XT HS2 RNA Adaptor Oligo Mix0.64 ml (96 reactions)Herculase II Fusion DNA Polymerase0.14 ml (96 reactions)5X Herculase II Reaction Buffer with dNTPs1.5 ml (96 reactions)

### 1.3 Details of the supplier of the safety data sheet

Agilent Technologies LDA UK Ltd. 5500 Lakeside Cheadle Royal Business Park, Cheadle, Cheshire, SK8 3GR United Kingdom Tel: +44 (0) 345 712 5292 e-mail address of person : pdl-msds\_author@agilent.com responsible for this SDS

### 1.4 Emergency telephone number

Emergency telephone : CHEMTREC®: +(44)-870-8200418 number (with hours of operation)

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

Product definition	: End Repair-A Tailing Enzyme Mix	Mixture
	End Repair-A Tailing Buffer	Mixture
	T4 DNA Ligase Ligation Buffer XT HS2 RNA Adaptor	Mixture Mixture Mixture

## **SECTION 2: Hazards identification**

Oligo Mix Herculase II Fusion DNA Mixture Polymerase 5X Herculase II Reaction Mixture Buffer with dNTPs

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS] Not classified.

Ingredients of unknown toxicity	: <b>E</b> nd Repair-A Tailing Enzyme Mix End Repair-A Tailing Buffer	Percentage of the mixture consisting of ingredient(s) of unknown acute inhalation toxicity: 30 - 60% Percentage of the mixture consisting of ingredient(s) of unknown acute dermal toxicity: 1 - 10% Percentage of the mixture consisting of ingredient(s) of unknown acute inhalation toxicity: 1 - 10%
	T4 DNA Ligase	Percentage of the mixture consisting of ingredient(s) of unknown acute inhalation toxicity: 30 - 60%
	Ligation Buffer	Percentage of the mixture consisting of ingredient(s) of unknown acute inhalation toxicity: 30 - 60%
	Herculase II Fusion DNA Polymerase 5X Herculase II Reaction Buffer with dNTPs	Percentage of the mixture consisting of ingredient(s) of unknown acute inhalation toxicity: 30 - 60% Percentage of the mixture consisting of ingredient(s) of unknown acute dermal toxicity: 10 - 30% Percentage of the mixture consisting of ingredient(s) of unknown acute inhalation toxicity: 10 - 30% Percentage of the mixture consisting of ingredient(s) of unknown acute oral toxicity: 1 - 10%
Ingredients of unknown ecotoxicity	: 🕏 Herculase II Reaction Buffer with dNTPs	Contains 5.3% of components with unknown hazards to the aquatic environment

ecotoxicity Buffer with dNTPs

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

### 2.2 Label elements

Signal word	: End Repair-A Tailing	No signal word.
	Enzyme Mix	
	End Repair-A Tailing	No signal word.
	Buffer	
	T4 DNA Ligase	No signal word.
	Ligation Buffer	No signal word.
	XT HS2 RNA Adaptor	No signal word.
	Oligo Mix	C C
	Herculase II Fusion DNA	No signal word.
	Polymerase	5
	5X Herculase II Reaction	No signal word.
	Buffer with dNTPs	
Hazard statements	: End Repair-A Tailing	No known significant effects or critical hazards.
	Enzyme Mix	
	End Repair-A Tailing	No known significant effects or critical hazards.
	Buffer	
	T4 DNA Ligase	No known significant effects or critical hazards.
	Ligation Buffer	No known significant effects or critical hazards.
	0	0
	XT HS2 RNA Adaptor	No known significant effects or critical hazards.
	Oligo Mix	No known significant offects on oritical beyonds
	Herculase II Fusion DNA	No known significant effects or critical hazards.
	Polymerase	
	5X Herculase II Reaction	No known significant effects or critical hazards.
	Buffer with dNTPs	

## **Precautionary statements**

2/33

# **SECTION 2: Hazards identification**

SECTION 2. Hazarus		
Prevention	: End Repair-A Tailing Enzyme Mix	Not applicable.
	Enzyme Mix End Repair-A Tailing Buffer	Not applicable.
	T4 DNA Ligase	Not applicable.
	Ligation Buffer	
	XT HS2 RNA Adaptor	Not applicable. Not applicable.
	Oligo Mix	
	Herculase II Fusion DNA Polymerase	Not applicable.
	5X Herculase II Reaction Buffer with dNTPs	Not applicable.
Response	End Repair-A Tailing	Not applicable.
	End Repair-A Tailing Buffer	Not applicable.
	T4 DNA Ligase	Not applicable.
	Ligation Buffer	Not applicable.
	XŤ HS2 RNA Adaptor	Not applicable.
	Oligo Mix Herculase II Fusion DNA	Not applicable.
	Polymerase 5X Herculase II Reaction	Not applicable.
Stores	Buffer with dNTPs	
Storage	: End Repair-A Tailing Enzyme Mix	Not applicable.
	End Repair-A Tailing Buffer	Not applicable.
	T4 DNA Ligase	Not applicable.
	Ligation Buffer	Not applicable.
	XT HS2 RNA Adaptor Oligo Mix	Not applicable.
	Herculase II Fusion DNA Polymerase	Not applicable.
	5X Herculase II Reaction Buffer with dNTPs	Not applicable.
Disposal	: End Repair-A Tailing Enzyme Mix	Not applicable.
	End Repair-A Tailing Buffer	Not applicable.
	T4 DNA Ligase	Not applicable.
	Ligation Buffer	Not applicable.
	XT HS2 RNA Adaptor Oligo Mix	Not applicable.
	Herculase II Fusion DNA Polymerase	Not applicable.
	5X Herculase II Reaction Buffer with dNTPs	Not applicable.
Hazardous ingredients	: 5X Herculase II Reaction Buffer with dNTPs	Not applicable.
Supplemental label elements	: End Repair-A Tailing Enzyme Mix	Not applicable.
	End Repair-A Tailing Buffer	Not applicable.
	T4 DNA Ligase	Not applicable.
	Ligation Buffer	Not applicable.
	XŤ HS2 RNA Adaptor Oligo Mix	Not applicable.
	Herculase II Fusion DNA Polymerase	Not applicable.
	5X Herculase II Reaction Buffer with dNTPs	Safety data sheet available on request.

# **SECTION 2: Hazards identification**

	lacintification	
	End Repair-A Tailing Enzyme Mix	Not applicable.
on the manufacture, placing on the market and use of certain	End Repair-A Tailing Buffer	Not applicable.
dangerous substances,	T4 DNA Ligase	Not applicable.
mixtures and articles	Ligation Buffer	Not applicable.
	XŤ HS2 RNA Adaptor	Not applicable.
	Oligo Mix	
	Herculase II Fusion DNA	Not applicable.
	Polymerase	
	5X Herculase II Reaction	Not applicable.
	Buffer with dNTPs	
Special packaging requirem		
	End Repair-A Tailing	Not applicable.
danger	Enzyme Mix	
	End Repair-A Tailing	Not applicable.
	Buffer T4 DNA Ligase	Not applicable.
	Ligation Buffer	Not applicable.
	XT HS2 RNA Adaptor	Not applicable.
	Oligo Mix	
	Herculase II Fusion DNA	Not applicable.
	Polymerase	
	5X Herculase II Reaction	Not applicable.
	Buffer with dNTPs	
2.3 Other hazards		
Product meets the :	End Repair-A Tailing	This mixture does not contain any substances that are
criteria for PBT or vPvB	Enzyme Mix	assessed to be a PBT or a vPvB.
according to	End Repair-A Tailing	This mixture does not contain any substances that are
Regulation (EC) No.	Buffer	assessed to be a PBT or a vPvB.
1907/2006, Annex XIII	T4 DNA Ligase	This mixture does not contain any substances that are
	Lightian Buffer	assessed to be a PBT or a vPvB.
	Ligation Buffer	This mixture does not contain any substances that are assessed to be a PBT or a vPvB.
	XT HS2 RNA Adaptor	This mixture does not contain any substances that are
	Oligo Mix	assessed to be a PBT or a vPvB.
		This mixture does not contain any substances that are
	Polymerase	assessed to be a PBT or a vPvB.
	5X Herculase II Reaction	This mixture does not contain any substances that are
	Buffer with dNTPs	assessed to be a PBT or a vPvB.
Other hazards which do :	End Repair-A Tailing	None known.
not result in	Enzyme Mix	
classification	End Repair-A Tailing	None known.
	Buffer	
	T4 DNA Ligase	None known.
	Ligation Buffer	None known.
	XT HS2 RNA Adaptor	None known.
	Oligo Mix Herculase II Fusion DNA	None known.
	Polymerase	
	5X Herculase II Reaction	None known.
	Buffer with dNTPs	

SECTION 3: Composition/information on ingredients				
End T4 Lig XT He Pol 5X	: End Repair-A Tailing Enzyme Mix End Repair-A Tailing Buffer T4 DNA Ligase Ligation Buffer XT HS2 RNA Adaptor Oligo Mix Herculase II Fusion DNA Polymerase 5X Herculase II Reaction Buffer with dNTPs			
Product/ingredient name	Identifiers	%	Regulation (EC) No. 1272/2008 [CLP]	Туре
End Repair-A Tailing Enzyme Mix Glycerol	REACH #: Annex V EC: 200-289-5 CAS: 56-81-5	≥50 - ≤75	Not classified.	[2]
<b>T4 DNA Ligase</b> Glycerol	REACH #: Annex V EC: 200-289-5 CAS: 56-81-5	≥50 - ≤75	Not classified.	[2]
Ligation Buffer Glycerol	REACH #: Annex V EC: 200-289-5 CAS: 56-81-5	≥10 - ≤25	Not classified.	[2]
Herculase II Fusion DNA Polymerase Glycerol	REACH #: Annex V EC: 200-289-5 CAS: 56-81-5	≥50 - ≤75	Not classified.	[2]
5X Herculase II Reaction Buffer with dNTPs	FO: 004 004 4	-2		[4]
Trometamol Ammonium sulphate	EC: 201-064-4 CAS: 77-86-1 EC: 231-984-1	≤3 ≤3	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Eye Irrit. 2, H319	[1] [1]
Hexadecan-1-ol, ethoxylated	CAS: 7783-20-2 EC: 500-014-1 CAS: 9004-95-9	<2.5	Aquatic Chronic 2, H411 See Section 16 for the full text of the H statements declared above.	[1]

There are no additional ingredients present which, within the current knowledge of the supplier, are classified and contribute to the classification of the substance and hence require reporting in this section.

<u>Type</u>

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

[3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII

[4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

[5] Substance of equivalent concern

[6] Additional disclosure due to company policy

4.1 Description of first aid	measures	
Eye contact	: End Repair-A Tailing Enzyme Mix	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	End Repair-A Tailing Buffer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	T4 DNA Ligase	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove
	Ligation Buffer	any contact lenses. Get medical attention if irritation occurs. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove
	XT HS2 RNA Adaptor Oligo Mix	any contact lenses. Get medical attention if irritation occurs. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove
	Herculase II Fusion DN Polymerase	<ul> <li>any contact lenses. Get medical attention if irritation occurs.</li> <li>A Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.</li> </ul>
	5X Herculase II Reaction Buffer with dNTPs	
Inhalation	: End Repair-A Tailing Enzyme Mix	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	End Repair-A Tailing Buffer	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if
		symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
	T4 DNA Ligase	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if
	Ligation Buffer	symptoms occur. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	XT HS2 RNA Adaptor Oligo Mix	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	Herculase II Fusion DN Polymerase	
	5X Herculase II Reactic Buffer with dNTPs	
Skin contact	: End Repair-A Tailing Enzyme Mix	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	End Repair-A Tailing Buffer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	T4 DNA Ligase	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	Ligation Buffer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	XT HS2 RNA Adaptor Oligo Mix	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if
Date of issue/Date of revision	: 29/04/2022 Date of previ	ous issue : 27/07/2020 Version : 2 6/33

aumatama casura
symptoms occur. e II Fusion DNA se II Fush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Ilase II Reaction th dNTPs Flush contaminated clothing and shoes. Get medical attention if
symptoms occur. air-A Tailing Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if
symptoms occur. Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if
symptoms occur. Ligase Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if
symptoms occur. Buffer Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if
symptoms occur. RNA Adaptor wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
e II Fusion DNA wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Ilase II Reaction th dNTPs Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
air-A Tailing MixNo action shall be taken involving any personal risk or without suitable training.air-A TailingNo action shall be taken involving any personal risk or without suitable training.LigaseNo action shall be taken involving any personal risk or without suitable training.
Buffer No action shall be taken involving any personal risk or without suitable training.
RNA Adaptor No action shall be taken involving any personal risk or without suitable training.
e II Fusion DNA No action shall be taken involving any personal risk or without suitable training.
Ilase II Reaction No action shall be taken involving any personal risk or without suitable training.

4.2 Most important symptoms and effects, both acute and delayed <u>Potential acute health effects</u>

SECTION 4: FIrst al	d measures	
Eye contact	: End Repair-A Tailing Enzyme Mix	No known significant effects or critical hazards.
	End Repair-A Tailing Buffer	No known significant effects or critical hazards.
	T4 DNA Ligase	No known significant effects or critical hazards.
	Ligation Buffer	No known significant effects or critical hazards.
	XT HS2 RNA Adaptor Oligo Mix	No known significant effects or critical hazards.
	Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.
	5X Herculase II Reaction Buffer with dNTPs	No known significant effects or critical hazards.
Inhalation	: End Repair-A Tailing Enzyme Mix	No known significant effects or critical hazards.
	End Repair-A Tailing Buffer	No known significant effects or critical hazards.
	T4 DNA Ligase	No known significant effects or critical hazards.
	Ligation Buffer	No known significant effects or critical hazards.
	XT HS2 RNA Adaptor Oligo Mix	No known significant effects or critical hazards.
	Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.
	5X Herculase II Reaction Buffer with dNTPs	No known significant effects or critical hazards.
Skin contact	: End Repair-A Tailing Enzyme Mix	No known significant effects or critical hazards.
	End Repair-A Tailing Buffer	No known significant effects or critical hazards.
	T4 DNA Ligase	No known significant effects or critical hazards.
	Ligation Buffer	No known significant effects or critical hazards.
	XT HS2 RNA Adaptor Oligo Mix	No known significant effects or critical hazards.
	Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.
	5X Herculase II Reaction Buffer with dNTPs	No known significant effects or critical hazards.
Ingestion	: End Repair-A Tailing Enzyme Mix	No known significant effects or critical hazards.
	End Repair-A Tailing Buffer	No known significant effects or critical hazards.
	T4 DNA Ligase	No known significant effects or critical hazards.
	Ligation Buffer	No known significant effects or critical hazards.
	XT HS2 RNA Adaptor Oligo Mix	No known significant effects or critical hazards.
	Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.
	5X Herculase II Reaction Buffer with dNTPs	No known significant effects or critical hazards.
Over-exposure signs/sym	<u>ptoms</u>	
Eye contact	: End Repair-A Tailing Enzyme Mix	No specific data.
	End Repair-A Tailing Buffer	No specific data.
	T4 DNA Ligase	No specific data.
	Ligation Buffer	No specific data.
	XT HS2 RNA Adaptor Oligo Mix	No specific data.
	Herculase II Fusion DNA Polymerase	No specific data.
	5X Herculase II Reaction Buffer with dNTPs	No specific data.

Inhalation :	End Repair-A Tailing	No specific data.
	Enzyme Mix	No specific data
	End Repair-A Tailing Buffer	No specific data.
	T4 DNA Ligase	No specific data.
	Ligation Buffer	No specific data.
	XT HS2 RNA Adaptor Oligo Mix	No specific data.
	Herculase II Fusion DNA	No specific data.
	Polymerase 5X Herculase II Reaction Buffer with dNTPs	No specific data.
Skin contact :	End Repair-A Tailing	No specific data.
	Enzyme Mix End Repair-A Tailing	No specific data.
	Buffer	N
	T4 DNA Ligase	No specific data.
	Ligation Buffer	No specific data.
	XT HS2 RNA Adaptor Oligo Mix	No specific data.
	Herculase II Fusion DNA Polymerase	No specific data.
	5X Herculase II Reaction Buffer with dNTPs	No specific data.
Ingestion :	End Repair-A Tailing Enzyme Mix	No specific data.
	End Repair-A Tailing Buffer	No specific data.
	T4 DNA Ligase	No specific data.
	Ligation Buffer	No specific data.
	XT HS2 RNA Adaptor Oligo Mix	No specific data.
	Herculase II Fusion DNA Polymerase	No specific data.
	5X Herculase II Reaction Buffer with dNTPs	No specific data.
4.3 Indication of any immedia	te medical attention and s	pecial treatment needed
	End Repair-A Tailing	Treat symptomatically. Contact poison treatment specialist
	Enzyme Mix	immediately if large quantities have been ingested or inhaled.
	End Repair-A Tailing	In case of inhalation of decomposition products in a fire,
	Buffer	symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
	T4 DNA Ligase	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	Ligation Buffer	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	XT HS2 RNA Adaptor	Treat symptomatically. Contact poison treatment specialist
	Oligo Mix	immediately if large quantities have been ingested or inhaled.
	Herculase II Fusion DNA	Treat symptomatically. Contact poison treatment specialist
	Polymerase	immediately if large quantities have been ingested or inhaled
	5X Herculase II Reaction	In case of inhalation of decomposition products in a fire,
	Buffer with dNTPs	symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments :		
Specific treatments :	Buffer with dNTPs End Repair-A Tailing	to be kept under medical surveillance for 48 hours.
Specific treatments :	Buffer with dNTPs End Repair-A Tailing Enzyme Mix End Repair-A Tailing	to be kept under medical surveillance for 48 hours. No specific treatment.
Specific treatments :	Buffer with dNTPs End Repair-A Tailing Enzyme Mix End Repair-A Tailing Buffer	to be kept under medical surveillance for 48 hours. No specific treatment. No specific treatment.
Specific treatments :	Buffer with dNTPs End Repair-A Tailing Enzyme Mix End Repair-A Tailing Buffer T4 DNA Ligase	to be kept under medical surveillance for 48 hours. No specific treatment. No specific treatment. No specific treatment.

Herculase II Fusion DNA No specific treatment.Polymerase5X Herculase II Reaction No specific treatment.Buffer with dNTPs

# **SECTION 5: Firefighting measures**

5.1 Extinguishing media			
Suitable extinguishing media	:	End Repair-A Tailing Enzyme Mix	Use an extinguishing agent suitable for the surrounding fire.
		End Repair-A Tailing Buffer	Use an extinguishing agent suitable for the surrounding fire.
		T4 DNA Ligase	Use an extinguishing agent suitable for the surrounding fire.
		Ligation Buffer	Use an extinguishing agent suitable for the surrounding fire.
		XT HS2 RNA Adaptor Oligo Mix	Use an extinguishing agent suitable for the surrounding fire.
		Herculase II Fusion DNA Polymerase	Use an extinguishing agent suitable for the surrounding fire.
		5X Herculase II Reaction Buffer with dNTPs	Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	:	End Repair-A Tailing Enzyme Mix	None known.
		End Repair-A Tailing Buffer	None known.
		T4 DNA Ligase	None known.
		Ligation Buffer	None known.
		XT HS2 RNA Adaptor Oligo Mix	None known.
		Herculase II Fusion DNA Polymerase	None known.
		5X Herculase II Reaction Buffer with dNTPs	None known.
5.2 Special hazards arising	fro	m the substance or mixt	ure
Hazards from the	:	End Repair-A Tailing	In a fire or if heated, a pressure increase will occur and the
substance or mixture		Enzyme Mix	container may burst.
		End Repair-A Tailing	In a fire or if heated, a pressure increase will occur and the
		Buffer T4 DNA Ligase	container may burst. In a fire or if heated, a pressure increase will occur and the
		14 DINA LIYASE	container may burst.
		Ligation Buffer	In a fire or if heated, a pressure increase will occur and the
		-	container may burst.
		XT HS2 RNA Adaptor Oligo Mix	In a fire or if heated, a pressure increase will occur and the container may burst.
		Herculase II Fusion DNA	In a fire or if heated, a pressure increase will occur and the
		Polymerase	container may burst.
		5X Herculase II Reaction Buffer with dNTPs	In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous combustion products	:	End Repair-A Tailing Enzyme Mix	Decomposition products may include the following materials:
P. 344010		,	carbon dioxide
		End Repair-A Tailing	carbon monoxide Decomposition products may include the following materials:
		Buffer	carbon dioxide
			carbon monoxide
			nitrogen oxides
			halogenated compounds metal oxide/oxides

# **SECTION 5: Firefighting measures**

CECTION 0. Threng	Intiling incustores	
	T4 DNA Ligase	Decomposition products may include the following materials: carbon dioxide
	Ligation Buffer	carbon monoxide Decomposition products may include the following materials: carbon dioxide
	XT HS2 RNA Adaptor Oligo Mix	carbon monoxide No specific data.
	Herculase II Fusion DNA Polymerase	Decomposition products may include the following materials:
		carbon dioxide carbon monoxide
	5X Herculase II Reaction Buffer with dNTPs	Decomposition products may include the following materials:
		carbon dioxide carbon monoxide
		nitrogen oxides sulfur oxides
		phosphorus oxides metal oxide/oxides
5.3 Advice for firefighters		
Special precautions for fire-fighters	: End Repair-A Tailing Enzyme Mix	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	End Repair-A Tailing Buffer	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	T4 DNA Ligase	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	Ligation Buffer	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	XT HS2 RNA Adaptor Oligo Mix	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	Herculase II Fusion DNA Polymerase	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	5X Herculase II Reaction Buffer with dNTPs	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective	: End Repair-A Tailing	Fire-fighters should wear appropriate protective equipment
equipment for fire- fighters	Enzyme Mix	and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a
	End Repair-A Tailing Buffer	basic level of protection for chemical incidents. Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face piece operated in positive prossure mode. Clothing for
		face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a
	T4 DNA Ligase	basic level of protection for chemical incidents. Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves)
		conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
	Ligation Buffer	Fire-fighters should wear appropriate protective equipment
Date of issue/Date of revision	: 29/04/2022 Date of previous	s issue : 27/07/2020 Version : 2 11/33

## **SECTION 5: Firefighting measures**

	and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
XT HS2 RNA Adaptor	Fire-fighters should wear appropriate protective equipment
Oligo Mix	and self-contained breathing apparatus (SCBA) with a full
	face-piece operated in positive pressure mode. Clothing for
	fire-fighters (including helmets, protective boots and gloves)
	conforming to European standard EN 469 will provide a
	basic level of protection for chemical incidents.
Herculase II Fusion DNA	Fire-fighters should wear appropriate protective equipment
Polymerase	and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for
	fire-fighters (including helmets, protective boots and gloves)
	conforming to European standard EN 469 will provide a
	basic level of protection for chemical incidents.
5X Herculase II	Fire-fighters should wear appropriate protective equipment
Reaction Buffer with	and self-contained breathing apparatus (SCBA) with a full
dNTPs	face-piece operated in positive pressure mode. Clothing for
	fire-fighters (including helmets, protective boots and gloves)
	conforming to European standard EN 469 will provide a
	basic level of protection for chemical incidents.

# **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures			
For non-emergency personnel	: End Repair-A Tailing Enzyme Mix	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.	
	End Repair-A Tailing Buffer	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.	
	T4 DNA Ligase	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.	
	Ligation Buffer	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.	
	XT HS2 RNA Adaptor Oligo Mix	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.	
	Herculase II Fusion DNA Polymerase	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.	
	5X Herculase II Reaction Buffer with dNTPs	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.	

For emergency responders	: End Repair-A Tailing Enzyme Mix	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-
	End Repair-A Tailing Buffer	emergency personnel". If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non- emergency personnel".
	T4 DNA Ligase	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non- emergency personnel".
	Ligation Buffer	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non- emergency personnel".
	XT HS2 RNA Adaptor Oligo Mix	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non- emergency personnel".
	Herculase II Fusion DNA Polymerase	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non- emergency personnel".
	5X Herculase II Reaction Buffer with dNTPs	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non- emergency personnel".
6.2 Environmental precautions	: End Repair-A Tailing Enzyme Mix	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	End Repair-A Tailing Buffer	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	T4 DNA Ligase	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	Ligation Buffer	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	XT HS2 RNA Adaptor Oligo Mix	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	Herculase II Fusion DNA Polymerase	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	5X Herculase II Reaction Buffer with dNTPs	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

## **SECTION 6: Accidental release measures**

## 6.3 Methods and material for containment and cleaning up

Methods for cleaning up	: End Repair-A Tailing Enzyme Mix	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	End Repair-A Tailing Buffer	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	T4 DNA Ligase	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	Ligation Buffer	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	XT HS2 RNA Adaptor Oligo Mix	Stop leak if without risk. Nove containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	Herculase II Fusion DNA Polymerase	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	5X Herculase II Reaction Buffer with dNTPs	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
6.4 Reference to other	: See Section 1 for emerge	ncy contact information.

## **SECTION 6: Accidental release measures**

6.4 Reference to other: See Section 1 for emergency contact information.sections: See Section 8 for information on appropriate personal protective equipment.<br/>See Section 13 for additional waste treatment information.

# **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

		•	
Protective measur	es :	End Repair-A Tailing Enzyme Mix	Put on appropriate personal protective equipment (see Section 8).
		End Repair-A Tailing Buffer	Put on appropriate personal protective equipment (see Section 8).
		T4 DNA Ligase	Put on appropriate personal protective equipment (see Section 8).
		Ligation Buffer	Put on appropriate personal protective equipment (see Section 8).
		XT HS2 RNA Adaptor Oligo Mix	Put on appropriate personal protective equipment (see Section 8).
		Herculase II Fusion DNA Polymerase	Put on appropriate personal protective equipment (see Section 8).
		5X Herculase II Reaction Buffer with dNTPs	Put on appropriate personal protective equipment (see Section 8).

SECTION 7: Handling and storage	
---------------------------------	--

Advice on general occupational hygiene	: End Repair-A Tailing Enzyme Mix	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas
	End Repair-A Tailing Buffer	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
	T4 DNA Ligase	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
	Ligation Buffer	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
	XT HS2 RNA Adaptor Oligo Mix	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
	Herculase II Fusion DNA Polymerase	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
	5X Herculase II Reaction Buffer with dNTPs	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
7.2 Conditions for safe st	orage including any incompa	tibilities

#### 7.2 Conditions for safe storage, including any incompatibilities

Storage	: End Repair-A Tailing Enzyme Mix	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
	End Repair-A Tailing Buffer	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials

# **SECTION 7: Handling and storage**

Date of issue/Date of revision	: 29/04/2022 Date of previous	issue : 27/07/2020 Version : 2 16/33
	Buffer T4 DNA Ligase Ligation Buffer XT HS2 RNA Adaptor Oligo Mix Herculase II Fusion DNA	Industrial applications, Professional applications. Industrial applications, Professional applications. Industrial applications, Professional applications. Industrial applications, Professional applications.
Recommendations	: End Repair-A Tailing Enzyme Mix End Repair-A Tailing	Industrial applications, Professional applications. Industrial applications, Professional applications.
7.3 Specific end use(s)		Industrial and lighting. Defensional and the
	Polymerase 5X Herculase II Reaction Buffer with dNTPs	container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
	Herculase II Fusion DNA Polymerase	Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and
	XT HS2 RNA Adaptor Oligo Mix	well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see
	Ligation Buffer	Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and
	T4 DNA Ligase	before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see

## **SECTION 7: Handling and storage**

	Polymerase 5X Herculase II Reaction Buffer with dNTPs	Industrial applications, Professional applications.
Industrial sector specific solutions	: <b>E</b> nd Repair-A Tailing Enzyme Mix	Not available.
	End Repair-A Tailing Buffer	Not available.
	T4 DNA Ligase	Not available.
	Ligation Buffer	Not available.
	XT HS2 RNA Adaptor Oligo Mix	Not available.
	Herculase II Fusion DNA Polymerase	Not available.
	5X Herculase II Reaction Buffer with dNTPs	Not available.

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

#### **Occupational exposure limits**

Product/ingredient name	Exposure limit values
End Repair-A Tailing Enzyme Mix	
Glycerol	EH40/2005 WELs (United Kingdom (UK), 1/2020). TWA: 10 mg/m³ 8 hours. Form: Mist
T4 DNA Ligase	
Glycerol	EH40/2005 WELs (United Kingdom (UK), 1/2020). TWA: 10 mg/m³ 8 hours. Form: Mist
Ligation Buffer	
Glycerol	EH40/2005 WELs (United Kingdom (UK), 1/2020). TWA: 10 mg/m³ 8 hours. Form: Mist
Herculase II Fusion DNA Polymerase	
Glycerol	EH40/2005 WELs (United Kingdom (UK), 1/2020). TWA: 10 mg/m <sup>3</sup> 8 hours. Form: Mist
monitoring procedures atmosphere	ct contains ingredients with exposure limits, personal, workplace or biological monitoring may be required to determine the effectiveness of on or other control measures and/or the necessity to use respiratory

If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

### **DNELs/DMELs**

Product/ingredient name	Туре	Exposure	Value	Population	Effects				
5X Herculase II Reaction Buffer with dNTPs									
Trometamol	DNEL	Long term Oral	8.3 mg/kg bw/day	General population	Systemic				
	DNEL	Long term Inhalation	29 mg/m <sup>3</sup>	General population	Systemic				
	DNEL	Long term Dermal	83.3 mg/kg bw/day	General population	Systemic				
	DNEL	Long term Inhalation	117.5 mg/ m³	Workers	Systemic				
Date of issue/Date of revision       : 29/04/2022       Date of previous issue       : 27/07/2020       Version       : 2       17/3									

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by UK REACH Regulation SI 2019/758 SureSelect XT HS2 RNA Library Preparation Kit for ILM (Pre PCR), 96 Reactions, Part Number 5500-0151

## **SECTION 8: Exposure controls/personal protection**

		Long torm Dormal	166 7 mg/	Workere	Svotomio
	DNEL	Long term Dermal	166.7 mg/	Workers	Systemic
			kg bw/day		
Ammonium sulphate	DNEL	Long term	1.667 mg/	General	Systemic
		Inhalation	m³	population	-
	DNEL	Long term Oral	6.4 mg/kg	General	Systemic
		-	bw/day	population	
	DNEL	Long term	11.167 mg/	Workers	Systemic
		Inhalation	m³ Ö		
	DNEL	Long term Dermal	12.8 mg/kg	General	Systemic
		Ŭ	bw/day	population	
	DNEL	Long term Dermal	42.667 mg/	Workers	Systemic
			kg bw/day		-,

## **PNECs**

No PNECs available

8.2 Exposure controls	
Appropriate engineering controls	: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Individual protection meas	<u>sures</u>
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

## **SECTION 9: Physical and chemical properties**

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

# 9.1 Information on basic physical and chemical properties

**Appearance** 

SECTION 9: Physic	al and chemical pro	perties
Physical state	: End Repair-A Tailing	Liquid.
	Enzyme Mix End Repair-A Tailing Buffer	Liquid.
	T4 DNA Ligase	Liquid.
	Ligation Buffer	Liquid.
	XT HS2 RNA Adaptor	Liquid.
	Oligo Mix Herculase II Fusion DNA Polymerase	Liquid.
	5X Herculase II Reaction Buffer with dNTPs	n Liquid.
Colour	: End Repair-A Tailing Enzyme Mix	Not available.
	End Repair-A Tailing Buffer	Not available.
	T4 DNA Ligase	Not available.
	Ligation Buffer	Not available.
	XT HS2 RNA Adaptor Oligo Mix	Not available.
	Herculase II Fusion DNA Polymerase	Not available.
	5X Herculase II Reaction Buffer with dNTPs	n Not available.
Odour	: End Repair-A Tailing Enzyme Mix	Not available.
	End Repair-A Tailing Buffer	Not available.
	T4 DNA Ligase	Not available.
	Ligation Buffer	Not available.
	XT HS2 RNA Adaptor Oligo Mix	Not available.
	Herculase II Fusion DNA Polymerase	
	5X Herculase II Reactior Buffer with dNTPs	n Not available.
Odour threshold	: End Repair-A Tailing Enzyme Mix	Not available.
	End Repair-A Tailing Buffer	Not available.
	T4 DNA Ligase	Not available.
	Ligation Buffer XT HS2 RNA Adaptor	Not available. Not available.
	Oligo Mix	
	Herculase II Fusion DNA Polymerase	Not available.
	5X Herculase II Reaction Buffer with dNTPs	n Not available.
Melting point/freezing point	: End Repair-A Tailing Enzyme Mix	Not available.
	End Repair-A Tailing Buffer	0°C
	T4 DNA Ligase	Not available.
	Ligation Buffer XT HS2 RNA Adaptor	Not available. 0°C
	Oligo Mix	Netevoilable
	Herculase II Fusion DNA Polymerase	Not available.
	5X Herculase II Reaction Buffer with dNTPs	Not available.

Initial boiling point and												
boiling range	÷	End Repair-A Tailing Enzyme Mix		Not available	9.							
		End Repair-A Tailing Buffer		100°C (212°F)								
		T4 DNA Ligase		Not available.								
		Ligation Buffer XT HS2 RNA Adaptor	r	Not available. 100°C (212°F)								
		Oligo Mix Herculase II Fusion D		Not available	,							
		Polymerase	лNА	NUL available	5.							
		5X Herculase II Reac Buffer with dNTPs	tion	Not available	9.							
Flammability (solid, gas)	:	End Repair-A Tailing Enzyme Mix		Not applicab	le.							
		End Repair-A Tailing Buffer		Not applicab	le.							
		T4 DNA Ligase		Not applicab								
		Ligation Buffer XT HS2 RNA Adaptor	r	Not applicab								
		Oligo Mix										
		Herculase II Fusion D Polymerase		Not applicab								
		5X Herculase II Reac Buffer with dNTPs	tion	Not applicab	le.							
Upper/lower flammability or explosive limits	:	End Repair-A Tailing Enzyme Mix		Not available	9.							
		End Repair-A Tailing Buffer		Not available	Э.							
		T4 DNA Ligase		Not available Not available								
		Ligation Buffer XT HS2 RNA Adaptor	r	Not available								
		Oligo Mix										
			culase II Fusion DNA Not available.									
			NA	Not available	9.							
		Polymerase 5X Herculase II Reac Buffer with dNTPs		Not available								
Flash point	:	Polymerase 5X Herculase II Reac			9.		Open	сир				
Flash point	:	Polymerase 5X Herculase II Reac		Not available	9.	°C	Open °F	cup Method				
Flash point	:	Polymerase 5X Herculase II Reac Buffer with dNTPs	tion	Not available	e. cup	°C	-	-				
Flash point	:	Polymerase 5X Herculase II Reac Buffer with dNTPs Ingredient name	tion	Not available Closed o °F	e. cup	°C	-	-				
Flash point	:	Polymerase 5X Herculase II React Buffer with dNTPs Ingredient name Find Repair-A Tailing Enzyme Mix (R*,R*) -1,4-Dimercaptobutane-	tion °C	Not available Closed o °F	e. cup		-	-				
Flash point	:	Polymerase 5X Herculase II React Buffer with dNTPs Ingredient name Find Repair-A Tailing Enzyme Mix (R*,R*) -1,4-Dimercaptobutane- 2,3-diol	tion °C	Not available Closed o °F	e. cup Method		°F	-				
Flash point	:	Polymerase 5X Herculase II React Buffer with dNTPs Ingredient name Find Repair-A Tailing Enzyme Mix (R*,R*) -1,4-Dimercaptobutane- 2,3-diol Glycerol End Repair-A Tailing	tion °C	Not available Closed c °F >230	e. cup Method		°F	-				
Flash point	:	Polymerase 5X Herculase II React Buffer with dNTPs Ingredient name Find Repair-A Tailing Enzyme Mix (R*,R*) -1,4-Dimercaptobutane- 2,3-diol Glycerol End Repair-A Tailing Buffer (R*,R*) -1,4-Dimercaptobutane-	tion ° <b>C</b> >110	Not available Closed c °F >230	e. cup Method		°F	-				
Flash point		Polymerase 5X Herculase II React Buffer with dNTPs Ingredient name Find Repair-A Tailing Enzyme Mix (R*,R*) -1,4-Dimercaptobutane- 2,3-diol Glycerol End Repair-A Tailing Buffer (R*,R*) -1,4-Dimercaptobutane- 2,3-diol	tion ° <b>C</b> >110	Not available Closed of °F >230 >230	e. cup Method		°F	-				
Flash point	2	Polymerase 5X Herculase II React Buffer with dNTPs Ingredient name Find Repair-A Tailing Enzyme Mix (R*,R*) -1,4-Dimercaptobutane- 2,3-diol Glycerol End Repair-A Tailing Buffer (R*,R*) -1,4-Dimercaptobutane- 2,3-diol T4 DNA Ligase (R*,R*) -1,4-Dimercaptobutane-	tion ° <b>C</b> >110	Not available Closed of °F >230 >230	e. cup Method	177	°F	-				
Flash point		Polymerase 5X Herculase II React Buffer with dNTPs Ingredient name Find Repair-A Tailing Enzyme Mix (R*,R*) -1,4-Dimercaptobutane- 2,3-diol Glycerol End Repair-A Tailing Buffer (R*,R*) -1,4-Dimercaptobutane- 2,3-diol T4 DNA Ligase (R*,R*) -1,4-Dimercaptobutane- 2,3-diol	tion ° <b>C</b> >110	Not available Closed of °F >230 >230	e. cup Method Pensky-Martens	177	°F 350.6	-				
Flash point		Polymerase 5X Herculase II React Buffer with dNTPs Ingredient name Find Repair-A Tailing Enzyme Mix (R*,R*) -1,4-Dimercaptobutane- 2,3-diol Glycerol End Repair-A Tailing Buffer (R*,R*) -1,4-Dimercaptobutane- 2,3-diol T4 DNA Ligase (R*,R*) -1,4-Dimercaptobutane- 2,3-diol Glycerol	tion ° <b>C</b> >110	Not available Closed of °F >230 >230 >230	e. cup Method Pensky-Martens	177	°F 350.6	-				

SECTION 9: Physic	al and chemical	propert	les					
	-1,4-Dimercaptobutane- 2,3-diol							
	Polyethylene glycol	171 to 235	339.8 to 455			199 to 238	390.2 to 460.4	
	XT HS2 RNA Adaptor Oligo Mix							
	Edetic acid	>100	>212	DIN 5 <sup>2</sup>	1758			
	Herculase II Fusion DNA Polymerase							
	Edetic acid	>100	>212	DIN 5	1758			
	(R*,R*) -1,4-Dimercaptobutane- 2,3-diol	>110	>230					
Auto-ignition	: Ingredient name		°C		°F		Method	
temperature	End Repair-A Tailing Er	nzyme Mix						
	Glycerol		370		698			
	T4 DNA Ligase							
	Glycerol				698			
	Ligation Buffer	Ligation Buffer						
	Polyethylene glycol	Polyethylene glycol			360 680			
	Glycerol	Glycerol			370 698			
	XT HS2 RNA Adaptor O	ligo Mix						
	Edetic acid		>400		>752	VD	01 2263	
	Herculase II Fusion DN	A Polymeras						
	Glycerol		370		698			
	Edetic acid		>400		>752	VD	01 2263	
Decomposition temperature	: End Repair-A Tailing Enzyme Mix End Repair-A Tailing Buffer		available available					
	T4 DNA Ligase Ligation Buffer XT HS2 RNA Adapto	Not	ot available. ot available. ot available.					
	Oligo Mix Herculase II Fusion I	DNA Not	Not available.					
	Polymerase 5X Herculase II Rea Buffer with dNTPs	ction Not	available	<b>)</b> .				
рН	: End Repair-A Tailing Enzyme Mix							
	Buffer							
	T4 DNA Ligase Ligation Buffer	7.5 8						
	XT HS2 RNA Adapto Oligo Mix	or 7.5						
	Herculase II Fusion I Polymerase	DNA 8.2						
	5X Herculase II Read Buffer with dNTPs	ction 10						
Date of issue/Date of revision	: 29/04/2022 Date of pr	revious issue	) 11	27/07/20	20	v	ersion : 2	21/33

Viscosity		End Repair-A Tailing	14		available				
		Enzyme Mix End Repair-A Tailing	Enzyme Mix						
		Buffer							
		T4 DNA Ligase			available				
		Ligation Buffer XT HS2 RNA Adaptor			available. available				
		Oligo Mix Herculase II Fusion D			available				
		Polymerase 5X Herculase II React Buffer with dNTPs	tion	Not	available				
Solubility(ies)	:	End Repair-A Tailing			•	e in the follow	ing materia	ıls: cold w	ater and hot
		Enzyme Mix End Repair-A Tailing		wate Eas		e in the follow	ing materia	ıls: cold w	ater and hot
		Buffer T4 DNA Ligase		wate Eas		e in the follow	ing materia	ıls: cold w	ater and hot
		Ligation Buffer		wate Eas		e in the follow	ing materia	ıls: cold w	ater and hot
		XT HS2 RNA Adaptor		wate	er.	e in the follow	-		
		Oligo Mix Herculase II Fusion D		wate	er.	in the follow	-		
		Polymerase		wate	er.		-		
		5X Herculase II React Buffer with dNTPs	lion	Eas wate	•	e in the follow	ing materia	ils: cold w	ater and hot
Partition coefficient: n- octanol/water	1	End Repair-A Tailing Enzyme Mix		Not	applicabl	e.			
		End Repair-A Tailing Buffer		Not	applicabl	e.			
		T4 DNA Ligase			applicabl				
		Ligation Buffer XT HS2 RNA Adaptor			applicable applicable				
		Oligo Mix		NOL	applicable	σ.			
		Herculase II Fusion D	NA	Not	applicabl	e.			
		Polymerase 5X Herculase II React Buffer with dNTPs	tion	Not	applicabl	е.			
Vapour pressure	:		Va	pour	Pressur	e at 20°C	Vap	our press	sure at 50°C
		Ingredient name	mm	Hg	kPa	Method	mm Hg	kPa	Method
		End Repair-A Tailing Enzyme Mix							
		Water	23.8		3.2		92.258	12.3	
		Adenosine 5'- (tetrahydrogen triphosphate), disodium salt	<0.000	075006	<0.0001		<0.00075006	<0.0001	
		End Repair-A Tailing Buffer							
		Water	23.8		3.2		92.258	12.3	
				75006	<0.0001	1	<0.00075006	10 0001	1
		Adenosine 5'- (tetrahydrogen triphosphate), disodium salt	<0.000		<b>VO.000</b>		~0.00073000	<0.0001	
		(tetrahydrogen triphosphate), disodium	<0.000	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	<0.0001		<0.00073000	<0.0001	
		(tetrahydrogen triphosphate), disodium salt	<0.000		3.2		92.258	12.3	

<b>SECTION 9: Physical</b>	and chemical p	ropert	ties				
	Glycerol	0.000075	0.00001		0.0025	0.00033	
	Ligation Buffer						
	Water	23.8	3.2		92.258	12.3	
	Glycerol	0.000075	0.00001		0.0025	0.00033	
	Ciyeeioi	0.000075	0.00001		0.0020	0.00000	
	XT HS2 RNA Adaptor Oligo Mix						
	Water	23.8	3.2		92.258	12.3	
	2-Amino-2- (hydroxymethyl)propane- 1,3-diol hydrochloride	0.000027	0.0000036		0.000007501	0.000001	
	Herculase II Fusion DNA Polymerase						
	Water	23.8	3.2		92.258	12.3	
	Glycerol	0.000075	0.00001		0.0025	0.00033	
	5X Herculase II Reaction Buffer with dNTPs						
	Water	23.8	3.2		92.258	12.3	
	Sulfuric acid, magnesium salt, hydrate (1:1:7)	<0.1	<0.013				
-	End Repair-A Tailing Enzyme Mix End Repair-A Tailing Buffer T4 DNA Ligase Ligation Buffer XT HS2 RNA Adaptor Oligo Mix Herculase II Fusion D Polymerase 5X Herculase II React Buffer with dNTPs End Repair-A Tailing Enzyme Mix End Repair-A Tailing Buffer T4 DNA Ligase Ligation Buffer XT HS2 RNA Adaptor Oligo Mix Herculase II Fusion D	Not Not NA Not tion Not Not Not Not Not	available. available. available. available. available. available. available. available. available. available. available. available. available.				
	Polymerase 5X Herculase II React Buffer with dNTPs		available.				
Vapour density :	End Repair-A Tailing Enzyme Mix		available.				
	End Repair-A Tailing Buffer T4 DNA Ligase Ligation Buffer XT HS2 RNA Adaptor Oligo Mix Herculase II Fusion D Polymerase	Not Not Not NA Not	available. available. available. available. available.				
Data of incurs/Data of multi-	5X Herculase II React		available.	7/07/2020		arolon - 0	
Date of issue/Date of revision	: 29/04/2022 Date of pre	vious issue	<b>e</b> :27	7/07/2020	Ve	ersion : 2	23/33

		Buffer with dNTPs	
Oxidising properties	:	End Repair-A Tailing Enzyme Mix	Not available.
		End Repair-A Tailing Buffer	Not available.
		T4 DNA Ligase	Not available.
		Ligation Buffer	Not available.
		XT HS2 RNA Adaptor Oligo Mix	Not available.
		Herculase II Fusion DNA Polymerase	Not available.
		5X Herculase II Reaction Buffer with dNTPs	Not available.
Particle characteristics			
Median particle size	:	End Repair-A Tailing Enzyme Mix	Not applicable.
		End Repair-A Tailing Buffer	Not applicable.
		T4 DNA Ligase	Not applicable.
		Ligation Buffer	Not applicable.
		XT HS2 RNA Adaptor Oligo Mix	Not applicable.
		Herculase II Fusion DNA Polymerase	Not applicable.
		5X Herculase II Reaction Buffer with dNTPs	Not applicable.

## 9.2 Other information

No additional information.

SECTION 10: Stabi	lity and reactivity	
10.1 Reactivity	: End Repair-A Tailing Enzyme Mix End Repair-A Tailing Buffer T4 DNA Ligase Ligation Buffer XT HS2 RNA Adaptor Oligo Mix Herculase II Fusion DNA Polymerase 5X Herculase II Reaction	product or its ingredients.
	Buffer with dNTPs	product or its ingredients.
10.2 Chemical stability	: End Repair-A Tailing Enzyme Mix	The product is stable.
	End Repair-A Tailing Buffer	The product is stable.
	T4 DNA Ligase	The product is stable.
	Ligation Buffer	The product is stable.
	XT HS2 RNA Adaptor Oligo Mix	The product is stable.
	Herculase II Fusion DNA Polymerase	The product is stable.
	5X Herculase II Reaction Buffer with dNTPs	The product is stable.

## **SECTION 10: Stability and reactivity**

SECTION TO: Stabil	ity and reactivity	
10.3 Possibility of	: End Repair-A Tailing	Under normal conditions of storage and use, hazardous
hazardous reactions	Enzyme Mix	reactions will not occur.
	End Repair-A Tailing	Under normal conditions of storage and use, hazardous
	Buffer	reactions will not occur.
	T4 DNA Ligase	Under normal conditions of storage and use, hazardous
		reactions will not occur.
	Ligation Buffer	Under normal conditions of storage and use, hazardous
		reactions will not occur.
	XT HS2 RNA Adaptor	Under normal conditions of storage and use, hazardous
	Oligo Mix	reactions will not occur.
		Under normal conditions of storage and use, hazardous
	Polymerase	reactions will not occur.
		Under normal conditions of storage and use, hazardous
	Buffer with dNTPs	reactions will not occur.
10.4 Conditions to avoid	: End Repair-A Tailing	No specific data.
	Enzyme Mix	
	End Repair-A Tailing Buffer	No specific data.
	T4 DNA Ligase	No specific data.
	Ligation Buffer	No specific data.
	XT HS2 RNA Adaptor	No specific data.
	Oligo Mix	
	Herculase II Fusion DNA Polymerase	No specific data.
	5X Herculase II Reaction	No specific data
	Buffer with dNTPs	
10.5 Incompatible	: End Repair-A Tailing	May react or be incompatible with oxidising materials.
materials	Enzyme Mix	may react of be incompatible with oxidising materials.
materials	End Repair-A Tailing	May react or be incompatible with oxidising materials.
	Buffer	
	T4 DNA Ligase	May react or be incompatible with oxidising materials.
	Ligation Buffer	May react or be incompatible with oxidising materials.
	XT HS2 RNA Adaptor	May react or be incompatible with oxidising materials.
	Oligo Mix	
		May react or be incompatible with oxidising materials.
	Polymerase	
		May react or be incompatible with oxidising materials.
	Buffer with dNTPs	
10.6 Hazardous	: End Repair-A Tailing	Under normal conditions of storage and use, hazardous
decomposition products	Enzyme Mix	decomposition products should not be produced.
	End Repair-A Tailing	Under normal conditions of storage and use, hazardous
	Buffer	decomposition products should not be produced.
	T4 DNA Ligase	Under normal conditions of storage and use, hazardous
		decomposition products should not be produced.
	Ligation Buffer	Under normal conditions of storage and use, hazardous
		decomposition products should not be produced.
	XT HS2 RNA Adaptor	Under normal conditions of storage and use, hazardous
	Oligo Mix	decomposition products should not be produced.
	Herculase II Fusion DNA	0
	Polymerase	decomposition products should not be produced.
		Under normal conditions of storage and use, hazardous
	Buffer with dNTPs	decomposition products should not be produced.

## 11.1 Information on toxicological effects

### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
5X Herculase II Reaction				
Buffer with dNTPs				
Trometamol	LD50 Dermal	Rat	>5000 mg/kg	-
Ammonium sulphate	LD50 Oral	Rat	2840 mg/kg	-
Hexadecan-1-ol, ethoxylated	LD50 Oral	Rat	2500 mg/kg	-

### Acute toxicity estimates

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapours) (mg/l)	Inhalation (dusts and mists) (mg/l)
5X Herculase II Reaction Buffer with dNTPs					
Ammonium sulphate	2840	N/A	N/A	N/A	N/A
Hexadecan-1-ol, ethoxylated	2500	N/A	N/A	N/A	N/A

## Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
5X Herculase II Reaction Buffer with dNTPs					
Trometamol	Skin - Moderate irritant	Rabbit	-	25 %	-
	Skin - Severe irritant	Rabbit	-	500 mg	-
<u>Sensitiser</u>					
Conclusion/Summary	: Not available.				
<u>Mutagenicity</u>					
Conclusion/Summary	: Not available.				
Carcinogenicity					
Conclusion/Summary	: Not available.				
Reproductive toxicity					
Conclusion/Summary	: Not available.				
Teratogenicity					
Conclusion/Summary	: Not available.				
Specific target organ toxici	<u>ty (single exposure)</u>				
Not available.					
Specific target organ toxici	ty (repeated exposure)				
Not available.					
Aspiration hazard					
Not available.					
Information on likely routes of exposure	: End Repair-A Tailing Enzyme Mix	Routes of entry an	ticipated:	Oral, Dermal, I	nhalation.
-					

routes of exposure	Enzyme Mix	Roules of entry anticipated. Oral, Dermai, initialation.
	End Repair-A Tailing Buffer	Routes of entry anticipated: Oral, Dermal, Inhalation.
		Boutes of entry entiringted, Oral Dermol Inhelation
	T4 DNA Ligase	Routes of entry anticipated: Oral, Dermal, Inhalation.
	Ligation Buffer	Routes of entry anticipated: Oral, Dermal, Inhalation.
	XT HS2 RNA Adaptor	Not available.
	Oligo Mix	
	Herculase II Fusion DNA	Routes of entry anticipated: Oral, Dermal, Inhalation.
	Polymerase	
	5X Herculase II Reaction	Routes of entry anticipated: Oral, Dermal, Inhalation.
	Buffer with dNTPs	

## Potential acute health effects

Date of issue/Date of revision : 29/04/2022 Date of previous issue : 27/07/2020 Version : 2 26/33
---

SECTION II. TOXICO	nogical information	
Inhalation	: End Repair-A Tailing Enzyme Mix	No known significant effects or critical hazards.
	End Repair-A Tailing Buffer	No known significant effects or critical hazards.
	T4 DNA Ligase	No known significant effects or critical hazards.
	Ligation Buffer	No known significant effects or critical hazards.
	XT HS2 RNA Adaptor Oligo Mix	No known significant effects or critical hazards.
	Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.
	5X Herculase II Reaction Buffer with dNTPs	No known significant effects or critical hazards.
Ingestion	: End Repair-A Tailing Enzyme Mix	No known significant effects or critical hazards.
	End Repair-A Tailing Buffer	No known significant effects or critical hazards.
	T4 DNA Ligase	No known significant effects or critical hazards.
	Ligation Buffer	No known significant effects or critical hazards.
	XT HS2 RNA Adaptor Oligo Mix	No known significant effects or critical hazards.
	Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.
	5X Herculase II Reaction Buffer with dNTPs	No known significant effects or critical hazards.
Skin contact	: End Repair-A Tailing Enzyme Mix	No known significant effects or critical hazards.
	End Repair-A Tailing Buffer	No known significant effects or critical hazards.
	T4 DNA Ligase	No known significant effects or critical hazards.
	Ligation Buffer	No known significant effects or critical hazards.
	XT HS2 RNA Adaptor	No known significant effects or critical hazards.
	Oligo Mix	
	Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.
	5X Herculase II Reaction Buffer with dNTPs	No known significant effects or critical hazards.
Eye contact	: End Repair-A Tailing Enzyme Mix	No known significant effects or critical hazards.
	End Repair-A Tailing Buffer	No known significant effects or critical hazards.
	T4 DNA Ligase	No known significant effects or critical hazards.
	Ligation Buffer	No known significant effects or critical hazards.
	XT HS2 RNA Adaptor Oligo Mix	No known significant effects or critical hazards.
	Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.
	5X Herculase II Reaction Buffer with dNTPs	No known significant effects or critical hazards.
Symptoms related to the pl	hysical, chemical and toxic	ological characteristics
Inhalation	: End Repair-A Tailing Enzyme Mix	No specific data.
	End Repair-A Tailing Buffer	No specific data.
	T4 DNA Ligase	No specific data.
	Ligation Buffer	No specific data.
	XT HS2 RNA Adaptor Oligo Mix	No specific data.
	Herculase II Fusion DNA Polymerase	No specific data.
	5X Herculase II Reaction Buffer with dNTPs	No specific data.

Ingestion	:	End Repair-A Tailing Enzyme Mix	No specific data.	
		End Repair-A Tailing Buffer	No specific data.	
		T4 DNA Ligase	No specific data.	
		Ligation Buffer	No specific data.	
		XT HS2 RNA Adaptor	No specific data.	
		Oligo Mix	'	
		Herculase II Fusion DNA Polymerase	No specific data.	
		5X Herculase II Reaction Buffer with dNTPs	No specific data.	
Skin contact	:	End Repair-A Tailing Enzyme Mix	No specific data.	
		End Repair-A Tailing Buffer	No specific data.	
		T4 DNA Ligase	No specific data.	
		Ligation Buffer	No specific data.	
		XT HS2 RNA Adaptor	No specific data.	
		Oligo Mix Herculase II Fusion DNA Polymerase	No specific data.	
		5X Herculase II Reaction Buffer with dNTPs	No specific data.	
Eye contact	:	End Repair-A Tailing Enzyme Mix	No specific data.	
		End Repair-A Tailing Buffer	No specific data.	
		T4 DNA Ligase	No specific data.	
		Ligation Buffer	No specific data.	
		XT HS2 RNA Adaptor Oligo Mix	No specific data.	
		Herculase II Fusion DNA Polymerase	No specific data.	
		5X Herculase II Reaction Buffer with dNTPs	No specific data.	
Delayed and immediate e	offec	<u>cts as well as chronic effe</u>	cts from short and long-term exposure	
Short term exposure				
Potential immediate effects	:	Not available.		
Potential delayed effects	:	Not available.		
Long term exposure				
Potential immediate effects	-	Not available.		
Potential delayed effects	:	Not available.		
	effe	<u>cts</u>		
Potential chronic health e		End Densir & Tailing	No known aignificant affacta ar aritical bazarda	
Potential chronic health e General	:	End Repair-A Tailing Enzyme Mix	No known significant effects or critical hazards.	
	:	Enzyme Mix End Repair-A Tailing	No known significant effects or critical hazards.	
	:	Enzyme Mix End Repair-A Tailing Buffer	No known significant effects or critical hazards.	
	:	Enzyme Mix End Repair-A Tailing Buffer T4 DNA Ligase	No known significant effects or critical hazards. No known significant effects or critical hazards.	
	:	Enzyme Mix End Repair-A Tailing Buffer T4 DNA Ligase Ligation Buffer XT HS2 RNA Adaptor	No known significant effects or critical hazards.	
	:	Enzyme Mix End Repair-A Tailing Buffer T4 DNA Ligase Ligation Buffer XT HS2 RNA Adaptor Oligo Mix Herculase II Fusion DNA	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.	
	:	Enzyme Mix End Repair-A Tailing Buffer T4 DNA Ligase Ligation Buffer XT HS2 RNA Adaptor Oligo Mix	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.	

Carcinogenicity	: End Repair-A Tailing No known significant effects or critical Enzyme Mix	hazards.
	End Repair-A Tailing No known significant effects or critical Buffer	hazards.
	T4 DNA Ligase No known significant effects or critical	hazards.
	Ligation Buffer No known significant effects or critical	hazards.
	XT HS2 RNA Adaptor No known significant effects or critical Oligo Mix	hazards.
	Herculase II Fusion DNA No known significant effects or critical Polymerase	hazards.
	5X Herculase II Reaction No known significant effects or critical Buffer with dNTPs	hazards.
Mutagenicity	: End Repair-A Tailing No known significant effects or critical Enzyme Mix	hazards.
	End Repair-A Tailing No known significant effects or critical Buffer	hazards.
	T4 DNA Ligase No known significant effects or critical	hazards.
	Ligation Buffer No known significant effects or critical	hazards.
	XT HS2 RNA Adaptor No known significant effects or critical Oligo Mix	hazards.
	Herculase II Fusion DNA No known significant effects or critical Polymerase	hazards.
	5X Herculase II Reaction No known significant effects or critical Buffer with dNTPs	hazards.
Reproductive toxicity	: End Repair-A Tailing No known significant effects or critical Enzyme Mix	hazards.
	End Repair-A Tailing No known significant effects or critical Buffer	hazards.
	T4 DNA Ligase No known significant effects or critical	
	Ligation Buffer No known significant effects or critical	
	XT HS2 RNA AdaptorNo known significant effects or criticalOligo Mix	
	Herculase II Fusion DNA No known significant effects or critical Polymerase	
	5X Herculase II Reaction No known significant effects or critical Buffer with dNTPs	hazards.
Other information	: End Repair-A Tailing Not available. Enzyme Mix	
	End Repair-A TailingAdverse symptoms may include the foBufferskin sensitisation.	lowing: May cause
	T4 DNA Ligase Not available.	
	Ligation Buffer Not available.	
	XT HS2 RNA Adaptor Not available. Oligo Mix	
	Herculase II Fusion DNA Not available. Polymerase	
	5X Herculase II Reaction Not available. Buffer with dNTPs	

# **SECTION 12: Ecological information**

## 12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
X Herculase II Reaction Buffer with dNTPs			
Trometamol	Acute EC50 >980 mg/l Fresh water	Daphnia	48 hours
	Acute NOEC 520 mg/l Fresh water	Daphnia	48 hours
Ammonium sulphate	Chronic NOEC 7.5 mg/l Marine water	Algae - Phaeodactylum tricornutum - Exponential growth phase	96 hours
Hexadecan-1-ol, ethoxylated	Acute LC50 330000 to 1000000 μg/l Marine water	Crustaceans - Crangon crangon - Adult	48 hours

## **12.2 Persistence and degradability**

Product/ingredient name	Test	Result		Dose		Inoculum
5X Herculase II Reaction Buffer with dNTPs Trometamol	OECD 301F Ready Biodegradability - Manometric Respirometry Test		Readily - 28 days	30 mg/l		-
Product/ingredient name	Aquatic half-life		Photolysis		Biodeg	radability
<b>X Herculase II Reaction</b> <b>Buffer with dNTPs</b> Trometamol Ammonium sulphate Hexadecan-1-ol, ethoxylated	-		- - -		Readily Readily Readily	

## 12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
5X Herculase II Reaction Buffer with dNTPs			
Trometamol Ammonium sulphate	-2.31 -5.1	-	low low

## 12.4 Mobility in soil

Soil/water partition coefficient (Koc)	: Not available.
Mobility	: Not available.

### 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

**12.6 Other adverse effects** : No known significant effects or critical hazards.

# **SECTION 13: Disposal considerations**

13.1 Waste treatment met	hods
Product	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	: Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 2008/98/EC.
Packaging	
Methods of disposal	<ul> <li>The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.</li> </ul>
Special precautions	: This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.
Date of issue/Date of revision	: 29/04/2022 Date of previous issue : 27/07/2020 Version : 2 30/33

# **SECTION 14: Transport information**

	ADR/RID	IMDG	ΙΑΤΑ
14.1 UN number	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-
14.3 Transport hazard class(es)	-	-	-
14.4 Packing group	-	-	-
14.5 Environmental hazards	No.	No.	No.

Additional information

# 14.6 Special precautions for user

: **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk according to IMO instruments

: Not available.

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

<u>Annex XIV</u>

None of the components are listed.

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Ingredient name		EC number		CAS number	Restriction
5X Herculase II React dNTPs	ion Buffer with				
ammonium sulphate		231-984-1		7783-20-2	65
Label	: End Repair-A Tailing Enzyme Not applicable. Mix				
	End Repair-A Ta	ailing Buffer	Not appli		
	T4 DNA Ligase		Not applie		
	Ligation Buffer XT HS2 RNA Adaptor Oligo Mix Herculase II Fusion DNA Polymerase		Not applicable. Not applicable. Not applicable.		
	5X Herculase II Buffer with dNTF		Not applie	cable.	
ther EU regulations					
Ozone depleting substa	ances (1005/2009/EU	)			
Not listed.		-			

# **SECTION 15: Regulatory information**

Prior Informed Consent (PIC) (649/2012/EU) Not listed.

Persistent Organic Pollutants Not listed.

## Seveso Directive

This product is not controlled under the Seveso Directive.

#### International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

## **Montreal Protocol**

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

### Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

## **UNECE Aarhus Protocol on POPs and Heavy Metals**

Not listed.

Inv	ento	ry I	ist
		_	

<u>Inventory list</u>	
Australia	: Not determined.
Canada	: Not determined.
China	: Not determined.
Europe	: Not determined.
Japan	: Japan inventory (CSCL): Not determined. Japan inventory (ISHL): Not determined.
New Zealand	: Not determined.
Philippines	: Not determined.
<b>Republic of Korea</b>	: Not determined.
Taiwan	: All components are listed or exempted.
Thailand	: Not determined.
Turkey	: Not determined.
United States	: Not determined.
Viet Nam	: Not determined.
15.2 Chemical safety assessment	: This product contains substances for which Chemical Safety Assessments might still be required.

# **SECTION 16: Other information**

Indicates information that has changed from previously issued version.

Abbreviations and	: ATE = Acute Toxicity Estimate
acronyms	CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.
-	1272/2008]
	DMEL = Derived Minimal Effect Level
	DNEL = Derived No Effect Level
	EUH statement = CLP-specific Hazard statement
	N/A = Not available
	PBT = Persistent, Bioaccumulative and Toxic
	PNEC = Predicted No Effect Concentration
	RRN = REACH Registration Number
	vPvB = Very Persistent and Very Bioaccumulative
Procedure used to deri	ve the classification according to Regulation (EC) No. 1272/2008 ICLP/GHS1

## Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by UK REACH Regulation SI 2019/758 SureSelect XT HS2 RNA Library Preparation Kit for ILM (Pre PCR), 96 Reactions, Part Number 5500-0151

## **SECTION 16: Other information**

Classification	Justification	
Not classified.		

# Full text of abbreviated H statements

<b>5X Herculase II Reaction</b> H315 H319 H411	Buffer with dNTPs	Causes skin irritation. Causes serious eye irritation. Toxic to aquatic life with long lasting effects.
Full text of classifications	s [CLP/GHS]	
<b>X Herculase II Reaction</b> Aquatic Chronic 2 Eye Irrit. 2 Skin Irrit. 2	Buffer with dNTPs	LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 2 SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2 SKIN CORROSION/IRRITATION - Category 2
Date of issue/ Date of revision	: 29/04/2022	
Date of previous issue	: 27/07/2020	
Version <u>Notice to reader</u>	: 2	

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.