SAFETY DATA SHEET



T3 RNA Polymerase, Part Number 600111

Section 1. Identification

Product identifier	: T3 RNA Polymerase, Part Number 600111	
Part no. (chemical kit)	: 600111	
Part no.	: 5X Transcription Buffer600110-82RNA Polymerase Dilution Buffer600110-83T3 RNA Polymerase600111-51	
Material uses	: Analytical reagent.	
	5X Transcription Buffer 1 ml RNA Polymerase Dilution Buffer 1 ml T3 RNA Polymerase 0.1 ml (5000 U 50 U/µl	I)
Supplier/Manufacturer	: Agilent Technologies, Inc. 5301 Stevens Creek Blvd Santa Clara, CA 95051, USA 800-227-9770	
Emergency telephone number (with hours of operation)	: CHEMTREC®: 1-800-424-9300	

Section 2. Hazard identification

Classification of the substance or mixture			
5X Transcription Buffer H412	AQUATIC HAZARD (LONG-TERM) - Category 3		
RNA Polymerase Dilution Buffer H320	EYE IRRITATION - Category 2B		
T3 RNA Polymerase H320	EYE IRRITATION - Category 2	В	
GHS label elements			
Signal word	: 5X Transcription Buffer RNA Polymerase Dilution Buffer T3 RNA Polymerase	No signal word. Warning Warning	
Hazard statements	: 5X Transcription Buffer RNA Polymerase Dilution Buffer T3 RNA Polymerase	H412 - Harmful to aquatic life with long lasting effects.H320 - Causes eye irritation.H320 - Causes eye irritation.	
Precautionary statements		•	
Prevention	: 🗗 Transcription Buffer RNA Polymerase Dilution Buffer	P273 - Avoid release to the environment. Not applicable.	
	T3 RNA Polymerase	Not applicable.	

1/21

Section 2. Hazard identification

Response	:	死 Transcription Buffer RNA Polymerase Dilution Buffer	Not applicable. P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical
		T3 RNA Polymerase	advice or attention. P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical advice or attention.
Storage	:	5X Transcription Buffer RNA Polymerase Dilution Buffer	Not applicable. Not applicable.
		T3 RNA Polymerase	Not applicable.
Disposal	:		P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.
		RNA Polymerase Dilution Buffer	Not applicable.
		T3 RNA Polymerase	Not applicable.
Supplemental label elements	:	5X Transcription Buffer RNA Polymerase Dilution Buffer	None known. None known.
		T3 RNA Polymerase	None known.
Other hazards which do not result in classification	:	5X Transcription Buffer RNA Polymerase Dilution Buffer	None known. None known.
		T3 RNA Polymerase	None known.

Section 3. Composition/information on ingredients

Substance/mixture	: 5X Transcription Buffer RNA Polymerase Dilution Buffer	Mixture Mixture	
	T3 RNA Polymerase	Mixture	
Ingredient name		% (w/w)	CAS number
5X Transcription Buffer			
Trometamol		1 - 5	77-86-1
Sodium chloride		0.5 - 1.5	7647-14-5
Magnesium chloride		0.1 - 1	7786-30-3
RNA Polymerase Dilutior	Buffer		
Glycerol		30 - 60	56-81-5
T3 RNA Polymerase			
Glycerol		30 - 60	56-81-5

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Description of necessa	ary first aid measures	
Eye contact	: 🕅 Transcription Buffer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.
	RNA Polymerase Dilution Buffer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention.
	T3 RNA Polymerase	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention.
Inhalation	: ቓ X Transcription Buffer	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
	RNA Polymerase Dilution Buffer	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
	T3 RNA Polymerase	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Section 4.1 113		
Skin contact	: I I Transcription Buffer RNA Polymerase Dilution Buffer T3 RNA Polymerase	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	: 🕅 Transcription Buffer	Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
	RNA Polymerase Dilution Buffer	Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
	T3 RNA Polymerase	Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed Potential acute health effects

4/21

Eye contact	: 5X Transcription Buffer RNA Polymerase Dilution	No known significant effects or critical hazards. Causes eye irritation.
	Buffer T3 RNA Polymerase	Causes eye irritation.
Inhalation	: 5X Transcription Buffer RNA Polymerase Dilution Buffer	No known significant effects or critical hazards. No known significant effects or critical hazards.
	T3 RNA Polymerase	No known significant effects or critical hazards.
Skin contact	: 5X Transcription Buffer RNA Polymerase Dilution Buffer	No known significant effects or critical hazards. No known significant effects or critical hazards.
	T3 RNA Polymerase	No known significant effects or critical hazards.
Ingestion	: 5X Transcription Buffer RNA Polymerase Dilution Buffer	No known significant effects or critical hazards. No known significant effects or critical hazards.
	T3 RNA Polymerase	No known significant effects or critical hazards.
Over-exposure signs/sy		
Eye contact	: 5X Transcription Buffer RNA Polymerase Dilution Buffer	No specific data. Adverse symptoms may include the following:
		irritation watering redness
	T3 RNA Polymerase	Adverse symptoms may include the following: irritation watering redness
Inhalation	: 5X Transcription Buffer RNA Polymerase Dilution Buffer	No specific data. No specific data.
	T3 RNA Polymerase	No specific data.
Skin contact	: 5X Transcription Buffer RNA Polymerase Dilution Buffer	No specific data. No specific data.
	T3 RNA Polymerase	No specific data.
Ingestion	: 5X Transcription Buffer RNA Polymerase Dilution Buffer	No specific data. No specific data.
	T3 RNA Polymerase	No specific data.
ndication of immediate n	nedical attention and special trea	
Notes to physician	: 5X Transcription Buffer	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
	RNA Polymerase Dilution Buffer	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	T3 RNA Polymerase	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: 5X Transcription Buffer RNA Polymerase Dilution Buffer	No specific treatment. No specific treatment.
	T3 RNA Polymerase	No specific treatment.

Protection of first-aiders	: 🗗 Transcription Buffer	No action shall be taken involving any personal risk
		or without suitable training. It may be dangerous to
		the person providing aid to give mouth-to-mouth resuscitation.
	RNA Polymerase Dilution Buffer	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
	T3 RNA Polymerase	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

Section 5. Fire-fighting measures Extinguishing media Suitable extinguishing : 5X Transcription Buffer Use an extinguishing agent suitable for the media surrounding fire. Use an extinguishing agent suitable for the **RNA** Polymerase Dilution surrounding fire. Buffer T3 RNA Polymerase Use an extinguishing agent suitable for the surrounding fire. **Unsuitable extinguishing** None known. : 5X Transcription Buffer **RNA** Polymerase Dilution media None known. Buffer T3 RNA Polymerase None known. Specific hazards arising : **5**X Transcription Buffer In a fire or if heated, a pressure increase will occur from the chemical and the container may burst. This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain. **RNA** Polymerase Dilution In a fire or if heated, a pressure increase will occur Buffer and the container may burst. In a fire or if heated, a pressure increase will occur T3 RNA Polymerase and the container may burst. Hazardous thermal : 5X Transcription Buffer Decomposition products may include the following materials: decomposition products carbon dioxide carbon monoxide nitrogen oxides halogenated compounds metal oxide/oxides **RNA** Polymerase Dilution Decomposition products may include the following Buffer materials: carbon dioxide carbon monoxide Decomposition products may include the following T3 RNA Polymerase materials:

carbon dioxide carbon monoxide

6/21

Section 5. Fire-fighting measures

Ŭ	•	
Special protective actions for fire-fighters	: 5X Transcription Buffer	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	RNA Polymerase Dilution Buffer	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	T3 RNA Polymerase	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: 5X Transcription Buffer	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	RNA Polymerase Dilution Buffer	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	T3 RNA Polymerase	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency : personnel	X Transcription Buffer	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
	RNA Polymerase Dilution Buffer	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
	T3 RNA Polymerase	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders :	5X Transcription Buffer	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	RNA Polymerase Dilution Buffer	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Date of issue/Date of revision	: 05/19/2022 Date of previous	issue : 09/09/2019 Version : 6 7/21

Section 6. Accidental release measures

	T3 RNA Polymerase	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	: <section-header> Transcription Buffer</section-header>	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful
	RNA Polymerase Dilution Buffer	to the environment if released in large quantities. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	T3 RNA Polymerase	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for c	ontainment and cleaning up	
Methods for cleaning up	: 5X Transcription Buffer	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	RNA Polymerase Dilution Buffer	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste
	T3 RNA Polymerase	disposal contractor. Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Section 7. Handling and storage

Precautions for safe handling		
Protective measures	: 🕅 Transcription Buffer	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
	RNA Polymerase Dilution Buffer	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers

Section 7. Handling and storage

	y and storage	
	T3 RNA Polymerase	retain product residue and can be hazardous. Do not reuse container. Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	: 5X Transcription Buffer	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
	RNA Polymerase Dilution Buffer	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for
	T3 RNA Polymerase	additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	: 5X Transcription Buffer	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for
	RNA Polymerase Dilution Buffer	incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid
	T3 RNA Polymerase	environmental contamination. See Section 10 for incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until

Section 7. Handling and storage

ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
RNA Polymerase Dilution Buffer Glycerol	CA Alberta Provincial (Canada, 6/2018). 8 hrs OEL: 10 mg/m ³ 8 hours. Form: Mist CA Quebec Provincial (Canada, 7/2019). TWAEV: 10 mg/m ³ 8 hours. Form: mist CA Saskatchewan Provincial (Canada, 7/2013). STEL: 20 mg/m ³ 15 minutes. Form: mist TWA: 10 mg/m ³ 8 hours. Form: mist CA British Columbia Provincial (Canada, 1/2021). TWA: 3 mg/m ³ 8 hours. Form: respirable mist TWA: 10 mg/m ³ 8 hours. Form: total mist
T3 RNA Polymerase Glycerol	CA Alberta Provincial (Canada, 6/2018). 8 hrs OEL: 10 mg/m ³ 8 hours. Form: Mist CA Quebec Provincial (Canada, 7/2019). TWAEV: 10 mg/m ³ 8 hours. Form: mist CA Saskatchewan Provincial (Canada, 7/2013). STEL: 20 mg/m ³ 15 minutes. Form: mist TWA: 10 mg/m ³ 8 hours. Form: mist CA British Columbia Provincial (Canada, 1/2021). TWA: 3 mg/m ³ 8 hours. Form: respirable mist TWA: 10 mg/m ³ 8 hours. Form: total mist

Date of issue/Date of revision		: 05/19/2022	Date of previous issue	: 09/09/2019	Version	:6	10/21
Hygiene measures		Wash hands eating, smol Appropriate Wash conta	s, forearms and face the king and using the lavat techniques should be u minated clothing before ers are close to the wor	tory and at the end of the sed to remove potentiate reusing. Ensure that	he working pe ally contamina	riod. ated clo	othing.
Individual protection measured	res						
Environmental exposure controls	:	they comply cases, fume	rom ventilation or work with the requirements scrubbers, filters or en will be necessary to redu	of environmental protections gineering modifications	ction legislatic s to the proce	on. In s	
controls	1	contaminant	al ventilation should be ts.	SUTICIENT TO CONTROL WO	orker exposure	to air	orne

Section 8. Exposure controls/personal protection

•	• •
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	 Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	 Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

<u>Appearance</u>			
Physical state	:	5X Transcription Buffer RNA Polymerase Dilution Buffer T3 RNA Polymerase	Liquid. Liquid. Liquid.
Color	:	5X Transcription Buffer RNA Polymerase Dilution Buffer	Not available. Not available.
Odor	:	T3 RNA Polymerase 5X Transcription Buffer RNA Polymerase Dilution Buffer T3 RNA Polymerase	Not available. Not available. Not available. Not available.
Odor threshold	:	5X Transcription Buffer RNA Polymerase Dilution Buffer T3 RNA Polymerase	Not available. Not available. Not available.
рН	:	5X Transcription Buffer RNA Polymerase Dilution Buffer T3 RNA Polymerase	8 7.7 7.7
Melting point/freezing point	:	5X Transcription Buffer RNA Polymerase Dilution Buffer T3 RNA Polymerase	0°C (32°F) Not available. Not available.

Section 9. Physical and chemical properties and safety characteristics

Boiling point, initial boiling point, and boiling range	:	5X Transcription Buff RNA Polymerase Differ T3 RNA Polymerase		100°C (212°F) Not available. Not available.				
Flash point	:	5X Transcription Buf RNA Polymerase Dil Buffer		Not avail Not avail	lable. lable.			
		T3 RNA Polymerase		_	t does not si	ustain con		
				Closed	-		Open of	
		Ingredient name	°C	°F	Method	°C	°F	Method
		RNA Polymerase Dilution Buffer						
		Edetic acid	>100	>212	DIN 51758			
		(R*,R*) -1,4-Dimercaptobutane- 2,3-diol	>110	>230				
		T3 RNA Polymerase						
		Edetic acid	>100	>212	DIN 51758			
		(R*,R*) -1,4-Dimercaptobutane- 2,3-diol	>110	>230				
Evaporation rate	:	5X Transcription Buff RNA Polymerase Dil Buffer T3 RNA Polymerase		Not available. Not available. Not available.				
Flammability	:	5X Transcription Buff RNA Polymerase Dil Buffer		Not applicable. Not applicable. Not applicable.				
Lower and upper explosion	:	T3 RNA Polymerase 5X Transcription Buff		Not available. Not available.				
limit/flammability limit		RNA Polymerase Dil Buffer T3 RNA Polymerase	uuon	Not avail				
Vapor pressure	:		Vapo	r Pressu	re at 20°C	Vap	or pressu	ire at 50°C
		Ingredient name	mm Hg	kPa	Method	mm Hg	kPa	Method
		5X Transcription Buffer						
		water	23.8	3.2		92.258	12.3	
		Trometamol	<0.00075006	<0.0001				
		RNA Polymerase Dilution Buffer						
		water	23.8	3.2		92.258	12.3	
		Glycerol	0.000075	0.00001		0.0025	0.00033	
		T3 RNA Polymerase						
		T3 RNA Polymerase	23.8	3.2		92.258	12.3	

Section 9. Physical and chemical properties and safety characteristics

characteristics						
Relative vapor density	:	5X Transcription Buffer RNA Polymerase Dilution Buffer		ot available. ot available.		
		T3 RNA Polymerase	No	ot available.		
Relative density	:	5X Transcription Buffer RNA Polymerase Dilution Buffer		ot available. ot available.		
		T3 RNA Polymerase	No	ot available.		
Solubility	-	X Transcription Buffer	an	d hot water.		ng materials: cold water
		RNA Polymerase Dilution Buffer T3 RNA Polymerase	an Ea	d hot water.		ng materials: cold water ng materials: cold water
Partition coefficient: n- octanol/water	:	X Transcription Buffer RNA Polymerase Dilution Buffer	No	ot applicable ot applicable		
		T3 RNA Polymerase	No	ot applicable		
Auto-ignition temperature	:	Ingredient name	•	°C	°F	Method
		RNA Polymerase Dilution Buffer				
		Glycerol	3	370	698	
		Edetic acid	>	> 400	>752	VDI 2263
		T3 RNA Polymerase				
		Glycerol	3	370	698	
		Edetic acid	>	-400	>752	VDI 2263
Decomposition temperature	:	5X Transcription Buffer RNA Polymerase Dilution Buffer T3 RNA Polymerase	No	ot available. ot available. ot available.		
Viscosity		5X Transcription Buffer		ot available.		
viocosity	Ċ	RNA Polymerase Dilution Buffer		ot available.		
		T3 RNA Polymerase	No	ot available.		
Particle characteristics			ΝΙ.	4 P b. b.		
Median particle size	÷	X Transcription Buffer RNA Polymerase Dilution Buffer		ot applicable ot applicable		
		T3 RNA Polymerase	No	ot applicable		
Section 10. Stabili	ty	and reactivity				
Reactivity	:	5X Transcription Buffer				d to reactivity available for
		this product or its ingredients. RNA Polymerase Dilution No specific test data related to reactivity avail				
		Buffer T3 RNA Polymerase	thi: No	s product or specific tes	its ingredier	nts. d to reactivity available for
Chemical stability	:	5X Transcription Buffer RNA Polymerase Dilution		e product is e product is		
		Buffer	ть	a nuaduatia	atabla	

The product is stable.

T3 RNA Polymerase

Section 10. Stability and reactivity

Possibility of hazardous reactions	: 5X Transcription Buffer RNA Polymerase Dilution Buffer T3 RNA Polymerase	Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: 5X Transcription Buffer RNA Polymerase Dilution Buffer T3 RNA Polymerase	No specific data. No specific data. No specific data.
Incompatible materials	: 5X Transcription Buffer RNA Polymerase Dilution Buffer T3 RNA Polymerase	May react or be incompatible with oxidizing materials. May react or be incompatible with oxidizing materials. May react or be incompatible with oxidizing materials.
Hazardous decomposition products	 5X Transcription Buffer RNA Polymerase Dilution Buffer T3 RNA Polymerase 	Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

|--|

Product/ingredient name	Result	Species	Dose	Exposure
5X Transcription Buffer				
Trometamol	LD50 Dermal	Rat	>5000 mg/kg	-
Sodium chloride	LD50 Oral	Rat	3000 mg/kg	-
Magnesium chloride	LD50 Dermal	Rat - Male, Female	>2000 mg/kg	-
	LD50 Oral	Rat	2800 mg/kg	-
RNA Polymerase Dilution Buffer				
Glycerol	LD50 Oral	Rat	12600 mg/kg	-
T3 RNA Polymerase Glycerol	LD50 Oral	Rat	12600 mg/kg	-

Irritation/Corrosion

Section 11. Toxicological information

Product/ingredient name	Result	Species	Score	Exposure	Observation
X Transcription Buffer					
Trometamol	Skin - Moderate irritant	Rabbit	-	25 %	-
	Skin - Severe irritant	Rabbit	-	500 mg	-
Sodium chloride	Eyes - Moderate irritant	Rabbit	-	24 hours 100	-
				mg	
	Eyes - Moderate irritant	Rabbit	-	10 mg	-
	Skin - Mild irritant	Rabbit	-	24 hours 500	-
				mg	
RNA Polymerase Dilution Buffer					
Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500	-
				mg	
	Skin - Mild irritant	Rabbit	-	24 hours 500	-
				mg	
T3 RNA Polymerase					
Glycerol	Eyes - Mild irritant	Rabbit	_	24 hours 500	_
Ciyocici	Lyco Mild Intant			mg	
	Skin - Mild irritant	Rabbit	_	24 hours 500	_
				mg	

Sensitization

Not available.

Mutagenicity		
Conclusion/Summary	: Not available.	
Carcinogenicity		
Conclusion/Summary	: Not available.	
Reproductive toxicity		
Conclusion/Summary	: Not available.	
Teratogenicity		
Conclusion/Summary	: Not available.	

Specific target organ toxicity (single exposure)

Name		Route of exposure	Target organs
5X Transcription Buffer Trometamol	Category 3	-	Respiratory tract irritation

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely routes of exposure

: 5X Transcription Buffer RNA Polymerase Dilution Buffer T3 RNA Polymerase

Routes of entry anticipated: Oral, Dermal, Inhalation. Routes of entry anticipated: Oral, Dermal, Inhalation.

Routes of entry anticipated: Oral, Dermal, Inhalation.

Potential acute health effects

Section 11. Toxicological information

Eye contact	: 5X Transcription Buffer RNA Polymerase Dilution Buffer	No known significant effects or critical hazards. Causes eye irritation.
	T3 RNA Polymerase	Causes eye irritation.
Inhalation	: 5X Transcription Buffer RNA Polymerase Dilution Buffer	No known significant effects or critical hazards. No known significant effects or critical hazards.
	T3 RNA Polymerase	No known significant effects or critical hazards.
Skin contact	: 5X Transcription Buffer RNA Polymerase Dilution Buffer	No known significant effects or critical hazards. No known significant effects or critical hazards.
	T3 RNA Polymerase	No known significant effects or critical hazards.
Ingestion	: 5X Transcription Buffer RNA Polymerase Dilution Buffer	No known significant effects or critical hazards. No known significant effects or critical hazards.
	T3 RNA Polymerase	No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	: 5X Transcription Buffer RNA Polymerase Dilution Buffer	No specific data. Adverse symptoms may include the following:
	T3 RNA Polymerase	irritation watering redness Adverse symptoms may include the following: irritation watering redness
Inhalation	: 5X Transcription Buffer RNA Polymerase Dilution Buffer	No specific data. No specific data.
	T3 RNA Polymerase	No specific data.
Skin contact	: 5X Transcription Buffer RNA Polymerase Dilution Buffer	No specific data. No specific data.
	T3 RNA Polymerase	No specific data.
Ingestion	: 5X Transcription Buffer RNA Polymerase Dilution Buffer	No specific data. No specific data.
	T3 RNA Polymerase	No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

<u>Short term exposure</u>						
Potential immediate effects	:	Not available.				
Potential delayed effects	:	Not available.				
Long term exposure						
Potential immediate effects	:	Not available.				
Potential delayed effects	1	Not available.				
Potential chronic health effe	ect	<u>s</u>				
General	:	5X Transcription Buffer RNA Polymerase Dilution Buffer		own significant effect own significant effect		
		T3 RNA Polymerase	No kno	own significant effect	s or critical hazards.	
Date of issue/Date of revision		: 05/19/2022 Date of previous is	ssue	:09/09/2019	Version : 6	16/21

Section 11. Toxicological information

		5	
Carcinogenicity	:	5X Transcription Buffer RNA Polymerase Dilution	No known significant effects or critical hazards. No known significant effects or critical hazards.
		Buffer T3 RNA Polymerase	No known significant effects or critical hazards.
Mutagenicity	:	5X Transcription Buffer RNA Polymerase Dilution Buffer	No known significant effects or critical hazards. No known significant effects or critical hazards.
		T3 RNA Polymerase	No known significant effects or critical hazards.
Reproductive toxicity	:	X Transcription Buffer RNA Polymerase Dilution Buffer	No known significant effects or critical hazards. No known significant effects or critical hazards.
		T3 RNA Polymerase	No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates					
Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapors) (mg/l)	Inhalation (dusts and mists) (mg/l)
5X Transcription Buffer					
5X Transcription Buffer	200000	N/A	N/A	N/A	N/A
Sodium chloride	3000	N/A	N/A	N/A	N/A
Magnesium chloride	2800	2500	N/A	N/A	N/A
RNA Polymerase Dilution Buffer					
Glycerol	12600	N/A	N/A	N/A	N/A
T3 RNA Polymerase					
Glycerol	12600	N/A	N/A	N/A	N/A

Other information

. ...

: **5**X Transcription Buffer

RNA Polymerase Dilution Buffer T3 RNA Polymerase Adverse symptoms may include the following: May cause skin sensitization. Not available.

Adverse symptoms may include the following: May cause skin sensitization.

Section 12. Ecological information

Product/ingredient name	Result	Species	Exposure
5X Transcription Buffer			
Trometamol	Acute EC50 >980 mg/l Fresh water	Daphnia	48 hours
	Acute NOEC 520 mg/l Fresh water	Daphnia	48 hours
Sodium chloride	Acute EC50 2430000 µg/l Fresh water	Algae - Navicula seminulum	96 hours
	Acute EC50 519.6 mg/l Fresh water	Crustaceans - Cypris subglobosa	48 hours
	Acute EC50 402.6 mg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute IC50 6.87 g/L Fresh water	Aquatic plants - Lemna minor	96 hours
	Acute LC50 1000000 µg/l Fresh water	Fish - Morone saxatilis - Larvae	96 hours
	Chronic LC10 781 mg/l Fresh water	Crustaceans - Hyalella azteca - Juvenile (Fledgling, Hatchling, Weanling)	3 weeks
	Chronic NOEC 6 g/L Fresh water	Aquatic plants - Lemna minor	96 hours
	Chronic NOEC 0.314 g/L Fresh water	Daphnia - Daphnia pulex	21 days
Date of issue/Date of revision	: 05/19/2022 Date of previous issue	: 09/09/2019 Version	:6 17,

Section 12. Ecological information

	gical information		
	Chronic NOEC 100 mg/l Fresh water	Fish - Gambusia holbrooki -	8 weeks
		Adult	
Magnesium chloride	Acute EC50 >100 mg/l Fresh water	Algae - Desmodesmus subspicatus	72 hours
	Acute EC50 180000 µg/l Fresh water	Crustaceans - Eudiaptomus padanus ssp. padanus - Adult	48 hours
	Acute IC50 6.8 mg/l Fresh water	Aquatic plants - Lemna aequinoctialis	96 hours
	Acute LC50 32000 µg/l Fresh water	Daphnia - Daphnia hyalina - Adult	48 hours
	Acute LC50 2120 mg/l Fresh water	Fish - Pimephales promelas	96 hours
	Acute NOEC 100 mg/l Fresh water	Algae - Desmodesmus subspicatus	72 hours
	Chronic NOEC 0.1 mg/l Fresh water	Fish - Cyprinus carpio	35 days
RNA Polymerase Dilution Buffer			
Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
T3 RNA Polymerase			
Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours

Persistence and degradability

Product/ingredient name	Test	Result	Dose	Inoculum
X Transcription Buffer Trometamol	OECD 301F Ready Biodegradability - Manometric Respirometry Test	97.1 % - Readily - 2	28 days 30 mg	g/I –
RNA Polymerase Dilution Buffer Glycerol	301D Ready Biodegradability - Closed Bottle Test	93 % - 30 days	-	-
T3 RNA Polymerase Glycerol	301D Ready Biodegradability - Closed Bottle Test	93 % - 30 days	-	-
Product/ingredient name	Aquatic half-life		Photolysis	Biodegradability
X Transcription Buffer Trometamol	-		-	Readily

Bioaccumulative potential

Section 12. Ecological information

Product/ingredient name	LogPow	BCF	Potential	
5X Transcription Buffer Trometamol	-2.31	-	low	
RNA Polymerase Dilution Buffer Glycerol	-1.76	-	low	
T3 RNA Polymerase Glycerol	-1.76	-	low	

<u>Mobility in soil</u>	
Soil/water partition	

Soil/water partition : Not available. coefficient (Koc)

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods	: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non- recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

TDG / IMDG / IATA : Not regulated.

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not available. to IMO instruments

Section 15. Regulatory information

Canadian lists		
Canadian NPRI	: None of the components are listed.	
CEPA Toxic substances	: None of the components are listed.	
International regulations		
Chemical Weapon Convention List Schedules I, II & III Chemicals		
Not listed.		
Montreal Protocol		
Not listed.		
Stockholm Convention on Persistent Organic Pollutants		

Date of issue/Date of revision

Section 15. Regulatory information

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

: Not determined.
: At least one component is not listed in DSL but all such components are listed in NDSL.
: All components are listed or exempted.
: All components are listed or exempted.
: Japan inventory (CSCL): Not determined. Japan inventory (ISHL): Not determined.
: All components are listed or exempted.
: Not determined.
: Not determined.
: All components are listed or exempted.
: Not determined.
: Not determined.
: 🕅 components are active or exempted.
: 🕅 components are listed or exempted.

Section 16. Other information

<u>History</u>	
Date of issue/Date of revision	: 05/19/2022
Date of previous issue	: 09/09/2019
Version	: 6
Key to abbreviations	 ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals HPR = Hazardous Products Regulations IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) N/A = Not available UN = United Nations

Procedure used to derive the classification

Classification	Justification
X Transcription Buffer AQUATIC HAZARD (LONG-TERM) - Category 3	Calculation method
RNA Polymerase Dilution Buffer EYE IRRITATION - Category 2B	Calculation method
T3 RNA Polymerase EYE IRRITATION - Category 2B	Calculation method
Date of issue/Date of revision : 05/19/2022 Date of p	revious issue : 09/09/2019 Version : 6 20/21

Section 16. Other information

References

: Not available.

Indicates information that has changed from previously issued version.

Notice to reader

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.