

SAFETY DATA SHEET

Brilliant II QRT-PCR Core Reagent Kit - 1-Step - 10-pack

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name	: Brilliant II QRT-PCR Core Reagent Kit - 1-Step - 10-pack		
Part no. (chemical kit)	: 600819		
Part no.	SureStart Taq DNA Polymerase		600530-51
	Reference Dye		600530-53
	20 mM dNTP Mix (5 mM each dNTP)		600530-52
	50 mM Magnesium Chloride		600530-55
	10X Core RT-PCR Buffer		600532-51
	Reverse Transcriptase		600810-52

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	: Analytical reagent.		
	SureStart Taq DNA Polymerase		0.1 ml (500 U 5 U/ µl)
	Reference Dye		0.1 ml (100 µl 1 mM)
	20 mM dNTP Mix (5 mM each dNTP)		0.4 ml
	50 mM Magnesium Chloride		1.5 ml
	10X Core RT-PCR Buffer		1.7 ml
	Reverse Transcriptase		0.4 ml (400 reactions)
Uses advised against	: None known.		

1.3 Details of the supplier of the safety data sheet

Agilent Technologies Deutschland GmbH
Hewlett-Packard-Str. 8
76337 Waldbronn
Germany
0800 603 1000

e-mail address of person responsible for this SDS : pdl-msds_author@agilent.com

1.4 Emergency telephone number

Emergency telephone number (with hours of operation) : CHEMTREC®: +(44)-870-8200418

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition	SureStart Taq DNA Polymerase	Mixture
	Reference Dye	Mixture
	20 mM dNTP Mix (5 mM each dNTP)	Mixture
	50 mM Magnesium Chloride	Mixture
	10X Core RT-PCR Buffer	Mixture
	Reverse Transcriptase	Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

50 mM Magnesium Chloride
H412

LONG-TERM (CHRONIC) AQUATIC HAZARD

Category 3

Brilliant II QRT-PCR Core Reagent Kit - 1-Step - 10-pack

SECTION 2: Hazards identification

SureStart Taq DNA Polymerase	The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended.
Reference Dye	The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended.
20 mM dNTP Mix (5 mM each dNTP)	The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended.
50 mM Magnesium Chloride	The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.
10X Core RT-PCR Buffer	The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended.
Reverse Transcriptase	The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended.

Ingredients of unknown toxicity	SureStart Taq DNA Polymerase	Percentage of the mixture consisting of ingredient(s) of unknown acute inhalation toxicity: 30 - 60%
	Reference Dye	Percentage of the mixture consisting of ingredient(s) of unknown acute dermal toxicity: 1 - 10%
		Percentage of the mixture consisting of ingredient(s) of unknown acute inhalation toxicity: 1 - 10%
	50 mM Magnesium Chloride	Percentage of the mixture consisting of ingredient(s) of unknown acute inhalation toxicity: 1 - 10%
	10X Core RT-PCR Buffer	Percentage of the mixture consisting of ingredient(s) of unknown acute dermal toxicity: 1 - 10%
		Percentage of the mixture consisting of ingredient(s) of unknown acute inhalation toxicity: 1 - 10%
	Reverse Transcriptase	Percentage of the mixture consisting of ingredient(s) of unknown acute inhalation toxicity: 30 - 60%

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Signal word	SureStart Taq DNA Polymerase	No signal word.
	Reference Dye	No signal word.
	20 mM dNTP Mix (5 mM each dNTP)	No signal word.
	50 mM Magnesium Chloride	No signal word.
	10X Core RT-PCR Buffer	No signal word.
	Reverse Transcriptase	No signal word.
Hazard statements	SureStart Taq DNA Polymerase	No known significant effects or critical hazards.
	Reference Dye	No known significant effects or critical hazards.
	20 mM dNTP Mix (5 mM each dNTP)	No known significant effects or critical hazards.
	50 mM Magnesium Chloride	H412 - Harmful to aquatic life with long lasting effects.
	10X Core RT-PCR Buffer	No known significant effects or critical hazards.
	Reverse Transcriptase	No known significant effects or critical hazards.

Precautionary statements

Prevention	SureStart Taq DNA Polymerase	Not applicable.
	Reference Dye	Not applicable.
	20 mM dNTP Mix (5 mM each dNTP)	Not applicable.
	50 mM Magnesium Chloride	P273 - Avoid release to the environment.
	10X Core RT-PCR Buffer	Not applicable.
	Reverse Transcriptase	Not applicable.

SECTION 2: Hazards identification

Response	: SureStart Taq DNA Polymerase Reference Dye 20 mM dNTP Mix (5 mM each dNTP) 50 mM Magnesium Chloride 10X Core RT-PCR Buffer Reverse Transcriptase	Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable.
Storage	: SureStart Taq DNA Polymerase Reference Dye 20 mM dNTP Mix (5 mM each dNTP) 50 mM Magnesium Chloride 10X Core RT-PCR Buffer Reverse Transcriptase	Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable.
Disposal	: SureStart Taq DNA Polymerase Reference Dye 20 mM dNTP Mix (5 mM each dNTP) 50 mM Magnesium Chloride 10X Core RT-PCR Buffer Reverse Transcriptase	Not applicable. Not applicable. Not applicable. P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations. Not applicable. Not applicable.
Supplemental label elements	: SureStart Taq DNA Polymerase Reference Dye 20 mM dNTP Mix (5 mM each dNTP) 50 mM Magnesium Chloride 10X Core RT-PCR Buffer Reverse Transcriptase	Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	: SureStart Taq DNA Polymerase Reference Dye 20 mM dNTP Mix (5 mM each dNTP) 50 mM Magnesium Chloride 10X Core RT-PCR Buffer Reverse Transcriptase	Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable.
<u>Special packaging requirements</u>		
Tactile warning of danger	: SureStart Taq DNA Polymerase Reference Dye 20 mM dNTP Mix (5 mM each dNTP) 50 mM Magnesium Chloride 10X Core RT-PCR Buffer Reverse Transcriptase	Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable.

2.3 Other hazards

Brilliant II QRT-PCR Core Reagent Kit - 1-Step - 10-pack

SECTION 2: Hazards identification

Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII	: SureStart Taq DNA Polymerase	This mixture does not contain any substances that are assessed to be a PBT or a vPvB.
	: Reference Dye	This mixture does not contain any substances that are assessed to be a PBT or a vPvB.
	: 20 mM dNTP Mix (5 mM each dNTP)	This mixture does not contain any substances that are assessed to be a PBT or a vPvB.
	: 50 mM Magnesium Chloride	This mixture does not contain any substances that are assessed to be a PBT or a vPvB.
	: 10X Core RT-PCR Buffer	This mixture does not contain any substances that are assessed to be a PBT or a vPvB.
	: Reverse Transcriptase	This mixture does not contain any substances that are assessed to be a PBT or a vPvB.
Other hazards which do not result in classification	: SureStart Taq DNA Polymerase	None known.
	: Reference Dye	None known.
	: 20 mM dNTP Mix (5 mM each dNTP)	None known.
	: 50 mM Magnesium Chloride	None known.
	: 10X Core RT-PCR Buffer	None known.
	: Reverse Transcriptase	None known.

SECTION 3: Composition/information on ingredients

3.1 Substances	: SureStart Taq DNA Polymerase	Mixture
	: Reference Dye	Mixture
	: 20 mM dNTP Mix (5 mM each dNTP)	Mixture
	: 50 mM Magnesium Chloride	Mixture
	: 10X Core RT-PCR Buffer	Mixture
	: Reverse Transcriptase	Mixture

Product/ingredient name	Identifiers	%	Classification	Specific Conc. Limits, M-factors and ATEs	Type
SureStart Taq DNA Polymerase glycerol	REACH #: Annex V EC: 200-289-5 CAS: 56-81-5	≥50 - ≤75	Not classified.	-	[1]
50 mM Magnesium Chloride magnesium chloride	EC: 232-094-6 CAS: 7786-30-3	<2.5	Aquatic Chronic 1, H410	M [Chronic] = 1	[1]
Reverse Transcriptase glycerol	REACH #: Annex V EC: 200-289-5 CAS: 56-81-5	≥50 - ≤75	Not classified. See Section 16 for the full text of the H statements declared above.	-	[1]

There are no additional ingredients present which, within the current knowledge of the supplier, are classified and contribute to the classification of the substance and hence require reporting in this section.

Type

Brilliant II QRT-PCR Core Reagent Kit - 1-Step - 10-pack

SECTION 3: Composition/information on ingredients

SureStart Taq DNA Polymerase	[1] Substance with a workplace exposure limit
50 mM Magnesium Chloride	[1] Substance classified with a health or environmental hazard
Reverse Transcriptase	[1] Substance with a workplace exposure limit

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures

Eye contact

: SureStart Taq DNA Polymerase	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Reference Dye	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
20 mM dNTP Mix (5 mM each dNTP)	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
50 mM Magnesium Chloride	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
10X Core RT-PCR Buffer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Reverse Transcriptase	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

Inhalation

: SureStart Taq DNA Polymerase	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Reference Dye	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
20 mM dNTP Mix (5 mM each dNTP)	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
50 mM Magnesium Chloride	Remove victim to fresh air and keep at rest in a position comfortable for breathing.
10X Core RT-PCR Buffer	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Reverse Transcriptase	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

Skin contact

: SureStart Taq DNA Polymerase	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Reference Dye	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
20 mM dNTP Mix (5 mM each dNTP)	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
50 mM Magnesium Chloride	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
10X Core RT-PCR Buffer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if

SECTION 4: First aid measures

	Reverse Transcriptase	symptoms occur. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	: SureStart Taq DNA Polymerase	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	Reference Dye	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	20 mM dNTP Mix (5 mM each dNTP)	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	50 mM Magnesium Chloride	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel.
	10X Core RT-PCR Buffer	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	Reverse Transcriptase	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Protection of first-aiders	: SureStart Taq DNA Polymerase	No action shall be taken involving any personal risk or without suitable training.
	Reference Dye	No action shall be taken involving any personal risk or without suitable training.
	20 mM dNTP Mix (5 mM each dNTP)	No action shall be taken involving any personal risk or without suitable training.
	50 mM Magnesium Chloride	No action shall be taken involving any personal risk or without suitable training.
	10X Core RT-PCR Buffer	No action shall be taken involving any personal risk or without suitable training.
	Reverse Transcriptase	No action shall be taken involving any personal risk or without suitable training.

4.2 Most important symptoms and effects, both acute and delayed

Potential acute health effects

Eye contact	: SureStart Taq DNA Polymerase	No known significant effects or critical hazards.
	Reference Dye	No known significant effects or critical hazards.
	20 mM dNTP Mix (5 mM each dNTP)	No known significant effects or critical hazards.
	50 mM Magnesium Chloride	No known significant effects or critical hazards.
	10X Core RT-PCR Buffer	No known significant effects or critical hazards.
	Reverse Transcriptase	No known significant effects or critical hazards.

SECTION 4: First aid measures

Inhalation	: SureStart Taq DNA Polymerase Reference Dye 20 mM dNTP Mix (5 mM each dNTP) 50 mM Magnesium Chloride 10X Core RT-PCR Buffer Reverse Transcriptase	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Skin contact	: SureStart Taq DNA Polymerase Reference Dye 20 mM dNTP Mix (5 mM each dNTP) 50 mM Magnesium Chloride 10X Core RT-PCR Buffer Reverse Transcriptase	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Ingestion	: SureStart Taq DNA Polymerase Reference Dye 20 mM dNTP Mix (5 mM each dNTP) 50 mM Magnesium Chloride 10X Core RT-PCR Buffer Reverse Transcriptase	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact	: SureStart Taq DNA Polymerase Reference Dye 20 mM dNTP Mix (5 mM each dNTP) 50 mM Magnesium Chloride 10X Core RT-PCR Buffer Reverse Transcriptase	No specific data. No specific data. No specific data. No specific data. No specific data. No specific data.
Inhalation	: SureStart Taq DNA Polymerase Reference Dye 20 mM dNTP Mix (5 mM each dNTP) 50 mM Magnesium Chloride 10X Core RT-PCR Buffer Reverse Transcriptase	No specific data. No specific data. No specific data. No specific data. No specific data. No specific data.
Skin contact	: SureStart Taq DNA Polymerase Reference Dye 20 mM dNTP Mix (5 mM each dNTP) 50 mM Magnesium Chloride 10X Core RT-PCR Buffer Reverse Transcriptase	No specific data. No specific data. No specific data. No specific data. No specific data. No specific data.

SECTION 4: First aid measures

Ingestion	: SureStart Taq DNA Polymerase	No specific data.
	Reference Dye	No specific data.
	20 mM dNTP Mix (5 mM each dNTP)	No specific data.
	50 mM Magnesium Chloride	No specific data.
	10X Core RT-PCR Buffer	No specific data.
	Reverse Transcriptase	No specific data.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician	: SureStart Taq DNA Polymerase	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	Reference Dye	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
	20 mM dNTP Mix (5 mM each dNTP)	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	50 mM Magnesium Chloride	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	10X Core RT-PCR Buffer	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
	Reverse Transcriptase	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

Specific treatments	: SureStart Taq DNA Polymerase	No specific treatment.
	Reference Dye	No specific treatment.
	20 mM dNTP Mix (5 mM each dNTP)	No specific treatment.
	50 mM Magnesium Chloride	No specific treatment.
	10X Core RT-PCR Buffer	No specific treatment.
	Reverse Transcriptase	No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	: SureStart Taq DNA Polymerase	Use an extinguishing agent suitable for the surrounding fire.
	Reference Dye	Use an extinguishing agent suitable for the surrounding fire.
	20 mM dNTP Mix (5 mM each dNTP)	Use an extinguishing agent suitable for the surrounding fire.
	50 mM Magnesium Chloride	Use an extinguishing agent suitable for the surrounding fire.
	10X Core RT-PCR Buffer	Use an extinguishing agent suitable for the surrounding fire.
	Reverse Transcriptase	Use an extinguishing agent suitable for the surrounding fire.
	Unsuitable extinguishing media	: SureStart Taq DNA Polymerase
Reference Dye		None known.
20 mM dNTP Mix (5 mM each dNTP)		None known.
50 mM Magnesium Chloride		None known.
10X Core RT-PCR Buffer		None known.
Reverse Transcriptase		None known.

5.2 Special hazards arising from the substance or mixture

Brilliant II QRT-PCR Core Reagent Kit - 1-Step - 10-pack

SECTION 5: Firefighting measures

Hazards from the substance or mixture	: SureStart Taq DNA Polymerase	In a fire or if heated, a pressure increase will occur and the container may burst.
	Reference Dye	In a fire or if heated, a pressure increase will occur and the container may burst.
	20 mM dNTP Mix (5 mM each dNTP)	In a fire or if heated, a pressure increase will occur and the container may burst.
	50 mM Magnesium Chloride	In a fire or if heated, a pressure increase will occur and the container may burst. This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
	10X Core RT-PCR Buffer	In a fire or if heated, a pressure increase will occur and the container may burst.
	Reverse Transcriptase	In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous combustion products	: SureStart Taq DNA Polymerase	Decomposition products may include the following materials: carbon dioxide carbon monoxide
	Reference Dye	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides halogenated compounds metal oxide/oxides
	20 mM dNTP Mix (5 mM each dNTP)	No specific data.
	50 mM Magnesium Chloride	Decomposition products may include the following materials: halogenated compounds metal oxide/oxides
	10X Core RT-PCR Buffer	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides halogenated compounds metal oxide/oxides
	Reverse Transcriptase	Decomposition products may include the following materials: carbon dioxide carbon monoxide

5.3 Advice for firefighters

Special precautions for fire-fighters	: SureStart Taq DNA Polymerase	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	Reference Dye	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	20 mM dNTP Mix (5 mM each dNTP)	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	50 mM Magnesium Chloride	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	10X Core RT-PCR Buffer	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	Reverse Transcriptase	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Brilliant II QRT-PCR Core Reagent Kit - 1-Step - 10-pack

SECTION 5: Firefighting measures

Special protective equipment for fire-fighters

: SureStart Taq DNA Polymerase	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
Reference Dye	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
20 mM dNTP Mix (5 mM each dNTP)	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
50 mM Magnesium Chloride	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
10X Core RT-PCR Buffer	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
Reverse Transcriptase	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: SureStart Taq DNA Polymerase	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
Reference Dye	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
20 mM dNTP Mix (5 mM each dNTP)	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
50 mM Magnesium Chloride	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
10X Core RT-PCR Buffer	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on

SECTION 6: Accidental release measures

For emergency responders

Reverse Transcriptase	appropriate personal protective equipment. No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
: SureStart Taq DNA Polymerase	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Reference Dye	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
20 mM dNTP Mix (5 mM each dNTP)	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
50 mM Magnesium Chloride	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
10X Core RT-PCR Buffer	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Reverse Transcriptase	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

6.2 Environmental precautions

: SureStart Taq DNA Polymerase	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Reference Dye	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
20 mM dNTP Mix (5 mM each dNTP)	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
50 mM Magnesium Chloride	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.
10X Core RT-PCR Buffer	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Reverse Transcriptase	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3 Methods and material for containment and cleaning up

Brilliant II QRT-PCR Core Reagent Kit - 1-Step - 10-pack

SECTION 6: Accidental release measures

Methods for cleaning up	: SureStart Taq DNA Polymerase	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	Reference Dye	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	20 mM dNTP Mix (5 mM each dNTP)	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	50 mM Magnesium Chloride	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	10X Core RT-PCR Buffer	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	Reverse Transcriptase	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

6.4 Reference to other sections : See Section 1 for emergency contact information.
 See Section 8 for information on appropriate personal protective equipment.
 See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Protective measures	: SureStart Taq DNA Polymerase Reference Dye	Put on appropriate personal protective equipment (see Section 8). Put on appropriate personal protective equipment (see Section 8).
	20 mM dNTP Mix (5 mM each dNTP)	Put on appropriate personal protective equipment (see Section 8).
	50 mM Magnesium Chloride	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
	10X Core RT-PCR Buffer	Put on appropriate personal protective equipment (see Section 8).
	Reverse Transcriptase	Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational hygiene	: SureStart Taq DNA Polymerase	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
	Reference Dye	Eating, drinking and smoking should be prohibited in areas

SECTION 7: Handling and storage

20 mM dNTP Mix (5 mM each dNTP)	where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
50 mM Magnesium Chloride	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
10X Core RT-PCR Buffer	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Reverse Transcriptase	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Storage

: SureStart Taq DNA Polymerase	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
Reference Dye	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
20 mM dNTP Mix (5 mM each dNTP)	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
50 mM Magnesium Chloride	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and

SECTION 7: Handling and storage

	well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
10X Core RT-PCR Buffer	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
Reverse Transcriptase	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s)

Recommendations	: SureStart Taq DNA Polymerase	Industrial applications, Professional applications.	
	Reference Dye	Industrial applications, Professional applications.	
	20 mM dNTP Mix (5 mM each dNTP)	Industrial applications, Professional applications.	
	50 mM Magnesium Chloride	Industrial applications, Professional applications.	
	10X Core RT-PCR Buffer	Industrial applications, Professional applications.	
	Reverse Transcriptase	Industrial applications, Professional applications.	
	Industrial sector specific solutions	: SureStart Taq DNA Polymerase	Not available.
		Reference Dye	Not available.
		20 mM dNTP Mix (5 mM each dNTP)	Not available.
		50 mM Magnesium Chloride	Not available.
10X Core RT-PCR Buffer		Not available.	
Reverse Transcriptase	Not available.		

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

Brilliant II QRT-PCR Core Reagent Kit - 1-Step - 10-pack

SECTION 8: Exposure controls/personal protection

Product/ingredient name	Exposure limit values
SureStart Taq DNA Polymerase Glycerol	NAOSH (Ireland, 5/2021). Notes: Advisory Occupational Exposure Limit Values (OELVs) OELV: 10 mg/m ³ 8 hours. Form: mist
Reverse Transcriptase Glycerol	NAOSH (Ireland, 5/2021). Notes: Advisory Occupational Exposure Limit Values (OELVs) OELV: 10 mg/m ³ 8 hours. Form: mist

Biological exposure indices

No exposure indices known.

Recommended monitoring procedures : Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNELs/DMELs

Product/ingredient name	Type	Exposure	Value	Population	Effects
50 mM Magnesium Chloride Magnesium chloride	DNEL	Long term Oral	7 mg/kg bw/day	General population	Systemic

PNECs

No PNECs available

8.2 Exposure controls

Appropriate engineering controls : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Individual protection measures

Hygiene measures : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

Skin protection

Hand protection : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Body protection : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Brilliant II QRT-PCR Core Reagent Kit - 1-Step - 10-pack

SECTION 8: Exposure controls/personal protection

- Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

9.1 Information on basic physical and chemical properties

Appearance

- | | | | |
|-------------------------------------|---|---------------------------------|----------------|
| Physical state | : | SureStart Taq DNA Polymerase | Liquid. |
| | | Reference Dye | Liquid. |
| | | 20 mM dNTP Mix (5 mM each dNTP) | Liquid. |
| | | 50 mM Magnesium Chloride | Liquid. |
| | | 10X Core RT-PCR Buffer | Liquid. |
| | | Reverse Transcriptase | Liquid. |
| Colour | : | SureStart Taq DNA Polymerase | Not available. |
| | | Reference Dye | Not available. |
| | | 20 mM dNTP Mix (5 mM each dNTP) | Not available. |
| | | 50 mM Magnesium Chloride | Not available. |
| | | 10X Core RT-PCR Buffer | Not available. |
| | | Reverse Transcriptase | Not available. |
| Odour | : | SureStart Taq DNA Polymerase | Not available. |
| | | Reference Dye | Not available. |
| | | 20 mM dNTP Mix (5 mM each dNTP) | Not available. |
| | | 50 mM Magnesium Chloride | Not available. |
| | | 10X Core RT-PCR Buffer | Not available. |
| | | Reverse Transcriptase | Not available. |
| Odour threshold | : | SureStart Taq DNA Polymerase | Not available. |
| | | Reference Dye | Not available. |
| | | 20 mM dNTP Mix (5 mM each dNTP) | Not available. |
| | | 50 mM Magnesium Chloride | Not available. |
| | | 10X Core RT-PCR Buffer | Not available. |
| | | Reverse Transcriptase | Not available. |
| Melting point/freezing point | : | SureStart Taq DNA Polymerase | Not available. |
| | | Reference Dye | Not available. |
| | | 20 mM dNTP Mix (5 mM each dNTP) | 0°C |
| | | 50 mM Magnesium Chloride | 0°C |
| | | 10X Core RT-PCR Buffer | Not available. |
| | | Reverse Transcriptase | Not available. |

Brilliant II QRT-PCR Core Reagent Kit - 1-Step - 10-pack

SECTION 9: Physical and chemical properties

Initial boiling point and boiling range : SureStart Taq DNA Polymerase Not available.
 Reference Dye Not available.
 20 mM dNTP Mix (5 mM each dNTP) 100°C
 50 mM Magnesium Chloride 100°C
 10X Core RT-PCR Buffer Not available.
 Reverse Transcriptase Not available.

Flammability : SureStart Taq DNA Polymerase Not applicable.
 Reference Dye Not applicable.
 20 mM dNTP Mix (5 mM each dNTP) Not applicable.
 50 mM Magnesium Chloride Not applicable.
 10X Core RT-PCR Buffer Not applicable.
 Reverse Transcriptase Not applicable.

Upper/lower flammability or explosive limits : SureStart Taq DNA Polymerase Not available.
 Reference Dye Not available.
 20 mM dNTP Mix (5 mM each dNTP) Not available.
 50 mM Magnesium Chloride Not available.
 10X Core RT-PCR Buffer Not available.
 Reverse Transcriptase Not available.

Flash point :

Ingredient name	Closed cup		Open cup	
	°C	Method	°C	Method
SureStart Taq DNA Polymerase				
glycerol	-	-	177	-
Reverse Transcriptase				
glycerol	-	-	177	-

Auto-ignition temperature :

Ingredient name	°C	Method
SureStart Taq DNA Polymerase		
glycerol	370	-
Reverse Transcriptase		
glycerol	370	-

Decomposition temperature : SureStart Taq DNA Polymerase Not available.
 Reference Dye Not available.
 20 mM dNTP Mix (5 mM each dNTP) Not available.
 50 mM Magnesium Chloride Not available.
 10X Core RT-PCR Buffer Not available.
 Reverse Transcriptase Not available.

Brilliant II QRT-PCR Core Reagent Kit - 1-Step - 10-pack

SECTION 9: Physical and chemical properties

pH : SureStart Taq DNA Polymerase Not available.
 Reference Dye 8
 20 mM dNTP Mix (5 mM each dNTP) Not available.
 50 mM Magnesium Chloride Not available.
 10X Core RT-PCR Buffer Not available.
 Reverse Transcriptase Not available.

Viscosity : SureStart Taq DNA Polymerase Not available.
 Reference Dye Not available.
 20 mM dNTP Mix (5 mM each dNTP) Not available.
 50 mM Magnesium Chloride Not available.
 10X Core RT-PCR Buffer Not available.
 Reverse Transcriptase Not available.

Solubility(ies)	Media	Result
	SureStart Taq DNA Polymerase water	Soluble
	Reference Dye water	Soluble
	20 mM dNTP Mix (5 mM each dNTP) water	Soluble
	50 mM Magnesium Chloride water	Soluble
	10X Core RT-PCR Buffer water	Soluble
	Reverse Transcriptase water	Soluble

Partition coefficient: n-octanol/water : SureStart Taq DNA Polymerase Not applicable.
 Reference Dye Not applicable.
 20 mM dNTP Mix (5 mM each dNTP) Not applicable.
 50 mM Magnesium Chloride Not applicable.
 10X Core RT-PCR Buffer Not applicable.
 Reverse Transcriptase Not applicable.

Vapour pressure	Ingredient name	Vapour Pressure at 20°C			Vapour pressure at 50°C		
		mm Hg	kPa	Method	mm Hg	kPa	Method
	SureStart Taq DNA Polymerase						
	water	17.5	2.3	-	92.258	12.3	-
	glycerol	0.000075	0.00001	-	0.0025	0.00033	-
	Reference Dye						
	water	17.5	2.3	-	92.258	12.3	-
	20 mM dNTP Mix (5 mM each dNTP)						
	water	17.5	2.3	-	92.258	12.3	-

Brilliant II QRT-PCR Core Reagent Kit - 1-Step - 10-pack

SECTION 9: Physical and chemical properties

50 mM Magnesium Chloride							
water	17.5	2.3	-	92.258	12.3	-	
10X Core RT-PCR Buffer							
water	17.5	2.3	-	92.258	12.3	-	
Reverse Transcriptase							
water	17.5	2.3	-	92.258	12.3	-	
glycerol	0.000075	0.00001	-	0.0025	0.00033	-	

Evaporation rate : SureStart Taq DNA Polymerase Not available.
 Reference Dye Not available.
 20 mM dNTP Mix (5 mM each dNTP) Not available.
 50 mM Magnesium Chloride Not available.
 10X Core RT-PCR Buffer Not available.
 Reverse Transcriptase Not available.

Relative density : SureStart Taq DNA Polymerase Not available.
 Reference Dye Not available.
 20 mM dNTP Mix (5 mM each dNTP) Not available.
 50 mM Magnesium Chloride Not available.
 10X Core RT-PCR Buffer Not available.
 Reverse Transcriptase Not available.

Vapour density : SureStart Taq DNA Polymerase Not available.
 Reference Dye Not available.
 20 mM dNTP Mix (5 mM each dNTP) Not available.
 50 mM Magnesium Chloride Not available.
 10X Core RT-PCR Buffer Not available.
 Reverse Transcriptase Not available.

Explosive properties : SureStart Taq DNA Polymerase Not available.
 Reference Dye Not available.
 20 mM dNTP Mix (5 mM each dNTP) Not available.
 50 mM Magnesium Chloride Not available.
 10X Core RT-PCR Buffer Not available.
 Reverse Transcriptase Not available.

Oxidising properties : SureStart Taq DNA Polymerase Not available.
 Reference Dye Not available.
 20 mM dNTP Mix (5 mM each dNTP) Not available.
 50 mM Magnesium Chloride Not available.
 10X Core RT-PCR Buffer Not available.

Brilliant II QRT-PCR Core Reagent Kit - 1-Step - 10-pack

SECTION 9: Physical and chemical properties

Reverse Transcriptase Not available.

Particle characteristics

Median particle size : SureStart Taq DNA Polymerase Not applicable.
 Reference Dye Not applicable.
 20 mM dNTP Mix (5 mM each dNTP) Not applicable.
 50 mM Magnesium Chloride Not applicable.
 10X Core RT-PCR Buffer Not applicable.
 Reverse Transcriptase Not applicable.

9.2 Other information

No additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity : SureStart Taq DNA Polymerase Reference Dye No specific test data related to reactivity available for this product or its ingredients.
 20 mM dNTP Mix (5 mM each dNTP) No specific test data related to reactivity available for this product or its ingredients.
 50 mM Magnesium Chloride No specific test data related to reactivity available for this product or its ingredients.
 10X Core RT-PCR Buffer No specific test data related to reactivity available for this product or its ingredients.
 Reverse Transcriptase No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability : SureStart Taq DNA Polymerase The product is stable.
 Reference Dye The product is stable.
 20 mM dNTP Mix (5 mM each dNTP) The product is stable.
 50 mM Magnesium Chloride The product is stable.
 10X Core RT-PCR Buffer The product is stable.
 Reverse Transcriptase The product is stable.

10.3 Possibility of hazardous reactions : SureStart Taq DNA Polymerase Under normal conditions of storage and use, hazardous reactions will not occur.
 Reference Dye Under normal conditions of storage and use, hazardous reactions will not occur.
 20 mM dNTP Mix (5 mM each dNTP) Under normal conditions of storage and use, hazardous reactions will not occur.
 50 mM Magnesium Chloride Under normal conditions of storage and use, hazardous reactions will not occur.
 10X Core RT-PCR Buffer Under normal conditions of storage and use, hazardous reactions will not occur.
 Reverse Transcriptase Under normal conditions of storage and use, hazardous reactions will not occur.

10.4 Conditions to avoid : SureStart Taq DNA Polymerase No specific data.
 Reference Dye No specific data.
 20 mM dNTP Mix (5 mM each dNTP) No specific data.
 50 mM Magnesium Chloride No specific data.
 10X Core RT-PCR Buffer No specific data.

Brilliant II QRT-PCR Core Reagent Kit - 1-Step - 10-pack

SECTION 10: Stability and reactivity

Reverse Transcriptase No specific data.

10.5 Incompatible materials

: SureStart Taq DNA Polymerase May react or be incompatible with oxidising materials.
 Reference Dye May react or be incompatible with oxidising materials.
 20 mM dNTP Mix (5 mM each dNTP) May react or be incompatible with oxidising materials.
 50 mM Magnesium Chloride May react or be incompatible with oxidising materials.
 10X Core RT-PCR Buffer May react or be incompatible with oxidising materials.
 Reverse Transcriptase May react or be incompatible with oxidising materials.

10.6 Hazardous decomposition products

: SureStart Taq DNA Polymerase Under normal conditions of storage and use, hazardous decomposition products should not be produced.
 Reference Dye Under normal conditions of storage and use, hazardous decomposition products should not be produced.
 20 mM dNTP Mix (5 mM each dNTP) Under normal conditions of storage and use, hazardous decomposition products should not be produced.
 50 mM Magnesium Chloride Under normal conditions of storage and use, hazardous decomposition products should not be produced.
 10X Core RT-PCR Buffer Under normal conditions of storage and use, hazardous decomposition products should not be produced.
 Reverse Transcriptase Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
50 mM Magnesium Chloride Magnesium chloride	LD50 Dermal	Rat - Male, Female	>2000 mg/kg	-
	LD50 Oral	Rat	2800 mg/kg	-

Acute toxicity estimates

Product/ingredient name	Oral (mg/kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapours) (mg/l)	Inhalation (dusts and mists) (mg/l)
50 mM Magnesium Chloride Magnesium chloride	2800	N/A	N/A	N/A	N/A

Irritation/Corrosion

Conclusion/Summary : Not available.

Sensitiser

Conclusion/Summary : Not available.

Mutagenicity

Conclusion/Summary : Not available.

Carcinogenicity

Conclusion/Summary : Not available.

Reproductive toxicity

Conclusion/Summary : Not available.

Teratogenicity

Conclusion/Summary : Not available.

Specific target organ toxicity (single exposure)

SECTION 11: Toxicological information

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on likely routes of exposure

: SureStart Taq DNA Polymerase	Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes.
Reference Dye	Not available.
20 mM dNTP Mix (5 mM each dNTP)	Not available.
50 mM Magnesium Chloride	Not available.
10X Core RT-PCR Buffer	Not available.
Reverse Transcriptase	Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes.

Potential acute health effects

Inhalation

: SureStart Taq DNA Polymerase	No known significant effects or critical hazards.
Reference Dye	No known significant effects or critical hazards.
20 mM dNTP Mix (5 mM each dNTP)	No known significant effects or critical hazards.
50 mM Magnesium Chloride	No known significant effects or critical hazards.
10X Core RT-PCR Buffer	No known significant effects or critical hazards.
Reverse Transcriptase	No known significant effects or critical hazards.

Ingestion

: SureStart Taq DNA Polymerase	No known significant effects or critical hazards.
Reference Dye	No known significant effects or critical hazards.
20 mM dNTP Mix (5 mM each dNTP)	No known significant effects or critical hazards.
50 mM Magnesium Chloride	No known significant effects or critical hazards.
10X Core RT-PCR Buffer	No known significant effects or critical hazards.
Reverse Transcriptase	No known significant effects or critical hazards.

Skin contact

: SureStart Taq DNA Polymerase	No known significant effects or critical hazards.
Reference Dye	No known significant effects or critical hazards.
20 mM dNTP Mix (5 mM each dNTP)	No known significant effects or critical hazards.
50 mM Magnesium Chloride	No known significant effects or critical hazards.
10X Core RT-PCR Buffer	No known significant effects or critical hazards.
Reverse Transcriptase	No known significant effects or critical hazards.

Eye contact

: SureStart Taq DNA Polymerase	No known significant effects or critical hazards.
Reference Dye	No known significant effects or critical hazards.
20 mM dNTP Mix (5 mM each dNTP)	No known significant effects or critical hazards.
50 mM Magnesium Chloride	No known significant effects or critical hazards.
10X Core RT-PCR Buffer	No known significant effects or critical hazards.
Reverse Transcriptase	No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation

: SureStart Taq DNA Polymerase	No specific data.
Reference Dye	No specific data.
20 mM dNTP Mix (5 mM each dNTP)	No specific data.
50 mM Magnesium Chloride	No specific data.

SECTION 11: Toxicological information

	10X Core RT-PCR Buffer	No specific data.
	Reverse Transcriptase	No specific data.
Ingestion	: SureStart Taq DNA Polymerase	No specific data.
	Reference Dye	No specific data.
	20 mM dNTP Mix (5 mM each dNTP)	No specific data.
	50 mM Magnesium Chloride	No specific data.
	10X Core RT-PCR Buffer	No specific data.
	Reverse Transcriptase	No specific data.
Skin contact	: SureStart Taq DNA Polymerase	No specific data.
	Reference Dye	No specific data.
	20 mM dNTP Mix (5 mM each dNTP)	No specific data.
	50 mM Magnesium Chloride	No specific data.
	10X Core RT-PCR Buffer	No specific data.
	Reverse Transcriptase	No specific data.
Eye contact	: SureStart Taq DNA Polymerase	No specific data.
	Reference Dye	No specific data.
	20 mM dNTP Mix (5 mM each dNTP)	No specific data.
	50 mM Magnesium Chloride	No specific data.
	10X Core RT-PCR Buffer	No specific data.
	Reverse Transcriptase	No specific data.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Potential chronic health effects

Conclusion/Summary : Not available.

General	: SureStart Taq DNA Polymerase	No known significant effects or critical hazards.
	Reference Dye	No known significant effects or critical hazards.
	20 mM dNTP Mix (5 mM each dNTP)	No known significant effects or critical hazards.
	50 mM Magnesium Chloride	No known significant effects or critical hazards.
	10X Core RT-PCR Buffer	No known significant effects or critical hazards.
	Reverse Transcriptase	No known significant effects or critical hazards.
Carcinogenicity	: SureStart Taq DNA Polymerase	No known significant effects or critical hazards.
	Reference Dye	No known significant effects or critical hazards.
	20 mM dNTP Mix (5 mM each dNTP)	No known significant effects or critical hazards.
	50 mM Magnesium Chloride	No known significant effects or critical hazards.
	10X Core RT-PCR Buffer	No known significant effects or critical hazards.
	Reverse Transcriptase	No known significant effects or critical hazards.

Brilliant II QRT-PCR Core Reagent Kit - 1-Step - 10-pack

SECTION 11: Toxicological information

Mutagenicity	: SureStart Taq DNA Polymerase	No known significant effects or critical hazards.
	Reference Dye	No known significant effects or critical hazards.
	20 mM dNTP Mix (5 mM each dNTP)	No known significant effects or critical hazards.
	50 mM Magnesium Chloride	No known significant effects or critical hazards.
	10X Core RT-PCR Buffer	No known significant effects or critical hazards.
	Reverse Transcriptase	No known significant effects or critical hazards.
Reproductive toxicity	: SureStart Taq DNA Polymerase	No known significant effects or critical hazards.
	Reference Dye	No known significant effects or critical hazards.
	20 mM dNTP Mix (5 mM each dNTP)	No known significant effects or critical hazards.
	50 mM Magnesium Chloride	No known significant effects or critical hazards.
	10X Core RT-PCR Buffer	No known significant effects or critical hazards.
	Reverse Transcriptase	No known significant effects or critical hazards.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

Not available.

11.2.2 Other information

Not available.

SECTION 12: Ecological information

12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
50 mM Magnesium Chloride Magnesium chloride	Acute EC50 >100 mg/l Fresh water	Algae - <i>Desmodesmus subspicatus</i>	72 hours
	Acute EC50 180000 µg/l Fresh water	Crustaceans - <i>Eudiaptomus padanus ssp. padanus</i> - Adult	48 hours
	Acute IC50 6.8 mg/l Fresh water	Aquatic plants - <i>Lemna aequinoctialis</i>	96 hours
	Acute LC50 32000 µg/l Fresh water	Daphnia - <i>Daphnia hyalina</i> - Adult	48 hours
	Acute LC50 2120 mg/l Fresh water	Fish - <i>Pimephales promelas</i>	96 hours
	Acute NOEC 100 mg/l Fresh water	Algae - <i>Desmodesmus subspicatus</i>	72 hours
Chronic NOEC 0.1 mg/l Fresh water	Fish - <i>Cyprinus carpio</i>	35 days	

12.2 Persistence and degradability

Not available.

12.3 Bioaccumulative potential

Not available.

12.4 Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.

Mobility : Not available.

12.5 Results of PBT and vPvB assessment

SECTION 12: Ecological information

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Endocrine disrupting properties

Not available.

12.7 Other adverse effects

No known significant effects or critical hazards.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Methods of disposal : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

Hazardous waste : Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 2008/98/EC.

Packaging

Methods of disposal : The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Special precautions : This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

	ADR/RID	IMDG	IATA
14.1 UN number or ID number	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-
14.3 Transport hazard class(es)	-	-	-
14.4 Packing group	-	-	-
14.5 Environmental hazards	No.	No.	No.

Additional information

14.6 Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk according to IMO instruments : Not available.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

No listed substance

Label	: SureStart Taq DNA Polymerase	Not applicable.
	Reference Dye	Not applicable.
	20 mM dNTP Mix (5 mM each dNTP)	Not applicable.
	50 mM Magnesium Chloride	Not applicable.
	10X Core RT-PCR Buffer	Not applicable.
	Reverse Transcriptase	Not applicable.

Other EU regulations

Ozone depleting substances (1005/2009/EU)

Not listed.

Prior Informed Consent (PIC) (649/2012/EU)

Not listed.

Persistent Organic Pollutants

Not listed.

Seveso Directive

This product is not controlled under the Seveso Directive.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

Australia	: Not determined.
Canada	: Not determined.
China	: Not determined.
Eurasian Economic Union	: Russian Federation inventory: All components are listed or exempted.
Japan	: Japan inventory (CSCL): Not determined. Japan inventory (ISHL): Not determined.
New Zealand	: Not determined.
Philippines	: Not determined.

Brilliant II QRT-PCR Core Reagent Kit - 1-Step - 10-pack

SECTION 15: Regulatory information

- Republic of Korea** : Not determined.
- Taiwan** : Not determined.
- Thailand** : Not determined.
- Turkey** : Not determined.
- United States** : Not determined.
- Viet Nam** : Not determined.

15.2 Chemical safety assessment : This product contains substances for which Chemical Safety Assessments might still be required.

SECTION 16: Other information

✔ Indicates information that has changed from previously issued version.

- Abbreviations and acronyms** :
- ATE = Acute Toxicity Estimate
 - CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
 - DMEL = Derived Minimal Effect Level
 - DNEL = Derived No Effect Level
 - EUH statement = CLP-specific Hazard statement
 - N/A = Not available
 - PBT = Persistent, Bioaccumulative and Toxic
 - PNEC = Predicted No Effect Concentration
 - RRN = REACH Registration Number
 - vPvB = Very Persistent and Very Bioaccumulative

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
50 mM Magnesium Chloride Aquatic Chronic 3, H412	Calculation method

Full text of abbreviated H statements

50 mM Magnesium Chloride H410 H412	Very toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects.
---	---

Full text of classifications [CLP/GHS]

50 mM Magnesium Chloride Aquatic Chronic 1 Aquatic Chronic 3	LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 1 LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 3
---	--

Date of issue/ Date of revision : 22/05/2024

Date of previous issue : No previous validation

Version : 1

Notice to reader

Disclaimer: The information contained in this document is based on Agilent’s state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.