

# SAFETY DATA SHEET

Brilliant II QRT-PCR Core Reagent Kit - 1-Step - 10-pack

## Section 1. Identification

**Product identifier** : Brilliant II QRT-PCR Core Reagent Kit - 1-Step - 10-pack  
**Part no. (chemical kit)** : 600819  
**Part no.** : SureStart Taq DNA Polymerase 600530-51  
 Reference Dye 600530-53  
 20 mM dNTP Mix (5 mM each dNTP) 600530-52  
 50 mM Magnesium Chloride 600530-55  
 10X Core RT-PCR Buffer 600532-51  
 Reverse Transcriptase 600810-52

### Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** :  Analytical reagent.  
 SureStart Taq DNA Polymerase 0.1 ml (500 U 5 U/  $\mu$ l)  
 Reference Dye 0.1 ml (100  $\mu$ l 1 mM)  
 20 mM dNTP Mix (5 mM each dNTP) 0.4 ml  
 50 mM Magnesium Chloride 1.5 ml  
 10X Core RT-PCR Buffer 1.7 ml  
 Reverse Transcriptase 0.4 ml (400 reactions)

**Supplier/Manufacturer** : Agilent Technologies, Inc.  
 5301 Stevens Creek Blvd  
 Santa Clara, CA 95051, USA  
 800-227-9770

**Emergency telephone number (with hours of operation)** : CHEMTREC®: 1-800-424-9300

## Section 2. Hazard identification

### Classification of the substance or mixture

#### SureStart Taq DNA Polymerase

H320 EYE IRRITATION - Category 2B

#### 50 mM Magnesium Chloride

H412 AQUATIC HAZARD (LONG-TERM) - Category 3

#### Reverse Transcriptase

H320 EYE IRRITATION - Category 2B

### GHS label elements

**Signal word** : SureStart Taq DNA Polymerase Warning  
 Reference Dye No signal word.  
 20 mM dNTP Mix (5 mM each dNTP) No signal word.  
 50 mM Magnesium Chloride No signal word.  
 10X Core RT-PCR Buffer No signal word.  
 Reverse Transcriptase Warning

## Section 2. Hazard identification

<b>Hazard statements</b>	: SureStart Taq DNA Polymerase Reference Dye 20 mM dNTP Mix (5 mM each dNTP) 50 mM Magnesium Chloride 10X Core RT-PCR Buffer Reverse Transcriptase	H320 - Causes eye irritation.  No known significant effects or critical hazards. No known significant effects or critical hazards.  H412 - Harmful to aquatic life with long lasting effects. No known significant effects or critical hazards. H320 - Causes eye irritation.
<b><u>Precautionary statements</u></b>		
<b>Prevention</b>	: SureStart Taq DNA Polymerase Reference Dye 20 mM dNTP Mix (5 mM each dNTP) 50 mM Magnesium Chloride 10X Core RT-PCR Buffer Reverse Transcriptase	Not applicable.  Not applicable. Not applicable.  P273 - Avoid release to the environment. Not applicable. Not applicable.
<b>Response</b>	: SureStart Taq DNA Polymerase  Reference Dye 20 mM dNTP Mix (5 mM each dNTP) 50 mM Magnesium Chloride 10X Core RT-PCR Buffer Reverse Transcriptase	P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical advice or attention.  Not applicable. Not applicable.  Not applicable. Not applicable. P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical advice or attention.
<b>Storage</b>	: SureStart Taq DNA Polymerase Reference Dye 20 mM dNTP Mix (5 mM each dNTP) 50 mM Magnesium Chloride 10X Core RT-PCR Buffer Reverse Transcriptase	Not applicable.  Not applicable. Not applicable.  Not applicable. Not applicable. Not applicable.
<b>Disposal</b>	: SureStart Taq DNA Polymerase Reference Dye 20 mM dNTP Mix (5 mM each dNTP) 50 mM Magnesium Chloride  10X Core RT-PCR Buffer Reverse Transcriptase	Not applicable.  Not applicable. Not applicable.  P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations. Not applicable. Not applicable.
<b>Supplemental label elements</b>	: SureStart Taq DNA Polymerase Reference Dye 20 mM dNTP Mix (5 mM each dNTP) 50 mM Magnesium Chloride 10X Core RT-PCR Buffer Reverse Transcriptase	None known.  None known. None known.  None known. None known. None known.

## Section 2. Hazard identification

<b>Other hazards which do not result in classification</b>	SureStart Taq DNA Polymerase	None known.
	Reference Dye	None known.
	20 mM dNTP Mix (5 mM each dNTP)	None known.
	50 mM Magnesium Chloride	None known.
	10X Core RT-PCR Buffer	None known.
	Reverse Transcriptase	None known.

## Section 3. Composition/information on ingredients

<b>Substance/mixture</b>	SureStart Taq DNA Polymerase	Mixture
	Reference Dye	Mixture
	20 mM dNTP Mix (5 mM each dNTP)	Mixture
	50 mM Magnesium Chloride	Mixture
	10X Core RT-PCR Buffer	Mixture
	Reverse Transcriptase	Mixture

Ingredient name	Synonyms	% (w/w)	CAS number
<b>SureStart Taq DNA Polymerase</b>			
Glycerol	Glycerol	≥30 - ≤60	56-81-5
<b>Reference Dye</b>			
Potassium chloride	Potassium Chloride	≥1 - ≤5	7447-40-7
<b>50 mM Magnesium Chloride</b>			
Magnesium chloride	Magnesium chloride	≥1 - ≤5	7786-30-3
<b>10X Core RT-PCR Buffer</b>			
Potassium chloride	Potassium Chloride	≥1 - ≤5	7447-40-7
<b>Reverse Transcriptase</b>			
Glycerol	Glycerol	≥30 - ≤60	56-81-5
Poly(oxy-1,2-ethanediyl), .alpha.-(1,1,3,3-tetramethylbutyl)phenyl]-.omega.-hydroxy-	Polyethylene glycol octaphenyl ether	≤0.1	9036-19-5

Ranges if listed above for hazardous ingredient(s) are prescribed ranges. The actual concentration(s) or actual concentration range(s) are being withheld as a trade secret.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First-aid measures

### Description of necessary first aid measures

#### Eye contact

: SureStart Taq DNA Polymerase

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention.

Reference Dye

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

20 mM dNTP Mix (5 mM each dNTP)

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

50 mM Magnesium Chloride

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

10X Core RT-PCR Buffer

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

Reverse Transcriptase

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention.

#### Inhalation

: SureStart Taq DNA Polymerase

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Reference Dye

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

20 mM dNTP Mix (5 mM each dNTP)

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

50 mM Magnesium Chloride

Remove victim to fresh air and keep at rest in a position comfortable for breathing.

10X Core RT-PCR Buffer

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

Reverse Transcriptase

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained

## Section 4. First-aid measures

### Skin contact

: SureStart Taq DNA Polymerase

Reference Dye

20 mM dNTP Mix (5 mM each dNTP)

50 mM Magnesium Chloride

10X Core RT-PCR Buffer

Reverse Transcriptase

personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.

### Ingestion

: SureStart Taq DNA Polymerase

Reference Dye

20 mM dNTP Mix (5 mM each dNTP)

50 mM Magnesium Chloride

10X Core RT-PCR Buffer

Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel.

Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical

## Section 4. First-aid measures

### Reverse Transcriptase

personnel. Get medical attention if symptoms occur. Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

### Most important symptoms/effects, acute and delayed

#### Potential acute health effects

#### Eye contact

: SureStart Taq DNA Polymerase  
Reference Dye  
20 mM dNTP Mix (5 mM each dNTP)  
50 mM Magnesium Chloride  
10X Core RT-PCR Buffer  
Reverse Transcriptase

Causes eye irritation.

No known significant effects or critical hazards.  
No known significant effects or critical hazards.

No known significant effects or critical hazards.  
No known significant effects or critical hazards.  
Causes eye irritation.

#### Inhalation

: SureStart Taq DNA Polymerase  
Reference Dye  
20 mM dNTP Mix (5 mM each dNTP)  
50 mM Magnesium Chloride  
10X Core RT-PCR Buffer  
Reverse Transcriptase

No known significant effects or critical hazards.

No known significant effects or critical hazards.  
No known significant effects or critical hazards.

No known significant effects or critical hazards.  
No known significant effects or critical hazards.  
No known significant effects or critical hazards.

#### Skin contact

: SureStart Taq DNA Polymerase  
Reference Dye  
20 mM dNTP Mix (5 mM each dNTP)  
50 mM Magnesium Chloride  
10X Core RT-PCR Buffer  
Reverse Transcriptase

No known significant effects or critical hazards.

No known significant effects or critical hazards.  
No known significant effects or critical hazards.

No known significant effects or critical hazards.  
No known significant effects or critical hazards.  
No known significant effects or critical hazards.

#### Ingestion

: SureStart Taq DNA Polymerase  
Reference Dye  
20 mM dNTP Mix (5 mM each dNTP)  
50 mM Magnesium Chloride  
10X Core RT-PCR Buffer  
Reverse Transcriptase

No known significant effects or critical hazards.

No known significant effects or critical hazards.  
No known significant effects or critical hazards.

No known significant effects or critical hazards.  
No known significant effects or critical hazards.  
No known significant effects or critical hazards.

#### Over-exposure signs/symptoms

## Section 4. First-aid measures

<b>Eye contact</b>	: SureStart Taq DNA Polymerase	Adverse symptoms may include the following: irritation watering redness
	Reference Dye	No specific data.
	20 mM dNTP Mix (5 mM each dNTP)	No specific data.
	50 mM Magnesium Chloride	No specific data.
<b>Inhalation</b>	: SureStart Taq DNA Polymerase	No specific data.
	Reference Dye	No specific data.
	20 mM dNTP Mix (5 mM each dNTP)	No specific data.
	50 mM Magnesium Chloride	No specific data.
<b>Skin contact</b>	: SureStart Taq DNA Polymerase	No specific data.
	Reference Dye	No specific data.
	20 mM dNTP Mix (5 mM each dNTP)	No specific data.
	50 mM Magnesium Chloride	No specific data.
<b>Ingestion</b>	: SureStart Taq DNA Polymerase	No specific data.
	Reference Dye	No specific data.
	20 mM dNTP Mix (5 mM each dNTP)	No specific data.
	50 mM Magnesium Chloride	No specific data.

### Indication of immediate medical attention and special treatment needed, if necessary

<b>Notes to physician</b>	: SureStart Taq DNA Polymerase	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	Reference Dye	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
	20 mM dNTP Mix (5 mM each dNTP)	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	50 mM Magnesium Chloride	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	10X Core RT-PCR Buffer	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
	Reverse Transcriptase	Treat symptomatically. Contact poison treatment

## Section 4. First-aid measures

		specialist immediately if large quantities have been ingested or inhaled.
<b>Specific treatments</b>	: SureStart Taq DNA Polymerase	No specific treatment.
	Reference Dye	No specific treatment.
	20 mM dNTP Mix (5 mM each dNTP)	No specific treatment.
	50 mM Magnesium Chloride	No specific treatment.
	10X Core RT-PCR Buffer	No specific treatment.
	Reverse Transcriptase	No specific treatment.
<b>Protection of first-aiders</b>	: SureStart Taq DNA Polymerase	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
	Reference Dye	No action shall be taken involving any personal risk or without suitable training.
	20 mM dNTP Mix (5 mM each dNTP)	No action shall be taken involving any personal risk or without suitable training.
	50 mM Magnesium Chloride	No action shall be taken involving any personal risk or without suitable training.
	10X Core RT-PCR Buffer	No action shall be taken involving any personal risk or without suitable training.
	Reverse Transcriptase	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

## Section 5. Fire-fighting measures

### Extinguishing media

<b>Suitable extinguishing media</b>	: SureStart Taq DNA Polymerase	Use an extinguishing agent suitable for the surrounding fire.
	Reference Dye	Use an extinguishing agent suitable for the surrounding fire.
	20 mM dNTP Mix (5 mM each dNTP)	Use an extinguishing agent suitable for the surrounding fire.
	50 mM Magnesium Chloride	Use an extinguishing agent suitable for the surrounding fire.
	10X Core RT-PCR Buffer	Use an extinguishing agent suitable for the surrounding fire.
	Reverse Transcriptase	Use an extinguishing agent suitable for the surrounding fire.
<b>Unsuitable extinguishing media</b>	: SureStart Taq DNA Polymerase	None known.
	Reference Dye	None known.
	20 mM dNTP Mix (5 mM each dNTP)	None known.
	50 mM Magnesium Chloride	None known.
	10X Core RT-PCR Buffer	None known.
	Reverse Transcriptase	None known.



## Section 5. Fire-fighting measures

<b>Specific hazards arising from the chemical</b>	: SureStart Taq DNA Polymerase Reference Dye	In a fire or if heated, a pressure increase will occur and the container may burst.
	20 mM dNTP Mix (5 mM each dNTP)	In a fire or if heated, a pressure increase will occur and the container may burst.
	50 mM Magnesium Chloride	In a fire or if heated, a pressure increase will occur and the container may burst. This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
	10X Core RT-PCR Buffer	In a fire or if heated, a pressure increase will occur and the container may burst.
	Reverse Transcriptase	In a fire or if heated, a pressure increase will occur and the container may burst.
<b>Hazardous thermal decomposition products</b>	: SureStart Taq DNA Polymerase	Decomposition products may include the following materials: carbon dioxide carbon monoxide
	Reference Dye	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides halogenated compounds metal oxide/oxides
	20 mM dNTP Mix (5 mM each dNTP)	No specific data.
	50 mM Magnesium Chloride	Decomposition products may include the following materials: halogenated compounds metal oxide/oxides
	10X Core RT-PCR Buffer	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides halogenated compounds metal oxide/oxides
Reverse Transcriptase	Decomposition products may include the following materials: carbon dioxide carbon monoxide	
<b>Special protective actions for fire-fighters</b>	: SureStart Taq DNA Polymerase	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	Reference Dye	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	20 mM dNTP Mix (5 mM each dNTP)	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	50 mM Magnesium Chloride	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or

## Section 5. Fire-fighting measures

	10X Core RT-PCR Buffer	without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	Reverse Transcriptase	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
<b>Special protective equipment for fire-fighters</b>	: SureStart Taq DNA Polymerase	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	Reference Dye	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	20 mM dNTP Mix (5 mM each dNTP)	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	50 mM Magnesium Chloride	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	10X Core RT-PCR Buffer	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	Reverse Transcriptase	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

<b>For non-emergency personnel</b>	: SureStart Taq DNA Polymerase	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
	Reference Dye	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
	20 mM dNTP Mix (5 mM each dNTP)	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
	50 mM Magnesium Chloride	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected

## Section 6. Accidental release measures

	10X Core RT-PCR Buffer	personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
	Reverse Transcriptase	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
<b>For emergency responders</b>	SureStart Taq DNA Polymerase	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
	Reference Dye	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	20 mM dNTP Mix (5 mM each dNTP)	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	50 mM Magnesium Chloride	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	10X Core RT-PCR Buffer	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	Reverse Transcriptase	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
<b>Environmental precautions</b>	SureStart Taq DNA Polymerase	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	Reference Dye	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	20 mM dNTP Mix (5 mM each dNTP)	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	50 mM Magnesium Chloride	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

## Section 6. Accidental release measures

10X Core RT-PCR Buffer

Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Reverse Transcriptase

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### Methods and materials for containment and cleaning up

#### Methods for cleaning up

: SureStart Taq DNA Polymerase

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Reference Dye

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

20 mM dNTP Mix (5 mM each dNTP)

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

50 mM Magnesium Chloride

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

10X Core RT-PCR Buffer

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Reverse Transcriptase

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

## Section 7. Handling and storage

### Precautions for safe handling

<b>Protective measures</b>	: SureStart Taq DNA Polymerase	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
	Reference Dye	Put on appropriate personal protective equipment (see Section 8).
	20 mM dNTP Mix (5 mM each dNTP)	Put on appropriate personal protective equipment (see Section 8).
	50 mM Magnesium Chloride	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
	10X Core RT-PCR Buffer	Put on appropriate personal protective equipment (see Section 8).
	Reverse Transcriptase	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
<b>Advice on general occupational hygiene</b>	: SureStart Taq DNA Polymerase	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
	Reference Dye	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
	20 mM dNTP Mix (5 mM each dNTP)	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
	50 mM Magnesium Chloride	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

## Section 7. Handling and storage

	10X Core RT-PCR Buffer	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
	Reverse Transcriptase	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
<p><b>Conditions for safe storage, including any incompatibilities</b></p>	: SureStart Taq DNA Polymerase	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
	Reference Dye	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
	20 mM dNTP Mix (5 mM each dNTP)	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
	50 mM Magnesium Chloride	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
	10X Core RT-PCR Buffer	Store in accordance with local regulations. Store in

## Section 7. Handling and storage

### Reverse Transcriptase

original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

## Section 8. Exposure controls/personal protection

### [Control parameters](#)

### [Occupational exposure limits](#)

Ingredient name	Exposure limits
SureStart Taq DNA Polymerase Glycerol	<p><b>CA Alberta Provincial (Canada, 3/2023).</b>            OEL: 10 mg/m<sup>3</sup> 8 hours. Form: Mist  <b>CA Quebec Provincial (Canada, 9/2023).</b>            TWAEV: 10 mg/m<sup>3</sup> 8 hours. Form: mist  <b>CA Saskatchewan Provincial (Canada, 4/2021).</b>            STEL: 20 mg/m<sup>3</sup> 15 minutes. Form: mist            TWA: 10 mg/m<sup>3</sup> 8 hours. Form: mist  <b>CA British Columbia Provincial (Canada, 8/2023).</b>            TWA: 3 mg/m<sup>3</sup> 8 hours. Form: respirable mist            TWA: 10 mg/m<sup>3</sup> 8 hours. Form: total mist</p>
Reverse Transcriptase Glycerol	<p><b>CA Alberta Provincial (Canada, 3/2023).</b>            OEL: 10 mg/m<sup>3</sup> 8 hours. Form: Mist  <b>CA Quebec Provincial (Canada, 9/2023).</b>            TWAEV: 10 mg/m<sup>3</sup> 8 hours. Form: mist  <b>CA Saskatchewan Provincial (Canada, 4/2021).</b>            STEL: 20 mg/m<sup>3</sup> 15 minutes. Form: mist            TWA: 10 mg/m<sup>3</sup> 8 hours. Form: mist  <b>CA British Columbia Provincial (Canada, 8/2023).</b>            TWA: 3 mg/m<sup>3</sup> 8 hours. Form: respirable mist            TWA: 10 mg/m<sup>3</sup> 8 hours. Form: total mist</p>

## Section 8. Exposure controls/personal protection

### Biological exposure indices

No exposure indices known.

- Appropriate engineering controls** : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

### Individual protection measures

**Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

**Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

### Skin protection

**Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

**Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

## Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

### Appearance

<b>Physical state</b>	: SureStart Taq DNA Polymerase	Liquid.
	Reference Dye	Liquid.
	20 mM dNTP Mix (5 mM each dNTP)	Liquid.
	50 mM Magnesium Chloride	Liquid.
	10X Core RT-PCR Buffer	Liquid.
	Reverse Transcriptase	Liquid.



## Section 9. Physical and chemical properties and safety characteristics

<b>Color</b>	: SureStart Taq DNA Polymerase	Not available.
	Reference Dye	Not available.
	20 mM dNTP Mix (5 mM each dNTP)	Not available.
	50 mM Magnesium Chloride	Not available.
	10X Core RT-PCR Buffer	Not available.
	Reverse Transcriptase	Not available.
<b>Odor</b>	: SureStart Taq DNA Polymerase	Not available.
	Reference Dye	Not available.
	20 mM dNTP Mix (5 mM each dNTP)	Not available.
	50 mM Magnesium Chloride	Not available.
	10X Core RT-PCR Buffer	Not available.
	Reverse Transcriptase	Not available.
<b>Odor threshold</b>	: SureStart Taq DNA Polymerase	Not available.
	Reference Dye	Not available.
	20 mM dNTP Mix (5 mM each dNTP)	Not available.
	50 mM Magnesium Chloride	Not available.
	10X Core RT-PCR Buffer	Not available.
	Reverse Transcriptase	Not available.
<b>pH</b>	: SureStart Taq DNA Polymerase	Not available.
	Reference Dye	8
	20 mM dNTP Mix (5 mM each dNTP)	Not available.
	50 mM Magnesium Chloride	Not available.
	10X Core RT-PCR Buffer	Not available.
	Reverse Transcriptase	Not available.
<b>Melting point/freezing point</b>	: SureStart Taq DNA Polymerase	Not available.
	Reference Dye	Not available.
	20 mM dNTP Mix (5 mM each dNTP)	0°C (32°F)
	50 mM Magnesium Chloride	0°C (32°F)
	10X Core RT-PCR Buffer	Not available.
	Reverse Transcriptase	Not available.
<b>Boiling point, initial boiling point, and boiling range</b>	: SureStart Taq DNA Polymerase	Not available.
	Reference Dye	Not available.
	20 mM dNTP Mix (5 mM each dNTP)	100°C (212°F)
	50 mM Magnesium Chloride	100°C (212°F)
	10X Core RT-PCR Buffer	Not available.
	Reverse Transcriptase	Not available.
<b>Flash point</b>	:	

## Section 9. Physical and chemical properties and safety characteristics

Ingredient name	Closed cup			Open cup		
	°C	°F	Method	°C	°F	Method
<b>SureStart Taq DNA Polymerase</b>						
Glycerol	-	-	-	177	350.6	-
<b>Reverse Transcriptase</b>						
Glycerol	-	-	-	177	350.6	-

**Evaporation rate** : SureStart Taq DNA Polymerase Not available.  
Reference Dye Not available.  
20 mM dNTP Mix (5 mM each dNTP) Not available.  
50 mM Magnesium Chloride Not available.  
10X Core RT-PCR Buffer Not available.  
Reverse Transcriptase Not available.

**Flammability** : SureStart Taq DNA Polymerase Not applicable.  
Reference Dye Not applicable.  
20 mM dNTP Mix (5 mM each dNTP) Not applicable.  
50 mM Magnesium Chloride Not applicable.  
10X Core RT-PCR Buffer Not applicable.  
Reverse Transcriptase Not applicable.

**Lower and upper explosion limit/flammability limit** : SureStart Taq DNA Polymerase Not available.  
Reference Dye Not available.  
20 mM dNTP Mix (5 mM each dNTP) Not available.  
50 mM Magnesium Chloride Not available.  
10X Core RT-PCR Buffer Not available.  
Reverse Transcriptase Not available.

**Vapor pressure** :

Ingredient name	Vapor Pressure at 20°C			Vapor pressure at 50°C		
	mm Hg	kPa	Method	mm Hg	kPa	Method
<b>SureStart Taq DNA Polymerase</b>						
water	17.5	2.3	-	92.258	12.3	-
Glycerol	0.000075	0.00001	-	0.0025	0.00033	-
<b>Reference Dye</b>						
water	17.5	2.3	-	92.258	12.3	-
<b>20 mM dNTP Mix (5 mM each dNTP)</b>						
water	17.5	2.3	-	92.258	12.3	-

## Section 9. Physical and chemical properties and safety characteristics

<b>50 mM Magnesium Chloride</b>							
water	17.5	2.3	-		92.258	12.3	-
<b>10X Core RT-PCR Buffer</b>							
water	17.5	2.3	-		92.258	12.3	-
<b>Reverse Transcriptase</b>							
water	17.5	2.3	-		92.258	12.3	-
Glycerol	0.000075	0.00001	-		0.0025	0.00033	-

**Relative vapor density** : SureStart Taq DNA Polymerase Not available.  
 Reference Dye Not available.  
 20 mM dNTP Mix (5 mM each dNTP) Not available.  
 50 mM Magnesium Chloride Not available.  
 10X Core RT-PCR Buffer Not available.  
 Reverse Transcriptase Not available.

**Relative density** : SureStart Taq DNA Polymerase Not available.  
 Reference Dye Not available.  
 20 mM dNTP Mix (5 mM each dNTP) Not available.  
 50 mM Magnesium Chloride Not available.  
 10X Core RT-PCR Buffer Not available.  
 Reverse Transcriptase Not available.

**Solubility(ies)** :

Media	Result
<b>SureStart Taq DNA Polymerase</b>	
water	Soluble
<b>Reference Dye</b>	
water	Soluble
<b>20 mM dNTP Mix (5 mM each dNTP)</b>	
water	Soluble
<b>50 mM Magnesium Chloride</b>	
water	Soluble
<b>10X Core RT-PCR Buffer</b>	
water	Soluble
<b>Reverse Transcriptase</b>	
water	Soluble

**Partition coefficient: n-octanol/water** : SureStart Taq DNA Polymerase Not applicable.  
 Reference Dye Not applicable.  
 20 mM dNTP Mix (5 mM each dNTP) Not applicable.  
 50 mM Magnesium Chloride Not applicable.  
 10X Core RT-PCR Buffer Not applicable.

## Section 9. Physical and chemical properties and safety characteristics

	Reverse Transcriptase	Not applicable.
<b>Auto-ignition temperature</b>		
	<b>Ingredient name</b>	<b>°C</b>
	<b>°F</b>	<b>Method</b>
	<b>SureStart Taq DNA Polymerase</b>	
	Glycerol	370
		698
	<b>Reverse Transcriptase</b>	
	Glycerol	370
		698
		-
		-
<b>Decomposition temperature</b>	SureStart Taq DNA Polymerase	Not available.
	Reference Dye	Not available.
	20 mM dNTP Mix (5 mM each dNTP)	Not available.
	50 mM Magnesium Chloride	Not available.
	10X Core RT-PCR Buffer	Not available.
	Reverse Transcriptase	Not available.
<b>Viscosity</b>	SureStart Taq DNA Polymerase	Not available.
	Reference Dye	Not available.
	20 mM dNTP Mix (5 mM each dNTP)	Not available.
	50 mM Magnesium Chloride	Not available.
	10X Core RT-PCR Buffer	Not available.
	Reverse Transcriptase	Not available.
<b>Particle characteristics</b>		
<b>Median particle size</b>	SureStart Taq DNA Polymerase	Not applicable.
	Reference Dye	Not applicable.
	20 mM dNTP Mix (5 mM each dNTP)	Not applicable.
	50 mM Magnesium Chloride	Not applicable.
	10X Core RT-PCR Buffer	Not applicable.
	Reverse Transcriptase	Not applicable.

## Section 10. Stability and reactivity

<b>Reactivity</b>	SureStart Taq DNA Polymerase	No specific test data related to reactivity available for this product or its ingredients.
	Reference Dye	No specific test data related to reactivity available for this product or its ingredients.
	20 mM dNTP Mix (5 mM each dNTP)	No specific test data related to reactivity available for this product or its ingredients.
	50 mM Magnesium Chloride	No specific test data related to reactivity available for this product or its ingredients.
	10X Core RT-PCR Buffer	No specific test data related to reactivity available for this product or its ingredients.
	Reverse Transcriptase	No specific test data related to reactivity available for this product or its ingredients.

## Section 10. Stability and reactivity

<b>Chemical stability</b>	: SureStart Taq DNA Polymerase	The product is stable.
	Reference Dye	The product is stable.
	20 mM dNTP Mix (5 mM each dNTP)	The product is stable.
	50 mM Magnesium Chloride	The product is stable.
	10X Core RT-PCR Buffer	The product is stable.
	Reverse Transcriptase	The product is stable.
<b>Possibility of hazardous reactions</b>	: SureStart Taq DNA Polymerase	Under normal conditions of storage and use, hazardous reactions will not occur.
	Reference Dye	Under normal conditions of storage and use, hazardous reactions will not occur.
	20 mM dNTP Mix (5 mM each dNTP)	Under normal conditions of storage and use, hazardous reactions will not occur.
	50 mM Magnesium Chloride	Under normal conditions of storage and use, hazardous reactions will not occur.
	10X Core RT-PCR Buffer	Under normal conditions of storage and use, hazardous reactions will not occur.
	Reverse Transcriptase	Under normal conditions of storage and use, hazardous reactions will not occur.
<b>Conditions to avoid</b>	: SureStart Taq DNA Polymerase	No specific data.
	Reference Dye	No specific data.
	20 mM dNTP Mix (5 mM each dNTP)	No specific data.
	50 mM Magnesium Chloride	No specific data.
	10X Core RT-PCR Buffer	No specific data.
	Reverse Transcriptase	No specific data.
<b>Incompatible materials</b>	: SureStart Taq DNA Polymerase	May react or be incompatible with oxidizing materials.
	Reference Dye	May react or be incompatible with oxidizing materials.
	20 mM dNTP Mix (5 mM each dNTP)	May react or be incompatible with oxidizing materials.
	50 mM Magnesium Chloride	May react or be incompatible with oxidizing materials.
	10X Core RT-PCR Buffer	May react or be incompatible with oxidizing materials.
	Reverse Transcriptase	May react or be incompatible with oxidizing materials.
<b>Hazardous decomposition products</b>	: SureStart Taq DNA Polymerase	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	Reference Dye	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	20 mM dNTP Mix (5 mM each dNTP)	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	50 mM Magnesium Chloride	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	10X Core RT-PCR Buffer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	Reverse Transcriptase	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 11. Toxicological information

### Information on toxicological effects

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
<b>SureStart Taq DNA Polymerase</b> Glycerol	LD50 Oral	Rat	12600 mg/kg	-
<b>Reference Dye</b> Potassium chloride	LD50 Oral	Rat	2600 mg/kg	-
<b>50 mM Magnesium Chloride</b> Magnesium chloride	LD50 Dermal	Rat - Male, Female	>2000 mg/kg	-
	LD50 Oral	Rat	2800 mg/kg	-
<b>10X Core RT-PCR Buffer</b> Potassium chloride	LD50 Oral	Rat	2600 mg/kg	-
<b>Reverse Transcriptase</b> Glycerol	LD50 Oral	Rat	12600 mg/kg	-
	LD50 Oral	Rat	2800 mg/kg	-
Poly(oxy-1,2-ethanediyl), . alpha.-[ (1,1,3,3-tetramethylbutyl) phenyl]-.omega.-hydroxy-				

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
<b>SureStart Taq DNA Polymerase</b> Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 mg	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 mg	-
<b>Reference Dye</b> Potassium chloride	Eyes - Mild irritant	Rabbit	-	24 hours 500 mg	-
<b>10X Core RT-PCR Buffer</b> Potassium chloride	Eyes - Mild irritant	Rabbit	-	24 hours 500 mg	-
<b>Reverse Transcriptase</b> Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 mg	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 mg	-
Poly(oxy-1,2-ethanediyl), . alpha.-[ (1,1,3,3-tetramethylbutyl) phenyl]-.omega.-hydroxy-	Eyes - Severe irritant	Rabbit	-	1 %	-

#### Sensitization

Not available.

#### Mutagenicity

## Section 11. Toxicological information

**Conclusion/Summary** : Not available.

### Carcinogenicity

**Conclusion/Summary** : Not available.

### Reproductive toxicity

**Conclusion/Summary** : Not available.

### Teratogenicity

**Conclusion/Summary** : Not available.

### Specific target organ toxicity (single exposure)

Not available.

### Specific target organ toxicity (repeated exposure)

Not available.

### Aspiration hazard

Not available.

<b>Information on the likely routes of exposure</b>	: SureStart Taq DNA Polymerase Reference Dye 20 mM dNTP Mix (5 mM each dNTP) 50 mM Magnesium Chloride 10X Core RT-PCR Buffer Reverse Transcriptase	Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes. Not available. Not available. Not available. Not available. Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes.
---	---	--

### Potential acute health effects

<b>Eye contact</b>	: SureStart Taq DNA Polymerase Reference Dye 20 mM dNTP Mix (5 mM each dNTP) 50 mM Magnesium Chloride 10X Core RT-PCR Buffer Reverse Transcriptase	Causes eye irritation.  No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. Causes eye irritation.
<b>Inhalation</b>	: SureStart Taq DNA Polymerase Reference Dye 20 mM dNTP Mix (5 mM each dNTP) 50 mM Magnesium Chloride 10X Core RT-PCR Buffer Reverse Transcriptase	No known significant effects or critical hazards.  No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
<b>Skin contact</b>	: SureStart Taq DNA Polymerase Reference Dye 20 mM dNTP Mix (5 mM each dNTP) 50 mM Magnesium Chloride 10X Core RT-PCR Buffer Reverse Transcriptase	No known significant effects or critical hazards.  No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

## Section 11. Toxicological information

<b>Ingestion</b>	: SureStart Taq DNA Polymerase	No known significant effects or critical hazards.
	Reference Dye	No known significant effects or critical hazards.
	20 mM dNTP Mix (5 mM each dNTP)	No known significant effects or critical hazards.
	50 mM Magnesium Chloride	No known significant effects or critical hazards.
	10X Core RT-PCR Buffer	No known significant effects or critical hazards.
	Reverse Transcriptase	No known significant effects or critical hazards.

### Symptoms related to the physical, chemical and toxicological characteristics

<b>Eye contact</b>	: SureStart Taq DNA Polymerase	Adverse symptoms may include the following: irritation watering redness
	Reference Dye	No specific data.
	20 mM dNTP Mix (5 mM each dNTP)	No specific data.
	50 mM Magnesium Chloride	No specific data.
	10X Core RT-PCR Buffer	No specific data.
	Reverse Transcriptase	Adverse symptoms may include the following: irritation watering redness
<b>Inhalation</b>	: SureStart Taq DNA Polymerase	No specific data.
	Reference Dye	No specific data.
	20 mM dNTP Mix (5 mM each dNTP)	No specific data.
	50 mM Magnesium Chloride	No specific data.
	10X Core RT-PCR Buffer	No specific data.
	Reverse Transcriptase	No specific data.
<b>Skin contact</b>	: SureStart Taq DNA Polymerase	No specific data.
	Reference Dye	No specific data.
	20 mM dNTP Mix (5 mM each dNTP)	No specific data.
	50 mM Magnesium Chloride	No specific data.
	10X Core RT-PCR Buffer	No specific data.
	Reverse Transcriptase	No specific data.
<b>Ingestion</b>	: SureStart Taq DNA Polymerase	No specific data.
	Reference Dye	No specific data.
	20 mM dNTP Mix (5 mM each dNTP)	No specific data.
	50 mM Magnesium Chloride	No specific data.
	10X Core RT-PCR Buffer	No specific data.
	Reverse Transcriptase	No specific data.

### Delayed and immediate effects and also chronic effects from short and long term exposure

#### Short term exposure

**Potential immediate effects** : Not available.

**Potential delayed effects** : Not available.

#### Long term exposure



## Section 11. Toxicological information

**Potential immediate effects** : Not available.

**Potential delayed effects** : Not available.

### Potential chronic health effects

<b>General</b>	: SureStart Taq DNA Polymerase	No known significant effects or critical hazards.
	Reference Dye	No known significant effects or critical hazards.
	20 mM dNTP Mix (5 mM each dNTP)	No known significant effects or critical hazards.
	50 mM Magnesium Chloride	No known significant effects or critical hazards.
	10X Core RT-PCR Buffer	No known significant effects or critical hazards.
	Reverse Transcriptase	No known significant effects or critical hazards.
<b>Carcinogenicity</b>	: SureStart Taq DNA Polymerase	No known significant effects or critical hazards.
	Reference Dye	No known significant effects or critical hazards.
	20 mM dNTP Mix (5 mM each dNTP)	No known significant effects or critical hazards.
	50 mM Magnesium Chloride	No known significant effects or critical hazards.
	10X Core RT-PCR Buffer	No known significant effects or critical hazards.
	Reverse Transcriptase	No known significant effects or critical hazards.
<b>Mutagenicity</b>	: SureStart Taq DNA Polymerase	No known significant effects or critical hazards.
	Reference Dye	No known significant effects or critical hazards.
	20 mM dNTP Mix (5 mM each dNTP)	No known significant effects or critical hazards.
	50 mM Magnesium Chloride	No known significant effects or critical hazards.
	10X Core RT-PCR Buffer	No known significant effects or critical hazards.
	Reverse Transcriptase	No known significant effects or critical hazards.
<b>Reproductive toxicity</b>	: SureStart Taq DNA Polymerase	No known significant effects or critical hazards.
	Reference Dye	No known significant effects or critical hazards.
	20 mM dNTP Mix (5 mM each dNTP)	No known significant effects or critical hazards.
	50 mM Magnesium Chloride	No known significant effects or critical hazards.
	10X Core RT-PCR Buffer	No known significant effects or critical hazards.
	Reverse Transcriptase	No known significant effects or critical hazards.

### Numerical measures of toxicity

#### Acute toxicity estimates

Product/ingredient name	Oral (mg/kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapors) (mg/l)	Inhalation (dusts and mists) (mg/l)
<b>SureStart Taq DNA Polymerase</b>					
Glycerol	12600	N/A	N/A	N/A	N/A
<b>Reference Dye</b>					
Reference Dye	70270.3	N/A	N/A	N/A	N/A
Potassium chloride	2600	N/A	N/A	N/A	N/A
<b>50 mM Magnesium Chloride</b>					
50 mM Magnesium Chloride	280000.0	250000	N/A	N/A	N/A
Magnesium chloride	2800	2500	N/A	N/A	N/A
<b>10X Core RT-PCR Buffer</b>					
10X Core RT-PCR Buffer	70270.3	N/A	N/A	N/A	N/A

## Section 11. Toxicological information

Potassium chloride	2600	N/A	N/A	N/A	N/A
<b>Reverse Transcriptase</b>					
Glycerol	12600	N/A	N/A	N/A	N/A
Poly(oxy-1,2-ethanediyl), .alpha.-[ (1,1,3,3-tetramethylbutyl)phenyl]-.omega.-hydroxy-	500	N/A	N/A	N/A	N/A

## Section 12. Ecological information

### Toxicity

Product/ingredient name	Result	Species	Exposure
<b>SureStart Taq DNA Polymerase</b> Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - <i>Oncorhynchus mykiss</i>	96 hours
<b>Reference Dye</b> Potassium chloride	Acute EC50 9.24 g/L Fresh water	Algae - <i>Desmodesmus subspicatus</i>	72 hours
	Acute EC50 1337000 µg/l Fresh water	Algae - <i>Navicula seminulum</i>	96 hours
	Acute LC50 9.68 mg/l Fresh water	Crustaceans - <i>Pseudosida ramosa</i> - Neonate	48 hours
	Acute LC50 93000 µg/l Fresh water	Daphnia - <i>Daphnia magna</i>	48 hours
	Acute LC50 509.65 mg/l Fresh water	Fish - <i>Danio rerio</i>	96 hours
<b>50 mM Magnesium Chloride</b> Magnesium chloride	Acute EC50 >100 mg/l Fresh water	Algae - <i>Desmodesmus subspicatus</i>	72 hours
	Acute EC50 180000 µg/l Fresh water	Crustaceans - <i>Eudiaptomus padanus</i> ssp. <i>padanus</i> - Adult	48 hours
	Acute IC50 6.8 mg/l Fresh water	Aquatic plants - <i>Lemna aequinoctialis</i>	96 hours
	Acute LC50 32000 µg/l Fresh water	Daphnia - <i>Daphnia hyalina</i> - Adult	48 hours
	Acute LC50 2120 mg/l Fresh water	Fish - <i>Pimephales promelas</i>	96 hours
	Acute NOEC 100 mg/l Fresh water	Algae - <i>Desmodesmus subspicatus</i>	72 hours
	Chronic NOEC 0.1 mg/l Fresh water	Fish - <i>Cyprinus carpio</i>	35 days
<b>10X Core RT-PCR Buffer</b> Potassium chloride	Acute EC50 9.24 g/L Fresh water	Algae - <i>Desmodesmus subspicatus</i>	72 hours
	Acute EC50 1337000 µg/l Fresh water	Algae - <i>Navicula seminulum</i>	96 hours
	Acute LC50 9.68 mg/l Fresh water	Crustaceans - <i>Pseudosida ramosa</i> - Neonate	48 hours
	Acute LC50 93000 µg/l Fresh water	Daphnia - <i>Daphnia magna</i>	48 hours
	Acute LC50 509.65 mg/l Fresh water	Fish - <i>Danio rerio</i>	96 hours
<b>Reverse Transcriptase</b> Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - <i>Oncorhynchus mykiss</i>	96 hours
Poly(oxy-1,2-ethanediyl), .alpha.-[ (1,1,3,3-tetramethylbutyl)phenyl]-.omega.-hydroxy-	Acute EC50 210 µg/l Fresh water	Algae - <i>Selenastrum</i> sp.	96 hours
	Acute LC50 10800 µg/l Marine water	Crustaceans - <i>Pandalus montagui</i> - Adult	48 hours

## Section 12. Ecological information

	Acute LC50 2.518 mg/l Fresh water Acute LC50 7200 µg/l Fresh water	Daphnia - <i>Daphnia magna</i> Fish - <i>Oncorhynchus mykiss</i>	48 hours 96 hours
--	---	---	----------------------

### Persistence and degradability

Product/ingredient name	Test	Result	Dose	Inoculum
<b>SureStart Taq DNA Polymerase</b> Glycerol	301D Ready Biodegradability - Closed Bottle Test	93 % - 30 days	-	-
<b>Reverse Transcriptase</b> Glycerol	301D Ready Biodegradability - Closed Bottle Test	93 % - 30 days	-	-

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
<b>Reference Dye</b> Potassium chloride	-	-	Readily
<b>10X Core RT-PCR Buffer</b> Potassium chloride	-	-	Readily

### Bioaccumulative potential

Product/ingredient name	LogP <sub>ow</sub>	BCF	Potential
<b>SureStart Taq DNA Polymerase</b> Glycerol	-1.76	-	Low
<b>Reference Dye</b> Potassium chloride	-0.46	-	Low
<b>10X Core RT-PCR Buffer</b> Potassium chloride	-0.46	-	Low
<b>Reverse Transcriptase</b> Glycerol Poly(oxy-1,2-ethanediyl), . alpha.-[ (1,1,3,3-tetramethylbutyl) phenyl]-.omega.-hydroxy-	-1.76 2.7	- 78.67	Low Low

### Mobility in soil

**Soil/water partition coefficient (K<sub>oc</sub>)** : Not available.

**Other adverse effects** : No known significant effects or critical hazards.

## Section 13. Disposal considerations

**Disposal methods** : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

## Section 14. Transport information

**TDG / IMDG / IATA** : Not regulated.

**Special precautions for user** : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

**Transport in bulk according to IMO instruments** : Not available.

## Section 15. Regulatory information

### Canadian lists

**Canadian NPRI** : None of the components are listed.

**CEPA Toxic substances** : None of the components are listed.

### International regulations

#### Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

#### Montreal Protocol

Not listed.

#### Stockholm Convention on Persistent Organic Pollutants

Not listed.

#### Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

#### UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

### Inventory list

**Canada** : Not determined.

**United States** : Not determined.

## Section 16. Other information

### History

**Date of issue/Date of revision** : 05/22/2024


**Date of previous issue** : 05/24/2021

**Version** : 6

### Key to abbreviations

: ATE = Acute Toxicity Estimate  
 BCF = Bioconcentration Factor  
 GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
 HPR = Hazardous Products Regulations  
 IATA = International Air Transport Association  
 IBC = Intermediate Bulk Container  
 IMDG = International Maritime Dangerous Goods  
 LogPow = logarithm of the octanol/water partition coefficient  
 MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)  
 N/A = Not available  
 UN = United Nations

### Procedure used to derive the classification

Classification	Justification
 <b>SureStart Taq DNA Polymerase</b> EYE IRRITATION - Category 2B	Calculation method
<b>50 mM Magnesium Chloride</b> AQUATIC HAZARD (LONG-TERM) - Category 3	Calculation method
<b>Reverse Transcriptase</b> EYE IRRITATION - Category 2B	Calculation method

 Indicates information that has changed from previously issued version.

### Notice to reader

**Disclaimer:** The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.