Conforms to US OSHA Hazard Communication 29CFR1910.1200

SAFETY DATA SHEET



Brilliant III Ultra-Fast SYBR Green QRT-PCR Master Mix, 10-pack, Part Number 600887

Section 1. Identification

| 1.1 Product identifier | | | |
|----------------------------|---|---|--|
| Product name | : Brilliant III Ultra-Fast SYBR Green QRT-F | Brilliant III Ultra-Fast SYBR Green QRT-PCR Master Mix, 10-pack, Part Number 600887 | |
| Part no. (chemical kit) | : 600887 | | |
| Part no. | : Brilliant III Ultra-Fast SYBR Green QRT- PCR Master Mix | <u>600886</u> | |
| | 2X Brilliant III SYBR® Green QRT-PCR Master Mix | 600886-51 | |
| | RT/RNase Block | 600886-52 | |
| | Reference Dye | 600530-53 | |
| | 100 mM DTT | 600089-53 | |
| Validation date | : 5/19/2022 | | |
| 1.2 Relevant identified u | ses of the substance or mixture and uses advis | sed against | |
| Material uses | : Analytical reagent. | | |
| | 2X Brilliant III SYBR® Green QRT-PCR M Mix | /laster 10 x (2 x 2 ml) | |
| | RT/RNase Block | 10 x 0.4 ml | |
| | Reference Dye | 10 x (0.1 ml (100 µl _1 mM)) | |
| | 100 mM DTT | 10 x 0.1 ml | |
| 1.3 Details of the supplie | er of the safety data sheet | | |
| Supplier/Manufacturer | : Agilent Technologies, Inc. 5301 Stevens Creek Blvd Santa Clara, CA 95051, USA 800-227-9770 | | |
| 1.4 Emergency telephon | le number | | |
| In case of emergency | : CHEMTREC®: 1-800-424-9300 | | |
| | | | |

Section 2. Hazards identification

2.1 Classification of the substance or mixture

| OSHA/HCS status | : 2X Brilliant III SYBR® Green QRT-PCR Master Mix RT/RNase Block | This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). |
|-----------------|--|---|
| | Reference Dye | While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product. |
| | 100 mM DTT | While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product. |

Classification of the substance or mixture

Section 2. Hazards identification

| 2X Brilliant III SYBR® Green QRT-PCR Master Mix | | |
|--|---|--|
| H320 | EYE IRRITATION - Category 2B | |
| RT/RNase Block | | |
| H320 | EYE IRRITATION - Category 2B | |
| 2.2 GHS label elements | | |
| Signal word | 2X Brilliant III SYBR® Green QRT- PCR Master Mix | Warning |
| | RT/RNase Block | Warning |
| | Reference Dye | No signal word. |
| Hezerd statements | 100 mM DTT | No signal word. |
| Hazard statements | : 2X Brilliant III SYBR® Green QRT- PCR Master Mix | H320 - Causes eye imation. |
| | RT/RNase Block | H320 - Causes eye irritation. |
| | Reference Dye 100 mM DTT | No known significant effects or critical hazards. No known significant effects or critical hazards. |
| Precautionary statements | | |
| Prevention | : 🕅 Brilliant III SYBR® Green QRT- PCR Master Mix | Not applicable. |
| | RT/RNase Block | Not applicable. |
| | Reference Dye | Not applicable. |
| | 100 mM DTT | Not applicable. |
| Response | : 2X Brilliant III SYBR® Green QRT- PCR Master Mix | P305 + P351 + P338 - IF IN EYES: Rinse |
| | FCR Master Mix | cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue |
| | | rinsing. |
| | | P337 + P313 - If eye irritation persists: Get medical |
| | RT/RNase Block | advice or attention. P305 + P351 + P338 - IF IN EYES: Rinse |
| | | cautiously with water for several minutes. Remove |
| | | contact lenses, if present and easy to do. Continue |
| | | rinsing. P337 + P313 - If eye irritation persists: Get medical |
| | | advice or attention. |
| | Reference Dye | Not applicable. |
| O t | | Not applicable. |
| Storage | : 2X Brilliant III SYBR® Green QRT- PCR Master Mix | Not applicable. |
| | RT/RNase Block | Not applicable. |
| | Reference Dye 100 mM DTT | Not applicable. Not applicable. |
| Disposal | : 2X Brilliant III SYBR® Green QRT- | |
| Disposal | PCR Master Mix | Not applicable. |
| | RT/RNase Block | Not applicable. |
| | Reference Dye | Not applicable. |
| Supplemental label | 100 mM DTT : 2X Brilliant III SYBR® Green QRT- | Not applicable. None known. |
| elements | PCR Master Mix | |
| | RT/RNase Block | None known. |
| | Reference Dye | None known. |
| 2.3 Other hazards | 100 mM DTT | None known. |
| | | |

2.3 Other hazards

Section 2. Hazards identification

| Hazards not otherwise classified | : 2X Brilliant III SYBR® Green QRT- PCR Master Mix | None known. |
|----------------------------------|---|---|
| | RT/RNase Block Reference Dye 100 mM DTT | None known. None known. None known. |

Section 3. Composition/information on ingredients

| Substance/mixture | : 2X Brilliant III SYBR® Green QRT- PCR Master Mix | Mixture |
|-------------------|---|---------|
| | RT/RNase Block | Mixture |
| | Reference Dye | Mixture |
| | 100 mM DTT | Mixture |

| Ingredient name | % | CAS number |
|---|-----------|------------|
| 2X Brilliant III SYBR® Green QRT-PCR Master Mix | | |
| Glycerol | ≥10 - ≤25 | 56-81-5 |
| Dimethyl sulfoxide | ≤10 | 67-68-5 |
| Potassium chloride | ≤3 | 7447-40-7 |
| RT/RNase Block | | |
| Glycerol | ≥50 - ≤75 | 56-81-5 |
| Reference Dye | | |
| Potassium chloride | ≤5 | 7447-40-7 |
| 100 mM DTT | | |
| (R*,R*)-1,4-Dimercaptobutane-2,3-diol | ≤3 | 3483-12-3 |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

| 4.1 Description of nece | essary first aid measures | |
|-------------------------|---|---|
| Eye contact | : 2X Brilliant III SYBR® Green QRT- PCR Master Mix | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention. |
| | RT/RNase Block | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention. |
| | Reference Dye | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs. |
| | 100 mM DTT | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs. |

| Inhalation | : 2X Brilliant III SYBR® Green QRT- PCR Master Mix | Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical |
|--------------|---|--|
| | RT/RNase Block | attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |
| | Reference Dye | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 |
| | 100 mM DTT | hours. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. |
| Skin contact | : 2X Brilliant III SYBR® Green QRT- PCR Master Mix | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse. |
| | RT/RNase Block | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse. |
| | Reference Dye | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. |
| | 100 mM DTT | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. |
| Ingestion | : ₱X Brilliant III SYBR® Green QRT- PCR Master Mix | Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by |

| | mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |
|----------------|---|
| RT/RNase Block | Wash out mouth with water. Remove dentures if any. If material has been swallowed and the |
| | exposed person is conscious, give small quantities |
| | of water to drink. Stop if the exposed person feels |
| | sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical |
| | personnel. If vomiting occurs, the head should be |
| | kept low so that vomit does not enter the lungs. |
| | Get medical attention if adverse health effects |
| | persist or are severe. Never give anything by |
| | mouth to an unconscious person. If unconscious, |
| | place in recovery position and get medical attention |
| | immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |
| Reference Dye | Wash out mouth with water. If material has been |
| | swallowed and the exposed person is conscious, |
| | give small quantities of water to drink. Do not |
| | induce vomiting unless directed to do so by medical |
| | personnel. Get medical attention if symptoms |
| | occur. |
| 100 mM DTT | Wash out mouth with water. If material has been |
| | swallowed and the exposed person is conscious, give small quantities of water to drink. Do not |
| | induce vomiting unless directed to do so by medical |
| | personnel. Get medical attention if symptoms |
| | occur. |

4.2 Most important symptoms/effects, acute and delayed

| Potential acute health effects | | |
|--------------------------------|--|---|
| Eye contact | 2X Brilliant III SYBR® Green QRT- PCR Master Mix RT/RNase Block Reference Dye | Causes eye irritation. Causes eye irritation. No known significant effects or critical hazards. |
| | 100 mM DTT | No known significant effects or critical hazards. |
| Inhalation | 2X Brilliant III SYBR® Green QRT- PCR Master Mix | No known significant effects or critical hazards. |
| | RT/RNase Block | No known significant effects or critical hazards. |
| | Reference Dye | No known significant effects or critical hazards. |
| | 100 mM DTT | No known significant effects or critical hazards. |
| Skin contact | 2X Brilliant III SYBR® Green QRT- PCR Master Mix | No known significant effects or critical hazards. |
| | RT/RNase Block | No known significant effects or critical hazards. |
| | Reference Dye | No known significant effects or critical hazards. |
| | 100 mM DTT | No known significant effects or critical hazards. |
| Ingestion | 2X Brilliant III SYBR® Green QRT- PCR Master Mix | No known significant effects or critical hazards. |
| | RT/RNase Block | No known significant effects or critical hazards. |
| | Reference Dye | No known significant effects or critical hazards. |
| | 100 mM DTT | No known significant effects or critical hazards. |
| Over-exposure signs/sympto | <u>ns</u> | |

| Eye contact | : 2X Brilliant III SYBR® Green QRT PCR Master Mix | - Adverse symptoms may include the following: |
|---|--|---|
| | | irritation watering redness |
| | RT/RNase Block | Adverse symptoms may include the following: irritation watering redness |
| | Reference Dye 100 mM DTT | No specific data. No specific data. |
| Inhalation | : 2X Brilliant III SYBR® Green QRT PCR Master Mix | |
| | RT/RNase Block Reference Dye 100 mM DTT | No specific data. No specific data. No specific data. |
| Skin contact | : 2X Brilliant III SYBR® Green QRT PCR Master Mix | |
| | RT/RNase Block Reference Dye 100 mM DTT | No specific data. No specific data. No specific data. |
| Ingestion | : 2X Brilliant III SYBR® Green QRT PCR Master Mix | No specific data. |
| | RT/RNase Block Reference Dye 100 mM DTT | No specific data. No specific data. No specific data. |
| | | |
| | medical attention and special treatm | |
| 4.3 Indication of immediate Notes to physician | | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been |
| | : 2X Brilliant III SYBR® Green QRT | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Treat symptomatically. Contact poison treatment |
| | : 2X Brilliant III SYBR® Green QRT PCR Master Mix | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| | : 2X Brilliant III SYBR® Green QRT PCR Master Mix RT/RNase Block | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. Treat symptomatically. Contact poison treatment |
| | 2X Brilliant III SYBR® Green QRT PCR Master Mix RT/RNase Block Reference Dye 100 mM DTT 2X Brilliant III SYBR® Green QRT PCR Master Mix | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| Notes to physician | 2X Brilliant III SYBR® Green QRT PCR Master Mix RT/RNase Block Reference Dye 100 mM DTT 2X Brilliant III SYBR® Green QRT | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| Notes to physician | 2X Brilliant III SYBR® Green QRT PCR Master Mix RT/RNase Block Reference Dye 100 mM DTT 2X Brilliant III SYBR® Green QRT PCR Master Mix RT/RNase Block Reference Dye | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. No specific treatment. |
| Notes to physician Specific treatments | 2X Brilliant III SYBR® Green QRT PCR Master Mix RT/RNase Block Reference Dye 100 mM DTT 2X Brilliant III SYBR® Green QRT PCR Master Mix RT/RNase Block Reference Dye 100 mM DTT 2X Brilliant III SYBR® Green QRT | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. No specific treatment. No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. No action shall be taken involving any personal risk |
| Notes to physician Specific treatments | 2X Brilliant III SYBR® Green QRT PCR Master Mix RT/RNase Block Reference Dye 100 mM DTT 2X Brilliant III SYBR® Green QRT PCR Master Mix RT/RNase Block Reference Dye 100 mM DTT 2X Brilliant III SYBR® Green QRT PCR Master Mix | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. No specific treatment. No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth |

See toxicological information (Section 11)

Section 5. Fire-fighting measures

| _ | | |
|--|--|--|
| 5.1 Extinguishing media | | |
| Suitable extinguishing media | surrounding fire. | hing agent suitable for the hing agent suitable for the hing agent suitable for the |
| | surrounding fire. | hing agent suitable for the |
| Unsuitable extinguishing media | 2X Brilliant III SYBR® Green QRT- PCR Master Mix RT/RNase BlockNone known. None known. None known. None known.100 mM DTTNone known. | |
| 5.2 Special hazards arising | <u>m the substance or mixture</u> | |
| Specific hazards arising from the chemical | 2X Brilliant III SYBR® Green QRT- PCR Master MixIn a fire or if heat and the containe In a fire or if heat and the containeReference DyeIn a fire or if heat and the containe In a fire or if heat | r may burst. ed, a pressure increase will occur r may burst. ed, a pressure increase will occur |
| | and the containe100 mM DTTIn a fire or if heatand the containe | ed, a pressure increase will occur |
| Hazardous thermal decomposition products | 2X Brilliant III SYBR® Green QRT- PCR Master Mix Carbon dioxide carbon monoxide sulfur oxides halogenated com metal oxide/oxide | pounds |
| | | roducts may include the following |
| | | roducts may include the following |
| | 100 mM DTT Decomposition p materials: carbon dioxide carbon monoxide sulfur oxides | roducts may include the following |

5.3 Advice for firefighters

Section 5. Fire-fighting measures

| Special protective actions for fire-fighters | : 2X Brilliant III SYBR® Green QRT PCR Master Mix | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
|--|--|---|
| | RT/RNase Block | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| | Reference Dye | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| | 100 mM DTT | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| Special protective equipment for fire-fighters | : 2X Brilliant III SYBR® Green QRT PCR Master Mix | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |
| | RT/RNase Block | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |
| | Reference Dye | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |
| | 100 mM DTT | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |

Section 6. Accidental release measures

| 6.1 Personal precautions | , protective equipment and emergency pr | ocedures |
|--------------------------------|---|--|
| For non-emergency personnel | : 2X Brilliant III SYBR® Green QRT- PCR Master Mix | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. |
| | RT/RNase Block | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. |
| | Reference Dye | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. |

Section 6. Accidental release measures

| | 100 mM DTT | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and |
|-------------------------------|---|--|
| | | unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. |
| For emergency responders | : 2X Brilliant III SYBR® Green QRT- PCR Master Mix | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| | RT/RNase Block | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| | Reference Dye | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| | 100 mM DTT | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| 6.2 Environmental precautions | : 2X Brilliant III SYBR® Green QRT- PCR Master Mix | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| | RT/RNase Block | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| | Reference Dye | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| | 100 mM DTT | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| 6.3 Methods and materials for | containment and cleaning up | |
| Methods for cleaning up | : 2X Brilliant III SYBR® Green QRT- PCR Master Mix | area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste |
| | RT/RNase Block | disposal contractor. Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste |
| | Reference Dye | disposal contractor. Stop leak if without risk. Move containers from spill |

Section 6. Accidental release measures

| 100 mM DTT | area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
|------------|---|
|------------|---|

Section 7. Handling and storage 7.1 Precautions for safe handling **Protective measures** : 2X Brilliant III SYBR® Green QRT- Put on appropriate personal protective equipment PCR Master Mix (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container. **RT/RNase Block** Put on appropriate personal protective equipment (see Section 8). Do not indest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container. Reference Dye Put on appropriate personal protective equipment (see Section 8). 100 mM DTT Put on appropriate personal protective equipment (see Section 8). Advice on general : 2X Brilliant III SYBR® Green QRT- Eating, drinking and smoking should be prohibited PCR Master Mix in areas where this material is handled, stored and occupational hygiene processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. **RT/RNase Block** Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited Reference Dye in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

100 mM DTT

Date of issue :

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove

Section 7. Handling and storage

| | | contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
|--|---|--|
| 7.2 Conditions for safe storage, including any incompatibilities | : 2X Brilliant III SYBR® Green QRT- PCR Master Mix | Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for |
| | RT/RNase Block | incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for |
| | Reference Dye | incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for |
| | 100 mM DTT | incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. |
| 7.3 Specific end use(s) | | |
| Recommendations | | Industrial applications, Professional applications. |
| | PCR Master Mix RT/RNase Block | Industrial applications, Professional applications. |

Industrial applications, Professional applications. Industrial applications, Professional applications. Industrial applications, Professional applications.

Reference Dye

100 mM DTT

Section 7. Handling and storage

| Industrial sector specific | : 🛛 Brilliant III SYBR® Green QRT- | Not available. |
|----------------------------|------------------------------------|----------------|
| solutions | PCR Master Mix | |
| | RT/RNase Block | Not available. |
| | Reference Dye | Not available. |

Not available. Not available. Not available.

Section 8. Exposure controls/personal protection

100 mM DTT

8.1 Control parameters

Occupational exposure limits

| Ingredient name | Exposure limits |
|--|---|
| X Brilliant III SYBR® Green QRT-PCR Master Mix | |
| Glycerol | OSHA PEL 1989 (United States, 3/1989). TWA: 5 mg/m ³ 8 hours. Form: Respirable fraction TWA: 10 mg/m ³ 8 hours. Form: Total dust OSHA PEL (United States, 5/2018). TWA: 5 mg/m ³ 8 hours. Form: Respirable fraction TWA: 15 mg/m ³ 8 hours. Form: Total dust |
| Dimethyl sulfoxide | OARS WEEL (United States, 1/2021). TWA: 250 ppm 8 hours. |
| Potassium chloride | None. |
| RT/RNase Block Glycerol | OSHA PEL 1989 (United States, 3/1989). TWA: 5 mg/m ³ 8 hours. Form: Respirable fraction TWA: 10 mg/m ³ 8 hours. Form: Total dust OSHA PEL (United States, 5/2018). TWA: 5 mg/m ³ 8 hours. Form: Respirable fraction TWA: 15 mg/m ³ 8 hours. Form: Total dust |
| Reference Dye Potassium chloride | None. |
| 100 mM DTT | |
| (R*,R*)-1,4-Dimercaptobutane-2,3-diol | None. |

8.2 Exposure controls

| Appropriate engineering controls | : | Good general ventilation should be sufficient to control worker exposure to airborne contaminants. |
|----------------------------------|----------|---|
| Environmental exposure controls | : | Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. |
| Individual protection measure | <u>)</u> | |
| Hygiene measures | ÷ | Wash hands, forearms and face thoroughly after handling chemical products, before |

Section 8. Exposure controls/personal protection

| | · · · |
|------------------------|--|
| Eye/face protection | : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles. |
| Skin protection | |
| Hand protection | : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. |
| Body protection | : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Other skin protection | : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Respiratory protection | : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. |

Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

Appearance

| Physical state | 2X Brilliant III SYBR® Green QRT- PCR Master Mix RT/RNase Block Reference Dye 100 mM DTT | Liquid. Liquid. Liquid. Liquid. |
|----------------|--|--|
| Color | 2X Brilliant III SYBR® Green QRT- PCR Master Mix RT/RNase Block | Not available. Not available. |
| | Reference Dye 100 mM DTT | Not available. Not available. Not available. |
| Odor | 2X Brilliant III SYBR® Green QRT- PCR Master Mix | Not available. |
| | RT/RNase Block Reference Dye | Not available. Not available. |
| | 100 mM DTŤ | Not available. |
| Odor threshold | 2X Brilliant III SYBR® Green QRT- PCR Master Mix | Not available. |
| | RT/RNase Block | Not available. Not available. |
| | Reference Dye 100 mM DTT | Not available. Not available. |
| рН | 2X Brilliant III SYBR® Green QRT- PCR Master Mix | 7.8 |
| | RT/RNase Block | 8 |
| | Reference Dye | 8 |
| | 100 mM DTT | Not available. |

Section 9. Physical and chemical properties and safety characteristics

| Melting point/freezing point | : | 2X Brilliant III SYBR® PCR Master Mix RT/RNase Block Reference Dye 100 mM DTT | Green QI | Not Not | available. available. available. (32°F) | | | | |
|---|---|---|----------|------------|--|----------|-----------|-------------|--|
| Boiling point, initial boiling point, and boiling range | : | 2X Brilliant III SYBR® PCR Master Mix RT/RNase Block Reference Dye 100 mM DTT | Green QI | Not Not | available. available. available. °C (212°F) | | | | |
| Flash point | 1 | | (| Closed c | up | | Open cup | | |
| | | Ingredient name | °C | °F | Method | °C | °F | Method | |
| | | Brilliant III SYBR® Green QRT-PCR Master Mix | | | | | | | |
| | | Dimethyl sulfoxide | 87 | 188.6 | ASTM D 93 | 87 | 188.6 | | |
| | | Edetic acid | >100 | >212 | DIN 51758 | | | | |
| | | RT/RNase Block | | | | | | | |
| | | Edetic acid | >100 | >212 | DIN 51758 | | | | |
| | | Poly(oxy-1,2-ethanediyl), . alpha[(1,1,3,3-tetramethylbutyl) phenyl]omegahydroxy- | >109.85 | >229.7 | | | | | |
| | | 100 mM DTT | | | | | | | |
| | | (R*,R*) -1,4-Dimercaptobutane- 2,3-diol | >110 | >230 | | | | | |
| Evaporation rate | : | 2X Brilliant III SYBR® PCR Master Mix RT/RNase Block Reference Dye 100 mM DTT | Green QI | Not Not | available. available. available. available. | | | | |
| Flammability | 1 | 2X Brilliant III SYBR® | Green QI | RT- Not | applicable. | | | | |
| | | PCR Master Mix RT/RNase Block | | Not | applicable. | | | | |
| | | Reference Dye | | Not | applicable. | | | | |
| Lower and upper explosion | | 100 mM DTT 2X Brilliant III SYBR® | Groop O | | applicable. | | | | |
| limit/flammability limit | | PCR Master Mix RT/RNase Block Reference Dye 100 mM DTT | Gleen Q | Not Not | available. available. available. available. | | | | |
| Vapor pressure | 4 | | Vapo | or Pressu | ire at 20°C | Vap | oor press | ure at 50°C | |
| | | Ingredient name | mm Hg | kPa | Method | mm Hg | kPa | Method | |
| | | Brilliant III SYBR® Green QRT-PCR Master Mix | | | | | | | |
| | | water | 23.8 | 3.2 | | 92.258 | 12.3 | | |
| | | Sorbitan monolaurate, ethoxylated | <1 | <0.13 | | | | | |

05/19/2022

Section 9. Physical and chemical properties and safety characteristics

| Section 9. Physica | and chemic | ai prope | erties a | nd satet | iy cha | aracteristics |
|---------------------------|--|-------------|------------------|----------------------------|-------------|-------------------------|
| | RT/RNase Block | | | | | |
| | water | 23.8 | 3.2 | 9 | 2.258 | 12.3 |
| | Glycerol | 0.000075 | 0.00001 | 0 | 0.0025 | 0.00033 |
| | Reference Dye | | | | | |
| | water | 23.8 | 3.2 | q | 2.258 | 12.3 |
| | | | | | | |
| | 2-Amino-2- (hydroxymethyl)propan 1,3-diol hydrochloride | | 0.0000036 | 0. | 0.000007501 | 0.000001 |
| | 100 mM DTT | | | | | |
| | water | 23.8 | 3.2 | 9 | 2.258 | 12.3 |
| Relative vapor density | : 2X Brilliant III SYBI PCR Master Mix RT/RNase Block Reference Dye | R® Green QF | Not av | | | |
| | 100 mM DTT | | Not av | ailable. | | |
| Relative density | : 2X Brilliant III SYBI PCR Master Mix | R® Green QF | RT- Not av | ailable. | | |
| | RT/RNase Block | | Not av | | | |
| | Reference Dye 100 mM DTT | | Not av Not av | | | |
| Solubility | : 🔀 Brilliant III SYBI PCR Master Mix | R® Green QF | | soluble in the t water. | followin | g materials: cold water |
| | RT/RNase Block | | • | soluble in the t water. | followin | g materials: cold water |
| | Reference Dye | | Easily | | followin | g materials: cold water |
| | 100 mM DTT | | Easily | | followin | g materials: cold water |
| Partition coefficient: n- | : 2X Brilliant III SYBI | R® Green QF | | | | |
| octanol/water | PCR Master Mix RT/RNase Block | | Not ap | plicable. | | |
| | Reference Dye | | | plicable. | | |
| | 100 mM DTT | | - | plicable. | | |
| Auto-ignition temperature | : Ingredient name | | °C | °F | I | Nethod |
| | PCR Master Mix | Green QRT- | | | | |
| | Dimethyl sulfoxide | | 300 to 302 | 572 to 575. | .6 | |
| | Glycerol | | 370 | 698 | | |
| | RT/RNase Block | | | | | |
| | Glycerol | | 370 | 698 | | |
| | Edetic acid | | >400 | >752 | VD | I 2263 |
| Decomposition temperature | : 2X Brilliant III SYBI PCR Master Mix | R® Green QF | RT- Not av | ailable. | | |
| | RT/RNase Block | | | | | |
| | Reference Dye | | | | | |
| | 100 mM DTT | | Not av | ailable. | | |

Section 9. Physical and chemical properties and safety characteristics

| Viscosity | : 2X Brilliant III SYBR® Green QRT- PCR Master Mix | Not available. |
|--------------------------|---|-----------------|
| | RT/RNase Block | Not available. |
| | Reference Dye | Not available. |
| | 100 mM DTT | Not available. |
| Particle characteristics | | |
| Median particle size | : 2X Brilliant III SYBR® Green QRT- PCR Master Mix | Not applicable. |
| | RT/RNase Block | Not applicable. |
| | Reference Dye | Not applicable. |
| | 100 mM DTT | Not applicable. |

Section 10. Stability and reactivity

| 10.1 Reactivity | 2X Brilliant III SYBR® Green QRT- PCR Master Mix RT/RNase Block Reference Dye 100 mM DTT No specific test data related to reactivity available for this product or its ingredients. No specific test data related to reactivity available for this product or its ingredients. No specific test data related to reactivity available for this product or its ingredients. No specific test data related to reactivity available for this product or its ingredients. No specific test data related to reactivity available for this product or its ingredients. |
|---|--|
| 10.2 Chemical stability | : 2X Brilliant III SYBR® Green QRT- PCR Master Mix RT/RNase Block The product is stable. Reference Dye The product is stable. 100 mM DTT The product is stable. |
| 10.3 Possibility of hazardous reactions | 2X Brilliant III SYBR® Green QRT- PCR Master Mix RT/RNase Block Reference Dye 100 mM DTT Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur. |
| 10.4 Conditions to avoid | : 2X Brilliant III SYBR® Green QRT- PCR Master Mix RT/RNase Block No specific data. Reference Dye No specific data. 100 mM DTT No specific data. |
| 10.5 Incompatible materials | 2X Brilliant III SYBR® Green QRT- PCR Master Mix RT/RNase Block Reference Dye May react or be incompatible with oxidizing materials. |

Section 10. Stability and reactivity

| 10.6 Hazardous | : 2X Brilliant III SYBR® Green QRT- | Under normal conditions of storage and use, |
|------------------------|-------------------------------------|--|
| decomposition products | PCR Master Mix | hazardous decomposition products should not be produced. |
| | RT/RNase Block | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| | Reference Dye | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| | 100 mM DTT | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |

Section 11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity

| Product/ingredient name | Result | Species | Dose | Exposure |
|--------------------------|-------------|---------|-------------|----------|
| 2X Brilliant III SYBR® | | | | |
| Green QRT-PCR Master Mix | c | | | |
| Glycerol | LD50 Oral | Rat | 12600 mg/kg | - |
| Dimethyl sulfoxide | LD50 Dermal | Rat | 40000 mg/kg | - |
| - | LD50 Oral | Rat | 14500 mg/kg | - |
| Potassium chloride | LD50 Oral | Rat | 2600 mg/kg | - |
| RT/RNase Block | | | | |
| Glycerol | LD50 Oral | Rat | 12600 mg/kg | - |
| Reference Dye | | | | |
| Potassium chloride | LD50 Oral | Rat | 2600 mg/kg | - |

Irritation/Corrosion

| Product/ingredient name | Result | Species | Score | Exposure | Observation |
|--|--|------------------|-------|------------------------|-------------|
| 2X Brilliant III SYBR® Green QRT-PCR Master Mix | < | | | | |
| Glycerol | Eyes - Mild irritant | Rabbit | - | 24 hours 500 mg | - |
| | Skin - Mild irritant | Rabbit | - | 24 hours 500 mg | - |
| Dimethyl sulfoxide | Eyes - Mild irritant | Rabbit | - | 24 hours 500 | - |
| | Eyes - Mild irritant Skin - Mild irritant | Rabbit Rabbit | - | 100 mg 24 hours 500 | - |
| | Skin - Mild irritant | Rabbit | - | mg 100 mg | |
| Potassium chloride | Eyes - Mild irritant | Rabbit | - | 24 hours 500 mg | - |
| RT/RNase Block | | | | | |
| Glycerol | Eyes - Mild irritant | Rabbit | - | 24 hours 500 mg | - |
| | Skin - Mild irritant | Rabbit | - | 24 hours 500 mg | - |
| Reference Dye | | | | | |
| Potassium chloride | Eyes - Mild irritant | Rabbit | - | 24 hours 500 mg | - |

Sensitization

Section 11. Toxicological information

Not available.

| Mutagenicity | | |
|-----------------------------|-----------------------------|-----------|
| Conclusion/Summary | : Not available. | |
| Carcinogenicity | | |
| Conclusion/Summary | : Not available. | |
| Reproductive toxicity | | |
| Conclusion/Summary | : Not available. | |
| Teratogenicity | | |
| Conclusion/Summary | : Not available. | |
| Specific target organ toxic | <u>city (single exposur</u> | <u>e)</u> |

| Name | | Route of exposure | Target organs |
|---|------------|-------------------|------------------------------|
| 1700 mM DTT (R*,R*)-1,4-Dimercaptobutane-2,3-diol | Category 3 | | Respiratory tract irritation |

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

| Information on the likely routes of exposure | 1 | X Brilliant III SYBR® Green QRT- PCR Master Mix | Routes of entry anticipated: Oral, Dermal, Inhalation. |
|---|---|---|--|
| | | RT/RNase Block | Routes of entry anticipated: Oral, Dermal, |
| | | | Inhalation. |
| | | Reference Dye | Not available. |
| | | 100 mM DTT | Routes of entry anticipated: Oral, Dermal, Inhalation. |
| Potential acute health effects | | | |
| Eye contact | : | 2X Brilliant III SYBR® Green QRT- PCR Master Mix | Causes eye irritation. |
| | | RT/RNase Block | Causes eye irritation. |
| | | Reference Dye | No known significant effects or critical hazards. |
| | | 100 mM DTT | No known significant effects or critical hazards. |
| Inhalation | 1 | 2X Brilliant III SYBR® Green QRT- PCR Master Mix | No known significant effects or critical hazards. |
| | | RT/RNase Block | No known significant effects or critical hazards. |
| | | Reference Dye | No known significant effects or critical hazards. |
| | | 100 mM DTT | No known significant effects or critical hazards. |
| Skin contact | 1 | 2X Brilliant III SYBR® Green QRT- PCR Master Mix | No known significant effects or critical hazards. |
| | | RT/RNase Block | No known significant effects or critical hazards. |
| | | Reference Dye | No known significant effects or critical hazards. |
| | | 100 mM DTT | No known significant effects or critical hazards. |
| Ingestion | 1 | 2X Brilliant III SYBR® Green QRT- PCR Master Mix | No known significant effects or critical hazards. |
| | | RT/RNase Block | No known significant effects or critical hazards. |
| | | Reference Dye | No known significant effects or critical hazards. |
| | | 100 mM DTT | No known significant effects or critical hazards. |

Symptoms related to the physical, chemical and toxicological characteristics

Ş 4: . = . = . 4: . . _

| Eye contact | : 2X Brilliant III SYBR® Green QRT- PCR Master Mix | Adverse symptoms may include the following: |
|---|--|---|
| | | irritation |
| | | watering |
| | | redness |
| | RT/RNase Block | Adverse symptoms may include the following: |
| | | irritation |
| | | watering redness |
| | Reference Dye | No specific data. |
| | 100 mM DTT | No specific data. |
| Inhalation | : 2X Brilliant III SYBR® Green QRT- | • |
| | PCR Master Mix | |
| | RT/RNase Block | No specific data. |
| | Reference Dye | No specific data. |
| | 100 mM DTŤ | No specific data. |
| Skin contact | : 2X Brilliant III SYBR® Green QRT- | No specific data. |
| | PCR Master Mix | • |
| | RT/RNase Block | No specific data. |
| | Reference Dye | No specific data. |
| | 100 mM DTT | No specific data. |
| Ingestion | : 2X Brilliant III SYBR® Green QRT- PCR Master Mix | No specific data. |
| | RT/RNase Block | No specific data. |
| | | |
| | Reference Dye | No specific data. |
| elayed and immediate effe | Reference Dye 100 mM DTT <u>cts and also chronic effects from sho</u> | No specific data. |
| <u>Delayed and immediate effect</u> <u>Short term exposure</u> Potential immediate | 100 mM DTT | No specific data. |
| Short term exposure | 100 mM DTT | No specific data. |
| Short term exposure Potential immediate | 100 mM DTT | No specific data. |
| Short term exposure Potential immediate effects Potential delayed effects | 100 mM DTT <u>cts and also chronic effects from sho</u> : Not available. | No specific data. |
| Short term exposure Potential immediate effects Potential delayed effects Long term exposure | 100 mM DTT <u>cts and also chronic effects from sho</u> : Not available. : Not available. | No specific data. |
| Short term exposure Potential immediate effects Potential delayed effects | 100 mM DTT <u>cts and also chronic effects from sho</u> : Not available. | No specific data. |
| Short term exposure Potential immediate effects Potential delayed effects Long term exposure Potential immediate | 100 mM DTT <u>cts and also chronic effects from sho</u> : Not available. : Not available. | No specific data. |
| Short term exposure Potential immediate effects Potential delayed effects Long term exposure Potential immediate effects Potential delayed effects | 100 mM DTT <u>cts and also chronic effects from sho</u> : Not available. : Not available. : Not available. : Not available. | No specific data. |
| Short term exposure Potential immediate effects Potential delayed effects Long term exposure Potential immediate effects | 100 mM DTT cts and also chronic effects from sho : Not available. : Not available. : Not available. : Not available. : Not available. | No specific data. |
| Short term exposure Potential immediate effects Potential delayed effects Long term exposure Potential immediate effects Potential delayed effects Potential chronic health eff | 100 mM DTT cts and also chronic effects from sho : Not available. : Not available. : Not available. : Not available. : Not available. | No specific data. |
| Short term exposure Potential immediate effects Potential delayed effects Long term exposure Potential immediate effects Potential delayed effects Potential chronic health eff | 100 mM DTT cts and also chronic effects from sho : Not available. : Not available. : Not available. : Not available. : Not available. : 2X Brilliant III SYBR® Green QRT- | No specific data. ort and long term exposure No known significant effects or critical hazard No known significant effects or critical hazard |
| Short term exposure Potential immediate effects Potential delayed effects Long term exposure Potential immediate effects Potential delayed effects Potential chronic health eff | 100 mM DTT cts and also chronic effects from sho : Not available. : Not available. : Not available. : Not available. : Not available. : 2X Brilliant III SYBR® Green QRT- PCR Master Mix RT/RNase Block Reference Dye | No specific data. ort and long term exposure No known significant effects or critical hazard No known significant effects or critical hazard No known significant effects or critical hazard |
| Short term exposure Potential immediate effects Potential delayed effects Long term exposure Potential immediate effects Potential delayed effects Potential chronic health eff | 100 mM DTT cts and also chronic effects from sho : Not available. : Not available. : Not available. : Not available. : Not available. : 2X Brilliant III SYBR® Green QRT- PCR Master Mix RT/RNase Block | No specific data. ort and long term exposure No known significant effects or critical hazard No known significant effects or critical hazard No known significant effects or critical hazard |
| Short term exposure Potential immediate effects Potential delayed effects Long term exposure Potential immediate effects Potential delayed effects Potential chronic health eff | 100 mM DTT cts and also chronic effects from sho : Not available. : Not available. : Not available. : Not available. : Not available. : 2X Brilliant III SYBR® Green QRT- PCR Master Mix RT/RNase Block Reference Dye | No specific data. ort and long term exposure No known significant effects or critical hazard No known significant effects or critical hazard No known significant effects or critical hazard No known significant effects or critical hazard |
| Short term exposure Potential immediate effects Potential delayed effects Long term exposure Potential immediate effects Potential delayed effects Potential chronic health eff General | 100 mM DTT cts and also chronic effects from sho : Not available. : Not available. : Not available. : Not available. : Not available. : 2X Brilliant III SYBR® Green QRT- PCR Master Mix RT/RNase Block Reference Dye 100 mM DTT : 2X Brilliant III SYBR® Green QRT- PCR Master Mix RT/RNase Block | No specific data. The second |
| Short term exposure Potential immediate effects Potential delayed effects Long term exposure Potential immediate effects Potential delayed effects Potential chronic health eff General | 100 mM DTT cts and also chronic effects from sho : Not available. : Not available. : Not available. : Not available. : Not available. : Not available. : 2X Brilliant III SYBR® Green QRT- PCR Master Mix RT/RNase Block Reference Dye 100 mM DTT : 2X Brilliant III SYBR® Green QRT- PCR Master Mix RT/RNase Block Reference Dye | No specific data. The second |
| Short term exposure Potential immediate effects Potential delayed effects Long term exposure Potential immediate effects Potential delayed effects Potential chronic health eff General | 100 mM DTT cts and also chronic effects from sho : Not available. : Not available. : Not available. : Not available. : Not available. : 2X Brilliant III SYBR® Green QRT- PCR Master Mix RT/RNase Block Reference Dye 100 mM DTT : 2X Brilliant III SYBR® Green QRT- PCR Master Mix RT/RNase Block | No specific data. The second |
| Short term exposure Potential immediate effects Potential delayed effects Long term exposure Potential immediate effects Potential delayed effects Potential chronic health eff General | 100 mM DTT cts and also chronic effects from sho : Not available. : Not available. : Not available. : Not available. : Not available. : Not available. : 2X Brilliant III SYBR® Green QRT- PCR Master Mix RT/RNase Block Reference Dye 100 mM DTT : 2X Brilliant III SYBR® Green QRT- PCR Master Mix RT/RNase Block Reference Dye | No specific data. brt and long term exposure No known significant effects or critical hazard No known significant effects or critical hazard |
| Short term exposure Potential immediate effects Potential delayed effects Long term exposure Potential immediate effects Potential delayed effects Potential chronic health eff General | 100 mM DTT cts and also chronic effects from shotes : Not available. : Experimentation of the state of the state | No specific data. ort and long term exposure No known significant effects or critical hazard No known significant effects or critical hazard |
| Short term exposure Potential immediate effects Potential delayed effects Long term exposure Potential immediate effects Potential delayed effects Potential chronic health eff General Carcinogenicity | 100 mM DTT cts and also chronic effects from shotes : Not available. : 2X Brilliant III SYBR® Green QRT-PCR Master Mix RT/RNase Block Reference Dye 100 mM DTT : 2X Brilliant III SYBR® Green QRT-PCR Master Mix RT/RNase Block Reference Dye 100 mM DTT : 2X Brilliant III SYBR® Green QRT-PCR Master Mix RT/RNase Block Reference Dye 100 mM DTT : 2X Brilliant III SYBR® Green QRT-PCR Master Mix RT/RNase Block | No specific data. brt and long term exposure No known significant effects or critical hazard No known significant effects or critical hazard |

Section 11. Toxicological information

Reproductive toxicity

PCR Master Mix RT/RNase Block Reference Dye 100 mM DTT

: 🕅 Brilliant III SYBR® Green QRT- No known significant effects or critical hazards.

No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

| Product/ingredient name | Oral (mg/ kg) | Dermal (mg/kg) | Inhalation (gases) (ppm) | Inhalation (vapors) (mg/l) | Inhalation (dusts and mists) (mg/ I) |
|---|------------------|-------------------|--------------------------------|----------------------------------|---|
| 2X Brilliant III SYBR® Green QRT-PCR Master Mix | | | | | |
| 2X Brilliant III SYBR® Green QRT-PCR Master Mix | 179217.6 | N/A | N/A | N/A | N/A |
| Glycerol | 12600 | N/A | N/A | N/A | N/A |
| Dimethyl sulfoxide | 14500 | 40000 | N/A | N/A | N/A |
| Potassium chloride | 2600 | N/A | N/A | N/A | N/A |
| RT/RNase Block | | | | | |
| Glycerol | 12600 | N/A | N/A | N/A | N/A |
| Reference Dye | | | | | |
| Reference Dye | 70270.3 | N/A | N/A | N/A | N/A |
| Potassium chloride | 2600 | N/A | N/A | N/A | N/A |
| 100 mM DTT | | | | | |
| 100 mM DTT | 33333.3 | N/A | N/A | N/A | N/A |
| (R*,R*)-1,4-Dimercaptobutane-2,3-diol | 500 | N/A | N/A | N/A | N/A |

Other information

: 2X Brilliant III SYBR® Green QRT- Not available.

PCR Master Mix RT/RNase Block Reference Dye 100 mM DTT

Not available. Not available. Adverse symptoms may include the following: May cause sensitization by skin contact.

Section 12. Ecological information

12.1 Toxicity

| X Brilliant III SYBR® Green QRT-PCR Master Mix Glycerol Ac | | | |
|--|-------------------------------------|---|----------|
| - | | | |
| | | Fish On a sub- machine model a | 00 h a |
| | cute LC50 54000 mg/l Fresh water | Fish - Oncorhynchus mykiss | 96 hours |
| Dimethyl sulfoxide Ac | cute LC50 25000 ppm Fresh water | Daphnia - Daphnia magna - Neonate | 48 hours |
| Ac | cute LC50 34000000 µg/l Fresh water | Fish - Pimephales promelas | 96 hours |
| Cł | Chronic NOEC 100 ul/L Marine water | Algae - Ulva lactuca | 72 hours |
| Cr | Chronic NOEC 100 ul/L Fresh water | Daphnia - Daphnia magna - Juvenile (Fledgling, Hatchling, Weanling) | 21 days |
| Potassium chloride Ac | cute EC50 1337000 µg/l Fresh water | Algae - Navicula seminulum | 96 hours |
| | cute EC50 9.24 g/L Fresh water | Algae - Desmodesmus subspicatus | 72 hours |
| Ac | cute EC50 83000 μg/l Fresh water | Daphnia - Daphnia magna | 48 hours |
| | cute LC50 9.68 mg/l Fresh water | Crustaceans - Pseudosida | 48 hours |

Section 12. Ecological information

| | ogical information | | |
|---|--|---|----------------------|
| | Acute LC50 509.65 mg/l Fresh water | ramosa - Neonate Fish - Danio rerio | 96 hours |
| RT/RNase Block Glycerol | Acute LC50 54000 mg/l Fresh water | Fish - Oncorhynchus mykiss | 96 hours |
| Reference Dye | | | |
| Potassium chloride | Acute EC50 1337000 μg/l Fresh water Acute EC50 9.24 g/L Fresh water | Algae - Navicula seminulum Algae - Desmodesmus subspicatus | 96 hours 72 hours |
| | Acute EC50 83000 μg/l Fresh water Acute LC50 9.68 mg/l Fresh water | Daphnia - Daphnia magna Crustaceans - Pseudosida ramosa - Neonate | 48 hours 48 hours |
| | Acute LC50 509.65 mg/l Fresh water | Fish - Danio rerio | 96 hours |
| 100 mM DTT | | | |
| (R*,R*) -1,4-Dimercaptobutane- 2,3-diol | Acute LC50 27000 μg/l Fresh water | Daphnia - Daphnia magna | 48 hours |

12.2 Persistence and degradability

| Product/ingredient name | Test | Result | | Dose | Inoculum |
|--|---|-------------|-------------------|------|------------------|
| 2X Brilliant III SYBR® Green QRT-PCR Master Mix | | | | | |
| Glycerol | 301D Ready Biodegradability - Closed Bottle Test | 93 % - 30 d | ays | - | - |
| Dimethyl sulfoxide | OECD 301D Ready Biodegradability - Closed Bottle Test | 31 % - Not | readily - 28 days | - | - |
| RT/RNase Block | | | | | |
| Glycerol | 301D Ready Biodegradability - Closed Bottle Test | 93 % - 30 d | ays | - | - |
| Product/ingredient name | Aquatic half-life | | Photolysis | | Biodegradability |
| 2X Brilliant III SYBR® Green QRT-PCR Master Mix Dimethyl sulfoxide | _ | | - | | Not readily |
| Potassium chloride | - | | - | | Readily |
| Reference Dye Potassium chloride | - | | - | | Readily |

12.3 Bioaccumulative potential

Section 12. Ecological information

| Product/ingredient name | LogPow | BCF | Potential |
|--------------------------|--------|------|-----------|
| 2X Brilliant III SYBR® | | | |
| Green QRT-PCR Master Mix | | | |
| Glycerol | -1.76 | - | low |
| Dimethyl sulfoxide | -1.35 | 3.16 | low |
| Potassium chloride | -0.46 | - | low |
| RT/RNase Block | | | |
| Glycerol | -1.76 | - | low |
| Reference Dye | | | |
| Potassium chloride | -0.46 | - | low |

12.4 Mobility in soil

| Soil/water partition | : Not available. |
|----------------------|------------------|
| coefficient (Koc) | |

12.5 Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

13.1 Waste treatment methods

| Disposal methods | : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains |
|------------------|--|
| | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. |

Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements.

The information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

Section 14. Transport information

DOT / TDG / Mexico / IMDG / : Not regulated.

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not available. to IMO instruments

Date of issue : 05/19/2022

Section 15. Regulatory information

| 15.1 Safety, health and envir | onmer | ntal regulations/leg | gislation spe | cific for the substance or mixture |
|---|---------------|---|----------------|--|
| U.S. Federal regulations | | CA 8(a) PAIR: Poly negahydroxy- | y(oxy-1,2-etha | anediyl), .alpha[(1,1,3,3-tetramethylbutyl)phenyl] |
| | TS | CA 8(a) CDR Exer | npt/Partial ex | cemption: Not determined |
| | Cl | ean Water Act (CW | VA) 311: Edet | ic acid |
| Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs) | : No | ot listed | | |
| Clean Air Act Section 602 Class I Substances | : No | ot listed | | |
| Clean Air Act Section 602 Class II Substances | : No | ot listed | | |
| DEA List I Chemicals (Precursor Chemicals) | : No | ot listed | | |
| DEA List II Chemicals (Essential Chemicals) | : No | ot listed | | |
| <u>SARA 302/304</u> | | | | |
| Composition/information | on ing | redients | | |
| No products were found. | | | | |
| SARA 304 RQ | : No | ot applicable. | | |
| <u>SARA 311/312</u> | | | | |
| Classification | | Brilliant III SYBR® Gree ster Mix | n QRT-PCR | EYE IRRITATION - Category 2B |
| | RT. Ref | /RNase Block ference Dye) mM DTT | | EYE IRRITATION - Category 2B Not applicable. Not applicable. |
| Composition/information | <u>on ing</u> | redients | | |
| Name | | % | Classificatio | on |
| 2X Brilliant III SYBR® Gre | en | | | |

| Name | % | Classification |
|--|-----------|---|
| 2X Brilliant III SYBR® Green | | |
| QRT-PCR Master Mix | | |
| Glycerol | ≥10 - ≤25 | EYE IRRITATION - Category 2B |
| Dimethyl sulfoxide | ≤10 | FLAMMABLE LIQUIDS - Category 4 |
| Potassium chloride | ≤3 | EYE IRRITATION - Category 2B EYE IRRITATION - Category 2B |
| RT/RNase Block Glycerol | ≥50 - ≤75 | EYE IRRITATION - Category 2B |
| Reference Dye Potassium chloride | ≤5 | EYE IRRITATION - Category 2B |
| 100 mM DTT | | |
| (R*,R*)-1,4-Dimercaptobutane- | ≤3 | ACUTE TOXICITY (oral) - Category 4 |
| 2,3-diol | | SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3 |

| State regulations | |
|-------------------|--|
| Massachusetts | : The following components are listed: GLYCERINE MIST |
| New York | : None of the components are listed. |
| New Jersey | : The following components are listed: GLYCERIN; 1,2,3-PROPANETRIOL; DIMETHYL SULFOXIDE; METHANE, SULFINYLBIS- |

| Date of issue : | 05/19/2022 | | |
|-----------------|------------|--|--|
|-----------------|------------|--|--|

Section 15. Regulatory information

Pennsylvania

: The following components are listed: 1,2,3-PROPANETRIOL

California Prop. 65

This product does not require a Safe Harbor warning under California Prop. 65.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants Not listed.

Rotterdam Convention on Prior Informed Consent (PIC) Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

| Australia | : Not determined. |
|-------------------|--|
| Canada | : Not determined. |
| China | : All components are listed or exempted. |
| Europe | : Not determined. |
| Japan | : Japan inventory (CSCL): Not determined. Japan inventory (ISHL): Not determined. |
| New Zealand | : Not determined. |
| Philippines | : Not determined. |
| Republic of Korea | : Not determined. |
| Taiwan | : Not determined. |
| Thailand | : Not determined. |
| Turkey | : Not determined. |
| United States | : Not determined. |
| Viet Nam | : Not determined. |

Section 16. Other information

Procedure used to derive the classification

| Classification | Justification |
|--|--------------------|
| 2X Brilliant III SYBR® Green QRT-PCR Master Mix EYE IRRITATION - Category 2B | Calculation method |
| RT/RNase Block EYE IRRITATION - Category 2B | Calculation method |

| н | IS | tO | r١ | |
|---|----|----|----|--|
| | | | _ | |

| Date of issue | : 05/19/2022 |
|------------------------|--------------|
| Date of previous issue | : 09/16/2019 |
| Version | : 8 |

Section 16. Other information

| Key to abbreviations | : ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) |
|---|--|
| | MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 |
| | N/A = Not available |
| Z la alia ata a in f a ma ati an Al | UN = United Nations |

Indicates information that has changed from previously issued version.

Notice to reader

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.