

SAFETY DATA SHEET

Herculase II Fusion DNA Polymerase, 30,000 Reaction Kit, Part Number 930689

Section 1. Identification

1.1 Product identifier

Product name : Herculase II Fusion DNA Polymerase, 30,000 Reaction Kit, Part Number 930689

Part no. (chemical kit) : 930689

Part no. : DMSO 930689-54
 Herculase II Fusion Enzyme 30,000 rxn 930689-51
 Herculase II 5X Rxn Buffer 930689-52
 dNTPs 100mM 930689-53

Validation date : 4/30/2024

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Analytical reagent.

DMSO 2 x 37.5 ml
 Herculase II Fusion Enzyme 30,000 rxn 1 x 30 ml (30,000 reaction)
 Herculase II 5X Rxn Buffer 9 x 50 ml
 dNTPs 100mM 1 x 15 ml

1.3 Details of the supplier of the safety data sheet

Supplier/Manufacturer : Agilent Technologies, Inc.
 5301 Stevens Creek Blvd
 Santa Clara, CA 95051, USA
 800-227-9770

1.4 Emergency telephone number

In case of emergency : CHEMTREC®: 1-800-424-9300

Section 2. Hazards identification

2.1 Classification of the substance or mixture

OSHA/HCS status : <input checked="" type="checkbox"/> DMSO	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Herculase II Fusion Enzyme 30,000 rxn	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Herculase II 5X Rxn Buffer	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
dNTPs 100mM	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

Classification of the substance or mixture

Section 2. Hazards identification

DMSO

H227 FLAMMABLE LIQUIDS - Category 4
H320 EYE IRRITATION - Category 2B

Herculase II Fusion Enzyme 30,000 rxn

H320 EYE IRRITATION - Category 2B

dNTPs 100mM

Percentage of the mixture consisting of ingredient (s) of unknown hazards to the aquatic environment: 5.4%

2.2 GHS label elements

Signal word

: DMSO Warning
Herculase II Fusion Enzyme Warning
30,000 rxn

No signal word.
No signal word.

Hazard statements

: DMSO H227 - Combustible liquid.
H320 - Causes eye irritation.
H320 - Causes eye irritation.
Herculase II Fusion Enzyme
30,000 rxn
Herculase II 5X Rxn Buffer
dNTPs 100mM
No known significant effects or critical hazards.
No known significant effects or critical hazards.

Precautionary statements

Prevention

: DMSO P210 - Keep away from flames and hot surfaces.
No smoking.
Not applicable.
Herculase II Fusion Enzyme
30,000 rxn
Herculase II 5X Rxn Buffer
dNTPs 100mM
Not applicable.
Not applicable.

Response

: DMSO P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313 - If eye irritation persists: Get medical advice or attention.
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313 - If eye irritation persists: Get medical advice or attention.
Herculase II Fusion Enzyme
30,000 rxn
Herculase II 5X Rxn Buffer
dNTPs 100mM
Not applicable.
Not applicable.

Storage

: DMSO P403 + P235 - Store in a well-ventilated place.
Keep cool.
Not applicable.
Herculase II Fusion Enzyme
30,000 rxn
Herculase II 5X Rxn Buffer
dNTPs 100mM
Not applicable.
Not applicable.

Disposal

: DMSO P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.
Not applicable.
Herculase II Fusion Enzyme
30,000 rxn
Herculase II 5X Rxn Buffer
dNTPs 100mM
Not applicable.
Not applicable.

Section 2. Hazards identification

Supplemental label elements	: <input checked="" type="checkbox"/> DMSO	None known.
	Herculase II Fusion Enzyme 30,000 rxn	None known.
	Herculase II 5X Rxn Buffer dNTPs 100mM	None known. None known.

2.3 Other hazards

Hazards not otherwise classified	: <input checked="" type="checkbox"/> DMSO	None known.
	Herculase II Fusion Enzyme 30,000 rxn	None known.
	Herculase II 5X Rxn Buffer dNTPs 100mM	None known.
		None known.

Section 3. Composition/information on ingredients

Substance/mixture	: <input checked="" type="checkbox"/> DMSO	Substance
	Herculase II Fusion Enzyme 30,000 rxn	Mixture
	Herculase II 5X Rxn Buffer dNTPs 100mM	Mixture
		Mixture

Ingredient name	%	CAS number
<input checked="" type="checkbox"/> DMSO		
Dimethyl sulfoxide	100	67-68-5
Herculase II Fusion Enzyme 30,000 rxn		
Glycerol	≥50 - ≤75	56-81-5
Herculase II 5X Rxn Buffer		
Trometamol	≤3	77-86-1
Hexadecan-1-ol, ethoxylated	<2.5	9004-95-9

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.



Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures


4.1 Description of necessary first aid measures

Eye contact	: <input checked="" type="checkbox"/> DMSO	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention.
	Herculase II Fusion Enzyme 30,000 rxn	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention.
	Herculase II 5X Rxn Buffer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get

Section 4. First aid measures




	dNTPs 100mM	medical attention if irritation occurs. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	:  DMSO	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
	Herculase II Fusion Enzyme 30,000 rxn	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
	Herculase II 5X Rxn Buffer	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
	dNTPs 100mM	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	:  DMSO	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
	Herculase II Fusion Enzyme 30,000 rxn	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
	Herculase II 5X Rxn Buffer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	dNTPs 100mM	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

Section 4. First aid measures

Ingestion	:  DMSO	Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
	Herculase II Fusion Enzyme 30,000 rxn	Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
	Herculase II 5X Rxn Buffer	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	dNTPs 100mM	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

4.2 Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact	:  DMSO Herculase II Fusion Enzyme 30,000 rxn Herculase II 5X Rxn Buffer dNTPs 100mM	Causes eye irritation. Causes eye irritation.
Inhalation	:  DMSO Herculase II Fusion Enzyme 30,000 rxn Herculase II 5X Rxn Buffer dNTPs 100mM	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Skin contact	:  DMSO Herculase II Fusion Enzyme 30,000 rxn Herculase II 5X Rxn Buffer dNTPs 100mM	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

Section 4. First aid measures

Ingestion	: <input checked="" type="checkbox"/> DMSO	No known significant effects or critical hazards.
	Herculase II Fusion Enzyme 30,000 rxn	No known significant effects or critical hazards.
	Herculase II 5X Rxn Buffer	No known significant effects or critical hazards.
	dNTPs 100mM	No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact	: <input checked="" type="checkbox"/> DMSO	Adverse symptoms may include the following: irritation watering redness
	Herculase II Fusion Enzyme 30,000 rxn	Adverse symptoms may include the following: irritation watering redness
	Herculase II 5X Rxn Buffer	No specific data.
	dNTPs 100mM	No specific data.

Inhalation	: <input checked="" type="checkbox"/> DMSO	No specific data.
	Herculase II Fusion Enzyme 30,000 rxn	No specific data.
	Herculase II 5X Rxn Buffer	No specific data.
	dNTPs 100mM	No specific data.

Skin contact	: <input checked="" type="checkbox"/> DMSO	No specific data.
	Herculase II Fusion Enzyme 30,000 rxn	No specific data.
	Herculase II 5X Rxn Buffer	No specific data.
	dNTPs 100mM	No specific data.

Ingestion	: <input checked="" type="checkbox"/> DMSO	No specific data.
	Herculase II Fusion Enzyme 30,000 rxn	No specific data.
	Herculase II 5X Rxn Buffer	No specific data.
	dNTPs 100mM	No specific data.

4.3 Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician	: <input checked="" type="checkbox"/> DMSO	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	Herculase II Fusion Enzyme 30,000 rxn	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	Herculase II 5X Rxn Buffer	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
	dNTPs 100mM	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	: <input checked="" type="checkbox"/> DMSO	No specific treatment.
	Herculase II Fusion Enzyme 30,000 rxn	No specific treatment.
	Herculase II 5X Rxn Buffer	No specific treatment.
	dNTPs 100mM	No specific treatment.

Section 4. First aid measures

Protection of first-aiders	: DMSO	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
	Herculase II Fusion Enzyme 30,000 rxn	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
	Herculase II 5X Rxn Buffer	No action shall be taken involving any personal risk or without suitable training.
	dNTPs 100mM	No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media	: DMSO Herculase II Fusion Enzyme 30,000 rxn Herculase II 5X Rxn Buffer dNTPs 100mM	Use dry chemical, CO ₂ , water spray (fog) or foam. Use an extinguishing agent suitable for the surrounding fire. Use an extinguishing agent suitable for the surrounding fire. Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: DMSO Herculase II Fusion Enzyme 30,000 rxn Herculase II 5X Rxn Buffer dNTPs 100mM	Do not use water jet. None known. None known. None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards arising from the chemical	: DMSO Herculase II Fusion Enzyme 30,000 rxn Herculase II 5X Rxn Buffer dNTPs 100mM	Combustible liquid. Runoff to sewer may create fire or explosion hazard. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. The vapor/gas is heavier than air and will spread along the ground. Vapors may accumulate in low or confined areas or travel a considerable distance to a source of ignition and flash back. In a fire or if heated, a pressure increase will occur and the container may burst. In a fire or if heated, a pressure increase will occur and the container may burst. In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	: DMSO Herculase II Fusion Enzyme 30,000 rxn Herculase II 5X Rxn Buffer	Decomposition products may include the following materials: carbon dioxide carbon monoxide sulfur oxides Decomposition products may include the following materials: carbon dioxide carbon monoxide Decomposition products may include the following materials: carbon dioxide

Section 5. Fire-fighting measures

carbon monoxide
nitrogen oxides
sulfur oxides
metal oxide/oxides
Decomposition products may include the following materials:
carbon dioxide
carbon monoxide
nitrogen oxides
phosphorus oxides

dNTPs 100mM

5.3 Advice for firefighters

Special protective actions for fire-fighters

:  DMSO

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

Herculase II Fusion Enzyme
30,000 rxn

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Herculase II 5X Rxn Buffer

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

dNTPs 100mM

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters

:  DMSO

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Herculase II Fusion Enzyme
30,000 rxn

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Herculase II 5X Rxn Buffer

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

dNTPs 100mM

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures


6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

:  DMSO

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on

Section 6. Accidental release measures

	Herculase II Fusion Enzyme 30,000 rxn	appropriate personal protective equipment. No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
	Herculase II 5X Rxn Buffer	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
	dNTPs 100mM	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
<p>For emergency responders :  DMSO</p>		If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	Herculase II Fusion Enzyme 30,000 rxn	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	Herculase II 5X Rxn Buffer	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	dNTPs 100mM	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
<p>6.2 Environmental precautions</p>	<p>:  DMSO</p>	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	Herculase II Fusion Enzyme 30,000 rxn	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	Herculase II 5X Rxn Buffer	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	dNTPs 100mM	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Section 6. Accidental release measures

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up :  MSO

Herculase II Fusion Enzyme
30,000 rxn

Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Herculase II 5X Rxn Buffer

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

dNTPs 100mM

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Section 7. Handling and storage

7.1 Precautions for safe handling

Protective measures :  MSO

Herculase II Fusion Enzyme
30,000 rxn

Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Empty containers retain product residue and can be hazardous. Do not reuse container.

Herculase II 5X Rxn Buffer

Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

dNTPs 100mM

Put on appropriate personal protective equipment (see Section 8).

Put on appropriate personal protective equipment (see Section 8).

Section 7. Handling and storage

<p>Advice on general occupational hygiene</p>	<p>: DMSO</p>	<p>Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.</p>
	<p>Herculase II Fusion Enzyme 30,000 rxn</p>	<p>Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.</p>
	<p>Herculase II 5X Rxn Buffer</p>	<p>Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.</p>
	<p>dNTPs 100mM</p>	<p>Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.</p>
<p>7.2 Conditions for safe storage, including any incompatibilities</p>	<p>: DMSO</p>	<p>Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.</p>
	<p>Herculase II Fusion Enzyme 30,000 rxn</p>	<p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.</p>
	<p>Herculase II 5X Rxn Buffer</p>	<p>Store in accordance with local regulations. Shelf life: 1 Year. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use.</p>

Section 7. Handling and storage

dNTPs 100mM

Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Store in accordance with local regulations. Shelf life: 1 Year. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use.

Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s)

Recommendations

: DMSO
Herculase II Fusion Enzyme
30,000 rxn
Herculase II 5X Rxn Buffer
dNTPs 100mM

Industrial applications, Professional applications.
Industrial applications, Professional applications.

Industrial applications, Professional applications.
Industrial applications, Professional applications.

Industrial sector specific solutions

: DMSO
Herculase II Fusion Enzyme
30,000 rxn
Herculase II 5X Rxn Buffer
dNTPs 100mM

Not available.
Not available.

Not available.
Not available.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
<input checked="" type="checkbox"/> DMSO Dimethyl sulfoxide	OARS WEEL (United States, 4/2022). TWA: 250 ppm 8 hours.
Herculase II Fusion Enzyme 30,000 rxn Glycerol	OSHA PEL 1989 (United States, 3/1989). TWA: 5 mg/m ³ 8 hours. Form: Respirable fraction TWA: 10 mg/m ³ 8 hours. Form: Total dust OSHA PEL (United States, 5/2018). TWA: 5 mg/m ³ 8 hours. Form: Respirable fraction TWA: 15 mg/m ³ 8 hours. Form: Total dust CAL OSHA PEL (United States, 5/2018). TWA: 5 mg/m ³ 8 hours. Form: respirable fraction TWA: 10 mg/m ³ 8 hours. Form: total dust
Herculase II 5X Rxn Buffer Trometamol Hexadecan-1-ol, ethoxylated	None. None.

Section 8. Exposure controls/personal protection

Biological exposure indices

No exposure indices known.

8.2 Exposure controls

Appropriate engineering controls

: Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

Environmental exposure controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

Skin protection

Hand protection

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Body protection

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection


: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

Appearance

Physical state

:  DMSO	Liquid. [Clear.]
Herculase II Fusion Enzyme	Liquid.
30,0000 rxn	
Herculase II 5X Rxn Buffer	Liquid.
dNTPs 100mM	Liquid.

Section 9. Physical and chemical properties and safety characteristics

Color	: DMSO Herculase II Fusion Enzyme 30,000 rxn Herculase II 5X Rxn Buffer dNTPs 100mM	Colorless. Not available. Not available. Not available.
Odor	: DMSO Herculase II Fusion Enzyme 30,000 rxn Herculase II 5X Rxn Buffer dNTPs 100mM	Odorless. [Slight] Not available. Not available. Not available.
Odor threshold	: DMSO Herculase II Fusion Enzyme 30,000 rxn Herculase II 5X Rxn Buffer dNTPs 100mM	Not available. Not available. Not available. Not available.
pH	: DMSO Herculase II Fusion Enzyme 30,000 rxn Herculase II 5X Rxn Buffer dNTPs 100mM	Not available. 8.2 9.5 to 10.5 7.5
Melting point/freezing point	: DMSO Herculase II Fusion Enzyme 30,000 rxn Herculase II 5X Rxn Buffer dNTPs 100mM	18.5°C (65.3°F) Not available. Not available. Not available.
Boiling point, initial boiling point, and boiling range	: DMSO Herculase II Fusion Enzyme 30,000 rxn Herculase II 5X Rxn Buffer dNTPs 100mM	189°C (372.2°F) Not available. Not available. Not available.
Flash point	: DMSO Herculase II Fusion Enzyme 30,000 rxn Herculase II 5X Rxn Buffer dNTPs 100mM	Closed cup: 87°C (188.6°F) [ASTM D 93] Open cup: 87°C (188.6°F) Not available. Not available. Not available.

Ingredient name	Closed cup			Open cup		
	°C	°F	Method	°C	°F	Method
Herculase II Fusion Enzyme 30,000 rxn						
Glycerol	-	-	-	177	350.6	-

Evaporation rate	: DMSO Herculase II Fusion Enzyme 30,000 rxn Herculase II 5X Rxn Buffer dNTPs 100mM	0.026 (butyl acetate = 1) Not available. Not available. Not available.
Flammability	: DMSO Herculase II Fusion Enzyme 30,000 rxn Herculase II 5X Rxn Buffer dNTPs 100mM	Not applicable. Not applicable. Not applicable. Not applicable.

Section 9. Physical and chemical properties and safety characteristics

Lower and upper explosion limit/flammability limit : **DMSO** Lower: 2.6%
Upper: 28.5%
Herculase II Fusion Enzyme 30,000 rxn Not available.
Herculase II 5X Rxn Buffer Not available.
dNTPs 100mM Not available.

Vapor pressure : **DMSO** 0.056 kPa (0.42 mm Hg) [EU A.4]

Ingredient name	Vapor Pressure at 20°C			Vapor pressure at 50°C		
	mm Hg	kPa	Method	mm Hg	kPa	Method
Herculase II Fusion Enzyme 30,000 rxn						
water	17.5	2.3	-	92.258	12.3	-
Glycerol	0.000075	0.00001	-	0.0025	0.00033	-
Herculase II 5X Rxn Buffer						
water	17.5	2.3	-	92.258	12.3	-
Trometamol	<0.00075006	<0.0001	-	-	-	-
dNTPs 100mM						
water	17.5	2.3	-	92.258	12.3	-

Relative vapor density : **DMSO** 2.7 [Air = 1]
Herculase II Fusion Enzyme 30,000 rxn Not available.
Herculase II 5X Rxn Buffer Not available.
dNTPs 100mM Not available.

Relative density : **DMSO** 1.1
Herculase II Fusion Enzyme 30,000 rxn Not available.
Herculase II 5X Rxn Buffer Not available.
dNTPs 100mM Not available.

Media	Result
DMSO	
water	Soluble
Herculase II Fusion Enzyme 30,000 rxn	
water	Soluble
Herculase II 5X Rxn Buffer	
water	Soluble
dNTPs 100mM	
water	Soluble

Partition coefficient: n-octanol/water : **DMSO** -1.35
Herculase II Fusion Enzyme 30,000 rxn Not applicable.
Herculase II 5X Rxn Buffer Not applicable.
dNTPs 100mM Not applicable.

Auto-ignition temperature : **DMSO** 300 to 302°C (572 to 575.6°F)

Section 9. Physical and chemical properties and safety characteristics

	Ingredient name	°C	°F	Method
	Herculase II Fusion Enzyme 30,000 rxn			
	Glycerol	370	698	-
Decomposition temperature	: DMSO	140 to 189°C (284 to 372.2°F)		
	Herculase II Fusion Enzyme 30,000 rxn	Not available.		
	Herculase II 5X Rxn Buffer	Not available.		
	dNTPs 100mM	Not available.		
Viscosity	: DMSO	Dynamic: 2.14 mPa·s (2.14 cP)		
	Herculase II Fusion Enzyme 30,000 rxn	Not available.		
	Herculase II 5X Rxn Buffer	Not available.		
	dNTPs 100mM	Not available.		
Particle characteristics				
Median particle size	: DMSO	Not applicable.		
	Herculase II Fusion Enzyme 30,000 rxn	Not applicable.		
	Herculase II 5X Rxn Buffer	Not applicable.		
	dNTPs 100mM	Not applicable.		

Section 10. Stability and reactivity

10.1 Reactivity	: DMSO	No specific test data related to reactivity available for this product or its ingredients.
	Herculase II Fusion Enzyme 30,000 rxn	No specific test data related to reactivity available for this product or its ingredients.
	Herculase II 5X Rxn Buffer	No specific test data related to reactivity available for this product or its ingredients.
	dNTPs 100mM	No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	: DMSO	The product is stable.
	Herculase II Fusion Enzyme 30,000 rxn	The product is stable.
	Herculase II 5X Rxn Buffer	Shelf life: 1 Year.
	dNTPs 100mM	Shelf life: 1 Year.
10.3 Possibility of hazardous reactions	: DMSO	Under normal conditions of storage and use, hazardous reactions will not occur.
	Herculase II Fusion Enzyme 30,000 rxn	Under normal conditions of storage and use, hazardous reactions will not occur.
	Herculase II 5X Rxn Buffer	Under normal conditions of storage and use, hazardous reactions will not occur.
	dNTPs 100mM	Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	: DMSO	Avoid all possible sources of ignition (spark or flame). Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition. Do not allow vapor to accumulate in low or confined areas.
	Herculase II Fusion Enzyme 30,000 rxn	No specific data.
	Herculase II 5X Rxn Buffer	No specific data.
	dNTPs 100mM	No specific data.

Section 10. Stability and reactivity

10.5 Incompatible materials : DMSO

Herculase II Fusion Enzyme
30,000 rxn
Herculase II 5X Rxn Buffer

dNTPs 100mM

Reactive or incompatible with the following materials:
oxidizing materials
May react or be incompatible with oxidizing materials.
May react or be incompatible with oxidizing materials.
May react or be incompatible with oxidizing materials.

10.6 Hazardous decomposition products : DMSO

Herculase II Fusion Enzyme
30,000 rxn

Herculase II 5X Rxn Buffer


dNTPs 100mM

Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Under normal conditions of storage and use, hazardous decomposition products should not be produced.


Section 11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
 DMSO Dimethyl sulfoxide	LD50 Dermal LD50 Oral	Rat Rat	40000 mg/kg 14500 mg/kg	- -
Herculase II Fusion Enzyme 30,000 rxn Glycerol	LD50 Oral	Rat	12600 mg/kg	-
Herculase II 5X Rxn Buffer Trometamol Hexadecan-1-ol, ethoxylated	LD50 Dermal LD50 Oral	Rat Rat	>5000 mg/kg 2500 mg/kg	- -

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
 DMSO Dimethyl sulfoxide	Eyes - Mild irritant Eyes - Mild irritant	Rabbit Rabbit	- -	100 mg 24 hours 500 mg	- -
	Skin - Mild irritant Skin - Mild irritant	Rabbit Rabbit	- -	100 mg 24 hours 500 mg	- -
Herculase II Fusion Enzyme 30,000 rxn Glycerol	Eyes - Mild irritant Skin - Mild irritant	Rabbit Rabbit	- -	24 hours 500 mg 24 hours 500 mg	- -

Section 11. Toxicological information

Herculase II 5X Rxn Buffer Trometamol	Skin - Moderate irritant Skin - Severe irritant	Rabbit Rabbit	- -	25 % 500 mg	- -
---	--	------------------	--------	----------------	--------

Sensitization

Not available.

Mutagenicity

Conclusion/Summary : Not available.

Carcinogenicity

Conclusion/Summary : Not available.

Reproductive toxicity

Conclusion/Summary : Not available.

Teratogenicity

Conclusion/Summary : Not available.

Specific target organ toxicity (single exposure)

Name	Category	Route of exposure	Target organs
Herculase II 5X Rxn Buffer Trometamol	Category 3	-	Respiratory tract irritation

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely routes of exposure

:  DMSO

Herculase II Fusion Enzyme
30,000 rxn
Herculase II 5X Rxn Buffer

dNTPs 100mM

Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes.
Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes.
Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes.
Not available.

Potential acute health effects

Eye contact

:  DMSO

Herculase II Fusion Enzyme
30,000 rxn
Herculase II 5X Rxn Buffer
dNTPs 100mM

Causes eye irritation.
Causes eye irritation.

Inhalation

:  DMSO

Herculase II Fusion Enzyme
30,000 rxn
Herculase II 5X Rxn Buffer
dNTPs 100mM

No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.

Skin contact

:  DMSO

Herculase II Fusion Enzyme
30,000 rxn
Herculase II 5X Rxn Buffer
dNTPs 100mM

No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.

Section 11. Toxicological information

Ingestion	: <input checked="" type="checkbox"/> DMSO	No known significant effects or critical hazards.
	Herculase II Fusion Enzyme 30,000 rxn	No known significant effects or critical hazards.
	Herculase II 5X Rxn Buffer dNTPs 100mM	No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	: <input checked="" type="checkbox"/> DMSO	Adverse symptoms may include the following: irritation watering redness
	Herculase II Fusion Enzyme 30,000 rxn	Adverse symptoms may include the following: irritation watering redness
	Herculase II 5X Rxn Buffer dNTPs 100mM	No specific data. No specific data.
Inhalation	: <input checked="" type="checkbox"/> DMSO	No specific data.
	Herculase II Fusion Enzyme 30,000 rxn	No specific data.
	Herculase II 5X Rxn Buffer dNTPs 100mM	No specific data. No specific data.
Skin contact	: <input checked="" type="checkbox"/> DMSO	No specific data.
	Herculase II Fusion Enzyme 30,000 rxn	No specific data.
	Herculase II 5X Rxn Buffer dNTPs 100mM	No specific data. No specific data.
Ingestion	: <input checked="" type="checkbox"/> DMSO	No specific data.
	Herculase II Fusion Enzyme 30,000 rxn	No specific data.
	Herculase II 5X Rxn Buffer dNTPs 100mM	No specific data. No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Potential chronic health effects

General	: <input checked="" type="checkbox"/> DMSO	No known significant effects or critical hazards.
	Herculase II Fusion Enzyme 30,000 rxn	No known significant effects or critical hazards.
	Herculase II 5X Rxn Buffer dNTPs 100mM	No known significant effects or critical hazards.
Carcinogenicity	: <input checked="" type="checkbox"/> DMSO	No known significant effects or critical hazards.
	Herculase II Fusion Enzyme 30,000 rxn	No known significant effects or critical hazards.
	Herculase II 5X Rxn Buffer dNTPs 100mM	No known significant effects or critical hazards.

Section 11. Toxicological information

Mutagenicity	: <input checked="" type="checkbox"/> DMSO Herculase II Fusion Enzyme 30,000 rxn Herculase II 5X Rxn Buffer dNTPs 100mM	No known significant effects or critical hazards. No known significant effects or critical hazards.
Reproductive toxicity	: <input checked="" type="checkbox"/> DMSO Herculase II Fusion Enzyme 30,000 rxn Herculase II 5X Rxn Buffer dNTPs 100mM	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Product/ingredient name	Oral (mg/kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapors) (mg/l)	Inhalation (dusts and mists) (mg/l)
<input checked="" type="checkbox"/> DMSO Dimethyl sulfoxide	14500	40000	N/A	N/A	N/A
Herculase II Fusion Enzyme 30,000 rxn Glycerol	12600	N/A	N/A	N/A	N/A
Herculase II 5X Rxn Buffer Herculase II 5X Rxn Buffer Hexadecan-1-ol, ethoxylated	112802.7 2500	N/A N/A	N/A N/A	N/A N/A	N/A N/A

Section 12. Ecological information

12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
<input checked="" type="checkbox"/> DMSO Dimethyl sulfoxide	Acute LC50 25000 ppm Fresh water Acute LC50 34000000 µg/l Fresh water Chronic NOEC 100 ul/L Marine water Chronic NOEC 100 ul/L Fresh water	Daphnia - <i>Daphnia magna</i> - Neonate Fish - <i>Pimephales promelas</i> Algae - <i>Ulva lactuca</i> Daphnia - <i>Daphnia magna</i> - Juvenile (Fledgling, Hatchling, Weanling)	48 hours 96 hours 72 hours 21 days
Herculase II Fusion Enzyme 30,000 rxn Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - <i>Oncorhynchus mykiss</i>	96 hours
Herculase II 5X Rxn Buffer Trometamol Hexadecan-1-ol, ethoxylated	Acute EC50 >980 mg/l Fresh water Acute NOEC 520 mg/l Fresh water Acute LC50 330000 to 1000000 µg/l Marine water	Daphnia Daphnia Crustaceans - <i>Crangon crangon</i> - Adult	48 hours 48 hours 48 hours

12.2 Persistence and degradability

Section 12. Ecological information

Product/ingredient name	Test	Result	Dose	Inoculum
DMSO Dimethyl sulfoxide	OECD 301D Ready Biodegradability - Closed Bottle Test	31 % - Not readily - 28 days	-	-
Herculase II Fusion Enzyme 30,000 rxn Glycerol	301D Ready Biodegradability - Closed Bottle Test	93 % - 30 days	-	-
Herculase II 5X Rxn Buffer Trometamol	OECD 301F Ready Biodegradability - Manometric Respirometry Test	97.1 % - Readily - 28 days	30 mg/l	-

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
DMSO Dimethyl sulfoxide	-	-	Not readily
Herculase II 5X Rxn Buffer Trometamol	-	-	Readily
Hexadecan-1-ol, ethoxylated	-	-	Readily

12.3 Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
DMSO Dimethyl sulfoxide	-1.35	3.16	Low
Herculase II Fusion Enzyme 30,000 rxn Glycerol	-1.76	-	Low
Herculase II 5X Rxn Buffer Trometamol	-2.31	-	Low
Hexadecan-1-ol, ethoxylated	>6.06	-	High

12.4 Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.

12.5 Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

13.1 Waste treatment methods

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Vapor from product residues may create a highly flammable or explosive atmosphere inside the container. Do not cut, weld or grind used containers unless they have been cleaned thoroughly internally. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements.

The information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

Section 14. Transport information

DOT / TDG / Mexico / IMDG / IATA : Not regulated.

Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to IMO instruments : Not available.

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

U.S. Federal regulations : TSCA 8(a) CDR Exempt/Partial exemption: Not determined
Clean Water Act (CWA) 311: Edetic acid

Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs) : Not listed

Clean Air Act Section 602 Class I Substances : Not listed

Clean Air Act Section 602 Class II Substances : Not listed

DEA List I Chemicals (Precursor Chemicals) : Not listed

DEA List II Chemicals (Essential Chemicals) : Not listed

Section 15. Regulatory information

SARA 302/304

Composition/information on ingredients

No products were found.

SARA 304 RQ : Not applicable.

SARA 311/312

Classification : **DMSO** FLAMMABLE LIQUIDS - Category 4
 EYE IRRITATION - Category 2B
 Herculase II Fusion Enzyme 30,000 rxn EYE IRRITATION - Category 2B
 Herculase II 5X Rxn Buffer Not applicable.
 dNTPs 100mM Not applicable.

Composition/information on ingredients

Name	%	Classification
DMSO Dimethyl sulfoxide	100	FLAMMABLE LIQUIDS - Category 4 EYE IRRITATION - Category 2B
Herculase II Fusion Enzyme 30,000 rxn Glycerol	≥50 - ≤75	EYE IRRITATION - Category 2B
Herculase II 5X Rxn Buffer Trometamol	≤3	COMBUSTIBLE DUSTS SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3

SARA 313

	Product name	CAS number	%
Form R - Reporting requirements	Herculase II 5X Rxn Buffer Ammonium sulphate	7783-20-2	≤3
Supplier notification	Herculase II 5X Rxn Buffer Ammonium sulphate	7783-20-2	≤3

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations

Massachusetts : The following components are listed: GLYCERINE MIST
New York : None of the components are listed.
New Jersey : The following components are listed: DIMETHYL SULFOXIDE; METHANE, SULFINYLBIS-; GLYCERIN
Pennsylvania : The following components are listed: 1,2,3-PROPANETRIOL

California Prop. 65

This product does not require a Safe Harbor warning under California Prop. 65.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Section 15. Regulatory information

Not listed.

[UNECE Aarhus Protocol on POPs and Heavy Metals](#)

Not listed.

[Inventory list](#)

Australia	: Not determined.
Canada	: Not determined.
China	: Not determined.
Japan	: Japan inventory (CSCL) : Not determined. Japan inventory (ISHL) : Not determined.
New Zealand	: Not determined.
Philippines	: Not determined.
Republic of Korea	: Not determined.
Taiwan	: All components are listed or exempted.
Thailand	: Not determined.
Turkey	: Not determined.
United States	: Not determined.
Viet Nam	: Not determined.

Section 16. Other information

[Procedure used to derive the classification](#)

Classification	Justification
DMSO FLAMMABLE LIQUIDS - Category 4 EYE IRRITATION - Category 2B	On basis of test data On basis of test data
Herculase II Fusion Enzyme 30,000 rxn EYE IRRITATION - Category 2B	Calculation method

[History](#)

Date of issue/Date of revision	: 04/30/2024
Date of previous issue	: 03/29/2021
Version	: 3

[Key to abbreviations](#)

: ATE = Acute Toxicity Estimate
: BCF = Bioconcentration Factor
: GHS = Globally Harmonized System of Classification and Labelling of Chemicals
: IATA = International Air Transport Association
: IBC = Intermediate Bulk Container
: IMDG = International Maritime Dangerous Goods
: LogPow = logarithm of the octanol/water partition coefficient
: MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
: N/A = Not available
: UN = United Nations

✔ Indicates information that has changed from previously issued version.

[Notice to reader](#)

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.