
according to 1907/2006/EC, Article 31



Printing date 27.03.2019

Version number 2

Revision: 23.03.2019



GB

according to 1907/2006/EC, Article 31

Printing date 27.03.2019

Agilent

Version number 2

Revision: 23.03.2019

Trade name: GPC Calibration Standard (1X1 mL)

d: () at	(Contd. of page 2
di-(2-ethylhexyl	
Hazard statem	
	ul if swallowed.
	s skin irritation.
	s serious eye irritation.
	cted of causing cancer.
	amage fertility. May damage the unborn child.
	ause respiratory irritation.
	ause damage to organs through prolonged or repeated exposure.
Precautionary	
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P312	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
P330	Rinse mouth.
P302+P352	IF ON SKIN: Wash with plenty of water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P3	38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if preser and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P321	Specific treatment (see on this label).
P314	Get medical advice/attention if you feel unwell.
P362+P364	Take off contaminated clothing and wash it before reuse.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

*

3 Composition/information on ingredients

· Chemical	characterisation:	Mixtures
------------	-------------------	----------

 \cdot **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
		80.166%
EINECS: 200-838-9	Carc. 2, H351; STOT RE 2, H373; () Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	
	(Cont	td. on page 3)

according to 1907/2006/EC, Article 31

Printing date 27.03.2019

Version number 2

Revision: 23.03.2019

Trade name: GPC Calibration Standard (1X1 mL)

		(Contd. of page 2)
CAS: 117-81-7	di-(2-ethylhexyl) phthalate	0.754%
EINECS: 204-211-0	& Repr. 1B, H360FD	
	methoxychlor	0.151%
EINECS: 200-779-9	Carc. 2, H351; Aquatic Acute 1, H400; Aquatic Chronic 1, H410;	
	Carc. 2, H351; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332	
· SVHC		
117-81-7 di-(2-ethyll	hexyl) phthalate	

• Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: Call for a doctor immediately.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Firefighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- \cdot Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

- · Reference to other sections
- See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 4)



GB

Safety data sheet according to 1907/2006/EC, Article 31

Version number 2

Revision: 23.03.2019

Trade name: GPC Calibration Standard (1X1 mL)

(Contd. of page 3)

See Section 13 for disposal information.

7 Handling and storage

· Handling:

• **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.

· Information about fire - and explosion protection: Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: No special requirements.

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· Control parameters

· Ingredients with limit values that require monitoring at the workplace:

75-09-2 dichloromethane

WEL Short-term value: 706 mg/m³, 200 ppm Long-term value: 353 mg/m³, 100 ppm BMGV, Sk

117-81-7 di-(2-ethylhexyl) phthalate

WEL Short-term value: 10 mg/m³ Long-term value: 5 mg/m³

· Ingredients with biological limit values:

75-09-2 dichloromethane

BMGV 30 ppm

Medium: end-tidal breath Sampling time: post shift

Parameter: carbon monoxide

• Additional information: The lists valid during the making were used as basis.

· Exposure controls

· Personal protective equipment:

- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

Respiratory protection:

When used as intended with Agilent instruments the use of the product under normal laboratory conditions and with standard practices does not result in significant airborne exposures and therefore respiratory protection is not needed.

GB

Printing date 27.03.2019

Agilent

according to 1907/2006/EC, Article 31 Version number 2

Revision: 23.03.2019

Trade name: GPC Calibration Standard (1X1 mL)

(Contd. of page 4) Under an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved device equipment with appropriate organic or acid gas cartridge.

· Protection of hands:

Although not recommended for constant contact with the chemicals or for clean up, nitrile gloves 11-13mil thickness are recommended for normal use. The breakthrough time is 1hr. For cleaning a spill where there is direct contact of the chemical, butyl rubber gloves are recommended 12-15mil thickness with breakthrough times exceeding 4 hrs. Supplier recommendations should be followed.

· Material of gloves

For normal use: nitrile rubber, 11-13 mil thickness

- For direct contact with the chemical: butyl rubber, 12-15 mil thickness
- **Penetration time of glove material** For normal use: nitrile rubber: 1 hour
- For direct contact with the chemical: butyl rubber: >4 hours
- Eye protection:

Safety glasses



Tightly sealed goggles

Information on basic physical and	chemical properties	
General Information		
Appearance:		
Form:	Fluid	
Colour:	According to product specification	
Odour:	Characteristic	
Odour threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling r	ange: 40 °C	
Flash point:	Not applicable.	
Flammability (solid, gas):	Not applicable.	
Ignition temperature:	605 °C	
Decomposition temperature:	Not determined.	
Auto-ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	13 Vol %	
Upper:	22 Vol %	
Vapour pressure at 20 °C:	360 hPa	
Density:	Not determined.	

Agilent

Printing date 27.03.2019

according to 1907/2006/EC, Article 31

Printing date 27.03.2019

Agilent

Version number 2

Revision: 23.03.2019

Trade name: GPC Calibration Standard (1X1 mL)

	(Contd. of page
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	80.2 %
VOC (EC)	80.17 %
Solids content:	0.2 %
• Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

 Information o 	1 toxicological effects

· Acute toxicity

Harmful if swallowed.

· LD/LC50 values relevant for classification:
ATE (Acute Toxicity Estimates)

Oral LD50 1,996 mg/kg (rat) 75-09-2 dichloromethane Oral LD50 1,600 mg/kg (rat) Dermal LD50 >2,000 mg/kg (rat) Inhalative LC50/4 h 88 mg/L (rat) 117-81-7 di-(2-ethylhexyl) phthalate LD50 Oral >20,000 mg/kg (rat) Dermal LD50 4,000 mg/kg (rat) 25,000 mg/kg (rabbit) 72-43-5 methoxychlor Oral LD50 1,855 mg/kg (rat)

(Contd. on page 7)

GB —

according to 1907/2006/EC, Article 31

Version number 2

Revision: 23.03.2019

(Contd. of page 6)

Trade name: GPC Calibration Standard (1X1 mL)

LD50 6,000 mg/kg (rat) Dermal

- · Primary irritant effect:
- Skin corrosion/irritation
- Causes skin irritation.

· Serious eye damage/irritation

- Causes serious eye irritation.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity
- Suspected of causing cancer.
- · Reproductive toxicity
- May damage fertility. May damage the unborn child.
- · STOT-single exposure
- May cause respiratory irritation.
- · STOT-repeated exposure
- May cause damage to organs through prolonged or repeated exposure.
- · Aspiration hazard Based on available data, the classification criteria are not met.

12 Ecological information

- Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Europ	ean waste catalogue
HP 4	Irritant - skin irritation and eye damage
HP 5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity
HP 7	Carcinogenic
HP 10	Toxic for reproduction
	$(\mathbf{C} + 1 = 0)$

(Contd. on page 8)



Printing date 27.03.2019

according to 1907/2006/EC, Article 31

Printing date 27.03.2019

Version number 2

Revision: 23.03.2019

Trade name: GPC Calibration Standard (1X1 mL)

(Contd. of page 7)

GB

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

14 Transport information

Not Regulated, De minimus Quantities	-
UN-Number ADR, IMDG, IATA	UN1593
UN proper shipping name ADR IMDG, IATA	1593 DICHLOROMETHANE DICHLOROMETHANE
Transport hazard class(es)	
ADR, IMDG, IATA	
Class	6.1 Toxic substances.
Label	6.1
Packing group ADR, IMDG, IATA	III
Environmental hazards:	Not applicable.
Special precautions for user Danger code (Kemler): EMS Number: Segregation groups Stowage Category	Warning: Toxic substances. 60 F-A,S-A Liquid halogenated hydrocarbons A
Transport in bulk according to Annex II of and the IBC Code	Marpol Not applicable.
Transport/Additional information:	
ADR Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
Transport category Tunnel restriction code	2 E
IMDG Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
	(Contd. on pa



*

according to 1907/2006/EC, Article 31

Printing date 27.03.2019

Version number 2

Revision: 23.03.2019

(Contd. of page 8)

Trade name: GPC Calibration Standard (1X1 mL)

· UN "Model Regulation":

UN 1593 DICHLOROMETHANE, 6.1, III

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)		
117-81-7 di-(2-ethylhexyl) phthalate	Sunset date: 2015-02-21	
REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 30, 51a, 59		

· National regulations:

· Other regulations, limitations and prohibitive regulations

· Substances of very high concern (SVHC) according to REACH, Article 57

117-81-7 di-(2-ethylhexyl) phthalate

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

· Relevant phrases

- H302 Harmful if swallowed.
- H312 Harmful in contact with skin.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H335 May cause respiratory irritation.
- H351 Suspected of causing cancer.
- H360FD May damage fertility. May damage the unborn child.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- · Department issuing SDS: Document Control / Regulatory
- · Contact: regulatory@ultrasci.com
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- SVHC: Substances of Very High Concern

(Contd. on page 10)

Agilent

Safety data sheet according to 1907/2006/EC, Article 31

Revision: 23.03.2019

Trade name: GPC Calibration Standard (1X1 mL)

(Contd. of page 9)

GB

vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Carc. 2: Carcinogenicity – Category 2 Repr. 1B: Reproductive toxicity – Category 1B STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 • * **Data compared to the previous version altered.**



Printing date 27.03.2019

Version number 2