

Printing date 27.03.2019 Version number 2 Revision: 23.03.2019

#### 1 Identification

· Product identifier

· Trade name: GPC Calibration Standard (1X1 mL)

· Part number: CLP-342-1

· Relevant identified uses of the substance or mixture and uses advised against

Reagents and Standards for Analytical Chemical Laboratory Use

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Agilent Technologies Australia Pty Ltd

679 Springvale Road

Mulgrave

Victoria 3170, Australia

· Further information obtainable from:

Telephone: 1800 802 402

e-mail: pdl-msds author@agilent.com

· Emergency telephone number: CHEMTREC®: +(61) - 290372994

### 2 Hazard(s) Identification

· Classification of the substance or mixture



health hazard

Repr. 1B H360 May damage fertility or the unborn child.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.



Acute Tox. 4 H302 Harmful if swallowed.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

- · Label elements
- · GHS label elements The product is classified and labelled according to the Globally Harmonised System (GHS).
- · Hazard pictograms





GHS07

GHS08

- · Signal word Danger
- · Hazard-determining components of labelling:

dichloromethane

di-(2-ethylhexyl) phthalate

· Hazard statements

Harmful if swallowed.

Causes skin irritation.

(Contd. on page 2)



Printing date 27.03.2019 Version number 2 Revision: 23.03.2019

Trade name: GPC Calibration Standard (1X1 mL)

(Contd. of page 1)

Causes serious eye irritation.

May damage fertility or the unborn child.

May cause respiratory irritation.

May cause damage to organs through prolonged or repeated exposure.

#### · Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Wear protective gloves / eye protection / face protection.

Use personal protective equipment as required.

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

Rinse mouth.

IF ON SKIN: Wash with plenty of water.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

Specific treatment (see on this label).

Get medical advice/attention if you feel unwell.

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Take off contaminated clothing and wash before reuse.

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.

## 3 Composition and Information on Ingredients

- · Chemical characterisation: Mixtures
- **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:			
75-09-2	dichloromethane	80.618%	
	🕸 STOT RE 2, H373; 🗘 Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335		
117-81-7	di-(2-ethylhexyl) phthalate	0.377%	
	🕸 Repr. 1B, H360		
·SVHC			
117-81-7	di-(2-ethylheyyl) nhthalate		

(Contd. on page 3)



Printing date 27.03.2019 Version number 2 Revision: 23.03.2019

Trade name: GPC Calibration Standard (1X1 mL)

(Contd. of page 2)

· Additional information: For the wording of the listed hazard phrases refer to section 16.

#### **4 First Aid Measures**

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Call for a doctor immediately.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

### **5 Fire Fighting Measures**

- · Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

### **6 Accidental Release Measures**

- Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and Storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

(Contd. on page 4)



Printing date 27.03.2019 Version number 2 Revision: 23.03.2019

Trade name: GPC Calibration Standard (1X1 mL)

(Contd. of page 3)

- Information about fire and explosion protection: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · Specific end use(s) No further relevant information available.

### 8 Exposure controls and personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters

#### · Ingredients with limit values that require monitoring at the workplace:

#### 75-09-2 dichloromethane

NES | Long-term value: 174 mg/m<sup>3</sup>, 50 ppm

Sk

WES Long-term value: 174 mg/m<sup>3</sup>, 50 ppm

Sk

### 117-81-7 di-(2-ethylhexyl) phthalate

NES Short-term value: 10 mg/m<sup>3</sup>

Long-term value: 5 mg/m<sup>3</sup>

WES Short-term value: 10 mg/m<sup>3</sup>

Long-term value: 5 mg/m<sup>3</sup>

- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

#### **Respiratory protection:**

When used as intended with Agilent instruments the use of the product under normal laboratory conditions and with standard practices does not result in significant airborne exposures and therefore respiratory protection is not needed.

Under an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved device equipment with appropriate organic or acid gas cartridge.

#### · Protection of hands:

Although not recommended for constant contact with the chemicals or for clean up, nitrile gloves 11-13mil thickness are recommended for normal use. The breakthrough time is 1hr. For cleaning a spill where there is direct contact of the chemical, butyl rubber gloves are recommended 12-15mil thickness with breakthrough times exceeding 4 hrs. Supplier recommendations should be followed.

#### · Material of gloves

For normal use: nitrile rubber, 11-13 mil thickness

For direct contact with the chemical: butyl rubber, 12-15 mil thickness

(Contd. on page 5)



Printing date 27.03.2019 Version number 2 Revision: 23.03.2019

Trade name: GPC Calibration Standard (1X1 mL)

(Contd. of page 4)

 $\cdot \ Penetration \ time \ of \ glove \ material$ 

For normal use: nitrile rubber: 1 hour

For direct contact with the chemical: butyl rubber: > 4 hours

• Eye protection: Safety glasses



Tightly sealed goggles

9 Physical and Chemical Properties

· Partition coefficient: n-octanol/water:

· Viscosity: Dynamic:

General Information	
Appearance:	DI ' I
Form:	Fluid
Colour:	According to product specification
Odour:	Characteristic Not determined.
Odour threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	40 °C
Flash point:	Not applicable.
Flammability (solid, gas):	Not applicable.
Ignition temperature:	605 °C
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	13 Vol %
Upper:	22 Vol %
Vapour pressure at 20 °C:	360 hPa
Density:	Not determined.
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.

Not miscible or difficult to mix.

Not determined.

Not determined.

(Contd. on page 6)



Printing date 27.03.2019 Version number 2 Revision: 23.03.2019

Trade name: GPC Calibration Standard (1X1 mL)

Kinematic: Not determined.

Solvent content:
Organic solvents: 80.6 %
VOC (EC) 80.62 %

Solids content: 0.2 %
Other information No further relevant information available.

### 10 Stability and Reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological Information

- · Information on toxicological effects
- · Acute toxicity

· LD/LC50 values relevant for classification:							
ATE (Acute Toxicity Estimates)							
Oral	LD50	1,985 mg/kg (rat)					
Dermal	LD50	>2,481 mg/kg (rat)					
Inhalative	LC50/4 h	109 mg/L (rat)					
75-09-2 di	75-09-2 dichloromethane						
Oral	LD50	1,600 mg/kg (rat)					
Dermal	LD50	>2,000 mg/kg (rat)					
Inhalative	LC50/4 h	88 mg/L (rat)					
117-81-7 d	117-81-7 di-(2-ethylhexyl) phthalate						
Oral	LD50	>20,000 mg/kg (rat)					

· Primary irritant effect:

LD50

· Skin corrosion/irritation Irritant to skin and mucous membranes.

4,000 mg/kg (rat) 25,000 mg/kg (rabbit)

- · Serious eye damage/irritation Irritating effect.
- · Respiratory or skin sensitisation No sensitising effects known.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Harmful

Dermal

Irritant

(Contd. on page 7)



Printing date 27.03.2019 Version number 2 Revision: 23.03.2019

Trade name: GPC Calibration Standard (1X1 mL)

(Contd. of page 6)

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Repr. 1B

## 12 Ecological Information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

### 14 Transport information

· Not Regulated, De minimus Quantities		
	-	
· UN-Number		
· ADG, IMDG, IATA	UN1593	
· UN proper shipping name		
·ADG	1593 DICHLOROMETHANE	
· IMDG, IATA	DICHLOROMETHANE	

· ADG, IMDG, IATA



· Class 6.1 Toxic substances.

(Contd. on page 8)



Printing date 27.03.2019 Version number 2 Revision: 23.03.2019

Trade name: GPC Calibration Standard (1X1 mL)

	(Contd. of page
Label	6.1
Packing group	
ADG, IMDG, IATA	III
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Toxic substances.
Danger code (Kemler):	60
EMS Number:	F-A,S-A
Segregation groups	Liquid halogenated hydrocarbons
Stowage Category	A
Transport in bulk according to Annex I	I of Marpol
and the IBC Code	Not applicable.
Transport/Additional information:	
ADG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
Transport category	2
<b>Tunnel restriction code</b>	E
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
- · · · · · ·	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 1593 DICHLOROMETHANE, 6.1, III

## 15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Australian Inventory of Chemical Substances				
All ingredients are listed.				
· Standard for the Uniform Scheduling of Medicines and Poisons				
75-09-2 dichloromethane	S5			
72-43-5 methoxychlor	S5			

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations:
- · Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57

117-81-7 di-(2-ethylhexyl) phthalate

(Contd. on page 9)



Printing date 27.03.2019 Version number 2 Revision: 23.03.2019

Trade name: GPC Calibration Standard (1X1 mL)

(Contd. of page 8)

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

#### · Relevant phrases

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H360 May damage fertility or the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

#### · Department issuing SDS: Document Control / Regulatory

· Contact: regulatory@ultrasci.com

#### · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity - Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

Repr. 1B: Reproductive toxicity – Category 1B

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

AU