# **SAFETY DATA SHEET**



#### T7 Endonuclease I

### **Section 1. Identification**

1.1 Product identifier

Product name : 

Part no. : CP-END-U008

Validation date : 5/22/2024

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Analytical reagent.

8 µl

1.3 Details of the supplier of the safety data sheet

**Supplier/Manufacturer**: Agilent Technologies, Inc.

5301 Stevens Creek Blvd Santa Clara, CA 95051, USA

800-227-9770

1.4 Emergency telephone number

In case of emergency : CHEMTREC®: 1-800-424-9300

### Section 2. Hazards identification

2.1 Classification of the substance or mixture

OSHA/HCS status : This material is considered hazardous by the OSHA Hazard Communication Standard

(29 CFR 1910.1200).

Classification of the substance or mixture

₩320 EYE IRRITATION - Category 2B

2.2 GHS label elements

Signal word : Warning

Hazard statements : ►320 - Causes eye irritation.

**Precautionary statements** 

Prevention : Not applicable.

Response : P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical advice or attention.

Storage : Not applicable.

Disposal : Not applicable.

2.3 Other hazards

Hazards not otherwise

classified

: None known.

**Date of issue :** 05/22/2024 **1/11** 

# Section 3. Composition/information on ingredients

Substance/mixture

| Ingredient name                    | %         | CAS number |
|------------------------------------|-----------|------------|
| <b>S</b> ycerol                    | ≥50 - ≤75 | 56-81-5    |
| Polyoxyethylene octyl phenyl ether | <0.25     | 9002-93-1  |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures

### 4.1 Description of necessary first aid measures

**Eye contact** 

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10

minutes. If irritation persists, get medical attention.

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. If

> not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire,

symptoms may be delayed. The exposed person may need to be kept under medical

surveillance for 48 hours.

**Skin contact** Flush contaminated skin with plenty of water. Remove contaminated clothing and

shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean

shoes thoroughly before reuse.

Ingestion : Mash out mouth with water. Remove dentures if any. If material has been swallowed

and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately.

Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

### 4.2 Most important symptoms/effects, acute and delayed

#### Potential acute health effects

**Eye contact** : Causes eye irritation.

Inhalation : No known significant effects or critical hazards. Skin contact : No known significant effects or critical hazards. Ingestion : No known significant effects or critical hazards.

### Over-exposure signs/symptoms

: Adverse symptoms may include the following: Eye contact

> irritation watering redness

Inhalation : No specific data. **Skin contact** : No specific data. Ingestion : No specific data.

Date of issue: 05/22/2024

### Section 4. First aid measures

#### 4.3 Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician

: In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

**Specific treatments** 

: No specific treatment.

**Protection of first-aiders** 

: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

### Section 5. Fire-fighting measures

#### 5.1 Extinguishing media

Suitable extinguishing media

: Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing

: None known.

media

### 5.2 Special hazards arising from the substance or mixture

Specific hazards arising from the chemical

: In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous thermal decomposition products

: Decomposition products may include the following materials:

carbon dioxide
carbon monoxide
nitrogen oxides
phosphorus oxides
halogenated compounds
metal oxide/oxides

#### **5.3 Advice for firefighters**

Special protective actions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

### Section 6. Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders:

: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

**6.2 Environmental precautions** 

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

#### 6.3 Methods and materials for containment and cleaning up

Date of issue: 05/22/2024 3/11

### Section 6. Accidental release measures

Methods for cleaning up

: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

### Section 7. Handling and storage

#### 7.1 Precautions for safe handling

**Protective measures** 

: Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eves, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

### 7.3 Specific end use(s)

Recommendations

: Industrial applications, Professional applications.

**Industrial sector specific** 

solutions

: Not available.

### Section 8. Exposure controls/personal protection

#### 8.1 Control parameters

#### Occupational exposure limits

| Ingredient name                    | Exposure limits  |
|------------------------------------|--|
| <b>E</b> lycerol                   | OSHA PEL 1989 (United States, 3/1989).  TWA: 5 mg/m³ 8 hours. Form: Respirable fraction  TWA: 10 mg/m³ 8 hours. Form: Total dust OSHA PEL (United States, 5/2018).  TWA: 5 mg/m³ 8 hours. Form: Respirable fraction  TWA: 15 mg/m³ 8 hours. Form: Total dust CAL OSHA PEL (United States, 5/2018).  TWA: 5 mg/m³ 8 hours. Form: respirable fraction  TWA: 10 mg/m³ 8 hours. Form: total dust |
| Polyoxyethylene octyl phenyl ether | None.  |

### **Biological exposure indices**

No exposure indices known.

### **8.2 Exposure controls**

05/22/2024 Date of issue:

### Section 8. Exposure controls/personal protection

Appropriate engineering controls

: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

**Environmental exposure** controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

#### **Individual protection measures**

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

**Eye/face protection** 

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

**Skin protection** 

**Hand protection** 

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

**Body protection** 

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Respiratory protection** 

Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

### Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

#### **Appearance**

Physical state : Liquid.

Color : Not available.

Odor : Not available.

Odor threshold : Not available.

pH : 8

**Melting point/freezing point** : Not available. **Boiling point, initial boiling** : Not available.

point, and boiling range
Flash point

|                 | Closed cup |    |        | Open | cup   |        |
|-----------------|------------|----|--------|------|-------|--------|
| Ingredient name | °C         | °F | Method | °C   | °F    | Method |
| ⊠lycerol        | -          | -  | -      | 177  | 350.6 | -      |

Date of issue: 05/22/2024 5/11

7 Endonuclease I

### Section 9. Physical and chemical properties and safety characteristics

**Evaporation rate** : Not available. **Flammability** : Not applicable. Lower and upper explosion : Not available.

Vapor pressure

limit/flammability limit

|                 | Vapor Pressure at 20°C |         |        | Vapor pressure at 50°C |         |        |  |
|-----------------|------------------------|---------|--------|------------------------|---------|--------|--|
| Ingredient name | mm Hg                  | kPa     | Method | mm<br>Hg               | kPa     | Method |  |
| water           | 17.5                   | 2.3     | -      | 92.258                 | 12.3    | -      |  |
| Glycerol        | 0.000075               | 0.00001 | -      | 0.0025                 | 0.00033 | -      |  |

Result

**Relative vapor density** : Not available. : Not available. Relative density

Solubility(ies) Media

water Soluble

Yes. Miscible with water

Partition coefficient: n-

octanol/water

: Not applicable.

**Auto-ignition temperature** 

°F Ingredient name °C Method **6** lycerol 370 698

: Not available. **Decomposition temperature** : Not available. **Viscosity** 

**Particle characteristics** 

Median particle size : Not applicable.

### Section 10. Stability and reactivity

10.1 Reactivity : No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability : The product is stable.

10.3 Possibility of hazardous reactions : Under normal conditions of storage and use, hazardous reactions will not occur.

10.4 Conditions to avoid : No specific data.

10.5 Incompatible materials : May react or be incompatible with oxidizing materials.

10.6 Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### **Section 11. Toxicological information**

### 11.1 Information on toxicological effects

### **Acute toxicity**

| Product/ingredient name | Result                 | Species | Dose                      | Exposure |
|-------------------------|------------------------|---------|---------------------------|----------|
|                         | LD50 Oral<br>LD50 Oral |         | 12600 mg/kg<br>1800 mg/kg | -        |
| ether                   |                        |         |                           |          |

Date of issue: 05/22/2024 6/11



## **Section 11. Toxicological information**

### Irritation/Corrosion

| Product/ingredient name            | Result               | Species | Score | Exposure                 | Observation |
|------------------------------------|----------------------|---------|-------|--------------------------|-------------|
| <b>Ø</b> lycerol                   | Eyes - Mild irritant | Rabbit  | -     | 24 hours 500             | -           |
|                                    | Skin - Mild irritant | Rabbit  | -     | mg<br>24 hours 500       | -           |
| Polyoxyethylene octyl phenyl ether | Skin - Mild irritant | Rabbit  | -     | mg<br>24 hours 500<br>uL | -           |

### **Sensitization**

Not available.

**Conclusion/Summary** 

Skin : May cause skin sensitization.

**Mutagenicity** 

**Conclusion/Summary**: Not available.

**Carcinogenicity** 

Conclusion/Summary : Not available.

Reproductive toxicity

**Conclusion/Summary**: Not available.

**Teratogenicity** 

Conclusion/Summary: Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

**Aspiration hazard** 

Not available.

Information on the likely

routes of exposure

: Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes.

Potential acute health effects

Eye contact : Causes eye irritation.

Inhalation: No known significant effects or critical hazards.Skin contact: No known significant effects or critical hazards.Ingestion: No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

**Eye contact**: Adverse symptoms may include the following:

irritation watering redness

Inhalation: No specific data.Skin contact: No specific data.Ingestion: No specific data.

<u>Delayed and immediate effects and also chronic effects from short and long term exposure</u>

<u>Short term exposure</u>

Date of issue: 05/22/2024 7/11



# **Section 11. Toxicological information**

Potential immediate : Not available.

effects

Potential delayed effects : Not available.

Long term exposure

Potential immediate : Not available.

effects

Potential delayed effects : Not available.

### Potential chronic health effects

General : No known significant effects or critical hazards.
 Carcinogenicity : No known significant effects or critical hazards.
 Mutagenicity : No known significant effects or critical hazards.
 Reproductive toxicity : No known significant effects or critical hazards.

### **Numerical measures of toxicity**

### **Acute toxicity estimates**

| Product/ingredient name  | (       | Dermal<br>(mg/kg) | Inhalation<br>(gases)<br>(ppm) | (vapors) | Inhalation<br>(dusts and<br>mists) (mg/<br>I) |
|--|---------|-------------------|--------------------------------|----------|---|
| From Endonuclease I, Part Number CP-END-U008 Glycerol Polyoxyethylene octyl phenyl ether | 85725.0 | N/A               | N/A                            | N/A      | N/A   |
|  | 12600   | N/A               | N/A                            | N/A      | N/A   |
|  | 1800    | N/A               | N/A                            | N/A      | N/A   |

# Section 12. Ecological information

### **12.1 Toxicity**

| Product/ingredient name            | Result   | Species   | Exposure            |
|------------------------------------|--|---|---------------------|
| ⊠ycerol                            | Acute LC50 54000 mg/l Fresh water                                    | Fish - Oncorhynchus mykiss                              | 96 hours            |
| Polyoxyethylene octyl phenyl ether | Acute LC50 5.85 mg/l Fresh water                                     | Crustaceans - Ceriodaphnia rigaudi - Neonate            | 48 hours            |
|                                    | Acute LC50 11.2 mg/l Fresh water                                     | Daphnia - <i>Daphnia magna</i> - Neonate                | 48 hours            |
|                                    | Acute LC50 4500 μg/l Fresh water Chronic NOEC 0.004 mg/l Fresh water | Fish - Pimephales promelas<br>Fish - Gambusia holbrooki | 96 hours<br>28 days |

### 12.2 Persistence and degradability

| Product/ingredient name           | Test  | Result      | ·          | Dose |         | Inoculum   |
|-----------------------------------|---|-------------|------------|------|---------|------------|
| Glycerol                          | 301D Ready<br>Biodegradability -<br>Closed Bottle<br>Test | 93 % - 30 c | lays       | -    |         | -          |
| Product/ingredient name           | Aquatic half-life   |             | Photolysis |      | Biodeg  | radability |
| olyoxyethylene octyl phenyl ether | -   |             | -          |      | Readily |            |

### **12.3 Bioaccumulative potential**

Date of issue: 05/22/2024 8/11

### Section 12. Ecological information

| Product/ingredient name                    | LogPow        | BCF | Potential   |
|--|---------------|-----|-------------|
| Sycerol Polyoxyethylene octyl phenyl ether | -1.76<br>4.86 | -   | Low<br>High |

**12.4 Mobility in soil** 

Soil/water partition coefficient (Koc)

: Not available.

12.5 Other adverse effects

: No known significant effects or critical hazards.

## Section 13. Disposal considerations

### 13.1 Waste treatment methods

**Disposal methods** 

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements.

The information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

### Section 14. Transport information

DOT / TDG / Mexico / IMDG / : Not regulated. **IATA** 

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according: Not available. to IMO instruments

05/22/2024 Date of issue:

# Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

U.S. Federal regulations : TSCA 8(a) PAIR: Polyoxyethylene octyl phenyl ether

TSCA 8(a) CDR Exempt/Partial exemption: Not determined

Clean Water Act (CWA) 311: Edetic acid

Clean Air Act Section 112

(b) Hazardous Air Pollutants (HAPs)

: Not listed

**Clean Air Act Section 602** 

: Not listed

Class I Substances

Clean Air Act Section 602

: Not listed

**Class II Substances** 

**DEA List I Chemicals** 

: Not listed

(Precursor Chemicals)

**DEA List II Chemicals** 

: Not listed

(Essential Chemicals)

**SARA 302/304** 

**Composition/information on ingredients** 

No products were found.

SARA 304 RQ : Not applicable.

**SARA 311/312** 

Classification : EYE IRRITATION - Category 2B

Composition/information on ingredients

| Name             | %         | Classification               |
|------------------|-----------|------------------------------|
| <b>S</b> lycerol | ≥50 - ≤75 | EYE IRRITATION - Category 2B |

#### **State regulations**

Massachusetts : The following components are listed: GLYCERINE MIST

**New York** : None of the components are listed.

New Jersey : The following components are listed: GLYCERIN

Pennsylvania : The following components are listed: 1,2,3-PROPANETRIOL

California Prop. 65

#### **International regulations**

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

### **Montreal Protocol**

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

**UNECE Aarhus Protocol on POPs and Heavy Metals** 

Not listed.

**Date of issue**: 05/22/2024 **10/11** 

### **Section 15. Regulatory information**

### **Inventory list**

Australia : Not determined.

Canada : Not determined.

China : All components are listed or exempted.

Japan : Japan inventory (CSCL): Not determined.

Japan inventory (ISHL): Not determined.

New Zealand : All components are listed or exempted.

Philippines : Not determined.

Republic of Korea : Not determined.

**Taiwan** : All components are listed or exempted.

Thailand : Not determined.
Turkey : Not determined.

**United States**: All components are active or exempted.

: 05/22/2024

Viet Nam : Not determined.

### Section 16. Other information

#### Procedure used to derive the classification

| Classification               | Justification      |
|------------------------------|--------------------|
| EYE IRRITATION - Category 2B | Calculation method |

### **History**

Date of issue/Date of

revision

Date of previous issue : 10/09/2018

Version : 2

**Key to abbreviations** : ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973

as modified by the Protocol of 1978. ("Marpol" = marine pollution)

N/A = Not available
UN = United Nations

✓ Indicates information that has changed from previously issued version.

#### **Notice to reader**

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

**Date of issue**: 05/22/2024 **11/11**