Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2015/830 - Ireland

SAFETY DATA SHEET



AC 2 Filter Kit, Base, 2 Filters, Fittings, Part Number CP17902-AC

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

This product is considered an article. This Safety Data Sheet is written based on the encapsulated substance or mixture in this article.

1.1 Product identifier

Product name	: AC 2 Filter Kit, Base, 2 Filters, Fittings, Part Number CP17902-AC
Part no.	: CP17902-AC

1.2 Relevant identified uses of the substance or mixture and uses advised against

Material uses	1	Analytical chemistry.
		A kit containing: 2 x CP17973

1.3 Details of the supplier of the safety data sheet

Agilent Technologies Manufacturing GmbH & Co. KG Hewlett-Packard-Str. 8 76337 Waldbronn Germany 0800 603 1000 e-mail address of person : pdl-msds_author@agilent.com responsible for this SDS

1.4 Emergency telephone number

Emergency telephone : CHEMTREC®: +(44)-870-8200418 number (with hours of operation)

SECTION 2: Hazards identification

This article, when used under reasonable conditions and in accordance with the directions for use, should not present a health hazard. The substance or mixture is encapsulated in the article. Only if released due to use or processing of the article in a manner not in accordance with the product's directions for use it may present potential health and safety hazards.

•	•	
2.1 Classification of th	e substance or mixture	
Product definition	: Mixture (encapsulated in article)	
Classification accord	ling to Regulation (EC) No. 1272/2008 [CLP/GHS]	
H332	ACUTE TOXICITY (inhalation)	Category 4
H350	CARCINOGENICITY	Category 1A
H373	SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE	Category 2
H400	SHORT-TERM (ACUTE) AQUATIC HAZARD	Category 1
H411	LONG-TERM (CHRONIC) AQUATIC HAZARD	Category 2
Ingredients of unknow toxicity	 Percentage of the mixture consisting of ingredient(s 1 - 10% Percentage of the mixture consisting of ingredient(s toxicity: > 60% Percentage of the mixture consisting of ingredient(s 10%) of unknown acute inhalation
Ingredients of unknow ecotoxicity	wn : Contains 1% of components with unknown hazards	to the aquatic environment
See Section 16 for the	full text of the H statements declared above.	
See Section 11 for mor	re detailed information on health effects and symptoms	

See Section 11 for more detailed information on health effects and symptoms.

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2015/830 - Ireland

AC 2 Filter Kit, Base, 2 Filters, Fittings, Part Number CP17902-AC

SECTION 2: Hazards identification

ŝ

2.2 Label elements

Hazard pictograms



Signal word	Danger	
Hazard statements	1332 - Harmful if inhaled. 1350 - May cause cancer. 1373 - May cause damage to organs through prolonged or repeated exposure. 1410 - Very toxic to aquatic life with long lasting effects.	
Precautionary statements		
Prevention	2201 - Obtain special instructions before use. 2280 - Wear protective gloves, protective clothing and eye or face protection. 2273 - Avoid release to the environment. 2260 - Do not breathe dust.	
Response	2391 - Collect spillage.	
Storage	lot applicable.	
Disposal	2501 - Dispose of contents and container in accordance with all local, regional, nation nd international regulations.	nal
Hazardous ingredients	manganese dioxide crystalline silica, respirable powder nickel monoxide	
Supplemental label elements	Contains nickel monoxide. May produce an allergic reaction.	
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	Restricted to professional users.	
Special packaging require	<u>ts</u>	
Tactile warning of danger	lot applicable.	
2.3 Other hazards		
Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII	his mixture does not contain any substances that are assessed to be a PBT or a vP	νB.
Other hazards which do not result in classification	lone known.	

SECTION 3: Composition/information on ingredients

This article, when used under reasonable conditions and in accordance with the directions for use, should not present a health hazard. The substance or mixture is encapsulated in the article. Only if released due to use or processing of the article in a manner not in accordance with the product's directions for use it may present potential health and safety hazards.

3.1 Substances : Mixture (encapsulated in article)

Product/ingredient name	Identifiers	%	Regulation (EC) No. 1272/2008 [CLP]	Туре
aluminium oxide	EC: 215-691-6 CAS: 1344-28-1	≥50 - ≤75	Not classified.	[2]
Manganese dioxide	EC: 215-202-6 CAS: 1313-13-9 Index: 025-001-00-3	≤10	Acute Tox. 4, H302 Acute Tox. 4, H332	[1] [2]
Copper oxide, Activated	EC: 215-269-1 CAS: 1317-38-0 Index: 029-016-00-6	≤10	Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=1)	[1]
crystalline silica, respirable powder	EC: 238-878-4 CAS: 14808-60-7	≤3	STOT RE 1, H372 (lungs) (inhalation)	[1] [2]
nickel monoxide	EC: 215-215-7 CAS: 1313-99-1 Index: 028-003-00-2	<1	Skin Sens. 1, H317 Carc. 1A, H350i STOT RE 1, H372 Aquatic Chronic 4, H413	[1] [2]
			See Section 16 for the full text of the H statements declared above.	

There are no additional ingredients present which, within the current knowledge of the supplier, are classified and contribute to the classification of the substance and hence require reporting in this section.

Туре

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

[3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII

[4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

[5] Substance of equivalent concern

[6] Additional disclosure due to company policy

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures

Eye contact	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If necessary, call a poison center or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.

SECTION 4: First aid measures

Ingestion	:	Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

4.2 Most important symptoms and effects, both acute and delayed

Potential acute healt	<u>n effects</u>
Eye contact	: No known significant effects or critical hazards.
Inhalation	: Harmful if inhaled.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs	/symptoms
E a ser se	N. M. Start (C. 1944)

Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician	 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media		
Suitable extinguishing media	:	Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	:	None known.
5.2 Special hazards arising	fro	m the substance or mixture
Hazards from the substance or mixture	:	This material is very toxic to aquatic life. This material is toxic to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
Hazardous combustion products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide metal oxide/oxides
5.3 Advice for firefighters		
Special precautions for fire-fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

 Date of issue/Date of revision
 : 27/05/2022
 Date of previous issue
 : No previous validation
 Version
 : 1
 4/14

SECTION 5: Firefighting measures

Special protective	: Fire-fighters should wear appropriate protective equipment and self-contained
equipment for fire-	breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
fighters	Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to
•	European standard EN 469 will provide a basic level of protection for chemical
	incidents.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	-	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	:	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities. Collect spillage.
6.3 Methods and material fo	or	containment and cleaning up
Methods for cleaning up	:	Move containers from spill area. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Place spilled material in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.

6.4 Reference to other	1	See Section 1 for emergency contact information.
sections		See Section 8 for information on appropriate personal protective equipment.
		See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Protective measures	Put on appropriate personal protective equipment (see Section 8). Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid release to the environment. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Storage :	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
-----------	--

Seveso Directive - Reporting thresholds

SECTION 7: Handling and storage

Danger criteria							
	Notification and MAPP threshold	Safety report threshold					
E1	100 tonne	200 tonne					

7.3 Specific end use(s)

- **Recommendations**
- : Industrial applications, Professional applications.

Industrial sector specific : Not available. solutions

SECTION 8: Exposure controls/personal protection

Since the hazardous ingredient in this article is encapsulated, the risk of exposure by inhalation, ingestion, skin contact and eyes contact is minimum.

8.1 Control parameters

Occupational exposure limits

Product/ingredient name	Exposure limit values
aluminium oxide	NAOSH (Ireland, 1/2020).
	OELV-8hr: 10 mg/m ³ 8 hours. Form: inhalable dust
	OELV-8hr: 4 mg/m ³ 8 hours. Form: respirable dust
Manganese dioxide	NAOSH (Ireland, 1/2020).
	OELV-8hr: 0.2 mg/m ³ , (as Mn) 8 hours. Form: Inhalable fraction OELV-8hr: 0.05 mg/m ³ , (as Mn) 8 hours. Form: respirable fraction
crystalline silica, respirable powder	NAOSH (Ireland, 1/2020).
	OELV-8hr: 0.1 mg/m ³ 8 hours. Form: respirable dust
nickel monoxide	NAOSH (Ireland, 1/2020).
	OELV-8hr: 0.5 mg/m³, (as Ni) 8 hours.

 Recommended monitoring procedures
 If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNELs/DMELs

Product/ingredient name	Туре	Exposure	Value	Population	Effects
Manganese dioxide	DNEL	Long term Dermal	0.0021 mg/ kg bw/day	General population	Systemic
	DNEL	Long term Dermal	0.00414 mg/kg bw/ day	Workers	Systemic
	DNEL	Long term Inhalation	0.043 mg/ m ³	General population	Systemic
	DNEL	Long term Inhalation	0.2 mg/m ³	Workers	Systemic
nickel monoxide	DNEL	Long term Inhalation	20 ng/m³	General population	Local
	DNEL	Long term Inhalation	20 ng/m³	General population	Systemic
	DNEL	Long term Inhalation	0.05 mg/m³	Workers	Local

SECTION 8: Exposure controls/personal protection

	•	•			
	DNEL	Long term	0.05 mg/m ³	Workers	Systemic
		Inhalation			
	DNEL	Short term	3.9 mg/m ³	General	Local
		Inhalation	_	population	
	DNEL	Short term	3.9 mg/m ³	Workers	Local
		Inhalation			
	DNEL	Short term	312 mg/m ³	General	Systemic
		Inhalation		population	
	DNEL	Long term Dermal	0.012 mg/	Workers	Local
			cm²		
C			•		Local

PNECs

No PNECs available

8.2 Exposure controls	
Appropriate engineering controls	: Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
Individual protection meas	<u>ures</u>
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	 Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	 Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

9.1 Information on basic physical and chemical properties

Appearance

repouranoo		
Physical state	Solid. [G	ranular solid.]
Colour	Black. / [Dark. / Brown. / Tan.
Odour	Not avail	able.
Odour threshold	Not avail	able.
Melting point/freezing point	Not avail	able.
Initial boiling point and boiling range	Not avail	able.
Flammability (solid, gas)	Not avail	able.
Upper/lower flammability or explosive limits	Not appli	cable.
Flash point	Not appli	cable.
Auto-ignition temperature	Not appli	cable.
Decomposition temperature	Not avail	able.
рН	Not avail	able.
Viscosity	Not appli	cable.
Solubility(ies)	Insoluble	in the following materials: cold water and hot water.
Partition coefficient: n- octanol/water	Not appli	cable.
Vapour pressure	Not avail	able.
Evaporation rate	Not avail	able.
Relative density	Not avail	able.
Vapour density	Not appli	cable.
Explosive properties	Not avail	able.
Oxidising properties	Not avail	able.
Particle characteristics		
Median particle size	Not avail	able.

No additional information.

SECTION 10: Stability and reactivity					
10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.				
10.2 Chemical stability	: The product is stable.				
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.				
10.4 Conditions to avoid	: No specific data.				
10.5 Incompatible materials	: May react or be incompatible with oxidising materials. Incompatible with hydrogen fluoride.				

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2015/830 - Ireland

AC 2 Filter Kit, Base, 2 Filters, Fittings, Part Number CP17902-AC

SECTION 10: Stability and reactivity

10.6 Hazardous

decomposition products

: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Manganese dioxide	LD50 Oral	Rat	3478 mg/kg	-
Copper oxide, Activated	LD50 Dermal	Rat - Male, Female	>2000 mg/kg	-
nickel monoxide	LD50 Oral LC50 Inhalation Dusts and mists	Rat Rat - Male, Female	470 mg/kg >5.08 mg/l	- 4 hours

Acute toxicity estimates

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapours) (mg/l)	
AC 2 Filter Kit, Base, 2 Filters, Fittings, Part Number CP17902-AC Manganese dioxide	5681.8 500	N/A N/A	N/A N/A	N/A N/A	4.5 1.5

Irritation/Corrosion

Conclusion/Summary	:	Not available.
<u>Sensitiser</u>		
Conclusion/Summary	1	Not available.
Mutagenicity		
Conclusion/Summary	1	Not available.
Carcinogenicity		
Conclusion/Summary	1	Not available.
Reproductive toxicity		
Conclusion/Summary	1	Not available.
Teratogenicity		
Conclusion/Summary	1	Not available.
Specific target organ toxic	<u>city</u>	(single exposure)
NI / 11 II		

Not available.

Specific target organ toxicity (repeated exposure)

Product/ingredient name	Category	Route of exposure	Target organs
crystalline silica, respirable powder	Category 1	inhalation	lungs
nickel monoxide	Category 1	-	-

Aspiration hazard

Not available.

Information on likely routes of exposure

: Routes of entry anticipated: Oral, Dermal, Inhalation.

Potential acute health effects

r otoritiar addito mount	
Inhalation	: Harmful if inhaled.
Ingestion	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Eye contact	: No known significant effects or critical hazards.

Date of issue/Date of revision

SECTION 11: Toxicological information

Symptoms related to the	physical, chemical and toxicological characteristics
Inhalation	: No specific data.
Ingestion	: No specific data.
Skin contact	: No specific data.
Eye contact	: No specific data.
Delayed and immediate e	effects as well as chronic effects from short and long-term exposure
<u>Short term exposure</u>	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Long term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Potential chronic health	effects
General	: May cause damage to organs through prolonged or repeated exposure.
Carcinogenicity	: May cause cancer. Risk of cancer depends on duration and level of exposure.
Mutagenicity	: No known significant effects or critical hazards.
Reproductive toxicity	: No known significant effects or critical hazards.
Other information	: Adverse symptoms may include the following: May cause skin sensitisation.

SECTION 12: Ecological information

12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
Manganese dioxide	Acute EC50 >100 mg/l Fresh water	Algae - Desmodesmus subspicatus	72 hours
	Acute EC50 >100 mg/l Fresh water Acute LC50 >100 mg/l Fresh water Acute NOEC >100 mg/l Fresh water Chronic NOEC 10 mg/l Fresh water	Daphnia - Daphnia magna Fish - Oncorhynchus mykiss Fish - Oncorhynchus mykiss Daphnia - Ceriodaphnia dubia	48 hours 96 hours 96 hours 8 days
Copper oxide, Activated	Acute LC50 2.6 mg/l Fresh water	Daphnia - Daphnia magna - Neonate	48 hours
	Acute LC50 >56000 ppm Fresh water	Fish - Gambusia affinis - Adult	96 hours

12.2 Persistence and degradability

Not available.

12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
nickel monoxide	-	5613	high

12.4 Mobility in soil

Soil/water partition coefficient (Koc)	: Not available.
Mobility	: Not available.

12.5 Results of PBT and vPvB assessment

SECTION 12: Ecological information

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Other adverse effects : No known significant effects or critical hazards.

SECTION 13: Disposal considerations

13.1 Waste treatment met	hods
Product	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	: The classification of the product may meet the criteria for a hazardous waste.
Packaging	
Methods of disposal	 The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
Special precautions	This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

This Safety Data Sheet is written based on the encapsulated substance or mixture in this article. Since the hazardous ingredient is encapsulated, the risk of exposure by inhalation, ingestion, skin contact and eyes contact is minimum.

	ADR/RID	IMDG	ΙΑΤΑ
14.1 UN number	UN3077	Not regulated.	Not regulated.
14.2 UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Copper oxide, Activated)	-	-
14.3 Transport hazard class(es)	9	-	-
14.4 Packing group	111	-	-
14.5 Environmental hazards	Yes.	No.	No.

Additional information

ADR/RID

: This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8. <u>Hazard identification number</u> 90

Limited quantity 5 kg

SECTION 14: Transport information

14.6 Special precautions
for user: Transport within user's premises: always transport in closed containers that are
upright and secure. Ensure that persons transporting the product know what to do in the
event of an accident or spillage.

14.7 Transport in bulk : Not available. according to IMO

instruments

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture <u>EU Regulation (EC) No. 1907/2006 (REACH)</u>

Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous

substances, mixtures and articles

Ingredient name	EC number	CAS number	Restriction
AC 2 Filter Kit, Base, 2 Filters, Fittings, Part Number CP17902-AC			28
nickel monoxide	215-215-7	1313-99-1	28

Label

: Restricted to professional users.

Other EU regulations

Ozone depleting substances (1005/2009/EU)

Not listed.

Prior Informed Consent (PIC) (649/2012/EU)

Not listed.

Persistent Organic Pollutants

Not listed.

Seveso Directive

This product is controlled under the Seveso Directive.

Danger criteria

Category

E1

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals Not listed.

SECTION 15: Regulatory information

Inventory list			
Australia	: All components are listed or exempted.		
Canada	: All components are listed or exempted.		
China	: All components are listed or exempted.		
Europe	: All components are listed or exempted.		
Japan	: Japan inventory (CSCL): All components are listed or exempted. Japan inventory (ISHL): All components are listed or exempted.		
New Zealand	: All components are listed or exempted.		
Philippines	: All components are listed or exempted.		
Republic of Korea	: All components are listed or exempted.		
Taiwan	: All components are listed or exempted.		
Thailand	: All components are listed or exempted.		
Turkey	All components are listed or exempted.		
United States	: All components are active or exempted.		
Viet Nam	: All components are listed or exempted.		
15.2 Chemical safety assessment	 This product contains substances for which Chemical Safety Assessments might still be required. 		

SECTION 16: Other information

Indicates information that has changed from previously issued version.

	8 1 3
Abbreviations and	: ATE = Acute Toxicity Estimate
acronyms	CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.
	1272/2008]
	DMEL = Derived Minimal Effect Level
	DNEL = Derived No Effect Level
	EUH statement = CLP-specific Hazard statement
	N/A = Not available
	PBT = Persistent, Bioaccumulative and Toxic
	PNEC = Predicted No Effect Concentration
	RRN = REACH Registration Number
	vPvB = Very Persistent and Very Bioaccumulative

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
Acute Tox. 4, H332	Calculation method
Carc. 1A, H350	Calculation method
STOT RE 2, H373	Calculation method
Aquatic Acute 1, H400	Calculation method
Aquatic Chronic 2, H411	Calculation method

Full text of abbreviated H statements

H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H332	Harmful if inhaled.
H350	May cause cancer.
H350i	May cause cancer by inhalation.
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated
	exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

Full text of classifications [CLP/GHS]

SECTION 16: Other information

Acute Tox. 4		ACUTE TOXICITY - Category 4		
Aquatic Acute 1		SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1		
Aquatic Chronic 1		LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 1		
Aquatic Chronic 2		LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 2		
Aquatic Chronic 4		LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 4		
Carc. 1A		CARCINOGENICITY - Category 1A		
Skin Sens. 1		SKIN SENSITISATION - Category 1		
STOT RE 1		SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE		
STOT RE 2		SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE		
		- Category 2		
Date of issue/ Date of revision	: 27/05/2022			
Date of previous issue	: No previous validation			

Version

: 1

Notice to reader

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.