Conforms to Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals

SAFETY DATA SHEET



Avida Methyl Reagent Kit with 1-16 Index Primer Pairs for ILM, 16 Reactions, Part Number G9419A

Section 1. Identification

Product identifier	: Avida Methyl Reagent Kit with 1-16 Index P Number G9419A	rimer Pairs for ILM, 16 Reactions, Part
Part no. (chemical kit)	: G9419A	
Part no.	: <u>Avida Methyl Reagent Box 2, 16</u> <u>Reactions/Avida Methyl and Duo Reagent</u> <u>Box 3, 16 Reactions</u>	5282-0147/5282-0149
	Nuclease-Free Water <u>Avida Methyl Reagent Box 1, 16</u> <u>Reactions</u>	5271-0107 <u>5282-0145</u>
	End Prep Buffer End Prep Enzyme	5271-0094 5271-0095
	Ligation Buffer	5271-0096
	Ligation Enzyme	5271-0097
	Adapter for ILM	5271-0112
	Hyb Blocker	5271-0099
	Hyb Buffer	5271-0100
	Hyb Enhancer	5271-0101
	Soft Conversion Reagent A	5271-0110
	2X Methyl Amplification Mastermix	5271-0111
	<u>Avida Methyl Reagent Box 2, 16</u>	<u>5282-0147</u>
	Reactions	5202-01-17
	Library Wash Buffer	5271-0103
	Hyb Wash Buffer 1	5271-0104
	Hyb Wash Buffer 2	5271-0105
	Avida Methyl and Duo Reagent Box 3, 16	<u>5282-0149</u>
	Reactions	E074 0112
	Soft Conversion Reagent B	5271-0113 5271-0114
	Soft Conversion Binding Beads 5X Soft Conversion Wash Buffer	5271-0114
		5271-0115
	Soft Conversion Elution Buffer	5271-0116 5271-0117
	Soft Conversion Repair Solution	5271-0117 <u>5282-0143</u>
	Avida Beads Box, 16 Reactions	5271-0108
	Library Binding Beads Capture Beads	5271-0109
	Avida Index Primer Pairs 1-16 for ILM	<u>5280-0052</u>
	Index Primer Mix for ILM 1-8	5274-0075
	Index Primer Mix for ILM 9-16	5274-0076
		0211 0010
Relevant identified uses of th	ne substance or mixture and uses advised a	gainst
Identified uses	: Analytical reagent.	
	For research use only.	
	Nuclease-Free Water	0.88 ml (16 reactions)
	End Prep Buffer	0.124 ml (16 reactions)
	End Prep Enzyme	0.053 ml (16 reactions)
	Ligation Buffer	0.44 ml (16 reactions)
	Ligation Enzyme	0.106 ml (16 reactions)
	Adapter for ILM	0.088 ml (16 reactions)
	HybBlocker	0.044 ml (16 reactions)
	Hyb Buffer	0.81 ml (16 reactions)
	Hyb Enhancer	0.132 ml (16 reactions)
	Soft Conversion Reagent A	0.062 ml (16 reactions)
	2X Methyl Amplification Mastermix	0.44 ml (16 reactions)
	Library Wash Buffer	6.336 ml (16 reactions)
	Hyb Wash Buffer 1	5.28 ml (16 reactions)
	Hyb Wash Buffer 2	2.64 ml (16 reactions)
	-	· · · · · ·

Section 1. Identification

	Soft Conversion Reagent B	2 x 0.75 ml
	Soft Conversion Binding Beads	2.64 ml (16 reactions)
	5X Soft Conversion Wash Buffer	2 ml (16 reactions)
	Soft Conversion Elution Buffer	0.264 ml (16 reactions)
	Soft Conversion Repair Solution	0.088 ml (16 reactions)
	Library Binding Beads	1.532 ml (16 reactions)
	Capture Beads	0.141 ml (16 reactions)
	Index Primer Mix for ILM 1-8	8 x 0.005 ml
	Index Primer Mix for ILM 9-16	8 x 0.005 ml
Uses advised against	: Not for use in diagnostic procedures.	
Supplier/Manufacturer	: Agilent Technologies Australia Pty Ltd 679 Springvale Road Mulgrave Victoria 3170, Australia 1800 802 402	
Emergency telephone number (with hours of operation)	: CHEMTREC®: +(61)-290372994	

Classification of the substan	ce or mixture
End Prep Buffer H412	LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 3
End Prep Enzyme H320	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2B
Ligation Enzyme H320	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2B
Hyb Buffer H302 H315 H370 H412	ACUTE TOXICITY (oral) - Category 4 SKIN CORROSION/IRRITATION - Category 2 SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE - Category 1 LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 3
Hyb Enhancer H351 H360 H373	CARCINOGENICITY - Category 2 REPRODUCTIVE TOXICITY - Category 1 SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE - Category 2
Soft Conversion Reagent A H227 H319 H360	FLAMMABLE LIQUIDS - Category 4 SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2A REPRODUCTIVE TOXICITY - Category 1
Soft Conversion Reagent B H319	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2A
Soft Conversion Binding Beads H226 H314 H318 H400 H411 Soft Conversion Elution	FLAMMABLE LIQUIDS - Category 3 SKIN CORROSION/IRRITATION - Category 1C SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1 SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1 LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 2

Date of issue/Date of revision	: 11/04/2024	Date of previous issue	: 23/02/2024	Version : 1.1	2/86
--------------------------------	--------------	------------------------	--------------	---------------	------

Buffer		
H314 H318	SKIN CORROSION/IRRITATIC SERIOUS EYE DAMAGE/EYE	
	Hyb Buffer	Percentage of the mixture consisting of ingredient(s) of unknown acute oral toxicity: 1 - 10%
	Hyb Buffer	Percentage of the mixture consisting of ingredient(s) of unknown hazards to the aquatic environment: 3.4%
	2X Methyl Amplification Mastermix Soft Conversion Reagent B	Percentage of the mixture consisting of ingredient(s) of unknown hazards to the aquatic environment: 10% Percentage of the mixture consisting of ingredient(s) of unknown hazards to the aquatic environment: 70%
GHS label elements		
Hazard pictograms	: Hyb Buffer	
	Hyb Enhancer	
	Soft Conversion Reagent A	
	Soft Conversion Reagent B	
	Soft Conversion Binding Beads	
	Soft Conversion Elution Buffer	
Signal word	: Nuclease-Free Water End Prep Buffer End Prep Enzyme Ligation Buffer Ligation Enzyme Adapter for ILM Hyb Blocker Hyb Buffer Hyb Enhancer Soft Conversion Reagent A 2X Methyl Amplification	No signal word. No signal word. WARNING No signal word. WARNING No signal word. DANGER DANGER DANGER No signal word.
	Mastermix Library Wash Buffer Hyb Wash Buffer 1 Hyb Wash Buffer 2 Soft Conversion Reagent B Soft Conversion Binding	No signal word. No signal word. No signal word. WARNING DANGER
	Beads 5X Soft Conversion Wash	No signal word.

	Buffer Soft Conversion Elution Buffer	DANGER
	Soft Conversion Repair Solution	No signal word.
	Library Binding Beads	No signal word.
	Capture Beads	No signal word.
	Index Primer Mix for ILM 1-8	No signal word.
	Index Primer Mix for ILM 9-16	No signal word.
Hazard statements	Nuclease-Free Water End Prep Buffer End Prep Enzyme Ligation Buffer Ligation Enzyme	No known significant effects or critical hazards. H412 - Harmful to aquatic life with long lasting effects. H320 - Causes eye irritation. No known significant effects or critical hazards. H320 - Causes eye irritation.
	Adapter for ILM	No known significant effects or critical hazards.
	Hyb Blocker	No known significant effects or critical hazards.
	Hyb Buffer	H302 - Harmful if swallowed.
		H315 - Causes skin irritation.
		H370 - Causes damage to organs. (central nervous
		system (CNS))
		H412 - Harmful to aquatic life with long lasting effects.
	Hyb Enhancer	H351 - Suspected of causing cancer.
		H360 - May damage fertility or the unborn child. H373 - May cause damage to organs through
		prolonged or repeated exposure. (blood)
	Soft Conversion Reagent A	H227 - Combustible liquid.
	5	H319 - Causes serious eye irritation.
		H360 - May damage fertility or the unborn child.
	2X Methyl Amplification Mastermix	No known significant effects or critical hazards.
	Library Wash Buffer	No known significant effects or critical hazards.
	Hyb Wash Buffer 1	No known significant effects or critical hazards.
	Hyb Wash Buffer 2	No known significant effects or critical hazards.
	Soft Conversion Reagent B	H319 - Causes serious eye irritation.
	Soft Conversion Binding Beads	H226 - Flammable liquid and vapour.
		H314 - Causes severe skin burns and eye damage. H400 - Very toxic to aquatic life.
		H411 - Toxic to aquatic life with long lasting effects.
	5X Soft Conversion Wash Buffer	No known significant effects or critical hazards.
	Soft Conversion Elution Buffer	H314 - Causes severe skin burns and eye damage.
	Soft Conversion Repair Solution	No known significant effects or critical hazards.
	Library Binding Beads	No known significant effects or critical hazards.
	Capture Beads	No known significant effects or critical hazards.
	Index Primer Mix for ILM 1-8	No known significant effects or critical hazards.
	Index Primer Mix for ILM 9-16	No known significant effects or critical hazards.
Precautionary statements		
· · · · · · · · · · · · · · · · · · ·	Nuclease-Free Water	Not applicable.
Trevention	End Prep Buffer	P273 - Avoid release to the environment.
	End Prep Enzyme	Not applicable.
	Ligation Buffer	Not applicable.
	Ligation Enzyme	Not applicable.
	Adapter for ILM	Not applicable.
	Hyb Blocker	Not applicable.
	Hyb Buffer	P280 - Wear protective gloves.
		P273 - Avoid release to the environment.
		P260 - Do not breathe vapour.
		··· · ···

4/86

	Hyb Enhancer Soft Conversion Reagent A	 P270 - Do not eat, drink or smoke when using this product. P201 - Obtain special instructions before use. P280 - Wear protective gloves, protective clothing and eye or face protection. P260 - Do not breathe vapour. P201 - Obtain special instructions before use. P280 - Wear protective gloves, protective clothing and eye or face protection.
	2X Methyl Amplification Mastermix Library Wash Buffer Hyb Wash Buffer 1	P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Not applicable.Not applicable.Not applicable.
	Hyb Wash Buffer 2 Soft Conversion Reagent B Soft Conversion Binding Beads	Not applicable. P280 - Wear eye or face protection. P280 - Wear protective gloves, protective clothing and eye or face protection. P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
	5X Soft Conversion Wash Buffer	P273 - Avoid release to the environment. Not applicable.
	Soft Conversion Elution Buffer Soft Conversion Repair Solution	P280 - Wear protective gloves, protective clothing and eye or face protection. Not applicable.
	Library Binding Beads Capture Beads Index Primer Mix for ILM 1-8 Index Primer Mix for ILM 9-16	Not applicable. Not applicable. Not applicable. Not applicable.
Response	Nuclease-Free Water End Prep Buffer End Prep Enzyme	Not applicable. Not applicable. P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical advice or attention.
	Ligation Buffer Ligation Enzyme	Not applicable. P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical advice or attention.
	Adapter for ILM	Not applicable.
	Hyb Blocker Hyb Buffer	Not applicable. P308 + P311 - IF exposed or concerned: Call a
	Hyb Enhancer	POISON CENTER or doctor. P308 + P313 - IF exposed or concerned: Get medical
	Soft Conversion Reagent A	advice or attention. P308 + P313 - IF exposed or concerned: Get medical advice or attention. P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	2X Methyl Amplification Mastermix	Not applicable.
	Library Wash Buffer Hyb Wash Buffer 1	Not applicable. Not applicable.
	Hyb Wash Buffer 2 Soft Conversion Reagent B	Not applicable. P305 + P351 + P338 - IF IN EYES: Rinse cautiously

		with water for several minutes. Remove contact
		lenses, if present and easy to do. Continue rinsing.
		P337 + P313 - If eye irritation persists: Get medical
		advice or attention.
	Soft Conversion Binding	P391 - Collect spillage.
	Beads	
	Deads	P304 + P310 - IF INHALED: Immediately call a
		POISON CENTER or doctor.
	5X Soft Conversion Wash	Not applicable.
	Buffer	
	Soft Conversion Elution	P304 + P310 - IF INHALED: Immediately call a
	Buffer	POISON CENTER or doctor.
		P301 + P310 - IF SWALLOWED: Immediately call a
		POISON CENTER or doctor.
		P303 + P361 + P353, P310 - IF ON SKIN (or hair):
		Take off immediately all contaminated clothing. Rinse
		skin with water. Immediately call a POISON
		CENTER or doctor.
	Soft Conversion Repair	Not applicable.
	Solution	
	Library Binding Beads	Not applicable.
	Capture Beads	Not applicable.
	Index Primer Mix for ILM 1-8	Not applicable.
	Index Primer Mix for ILM	Not applicable.
	9-16	
Storage	: Nuclease-Free Water	Not applicable.
	End Prep Buffer	Not applicable.
	End Prep Enzyme	Not applicable.
	Ligation Buffer	Not applicable.
	Ligation Enzyme	Not applicable.
	Adapter for ILM	Not applicable.
	Hyb Blocker	Not applicable.
	Hyb Buffer	Not applicable.
	Hyb Enhancer	Not applicable.
	Soft Conversion Reagent A	Not applicable.
	2X Methyl Amplification	Not applicable.
	Mastermix	
	Library Wash Buffer	Not applicable.
	Hyb Wash Buffer 1	Not applicable.
	Hyb Wash Buffer 2	Not applicable.
	Soft Conversion Reagent B	Not applicable.
	Soft Conversion Binding	Not applicable.
	Beads	
	5X Soft Conversion Wash	Not applicable.
	Buffer	Not applicable.
	Soft Conversion Elution	Not applicable.
	Buffer	
	Soft Conversion Repair	Not applicable.
	Solution	
	Library Binding Beads	Not applicable.
	Capture Beads	Not applicable.
	Index Primer Mix for ILM 1-8	Not applicable.
	Index Primer Mix for ILM	Not applicable.
	9-16	
Disposal	: Nuclease-Free Water	Not applicable.
	End Prep Buffer	P501 - Dispose of contents and container in
		accordance with all local, regional, national and
		international regulations.
	End Prep Enzyme	Not applicable.
	Ligation Buffer	Not applicable.
	Ligation Enzyme	Not applicable.
	Adapter for ILM	Not applicable.
	Hyb Blocker	Not applicable.
Date of issue/Date of revision	: 11/04/2024 Date of previous is	sue : 23/02/2024 Version : 1.1 6/86

	laonanoation	
	Hyb Buffer	P501 - Dispose of contents and container in
		accordance with all local, regional, national and
		international regulations.
	Hyb Enhancer	P501 - Dispose of contents and container in
	-	accordance with all local, regional, national and
		international regulations.
	Soft Conversion Reagent A	P501 - Dispose of contents and container in
	con convolution reagent r	accordance with all local, regional, national and
		international regulations.
	2X Mathud Amplification	0
	2X Methyl Amplification	Not applicable.
	Mastermix	Marken and Provide Land
	Library Wash Buffer	Not applicable.
	Hyb Wash Buffer 1	Not applicable.
	Hyb Wash Buffer 2	Not applicable.
	Soft Conversion Reagent B	Not applicable.
	Soft Conversion Binding	P501 - Dispose of contents and container in
	Beads	accordance with all local, regional, national and
		international regulations.
	5X Soft Conversion Wash	Not applicable.
	Buffer	
	Soft Conversion Elution	P501 - Dispose of contents and container in
	Buffer	accordance with all local, regional, national and
	Ballel	international regulations.
	Soft Conversion Penair	Not applicable.
	Soft Conversion Repair Solution	Not applicable.
	Library Binding Beads	Not applicable.
	Capture Beads	Not applicable.
	Index Primer Mix for ILM 1-8	Not applicable.
	Index Primer Mix for ILM	Not applicable.
	9-16	
Supplemental label elements		
Additional warning :	Nuclease-Free Water	Not applicable.
phrases	End Prep Buffer	Not applicable.
	End Prep Enzyme	Not applicable.
	Ligation Buffer	Not applicable.
	Ligation Enzyme	Not applicable.
	Adapter for ILM	Not applicable.
	Hyb Blocker	Not applicable.
	Hyb Buffer	Not applicable.
	Hyb Enhancer	Not applicable.
	Soft Conversion Reagent A	Not applicable.
	2X Methyl Amplification	Not applicable.
	Mastermix	
	Library Wash Buffer	Not applicable.
	Hyb Ŵash Buffer 1	Not applicable.
	Hyb Wash Buffer 2	Not applicable.
	Soft Conversion Reagent B	Not applicable.
	Soft Conversion Binding	Corrosive to the respiratory tract.
	Beads	
	5X Soft Conversion Wash	Not applicable.
	Buffer	
	Soft Conversion Elution	Not applicable.
	Buffer	
	Soft Conversion Repair Solution	Not applicable.
	Library Binding Beads	Not applicable.
	Capture Beads	Not applicable.
	Index Primer Mix for ILM 1-8	Not applicable.
	Index Primer Mix for ILM 9-16	Not applicable.
	0-10	

Other hazards which do not	1	Nuclease-Free Water	None known.
result in classification		End Prep Buffer	None known.
		End Prep Enzyme	None known.
		Ligation Buffer	None known.
		Ligation Enzyme	None known.
		Adapter for ILM	None known.
		Hyb Blocker	None known.
		Hyb Buffer	None known.
		Hyb Enhancer	None known.
		Soft Conversion Reagent A	None known.
		2X Methyl Amplification	None known.
		Mastermix	
		Library Wash Buffer	None known.
		Hyb Wash Buffer 1	None known.
		Hyb Wash Buffer 2	None known.
		Soft Conversion Reagent B	None known.
		Soft Conversion Binding	Causes digestive tract burns.
		Beads	
		5X Soft Conversion Wash	None known.
		Buffer	
		Soft Conversion Elution	None known.
		Buffer	
		Soft Conversion Repair	None known.
		Solution	
		Library Binding Beads	None known.
		Capture Beads	None known.
		Index Primer Mix for ILM 1-8	None known.
		Index Primer Mix for ILM	None known.
		9-16	

Section 3. Composition and ingredient information

		Ŭ	
Substance/mixture	:	Nuclease-Free Water End Prep Buffer	Substance Mixture
		End Prep Enzyme	Mixture
		Ligation Buffer	Mixture
		Ligation Enzyme	Mixture
		Adapter for ILM	Mixture
		Hyb Blocker	Mixture
		Hyb Buffer	Mixture
		Hyb Enhancer	Mixture
		Soft Conversion Reagent A	Mixture
		2X Methyl Amplification Mastermix	Mixture
		Library Wash Buffer	Mixture
		Hyb Wash Buffer 1	Mixture
		Hyb Wash Buffer 2	Mixture
		Soft Conversion Reagent B	Mixture
		Soft Conversion Binding Beads	Mixture
		5X Soft Conversion Wash Buffer	Mixture
		Soft Conversion Elution Buffer	Mixture
		Soft Conversion Repair Solution	Mixture
		Library Binding Beads Capture Beads	Mixture Mixture
		Index Primer Mix for ILM 1-8 Index Primer Mix for ILM 9-16	Mixture Mixture

CAS number/other identifiers

Date of	issue/Date	of revision	: 11/
---------	------------	-------------	-------

Section 3. Composition and ingredient information

Ingredient name	% (w/w)	CAS number
Nuclease-Free Water		
water	100	7732-18-5
End Prep Buffer		
Magnesium chloride	<2.5	7786-30-3
End Prep Enzyme		
Glycerol	≥30 - ≤60	56-81-5
Ligation Buffer		
Poly(oxy-1,2-ethanediyl), α -hydro- ω -hydroxy- Ethane-1,2-diol, ethoxylated	≥10 - ≤30	25322-68-3
Ligation Enzyme		
Glycerol	≥30 - ≤60	56-81-5
Hyb Buffer		
tetramethylammonium chloride	≥10 - <15	75-57-0
Hyb Enhancer		
Formamide	≥90	75-12-7
Poly(oxy-1,2-ethanediyl), α -hydro- ω -hydroxy- Ethane-1,2-diol, ethoxylated	≤5	25322-68-3
Soft Conversion Reagent A		
tetrahydro-2-furylmethanol	≥90	97-99-4
Library Wash Buffer		
Poly(oxy-1,2-ethanediyl), α -hydro- ω -hydroxy- Ethane-1,2-diol, ethoxylated	≥10 - ≤30	25322-68-3
Soft Conversion Reagent B		
ammonium hydrogensulphite	≥60 - ≤75	10192-30-0
Soft Conversion Binding Beads		
Ethanol	≥60 - ≤75	64-17-5
Guanidinium thiocyanate	≥10 - ≤21	593-84-0
Poly(oxy-1,2-ethanediyl), .alpha[(1,1,3,3-tetramethylbutyl)phenyl] omegahydroxy-	≤6.5	9036-19-5
Library Binding Beads		
Date of issue/Date of revision : 11/04/2024 Date of previous issue	: 23/02/2024	Version :1.1

Avida Methyl Reagent Kit with 1-16 Index Primer Pairs for ILM, 16 Reactions, Part Number G9419A

Section 3. Composition and ingredient information

Poly(oxy-1,2-ethanediyl), α -hydro- ω -hydroxy- Ethane-1,2-diol, ethoxylated $\geq 10 - \leq 30$

25322-68-3

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

The total concentration of ingredients in this product, reported or not in this section, is 100%.

Occupational exposure limits, if available, are listed in Section 8.

Description of necessary	first aid measures	
Eye contact	: Nuclease-Free Water	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get
	End Prep Buffer	medical attention if irritation occurs. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get
	End Prep Enzyme	medical attention if irritation occurs. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue
	Ligation Buffer	to rinse for at least 10 minutes. If irritation persists, get medical attention. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get
	Ligation Enzyme	medical attention if irritation occurs. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue
	Adapter for ILM	to rinse for at least 10 minutes. If irritation persists, get medical attention. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get
	Hyb Blocker	medical attention if irritation occurs. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get
	Hyb Buffer	medical attention if irritation occurs. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue
	Hyb Enhancer	to rinse for at least 10 minutes. Get medical attention. If necessary, call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue
	Soft Conversion Reagent A	to rinse for at least 10 minutes. Get medical attention. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue
	2X Methyl Amplification Mastermix	to rinse for at least 10 minutes. Get medical attention. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get
	Library Wash Buffer	medical attention if irritation occurs. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get
	Hyb Wash Buffer 1	medical attention if irritation occurs. Immediately flush eyes with plenty of water,
Date of issue/Date of revision	: 11/04/2024 Date of previous i	ssue : 23/02/2024 Version : 1.1 10/86

Inhalation

	occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get
	medical attention if irritation occurs.
Hyb Wash Buffer 2	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids.
	Check for and remove any contact lenses. Get
	medical attention if irritation occurs.
Soft Conversion Reagent B	Immediately flush eyes with plenty of water,
	occasionally lifting the upper and lower eyelids.
	Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Soft Conversion Binding	Get medical attention immediately. Call a poison
Beads	center or physician. Immediately flush eyes with
	plenty of water, occasionally lifting the upper and
	lower eyelids. Check for and remove any contact
	lenses. Continue to rinse for at least 10 minutes.
	Chemical burns must be treated promptly by a physician.
5X Soft Conversion Wash	Immediately flush eyes with plenty of water,
Buffer	occasionally lifting the upper and lower eyelids.
	Check for and remove any contact lenses. Get
	medical attention if irritation occurs.
Soft Conversion Elution	Get medical attention immediately. Call a poison
Buffer	center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and
	lower eyelids. Check for and remove any contact
	lenses. Continue to rinse for at least 10 minutes.
	Chemical burns must be treated promptly by a
	physician.
Soft Conversion Repair Solution	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids.
Solution	Check for and remove any contact lenses. Get
	medical attention if irritation occurs.
Library Binding Beads	Immediately flush eyes with plenty of water,
	occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get
	medical attention if irritation occurs.
Capture Beads	Immediately flush eyes with plenty of water,
	occasionally lifting the upper and lower eyelids.
	Check for and remove any contact lenses. Get
Index Primer Mix for ILM 1-8	medical attention if irritation occurs. Immediately flush eyes with plenty of water,
	occasionally lifting the upper and lower eyelids.
	Check for and remove any contact lenses. Get
	medical attention if irritation occurs.
Index Primer Mix for ILM 9-16	Immediately flush eyes with plenty of water,
9-10	occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get
	medical attention if irritation occurs.
 Nuclease-Free Water	Remove victim to fresh air and keep at rest in a
	position comfortable for breathing. Get medical
	attention if symptoms occur.
End Prep Buffer	Remove victim to fresh air and keep at rest in a position comfortable for breathing. In case of
	inhalation of decomposition products in a fire,
	symptoms may be delayed. The exposed person
	may need to be kept under medical surveillance for
	48 hours.
End Prep Enzyme	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if
	breathing is irregular or if respiratory arrest occurs,
	provide artificial respiration or oxygen by trained
	personnel. It may be dangerous to the person

	providing aid to give mout	
		lverse health effects persist
	or are severe. If unconsci	
	position and get medical a	
	as a collar, tie, belt or wais	Loosen tight clothing such
Ligation Buffer	Remove victim to fresh air	
	position comfortable for bi	•
		ur. In case of inhalation of
	decomposition products in	
	delayed. The exposed pe	
	under medical surveillance	
Ligation Enzyme	Remove victim to fresh air	
Eigation Enzyme		eathing. If not breathing, if
	breathing is irregular or if	
	provide artificial respiration	
	personnel. It may be dang	
	providing aid to give mout	
		lverse health effects persist
	or are severe. If unconsci	
	position and get medical a	
		Loosen tight clothing such
	as a collar, tie, belt or wais	
Adapter for ILM	Remove victim to fresh air	
	position comfortable for br	
	attention if symptoms occu	0
Hyb Blocker	Remove victim to fresh air	
-	position comfortable for br	eathing. Get medical
	attention if symptoms occu	ur.
Hyb Buffer	Remove victim to fresh air	
		eathing. If not breathing, if
	breathing is irregular or if	
	provide artificial respiration	
	personnel. It may be dang	
	providing aid to give mout	
	Get medical attention. If r	
		conscious, place in recovery
	position and get medical a	
		Loosen tight clothing such
	as a collar, tie, belt or wais	
	inhalation of decompositio	
	symptoms may be delayed	
	may need to be kept unde	r medical surveillance for
Hub Enhancer	48 hours.	and keep at reat in a
Hyb Enhancer	Remove victim to fresh air	
	breathing is irregular or if	eathing. If not breathing, if
	provide artificial respiration	
	personnel. It may be dang	
	providing aid to give mout	
	Get medical attention. If u	
	recovery position and get	
		open airway. Loosen tight
	clothing such as a collar, t	
		mposition products in a fire,
	symptoms may be delayed	
	may need to be kept unde	
	48 hours.	
Soft Conversion Reagent A	Remove victim to fresh air	and keep at rest in a
		eathing. If not breathing, if
	breathing is irregular or if	
	provide artificial respiration	
	personnel. It may be dang	
	providing aid to give mout	
11/04/2024 Date of previous is	sue : 23/02/2024	Version : 1.1 12/86

Date of issue/Date of revision :11/04/2024

	Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
2X Methyl Amplification Mastermix	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Library Wash Buffer	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Hyb Wash Buffer 1	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Hyb Wash Buffer 2	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Soft Conversion Reagent B	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Soft Conversion Binding Beads	Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self- contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
5X Soft Conversion Wash Buffer	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Soft Conversion Elution Buffer	Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self- contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie,

	Soft Conversion Repair Solution	belt or waistband. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept
	Library Binding Beads	under medical surveillance for 48 hours. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical
	Capture Beads	attention if symptoms occur. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical
	Index Primer Mix for ILM 1-8	attention if symptoms occur. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	Index Primer Mix for ILM 9-16	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	: Nuclease-Free Water	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	End Prep Buffer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	End Prep Enzyme	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing
	Ligation Buffer	before reuse. Clean shoes thoroughly before reuse. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	Ligation Enzyme	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing
	Adapter for ILM	before reuse. Clean shoes thoroughly before reuse. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	Hyb Blocker	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	Hyb Buffer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. If necessary, call a poison center or physician. Wash clothing before reuse. Clean shoes thoroughly
	Hyb Enhancer	before reuse. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly
	Soft Conversion Reagent A	before reuse. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly
	2X Methyl Amplification	before reuse. Flush contaminated skin with plenty of water.
Date of issue/Date of revision	: 11/04/2024 Date of previous is	ssue : 23/02/2024 Version : 1.1 14/86

Ingestion

· · ··································	licacaroo	
	Mastermix	Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	Library Wash Buffer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get
	Hyb Wash Buffer 1	medical attention if symptoms occur. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get
	Hyb Wash Buffer 2	medical attention if symptoms occur. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get
	Soft Conversion Reagent B	medical attention if symptoms occur. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing
	Soft Conversion Binding Beads	before reuse. Clean shoes thoroughly before reuse. Get medical attention immediately. Call a poison center or physician. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must
	5X Soft Conversion Wash Buffer	be treated promptly by a physician. Wash clothing before reuse. Clean shoes thoroughly before reuse. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	Soft Conversion Elution Buffer	Get medical attention immediately. Call a poison center or physician. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to
	Soft Conversion Repair Solution	rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. Wash clothing before reuse. Clean shoes thoroughly before reuse. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	Library Binding Beads	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	Capture Beads	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get
	Index Primer Mix for ILM 1-8	medical attention if symptoms occur. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	Index Primer Mix for ILM 9-16	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
:	Nuclease-Free Water	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	End Prep Buffer	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel.
	End Prep Enzyme	Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as

	vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that
	vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get
	medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie,
	belt or waistband.
Ligation Buffer	Wash out mouth with water. If material has been
	swallowed and the exposed person is conscious, give
	small quantities of water to drink. Do not induce vomiting unless directed to do so by medical
	personnel. Get medical attention if symptoms occur.
Ligation Enzyme	Wash out mouth with water. Remove dentures if any.
	If material has been swallowed and the exposed person is conscious, give small quantities of water to
	drink. Stop if the exposed person feels sick as
	vomiting may be dangerous. Do not induce vomiting
	unless directed to do so by medical personnel. If
	vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention
	if adverse health effects persist or are severe. Never
	give anything by mouth to an unconscious person. If
	unconscious, place in recovery position and get
	medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie,
	belt or waistband.
Adapter for ILM	Wash out mouth with water. If material has been
	swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce
	vomiting unless directed to do so by medical
	personnel. Get medical attention if symptoms occur.
Hyb Blocker	Wash out mouth with water. If material has been
	swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce
	vomiting unless directed to do so by medical
	personnel. Get medical attention if symptoms occur.
Hyb Buffer	Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed
	person is conscious, give small quantities of water to
	drink. Stop if the exposed person feels sick as
	vomiting may be dangerous. Do not induce vomiting
	unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that
	vomit does not enter the lungs. Get medical attention.
	If necessary, call a poison center or physician. Never
	give anything by mouth to an unconscious person. If unconscious, place in recovery position and get
	medical attention immediately. Maintain an open
	airway. Loosen tight clothing such as a collar, tie,
llub Enhancen	belt or waistband.
Hyb Enhancer	Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed
	person is conscious, give small quantities of water to
	drink. Stop if the exposed person feels sick as
	vomiting may be dangerous. Do not induce vomiting
	unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that
	vomit does not enter the lungs. Get medical attention.
	Never give anything by mouth to an unconscious
	person. If unconscious, place in recovery position

	and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Soft Conversion Reagent A	Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed
	person is conscious, give small quantities of water to
	drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting
	unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that
	vomit does not enter the lungs. Get medical attention.
	Never give anything by mouth to an unconscious person. If unconscious, place in recovery position
	and get medical attention immediately. Maintain an
	open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
2X Methyl Amplification	Wash out mouth with water. If material has been
Mastermix	swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce
	vomiting unless directed to do so by medical
Library Wash Buffer	personnel. Get medical attention if symptoms occur. Wash out mouth with water. If material has been
,	swallowed and the exposed person is conscious, give
	small quantities of water to drink. Do not induce vomiting unless directed to do so by medical
Hyb Wash Buffer 1	personnel. Get medical attention if symptoms occur. Wash out mouth with water. If material has been
	swallowed and the exposed person is conscious, give
	small quantities of water to drink. Do not induce vomiting unless directed to do so by medical
	personnel. Get medical attention if symptoms occur.
Hyb Wash Buffer 2	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give
	small quantities of water to drink. Do not induce
	vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Soft Conversion Reagent B	Wash out mouth with water. Remove dentures if any.
	If material has been swallowed and the exposed person is conscious, give small quantities of water to
	drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting
	unless directed to do so by medical personnel. If
	vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention
	if adverse health effects persist or are severe. Never
	give anything by mouth to an unconscious person. If unconscious, place in recovery position and get
	medical attention immediately. Maintain an open
	airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Soft Conversion Binding Beads	Get medical attention immediately. Call a poison center or physician. Wash out mouth with water.
Deaus	Remove dentures if any. If material has been
	swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed
	person feels sick as vomiting may be dangerous. Do
	not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head
	should be kept low so that vomit does not enter the
	lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an
	unconscious person. If unconscious, place in
	recovery position and get medical attention

	5X Soft Conversion Wash Buffer	immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	Soft Conversion Elution Buffer	Get medical attention in symptoms occur. Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
	Soft Conversion Repair Solution	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	Library Binding Beads	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	Capture Beads	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	Index Primer Mix for ILM 1-8	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	Index Primer Mix for ILM 9-16	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Most important symptoms/eff		
<u>Potential acute health effects</u> Eye contact	 Nuclease-Free Water End Prep Buffer End Prep Enzyme Ligation Buffer Ligation Enzyme Adapter for ILM Hyb Blocker Hyb Buffer Hyb Enhancer Soft Conversion Reagent A 2X Methyl Amplification 	No known significant effects or critical hazards. No known significant effects or critical hazards. Causes eye irritation. No known significant effects or critical hazards. Causes eye irritation. No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards.

2X Methyl Amplification

Mastermix

	Library Wash Buffer Hyb Wash Buffer 1 Hyb Wash Buffer 2 Soft Conversion Reagent B Soft Conversion Binding	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. Causes serious eye irritation. Causes serious eye damage.
	Beads 5X Soft Conversion Wash	No known significant effects or critical hazards.
	Buffer Soft Conversion Elution Buffer	Causes serious eye damage.
	Soft Conversion Repair Solution	No known significant effects or critical hazards.
	Library Binding Beads	No known significant effects or critical hazards.
	Capture Beads	No known significant effects or critical hazards.
	Index Primer Mix for ILM 1-8	No known significant effects or critical hazards.
	Index Primer Mix for ILM 9-16	No known significant effects or critical hazards.
Inhalation	: Nuclease-Free Water	No known significant effects or critical hazards.
	End Prep Buffer	No known significant effects or critical hazards.
	End Prep Enzyme	No known significant effects or critical hazards.
	Ligation Buffer	No known significant effects or critical hazards.
	Ligation Enzyme	No known significant effects or critical hazards.
	Adapter for ILM	No known significant effects or critical hazards.
	Hyb Blocker Hyb Buffer	No known significant effects or critical hazards. Causes damage to organs following a single
	Tiyb Buller	exposure if inhaled.
	Hyb Enhancer	No known significant effects or critical hazards.
	Soft Conversion Reagent A	No known significant effects or critical hazards.
	2X Methyl Amplification Mastermix	No known significant effects or critical hazards.
	Library Wash Buffer	No known significant effects or critical hazards.
	Hyb Wash Buffer 1	No known significant effects or critical hazards.
	Hyb Wash Buffer 2	No known significant effects or critical hazards.
	Soft Conversion Reagent B Soft Conversion Binding Beads	No known significant effects or critical hazards. Corrosive to the respiratory tract. Causes burns.
	5X Soft Conversion Wash Buffer	No known significant effects or critical hazards.
	Soft Conversion Elution Buffer	No known significant effects or critical hazards.
	Soft Conversion Repair Solution	No known significant effects or critical hazards.
	Library Binding Beads	No known significant effects or critical hazards.
	Capture Beads Index Primer Mix for ILM 1-8	No known significant effects or critical hazards. No known significant effects or critical hazards.
	Index Primer Mix for ILM 9-16	No known significant effects or critical hazards.
Skin contact	: Nuclease-Free Water	No known significant effects or critical hazards.
	End Prep Buffer	No known significant effects or critical hazards.
	End Prep Enzyme	No known significant effects or critical hazards.
	Ligation Buffer	No known significant effects or critical hazards.
	Ligation Enzyme	No known significant effects or critical hazards.
	Adapter for ILM	No known significant effects or critical hazards.
	Hyb Blocker	No known significant effects or critical hazards.
	Hyb Buffer	Causes damage to organs following a single exposure in contact with skin. Causes skin irritation.
	Hyb Enhancer	No known significant effects or critical hazards.
	Soft Conversion Reagent A	No known significant effects or critical hazards.
	2X Methyl Amplification Mastermix	No known significant effects or critical hazards.
	Library Wash Buffer	No known significant effects or critical hazards.
	Hyb Wash Buffer 1	No known significant effects or critical hazards.
	Hyb Wash Buffer 2	No known significant effects or critical hazards.

	illed Sul e S	
	Soft Conversion Reagent B Soft Conversion Binding Beads	No known significant effects or critical hazards. Causes severe burns.
	5X Soft Conversion Wash Buffer	No known significant effects or critical hazards.
	Soft Conversion Elution Buffer	Causes severe burns.
	Soft Conversion Repair Solution	No known significant effects or critical hazards.
	Library Binding Beads	No known significant effects or critical hazards.
	Capture Beads	No known significant effects or critical hazards.
	Index Primer Mix for ILM 1-8	No known significant effects or critical hazards.
	Index Primer Mix for ILM 9-16	No known significant effects or critical hazards.
Induction		No known significant offects or critical bazards
Ingestion :	Nuclease-Free Water End Prep Buffer	No known significant effects or critical hazards. No known significant effects or critical hazards.
	End Prep Enzyme	No known significant effects or critical hazards.
	Ligation Buffer	No known significant effects or critical hazards.
	Ligation Enzyme	No known significant effects or critical hazards.
	Adapter for ILM	No known significant effects or critical hazards.
	Hyb Blocker	No known significant effects or critical hazards.
	Hyb Buffer	Harmful if swallowed. Causes damage to organs
	,	following a single exposure if swallowed.
	Hyb Enhancer	No known significant effects or critical hazards.
	Soft Conversion Reagent A	No known significant effects or critical hazards.
	2X Methyl Amplification	No known significant effects or critical hazards.
	Mastermix Library Wash Buffer	No known aignificant official or critical bazarda
	Hyb Wash Buffer 1	No known significant effects or critical hazards. No known significant effects or critical hazards.
	Hyb Wash Buffer 2	No known significant effects or critical hazards.
	Soft Conversion Reagent B	No known significant effects or critical hazards.
	Soft Conversion Binding	Corrosive to the digestive tract. Causes burns.
	Beads	-
	5X Soft Conversion Wash Buffer	No known significant effects or critical hazards.
	Soft Conversion Elution Buffer	No known significant effects or critical hazards.
	Soft Conversion Repair Solution	No known significant effects or critical hazards.
	Library Binding Beads	No known significant effects or critical hazards.
	Capture Beads	No known significant effects or critical hazards.
	Index Primer Mix for ILM 1-8	No known significant effects or critical hazards.
	Index Primer Mix for ILM 9-16	No known significant effects or critical hazards.
Over-exposure signs/symptor		
Eye contact :	Nuclease-Free Water	No specific data.
	End Prep Buffer	No specific data.
	End Prep Enzyme	Adverse symptoms may include the following:
		irritation
		watering
		redness
	Ligation Buffer	No specific data.
	Ligation Enzyme	Adverse symptoms may include the following:
		irritation
		watering redness
	Adapter for ILM	No specific data.
	Hyb Blocker	No specific data.
	Hyb Buffer	Adverse symptoms may include the following:
		pain or irritation
		watering
		redness
	Hyb Enhancer	No specific data.
Date of issue/Date of revision		suo : 22/02/2024 Version : 1.1

	Soft Conversion Reagent A	Adverse symptoms may include the following: pain or irritation watering
	2X Methyl Amplification Mastermix	redness No specific data.
	Library Wash Buffer	No specific data.
	Hyb Ŵash Buffer 1	No specific data.
	Hyb Wash Buffer 2	No specific data.
	Soft Conversion Reagent B	Adverse symptoms may include the following:
	0	pain or irritation
		watering
		redness
	Soft Conversion Binding Beads	Adverse symptoms may include the following:
		pain
		watering
		redness
	5X Soft Conversion Wash Buffer	No specific data.
	Soft Conversion Elution Buffer	Adverse symptoms may include the following:
		pain
		watering
	Soft Conversion Densir	redness
	Soft Conversion Repair Solution	No specific data.
	Library Binding Beads	No specific data.
	Capture Beads	No specific data.
	Index Primer Mix for ILM 1-8	No specific data.
	Index Primer Mix for ILM	No specific data.
	9-16	
Inhalation :	Nuclease-Free Water	No specific data.
	End Prep Buffer	No specific data.
	End Prep Enzyme	No specific data.
	Ligation Buffer	No specific data.
	Ligation Enzyme	No specific data.
	Adapter for ILM	No specific data.
	Hyb Blocker	No specific data.
	Hyb Buffer	No specific data.
	Hyb Enhancer	Adverse symptoms may include the following: reduced foetal weight
		increase in foetal deaths skeletal malformations
	Soft Conversion Reagent A	Adverse symptoms may include the following:
	Con Conversion Reagent A	reduced foetal weight
		increase in foetal deaths
		skeletal malformations
	2X Methyl Amplification Mastermix	No specific data.
	Library Wash Buffer	No specific data.
	Hyb Wash Buffer 1	No specific data.
	Hyb Wash Buffer 2	No specific data.
	Soft Conversion Reagent B	No specific data.
	Soft Conversion Binding	Adverse symptoms may include the following:
	Beads	
		respiratory tract irritation
	5X Soft Conversion Mach	coughing No specific data
	5X Soft Conversion Wash Buffer	No specific data.
	Soft Conversion Elution	No specific data.
	Buffer	·
	Soft Conversion Repair	No specific data.

21/86

	Solution	
	Library Binding Beads	No specific data.
	Capture Beads	No specific data.
	Index Primer Mix for ILM 1-8 Index Primer Mix for ILM	No specific data. No specific data.
	9-16	No specific data.
Skin contact	: Nuclease-Free Water	No specific data.
	End Prep Buffer	No specific data.
	End Prep Enzyme	No specific data.
	Ligation Buffer	No specific data.
	Ligation Enzyme	No specific data.
	Adapter for ILM	No specific data.
	Hyb Blocker	No specific data.
	Hyb Buffer	Adverse symptoms may include the following: irritation redness
	Hyb Enhancer	Adverse symptoms may include the following:
		reduced foetal weight
		increase in foetal deaths
		skeletal malformations
	Soft Conversion Reagent A	Adverse symptoms may include the following:
	5	reduced foetal weight
		increase in foetal deaths
		skeletal malformations
	2X Methyl Amplification	No specific data.
	Mastermix	
	Library Wash Buffer	No specific data.
	Hyb Wash Buffer 1	No specific data.
	Hyb Wash Buffer 2 Soft Conversion Reagent B	No specific data. No specific data.
	Soft Conversion Reagent B	Adverse symptoms may include the following:
	Beads	pain or irritation
		redness
		blistering may occur
	5X Soft Conversion Wash	No specific data.
	Buffer Soft Conversion Elution Buffer	Adverse symptoms may include the following:
	Buller	pain or irritation
		redness
		blistering may occur
	Soft Conversion Repair Solution	No specific data.
	Library Binding Beads	No specific data.
	Capture Beads	No specific data.
	Index Primer Mix for ILM 1-8	No specific data.
	Index Primer Mix for ILM	No specific data.
	9-16	
Ingestion	: Nuclease-Free Water	No specific data.
	End Prep Buffer	No specific data.
	End Prep Enzyme	No specific data.
	Ligation Buffer Ligation Enzyme	No specific data. No specific data.
	Adapter for ILM	No specific data.
	Hyb Blocker	No specific data.
	Hyb Buffer	No specific data.
	Hyb Enhancer	Adverse symptoms may include the following:
	,	reduced foetal weight
		increase in foetal deaths
		skeletal malformations
	Soft Conversion Reagent A	Adverse symptoms may include the following:
		reduced foetal weight
Date of issue/Date of revision	: 11/04/2024 Date of previous is	ssue : 23/02/2024 Version : 1.1

22/86

2X Methyl Amplification Masternix increase in foetal deaths skeletal malformations 2X Methyl Amplification Masternix No specific data. Library Wash Buffer Hyb Wash Buffer No specific data. No specific data. No specific data. Soft Conversion Reagent B No specific data. Soft Conversion Bunding Beads Soft Conversion Wash Buffer Soft Conversion Repair No specific data. Notes to physician : Nuclease-Free Water Treat symptomatically. Contact poison treatment specialist immediately if arge quantities have been ingested or inhaled. Indication of immediate medical attention and special treatment needed. If necessary Notes to physician : Nuclease-Free Water End Prep Enzyme Treat symptomatically. Contact poison treatment specialist immediately if arge quantites have been ingested or inhaled. Ligation Buffer In case of inhalation of decomposition products in a fire, symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.			
2X Methyl Amplification Masternix No specific data, No specific data, Hyb Wash Buffer Hyb Wash Buffer No specific data, Soft Conversion Reagent B. Soft Conversion Binding Beads No specific data, SX Soft Conversion Wash Buffer No specific data, Soft Conversion Reapent B. Soft Conversion Reapent B. Adverse symptoms may include the following: Soft Conversion Repair Soft Conversion Repair Notes to physician No specific data. Indication of Immediate medical attention and special treatment needsed. If necessary No specific data. Notes to physician : Nuclease-Free Water Free Symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Ligation Buffer In case of Inhaledion of decomposition products in a fire, symptomatically. Contact poison treatment specialist immediately if large quantitie			
Masternix Library Wash Buffer 1 No specific data. No specific data. Soft Conversion Regent B Soft Conversion Binding Beads Soft Conversion Repair Soft Conversion Repair Notes to physician Soft Conversion Repair Notes to physician Soft Conversion Repair Ligation Buffer Ligation Buffer Ligation Enzyme Ligation Enzyme Ligation Enzyme Ligation Enzyme Ligation Enzyme Ligation Enzyme Ligation Enzyme Hyb Blocker Hyb Blocker Hyb Enhancer Hyb Enhancer X Kethyl Amplification X Treat symptomatically. Contact poison treatment specialist immediately if large quantilies have been ingested or inhaled. Hyb Enhancer Hyb Enhancer Hy			
Library Wash Buffer No specific data. Hyb Wash Buffer No specific data. Soft Conversion Reagent No specific data. Soft Conversion Repair Soft Conversion Repair Notes to physician : Nuclease-Free Water End Prep Buffer In case of inhalation of decomposition products in a fire, symptomatically. Contact poison treatment specialist Immediately if large quantities have been ingested or inhalation of decomposition products in a fire, symptomatically. Contact poison treatment specialist Immediately if large quantities have been ingested or inhalation of decomposition products in a fire, symptomatically. Contact poison treatment specialist Immediately if large quantities have been ingested or inhalation of decomposition products in a fire, symptomatically. Contact poison treatment specialist Immediately if large quantities have been ingested or inhalation of decomposition products in a fire, symptomatically. Contact poison treatment specialist Immediately if large quantities have been ingested or inhalation of decomposition products in a fire, symptomatically. Contact poison treatment specialist Immediately if large quantities have been ing		• •	No specific data.
Hyb Wash Buffer 1 No specific data. No specific data. Soft Conversion Reagent B Soft Conversion Reagent B Buffer No specific data. Soft Conversion Repair Soft Conversion Repair Notes to physician No specific data. No specific data. Soft Conversion Repair Ligation Buffer In case of inhalaton of decomposition products in a fre, symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Ligation Enzyme Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Hyb Eluffer In case of inhalaton of decomposition products in a fre, symptomatically. Contact poison treatment specialist immediately if large quantities ha			
Hyb Wash Buffer 2 Soft Conversion Reagent 4 Soft Conversion Reagent 4 BeadsNo specific data. No specific data. Adverse symptoms may include the following: stomach pains Soft Conversion Elution BufferNo specific data. Adverse symptoms may include the following: stomach pains No specific data. Adverse symptoms may include the following: stomach pains No specific data. No specific data. <td></td> <td></td> <td></td>			
Soft Conversion Reagent B Soft Conversion Binding Beads SX Soft Conversion Wash Buffer Soft Conversion Repair Soft Conversion Repair Hyb Buffer Soft Contact poison treatment specialist Immediately if large quantities have been ingested or inhaled. Ligation Enzyme Soft Al hours. Ligation Enzyme Soft Contact poison treatment specialist Immediately if large quantities have been ingested or inhaled. Hyb Enhancer Treat symptomatically. Contact poison treatment specialist Immediately if large quantities have been ingested or inhaled. Hyb Enhancer Treat symptomatically. Contact poison treatment specialist Immediately if large quantities have been ingested or inhaled. Soft Conversion Reagent A Nesternix Masternix Soft Conversion Reagent A Soft Conversion Reagent A Soft Conversion Re			•
Soft Conversion Binding Beads Adverse symptoms may include the following: stomach pains SX Soft Conversion Wash Buffer No specific data. Soft Conversion Repair Adverse symptoms may include the following: stomach pains Soft Conversion Repair No specific data. Capture Beads No specific data. Index Primer Mix for ILM 1-8 No specific data. Notes to physician : Nuclease-Free Water Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Index Primer Mix for ILM 1-8 No specific data. Notes to physician : Nuclease-Free Water Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Ind prep Enzyme Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Ligation Buffer In case of inhalation of decomposition products in a fire. symptoma may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. Ligation Enzyme Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Adapter for ILM Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Hyb Buffer In case of inhalation of decomposition products in a fire. symptomatically. Contact poison treatment specialist			
Beads stomach pains SX Soft Conversion Wash Buffer No specific data. Soft Conversion Elution Buffer Adverse symptoms may include the following: stomach pains Soft Conversion Repair Solution Library Binding Beads Capture Beads No specific data. Index Primer Mix for ILM 1-8 Index Primer Mix for ILM 1-8 In case of inhalation of decomposition products in a fire, symptomstically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Ligation Enzyme Treat symptomstically. Contact poison treatment specialist immediately. If large quantities have been ingested or inhaled. Adapter for ILM Treat symptomstically. Contact poison treatment specialist immediately. If large quantities have been ingested or inhaled. Hyb Buffer In case of inhalation of decomposition products in a fire, symptomstang bedisyed. The exposed person may need to be kept un			
5X Soft Conversion Wash Buffer No specific data. Soft Conversion Elution Buffer Adverse symptoms may include the following: Soft Conversion Repair No specific data. Solution No specific data. Library Binding Beads No specific data. Index Primer Mix for ILM No specific data. No specific data. No specific data. Notes to physician : Nuclease-Free Water Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. End Prep Buffer In case of inhalation of decomposition products in a fire. symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. End Prep Enzyme Treat symptoms may be delayed. The exposed person inay need to be kept under medical surveillance for 48 hours. Ligation Enzyme Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Adapter for ILM Treat symptoms may be delayed. The exposed person may need to be kept under medical surveilinance for 48 hours.			Adverse symptoms may include the following:
SX Soft Conversion Wash Buffer No specific data. Buffer Soft Conversion Elution Buffer Adverse symptoms may include the following: stomach pains No specific data. Soft Conversion Repair No specific data. Solution Library Binding Beads No specific data. Library Binding Beads No specific data. Index Primer Mix for ILM 1-B No specific data. Index Primer Mix for ILM 1-B No specific data. Notes to physician : Nuclease-Free Water Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. End Prep Buffer In case of inhalation of decomposition products in a fire. symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. End Prep Enzyme Treat symptomatically. Contact poison treatment specialist immediately. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.		Beads	
Buffer Soft Conversion Repair Adverse symptoms may include the following: Soft Conversion Repair No specific data. Soft Conversion Repair No specific data. Soft Conversion Repair No specific data. Index Primer Mix for ILM No specific data. Index Primer Mix for ILM No specific data. Index Primer Mix for ILM No specific data. Indication of Immediate medical attention and special treatment needed. If necessary Notes to physician : Nuclease-Free Water Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. End Prep Buffer In case of inhalation of decomposition products in a fire. symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. End Prep Enzyme Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Ligation Buffer In case of inhalation of decomposition products in a fire. symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Adapter for ILM Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Hyb Blocker Treat symptomatically. Contact poison treatment specinities immediately if large quantities have			
Soft Conversion Elution Buffer Adverse symptoms may include the following: stomach pains Soft Conversion Repair Solution No specific data. Library Binding Beads No specific data. Capture Beads No specific data. Index Primer Mix for ILM 1-8 No specific data. 9-16 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Index Primer Mix for ILM No specific data. 9-16 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. End Prep Buffer In case of inhalistion of decomposition products in a fire, symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Ligation Buffer In case of inhalistion of decomposition products in a fire, symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Ligation Enzyme Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Hyb Blocker Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Hyb Enhancer In case of inhalistion of decomposition products in a fire, symptoma may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. Hyb Buffer In case of inhalistion of decomposition products in a fire, symptomatically. Contac		5X Soft Conversion Wash	No specific data.
Buffer stomach pairs Soft Conversion Repair No specific data. Solution Library Binding Beads No specific data. Index Primer Mix for ILM 1-8 No specific data. Index Primer Mix for ILM 1-9 No specific data. Notes to physician : Nuclease-Free Water Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. End Prep Buffer In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. End Prep Enzyme Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Ligation Buffer In case of inhalation of decomposition products in a fire, symptoma may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. Ligation Enzyme Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Adapter for ILM Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Hyb Blocker Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Hyb Buffer In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed			
stomach pains Soft Conversion Repair No specific data. Solution Library Binding Beads No specific data. Index Primer Mix for ILM 9-16 Indication of immediate medical attention and special treatment needed. If necessary Notes to physician : Nuclease-Free Water Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. End Prep Buffer End Prep Enzyme End Prep Enzyme Ligation Buffer Ligation Buffer Ligation Enzyme Ligation Enzyme Hyb Blocker Hyb Blocker Hyb Buffer Hyb Enhancer Hyb Enhancer Xet Conversion Reager Xet Conversion Reager Hyb Enhancer Xet Conversion Reager Xet Conversion Reager Xe		Soft Conversion Elution	Adverse symptoms may include the following:
Soft Conversion Repair Solution Library Binding Beads Index Primer Mix for ILM 1-8 No specific data. No specific data. Soft Conversion Regain Hyb Bindier Hyb Enhancer Notes to physician Soft Conversion Regent A Hyb Enhancer X Methyl Amplification X Methyl Ampli		Buffer	
Solution Library Binding Beads Capture Beads Index Primer Mix for ILM 1-8 No specific data. No specific data. Solution Solution 1 dex Primer Mix for ILM 9-16 Indication of immediate medical attention and special treatment needed. if necessary Notes to physician Notes to physician No specific data. No s			
Library Binding Beads Capture Beads Index Primer Mix for ILM 1-8 Index 1-4 Index 1-4 In		Soft Conversion Repair	No specific data.
Capture Beads Index Primer Mix for ILM 1-8 Index Primer Mix for ILM 3 Index Primer Mix for ILM 3 Index Primer Mix for ILM 3 No specific data. 9-16 Indication of immediate medical attention and special troatment needed. If necessary Notes to physician : Nuclease-Free Water Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. End Prep Buffer In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be keept under medical surveillance for 48 hours. End Prep Enzyme Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Ligation Buffer In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be keept under medical surveillance for 48 hours. Ligation Enzyme Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Adapter for ILM Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Hyb Blocker Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Hyb Enhancer In case of inhalation of decomposition products in a fire, symptom may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. Hyb Enhancer In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. Soft Conversion Reagent A No case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. Soft Conversion Reagent A No case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. Soft Con			
Index Primer Mix for ILM 1-8 No specific data. Index Primer Mix for ILM -8 No specific data. 9-16 Indication of immediate medical attention and special treatment needed. If necessary Notes to physician : Nuclease-Free Water Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. End Prep Buffer In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. End Prep Enzyme Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Ligation Enzyme Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Ligation Enzyme Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Adapter for ILM Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Hyb Buffer Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Hyb Buffer Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Hyb Buffer In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. Hyb Enhancer In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. Soft Conversion Reagent A Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. 2X Methyl Amplification Masternix Library Wash Buffer Treat symptomatically. Contact poison treatment specialist immediately. If large quantities have been i		Library Binding Beads	
Index Primer Mix for ILM 9-16 Indication of immediate medical attention and special treatment needed. If necessary Notes to physician : Nuclease-Free Water Treat symptomatically. Contact poison treatment specials it immediately if large quantities have been ingested or inhaled. End Prep Buffer In case of inhalation of decomposition products in a fire, symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Ligation Buffer In case of inhalation of decomposition products in a fire, symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Ligation Enzyme Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Ligation Enzyme Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Adapter for ILM Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Hyb Blocker Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Hyb Buffer In case of inhalation of decomposition products in a fire, symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Hyb Enhancer In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. Hyb Enhancer In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. ZX Methyl Amplification Mastermix Experimentically. Contact poison treatment specialist immediately. If large quantities have been ingested or inhaled. Library Wash Buffer Treat symptomatically. Contact poison treatment specialist immediately. If large quantities have been ingested o			
9-16 Indication of immediate medical attention and special treatment needed. If necessary Notes to physician			1
Indication of immediate medical attention and special treatment needed. If necessary Notes to physician : Nuclease-Free Water Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhalad. End Prep Buffer In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. End Prep Enzyme Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Ligation Buffer In case of inhalation of decomposition products in a fire, symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Ligation Enzyme Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Adapter for ILM Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Hyb Blocker Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Hyb Buffer In case of inhalation of decomposition products in a fire, symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Hyb Buffer In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical survieiliance for 48 hours.		Index Primer Mix for ILM	No specific data.
Notes to physician: Nuclease-Free WaterTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.End Prep BufferIn case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.End Prep EnzymeTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Ligation BufferIn case of inhalation of decomposition products in a fire, symptoma may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.Ligation EnzymeTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Adapter for ILMTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Hyb BlockerTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Hyb BufferIn case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.Hyb EnhancerIn case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.Adapter for ILMIn case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.Hyb EnhancerIn case of inhalation of decomposition products		9-16	
Notes to physician: Nuclease-Free WaterTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.End Prep BufferIn case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.End Prep EnzymeTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Ligation BufferIn case of inhalation of decomposition products in a fire, symptoma may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.Ligation EnzymeTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Adapter for ILMTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Hyb BlockerTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Hyb BufferIn case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.Hyb EnhancerIn case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.Adapter for ILMIn case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.Hyb EnhancerIn case of inhalation of decomposition products			
Notes to physician: Nuclease-Free WaterTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.End Prep BufferIn case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.End Prep EnzymeTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Ligation BufferIn case of inhalation of decomposition products in a fire, symptoma may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.Ligation EnzymeTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Adapter for ILMTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Hyb BlockerTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Hyb BufferIn case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.Hyb EnhancerIn case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.Adapter for ILMIn case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.Hyb EnhancerIn case of inhalation of decomposition products	Indication of immediate me	edical attention and special treatr	nent needed, if necessary
 Specialist immediately if large quantities have been ingested or inhaled. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. End Prep Enzyme End Prep Enzyme Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Ligation Buffer Ligation Enzyme Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Ligation Enzyme Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Adapter for ILM Hyb Blocker Hyb Blocker Hyb Buffer Hyb Enhancer Hyb Enhancer Hyb Enhancer Hyb Enhancer Hyb Enhancer Context poison treatment specialist immediately if large quantities have been ingested or inhaled. Soft Conversion Reagent A X Methyl Amplification Mastermix Mastermix Library Wash Buffer Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Mathematically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Hyb Enhancer Hyb Enh			
ingested or inhaled.End Prep BufferIn case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.End Prep EnzymeTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Ligation BufferIn case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.Ligation EnzymeTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Adapter for ILMTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Hyb BlockerTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Hyb BufferIn case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.Hyb BufferIn case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.Hyb EnhancerIn case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.Adapter Gon Version Reagent ATreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Hyb EnhancerIn case of inhalation of decomposi	Notes to physician	: Nuclease-Free Water	
End Prep BufferIn case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.End Prep EnzymeTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Ligation BufferIn case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.Ligation EnzymeTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Adapter for ILMTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Hyb BlockerTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Hyb BufferIn case of inhalation of decomposition products in a fire, symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Hyb BufferIn case of inhalation of decomposition products in a fire, symptoma may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.Hyb EnhancerIn case of inhalation of decomposition products in a fire, symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Adapter for ILMTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Hyb BufferIn case of inhalation of decomposition products in a fire, sym			
fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.End Prep EnzymeTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Ligation BufferIn case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.Ligation EnzymeTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Adapter for ILMTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Hyb BlockerTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Hyb BufferIn case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.Hyb EnhancerIn case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.Hyb EnhancerIn case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.Adapter for ILMTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Hyb BufferIn case of inhalation of decomposition products in a fire, symptoma may he delayed. The exposed person may need to be kept under medical surveillance for 4		#	
person may need to be kept under medical surveillance for 48 hours.End Prep EnzymeTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Ligation BufferIn case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.Ligation EnzymeTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Adapter for ILMTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Hyb BlockerTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Hyb BufferIn case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.Hyb EnhancerIn case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.Hyb EnhancerIn case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.Adapter Conversion Reagent ATreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Adapter Conversion Reagent ATreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Adapter Treat Symptomatically. Conta		End Prep Buffer	
Surveillance for 48 hours.End Prep EnzymeTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Ligation BufferIn case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.Ligation EnzymeTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Adapter for ILMTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Hyb BlockerTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Hyb BlockerTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Hyb BufferIn case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.Hyb EnhancerIn case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.Athyb EnhancerIn case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.Athyb EnhancerIn case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.Athyb EnhancerIn case of inhalation of decomposition pr			
End Prep EnzymeTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Ligation BufferIn case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.Ligation EnzymeTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Adapter for ILMTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Hyb BlockerTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Hyb BufferIn case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.Hyb EnhancerIn case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.Hyb EnhancerIn case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.Adapter for LWTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Hyb EnhancerIn case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.Adapter for LWTreat symptomatically. Contact poison treatment specialist immediately if large qu			
 specialist immediately if large quantities have been ingested or inhaled. Ligation Buffer Ligation Enzyme Ligation Enzyme Ligation Enzyme Ligation Enzyme Adapter for ILM Adapter for ILM Hyb Blocker Hyb Blocker Hyb Blocker Hyb Buffer Hyb Buffer Hyb Buffer Hyb Buffer Hyb Enhancer Hyb Enhancer Hyb Enhancer Koft Conversion Reagent A Soft Conversion Reagent A X Methyl Amplification X Methyl Amplification X Methyl Amplification Library Wash Buffer Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Hyb Enhancer Hyb Enhancer Hyb Enhancer Hyb Enhancer Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. 			
Ligation Bufferin case of inhaladi.Ligation BufferIn case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.Ligation EnzymeTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Adapter for ILMTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Hyb BlockerTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Hyb BufferIn case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.Hyb EnhancerIn case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.Soft Conversion Reagent ATreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.2X Methyl Amplification MastermixTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Library Wash BufferTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.		End Prep Enzyme	
Ligation BufferIn case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.Ligation EnzymeTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Adapter for ILMTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Hyb BlockerTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Hyb BlockerTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Hyb BufferIn case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.Hyb EnhancerIn case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.Soft Conversion Reagent ATreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.2X Methyl Amplification MastermixTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Library Wash BufferTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.			
 fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. Ligation Enzyme Ligation Enzyme Adapter for ILM Hyb Blocker Hyb Blocker Hyb Blocker Hyb Buffer Hyb Buffer Hyb Buffer Hyb Enhancer Contact poison treatment specialist immediately. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Hyb Enhancer Hyb Enhancer Hi case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. Soft Conversion Reagent A Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. 			•
person may need to be kept under medical surveillance for 48 hours.Ligation EnzymeTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Adapter for ILMTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Hyb BlockerTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Hyb BlockerTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Hyb BufferIn case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.Hyb EnhancerIn case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.Soft Conversion Reagent ATreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.2X Methyl Amplification MastermixTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Library Wash BufferTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.		Ligation Buffer	
Ligation Enzymesurveillance for 48 hours.Ligation EnzymeTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Adapter for ILMTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Hyb BlockerTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Hyb BufferIn case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.Hyb EnhancerIn case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.Soft Conversion Reagent ATreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.2X Methyl Amplification MastermixTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Library Wash BufferTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.			
Ligation EnzymeTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Adapter for ILMTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Hyb BlockerTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Hyb BufferIn case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.Hyb EnhancerIn case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.Soft Conversion Reagent ATreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.2X Methyl Amplification MastermixTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Library Wash BufferTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.			person may need to be kept under medical
specialist immediately if large quantities have been ingested or inhaled.Adapter for ILMTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Hyb BlockerTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Hyb BufferIn case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.Hyb EnhancerIn case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.Soft Conversion Reagent ATreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.2X Methyl Amplification MastermixTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Library Wash BufferTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.			surveillance for 48 hours.
 Adapter for ILM Adapter for ILM Hyb Blocker Hyb Blocker Hyb Buffer Hyb Buffer Hyb Buffer Hyb Enhancer Hyb Enhancer Soft Conversion Reagent A Soft Conversion Reagent A Soft Conversion Reagent A Soft Conversion Reagent A Library Wash Buffer Library Wash Buffer Incase of inhaled. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Treat symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. 		Ligation Enzyme	Treat symptomatically. Contact poison treatment
Adapter for ILMTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Hyb BlockerTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Hyb BufferIn case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.Hyb EnhancerIn case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.Soft Conversion Reagent ATreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.2X Methyl Amplification MastermixTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Library Wash BufferTreat symptomatically. Contact poison treatment specialist immediately.			specialist immediately if large quantities have been
 specialist immediately if large quantities have been ingested or inhaled. Hyb Blocker Hyb Buffer Hyb Buffer Hyb Buffer Hyb Enhancer Hyb Enhancer Soft Conversion Reagent A Soft Conversion Reagent A X Methyl Amplification X Methyl Amplification Library Wash Buffer Soft Contact poison treatment Soft Conversion Reagent A Treat symptomatically. Contact poison treatment Soft Conversion Reagent A Treat symptomatically. Contact poison treatment Surveillance for 48 hours. Treat symptomatically. Contact poison treatment Soft Conversion Reagent A Treat symptomatically. Contact poison treatment Specialist immediately if large quantities have been ingested or inhaled. Treat symptomatically. Contact poison treatment Specialist immediately if large quantities have been ingested or inhaled. 			
 Hyb Blocker Hyb Blocker Hyb Buffer Hyb Buffer Hyb Buffer Hyb Buffer Hyb Enhancer H		Adapter for ILM	
Hyb BlockerTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Hyb BufferIn case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.Hyb EnhancerIn case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.Soft Conversion Reagent ATreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.2X Methyl Amplification MastermixTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Library Wash BufferTreat symptomatically. Contact poison treatment specialist immediately. Contact poison treatment			
 Hyb Buffer Hyb Buffer Hyb Buffer Hyb Buffer H case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. Hyb Enhancer Hyb Enhancer Soft Conversion Reagent A Soft Conversion Reagent A 2X Methyl Amplification Mastermix Library Wash Buffer Soft Conversion Reagent A 			
 Hyb Buffer Hyb Buffer Hyb Buffer Hyb Buffer Hyb Enhancer Hyb Enhancer Soft Conversion Reagent A 2X Methyl Amplification Mastermix Library Wash Buffer Hyb Buffer In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. 		Hyb Blocker	
 Hyb Buffer Hyb Buffer Hyb Buffer Hyb Enhancer Hyb Enhancer Hyb Enhancer Soft Conversion Reagent A Xoft Conversion Reage			
 fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. Hyb Enhancer Soft Conversion Reagent A Soft Conversion Reagent A 2X Methyl Amplification Mastermix Library Wash Buffer Fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. 			
Hyb EnhancerIn case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.Soft Conversion Reagent ATreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.2X Methyl Amplification MastermixTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Library Wash BufferTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.		Hyb Buffer	
 Hyb Enhancer Soft Conversion Reagent A 2X Methyl Amplification Mastermix Library Wash Buffer Surveillance for 48 hours. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. 			
Hyb EnhancerIn case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.Soft Conversion Reagent ATreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.2X Methyl Amplification MastermixTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Library Wash BufferTreat symptomatically. Contact poison treatment			
 fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. Soft Conversion Reagent A 2X Methyl Amplification Mastermix Library Wash Buffer 			
 Soft Conversion Reagent A Soft Conversion Reagent A 2X Methyl Amplification Mastermix Library Wash Buffer 		Hyb Enhancer	
Soft Conversion Reagent A Soft Conversion Reagent A 2X Methyl Amplification Mastermix Library Wash Buffer Soft Conversion Reagent A 2X Methyl Amplification Mastermix Library Wash Buffer			
Soft Conversion Reagent ATreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.2X Methyl Amplification MastermixTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Library Wash BufferTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.			
Specialist immediately if large quantities have been ingested or inhaled.2X Methyl Amplification MastermixTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Library Wash BufferTreat symptomatically. Contact poison treatment			
2X Methyl Amplification Mastermixingested or inhaled.2X Methyl Amplification MastermixTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Library Wash BufferTreat symptomatically. Contact poison treatment		Soft Conversion Reagent A	
2X Methyl Amplification MastermixTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Treat symptomatically. Contact poison treatmentLibrary Wash BufferTreat symptomatically. Contact poison treatment			
Mastermixspecialist immediately if large quantities have been ingested or inhaled.Library Wash BufferTreat symptomatically. Contact poison treatment			
Library Wash Buffer Treat symptomatically. Contact poison treatment			
Library Wash Buffer Treat symptomatically. Contact poison treatment		Mastermix	
Date of issue/Date of revision : 11/04/2024 Date of previous issue : 23/02/2024 Version : 1.1 23		Library Wash Buffer	Treat symptomatically. Contact poison treatment
Date of issue/Date of revision : 11/04/2024 Date of previous issue : 23/02/2024 Version : 1.1 23			
	Date of Issue/Date of revision	: 11/04/2024 Date of previous is	ssue : 23/02/2024 Version : 1.1 23/8

		specialist immediately if large quantities have been
		ingested or inhaled.
	Hyb Wash Buffer 1	Treat symptomatically. Contact poison treatment
		specialist immediately if large quantities have been
		ingested or inhaled.
	Hyb Wash Buffer 2	Treat symptomatically. Contact poison treatment
		specialist immediately if large quantities have been
		ingested or inhaled.
	Soft Conversion Reagent B	In case of inhalation of decomposition products in a
		fire, symptoms may be delayed. The exposed
		person may need to be kept under medical
	Coff Conversion Diadias	surveillance for 48 hours.
	Soft Conversion Binding	In case of inhalation of decomposition products in a
	Beads	fire, symptoms may be delayed. The exposed
		person may need to be kept under medical
	EX Soft Conversion Week	surveillance for 48 hours.
	5X Soft Conversion Wash	Treat symptomatically. Contact poison treatment
	Buffer	specialist immediately if large quantities have been
	Coff Commencient Flution	ingested or inhaled.
	Soft Conversion Elution	Treat symptomatically. Contact poison treatment
	Buffer	specialist immediately if large quantities have been
	Coff Conversion Densin	ingested or inhaled.
	Soft Conversion Repair	In case of inhalation of decomposition products in a
	Solution	fire, symptoms may be delayed. The exposed
		person may need to be kept under medical
	Library Division Decide	surveillance for 48 hours.
	Library Binding Beads	Treat symptomatically. Contact poison treatment
		specialist immediately if large quantities have been
	Cantura Reada	ingested or inhaled.
	Capture Beads	Treat symptomatically. Contact poison treatment
		specialist immediately if large quantities have been
	Index Primer Mix for ILM 1-8	ingested or inhaled.
		Treat symptomatically. Contact poison treatment
		specialist immediately if large quantities have been
	Index Primer Mix for ILM	ingested or inhaled. Treat symptomatically. Contact poison treatment
	9-16	specialist immediately if large quantities have been ingested or inhaled.
Specific treatments :	Nuclease-Free Water	No specific treatment.
	End Prep Buffer	No specific treatment.
	End Prep Enzyme	No specific treatment.
	Ligation Buffer	No specific treatment.
	Ligation Enzyme	No specific treatment.
	Adapter for ILM	No specific treatment.
	Hyb Blocker	No specific treatment.
	Hyb Buffer	No specific treatment.
	Hyb Enhancer	No specific treatment.
	Soft Conversion Reagent A	No specific treatment.
	2X Methyl Amplification	No specific treatment.
	Mastermix	1
	Library Wash Buffer	No specific treatment.
	Hyb Wash Buffer 1	No specific treatment.
	Hyb Wash Buffer 2	No specific treatment.
	Soft Conversion Reagent B	No specific treatment.
	Soft Conversion Binding	No specific treatment.
	Beads	
	5X Soft Conversion Wash	No specific treatment.
	Buffer	
	Soft Conversion Elution	No specific treatment.
	Buffer	
	Soft Conversion Repair	No specific treatment.
	Solution	
	Library Binding Beads	No specific treatment.

24/86

	Capture Beads Index Primer Mix for ILM 1-8 Index Primer Mix for ILM	No specific treatment. No specific treatment. No specific treatment.
	9-16	
Protection of first-aiders :	Nuclease-Free Water	No action shall be taken involving any personal risk or without suitable training.
	End Prep Buffer	No action shall be taken involving any personal risk or without suitable training.
	End Prep Enzyme	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth
	Ligation Buffer	resuscitation. No action shall be taken involving any personal risk or without suitable training.
	Ligation Enzyme	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
	Adapter for ILM	No action shall be taken involving any personal risk or without suitable training.
	Hyb Blocker	No action shall be taken involving any personal risk or without suitable training.
	Hyb Buffer	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth
	Hyb Enhancer	resuscitation. No action shall be taken involving any personal risk or without suitable training. If it is suspected that
		fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.
	Soft Conversion Reagent A	No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water
	2X Mothyl Amplification	before removing it, or wear gloves. No action shall be taken involving any personal risk
	2X Methyl Amplification Mastermix	or without suitable training.
	Library Wash Buffer	No action shall be taken involving any personal risk or without suitable training.
	Hyb Wash Buffer 1	No action shall be taken involving any personal risk or without suitable training.
	Hyb Wash Buffer 2	No action shall be taken involving any personal risk or without suitable training.
	Soft Conversion Reagent B	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
	Soft Conversion Binding Beads	No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person
		providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water
	5X Soft Conversion Wash	before removing it, or wear gloves. No action shall be taken involving any personal risk

Buffer	or without suitable training.
Soft Conversion Elution	No action shall be taken involving any personal risk
Buffer	or without suitable training. If it is suspected that
	fumes are still present, the rescuer should wear an
	appropriate mask or self-contained breathing
	apparatus. It may be dangerous to the person
	providing aid to give mouth-to-mouth resuscitation.
	Wash contaminated clothing thoroughly with water
	before removing it, or wear gloves.
Soft Conversion Repair	No action shall be taken involving any personal risk
Solution	or without suitable training.
Library Binding Beads	No action shall be taken involving any personal risk
	or without suitable training.
Capture Beads	No action shall be taken involving any personal risk
	or without suitable training.
Index Primer Mix for ILM 1-8	No action shall be taken involving any personal risk
	or without suitable training.
Index Primer Mix for ILM	No action shall be taken involving any personal risk
9-16	or without suitable training.

See toxicological information (Section 11)

Section 5. Firefighting measures

Extinguishing media		
Suitable extinguishing media	: Nuclease-Free Water	Use an extinguishing agent suitable for the surrounding fire.
	End Prep Buffer	Use an extinguishing agent suitable for the surrounding fire.
	End Prep Enzyme	Use an extinguishing agent suitable for the surrounding fire.
	Ligation Buffer	Use an extinguishing agent suitable for the surrounding fire.
	Ligation Enzyme	Use an extinguishing agent suitable for the surrounding fire.
	Adapter for ILM	Use an extinguishing agent suitable for the surrounding fire.
	Hyb Blocker	Use an extinguishing agent suitable for the surrounding fire.
	Hyb Buffer	Use an extinguishing agent suitable for the surrounding fire.
	Hyb Enhancer	Use an extinguishing agent suitable for the surrounding fire.
	Soft Conversion Reagent A	Use dry chemical, CO ₂ , water spray (fog) or foam.
	2X Methyl Amplification Mastermix	Use an extinguishing agent suitable for the surrounding fire.
	Library Wash Buffer	Use an extinguishing agent suitable for the surrounding fire.
	Hyb Wash Buffer 1	Use an extinguishing agent suitable for the surrounding fire.
	Hyb Wash Buffer 2	Use an extinguishing agent suitable for the surrounding fire.
	Soft Conversion Reagent B	Use an extinguishing agent suitable for the surrounding fire.
	Soft Conversion Binding Beads	Use dry chemical, CO_2 , water spray (fog) or foam.
	5X Soft Conversion Wash Buffer	Use an extinguishing agent suitable for the surrounding fire.
	Soft Conversion Elution Buffer	Use an extinguishing agent suitable for the surrounding fire.
	Soft Conversion Repair Solution	Use an extinguishing agent suitable for the surrounding fire.
	Library Binding Beads	Use an extinguishing agent suitable for the

L			ourrounding fire
		Capture Beads	surrounding fire. Use an extinguishing agent suitable for the surrounding fire.
		Index Primer Mix for ILM 1-8	Use an extinguishing agent suitable for the surrounding fire.
		Index Primer Mix for ILM 9-16	Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing	1	Nuclease-Free Water	None known.
media		End Prep Buffer	None known.
		End Prep Enzyme	None known.
		Ligation Buffer	None known.
		Ligation Enzyme	None known.
		Adapter for ILM	None known.
		Hyb Blocker	None known.
		Hyb Buffer	None known.
		Hyb Enhancer	None known.
		Soft Conversion Reagent A	Do not use water jet.
		2X Methyl Amplification Mastermix	None known.
		Library Wash Buffer	None known.
		Hyb Wash Buffer 1	None known.
		Hyb Wash Buffer 2	None known.
		Soft Conversion Reagent B	None known.
		Soft Conversion Binding	Do not use water jet.
		Beads	
		5X Soft Conversion Wash Buffer	None known.
		Soft Conversion Elution Buffer	None known.
		Soft Conversion Repair Solution	None known.
		Library Binding Beads	None known.
		Capture Beads	None known.
		Index Primer Mix for ILM 1-8	None known.
		Index Primer Mix for ILM 9-16	None known.
Specific hazards arising		Nuclease-Free Water	In a fire or if heated, a pressure increase will occur
from the chemical	•		and the container may burst.
		End Prep Buffer	In a fire or if heated, a pressure increase will occur and the container may burst. This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any
			waterway, sewer or drain.
		End Prep Enzyme	In a fire or if heated, a pressure increase will occur
		Lightian Puffor	and the container may burst.
		Ligation Buffer	In a fire or if heated, a pressure increase will occur
		Lightian Englyma	and the container may burst.
		Ligation Enzyme	In a fire or if heated, a pressure increase will occur and the container may burst.
		Adapter for ILM	In a fire or if heated, a pressure increase will occur
		Hyb Blocker	and the container may burst. In a fire or if heated, a pressure increase will occur and the container may burst
		Hyb Buffer	and the container may burst. In a fire or if heated, a pressure increase will occur
			and the container may burst. This material is harmful to aquatic life with long lasting effects. Fire water
			contaminated with this material must be contained
			and prevented from being discharged to any
		Hyb Enhancer	waterway, sewer or drain. In a fire or if heated, a pressure increase will occur
			and the container may burst.
			-
Date of issue/Date of revision	. 11.	/04/2024 Date of previous is	23/02/2024 Version :1.1 27/86

2X. Methyl Amplification Masternix In a fre or if heated, a pressure increase will occur and the container may burst. Library Wash Buffer 1 In a fre or if heated, a pressure increase will occur and the container may burst. Hyb Wash Buffer 2 In a fre or if heated, a pressure increase will occur and the container may burst. Hyb Wash Buffer 2 In a fre or if heated, a pressure increase will occur and the container may burst. Soft Conversion Reagent B In a fre or if heated, a pressure increase will occur and the container may burst. Soft Conversion Binding Beads Flammable liquid and vapour. Runoft beswer may burst, with the risk of a subsequent explosion. This material is very toxic to aquate life. This material is toxic to aquate life. This material must be contained and prevented from being discharged to any waterway, sever or drain. SX Soft Conversion Wash Buffer Soft Conversion Elution Buffer Soft Conversion Reageni Soft Conversion Reageni Buffer In a fire or if heated, a pressure increase will occur and the container may burst. Soft Conversion Reageni Buffer In a fire or if heated, a pressure increase will occur and the container may burst. Soft Conversion Reageni Buffer In a fire or if heated, a pressure increase will occur and the container may burst. Index Primer Mix for ILM 1-8 In a fire or if heated, a pressure increase will occur and the container may burst. Index Primer Mix for ILM 1-8 In a fire or if heated, a pressure increase w		Soft Conversion Reagent A	Combustible liquid. Runoff to sewer may create fire or explosion hazard. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion.
Library Wash Buffer In a fire or if heated, a pressure increase will occur and the container may burst. Hyb Wash Buffer 1 In a fire or if heated, a pressure increase will occur and the container may burst. Hyb Wash Buffer 2 In a fire or if heated, a pressure increase will occur and the container may burst. Soft Conversion Reagent B In a fire or if heated, a pressure increase will occur and the container may burst. Soft Conversion Binding Beads Soft Conversion Binding Beads Flammable liquid and vapour. Runoff to sewer may create fire or explosion hazard. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. This material is very toxic to qualac life. This material is toxic to aqualac life with long lasting effects. Fire water container may burst. SX Soft Conversion Elution Buffer Soft Conversion Flution Buffer Soft Conversion Flution Buffer In a fire or if heated, a pressure increase will occur and the container may burst. Soft Conversion Elution Buffer In a fire or if heated, a pressure increase will occur and the container may burst. Soft Conversion Flution Buffer In a fire or if heated, a pressure increase will occur and the container may burst. Index Primer Mix for LLM 18 In a fire or if heated, a pressure increase will occur and the container may burst. Index Primer Mix for LLM 19 In a fire or if heated, a pressure increase will occur and the container may burst.			In a fire or if heated, a pressure increase will occur
Hyb Wash Buffer 1 In a fire or if heated, a pressure increase will occur and the container may burst. Hyb Wash Buffer 2 In a fire or if heated, a pressure increase will occur and the container may burst. Soft Conversion Reagent B In a fire or if heated, a pressure increase will occur and the container may burst. Soft Conversion Binding Beads Flammable liquid and vapour. Runoff to sewer may create fire or explosion hazard. In a fire or if heated, a pressure increase will occur and the container may burst. SX Soft Conversion Wash Buffer In a fire or if heated, a pressure increase will occur and the container may burst. Soft Conversion Repair Soft Conversion Repair Soft Conversion Repair Solution In a fire or if heated, a pressure increase will occur and the container may burst. Soft Conversion Repair Solution In a fire or if heated, a pressure increase will occur and the container may burst. Soft Conversion Repair Solution In a fire or if heated, a pressure increase will occur and the container may burst. Index Primer Mix for ILM 19 In a fire or if heated, a pressure increase will occur and the container may burst. Index Primer Mix for ILM 19 In a fire or if heated, a pressure increase will occur and the container may burst. Index Primer Mix for ILM 19 In a fire or if heated, a pressure increase will occur and the container may burst. Index Primer Mix for ILM 19 In a fire or if heated, a pressure increase will occur and the container may b			In a fire or if heated, a pressure increase will occur
Hyb Wash Buffer 2 In a fire or if heated, a pressure increase will occur and the container may burst. Soft Conversion Binding Beads Flammable liquid and vapour. Runoff to sever may create fire or explosion hazard. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. This material is very toxic to aquatic life. This material is toxic to aquatic life with long lasting effects. Fire water containinated with this material must be contained and prevented from being discharged to any waterway, sever or drain. SX Soft Conversion Wash Buffer In a fire or if heated, a pressure increase will occur and the container may burst. Soft Conversion Repair Soft Fore Water End Prep Euffer In a fire or if heated, a pressure increase will occur and the container may burst. Hezardous thermal decomposition products In defer of if heated, a pressure increase will occur and the container may burst. Hezardous thermal decomposition products In a fire or if heated, a pressure increase will occur and the container may burst. Hezardous thermal decomposition products In a fire or if heated, a pressure increase will occur and the container may burst. Hezardous thermal decompos		Hyb Wash Buffer 1	In a fire or if heated, a pressure increase will occur
Soft Conversion Reagent B In a fire or if heated, a pressure increase will occur and the container may burst. Soft Conversion Binding Beads Flammable liquid and vapour, Runoff to sever may create fire or explosion hazard. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. This material is very toxic to aquatic life. This material is very toxic to aquate life. This material is very toxic and the container may burst. Soft Conversion Wash Buffer In a fire or if heated, a pressure increase will occur and the container may burst. Soft Conversion Repair Solution In a fire or if heated, a pressure increase will occur and the container may burst. In a fire or if heated, a pressure increase will occur and the container may burst. In a fire or if heated, a pressure increase will occur and the container may burst. Index Primer Mix for ILM 1-8 In a fire or if heated, a pressure increase will occur and the container may burst. Index Primer Mix for ILM 1-8 In a fire or if heated, a pressure increase will occur and the container may burst. Index Primer Mix for ILM 1-8 In a fire or if heated, a pressure increase will occur and the container may burst. Index Primer Mix for ILM 1-8 In a fire or if heated, a pressure increase		Hyb Wash Buffer 2	
Hazardous thermal : Soft Conversion Binding Beads and the container may burst. Filammable liquid and vapour. Runoff to sever may create fire or explosion hazard. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. This material is very toxic to aquate life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sever or drain. 5X Soft Conversion Wash Buffer In a fire or if heated, a pressure increase will occur and the container may burst. Soft Conversion Elution Buffer In a fire or if heated, a pressure increase will occur and the container may burst. In a fire or if heated, a pressure increase will occur and the container may burst. In a fire or if heated, a pressure increase will occur and the container may burst. Index Primer Mix for ILM 1-8 In a fire or if heated, a pressure increase will occur and the container may burst. Index Primer Mix for ILM 1-8 In a fire or if heated, a pressure increase will occur and the container may burst. Index Primer Mix for ILM 1-8 In a fire or of theated, a pressure increase will occur and the container may burst. Index Primer Mix for ILM 1-8 In a fire or of meated, a pressure increase will occur and the container may burst. Index Primer Mix for ILM 9-16 No specific data. Hyb Blocker No specific data. No specific data. No specific		Soft Conversion Beagant B	
Beadscreate fire or explosion hazard. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. This material is very toxic to aquatic life. This material is to aquatic life with long lasting discharged to any waterway, sewer or drain.5X Soft Conversion Wash BufferFor or fire ated, a pressure increase will occur and the container may burst.5X Soft Conversion Elution BufferIn a fire or if heated, a pressure increase will occur and the container may burst.Soft Conversion Repair Soft Conversion Repair In a fire or if heated, a pressure increase will occur and the container may burst.Hazardous thermal decomposition productsIn a fire or if heated, a pressure increase will occur and the container may burst.Hazardous thermal decomposition productsIn a fire or if heated, a pressure increase will occur and the container may burst.Hazardous thermal decomposition productsIn a fire or if heated, a pressure increase will occur and the container may burst.Hazardous thermal decomposition products		Soll Conversion Reagent B	
Hazardous thermal decomposition products 5 Soft Conversion Wash Buffer In a fire or if heated, a pressure increase will occur and the container may burst. Soft Conversion Repair In a fire or if heated, a pressure increase will occur and the container may burst. Soft Conversion Repair In a fire or if heated, a pressure increase will occur and the container may burst. Soft Conversion Repair In a fire or if heated, a pressure increase will occur and the container may burst. Library Binding Beads In a fire or if heated, a pressure increase will occur and the container may burst. Index Primer Mix for ILM 1-8 In a fire or if heated, a pressure increase will occur and the container may burst. Index Primer Mix for ILM 1-8 In a fire or if heated, a pressure increase will occur and the container may burst. Index Primer Mix for ILM 1-8 In a fire or if heated, a pressure increase will occur and the container may burst. Index Primer Mix for ILM 1-8 In a fire or if heated, a pressure increase will occur and the container may burst. Index Primer Mix for ILM In a fire or if heated, a pressure increase will occur and the container may burst. Index Primer Mix for ILM In a fire or if heated, a pressure increase will occur and the container may burst. Index Primer Mix for ILM In a fire or if heated, a pressure increase will occur and the container may burst. Index Primer Mix for ILM		•	create fire or explosion hazard. In a fire or if heated, a pressure increase will occur and the container may
Avaluationand the container may burst.Soft Conversion RepairIn a fire or if heated, a pressure increase will occurBufferand the container may burst.Soft Conversion RepairIn a fire or if heated, a pressure increase will occurSoft Conversion RepairIn a fire or if heated, a pressure increase will occurSoft Conversion RepairIn a fire or if heated, a pressure increase will occurSoft Conversion RepairIn a fire or if heated, a pressure increase will occurSoft Conversion RepairIn a fire or if heated, a pressure increase will occurSoft Conversion Mix for ILMIn a fire or if heated, a pressure increase will occurIndex Primer Mix for ILMIn a fire or if heated, a pressure increase will occurIndex Primer Mix for ILMIn a fire or if heated, a pressure increase will occurHazardous thermal: Nuclease-Free WaterBufferNo specific data.Heated Prep BufferDecomposition products may include the following materials: carbon dioxide carbon monoxideEnd Prep EnzymeDecomposition products may include the following materials: carbon dioxide carbon monoxideLigation BufferDecomposition products may include the following materials: carbon dioxide carbon monoxideLigation EnzymeDecomposition products may include the following materials: carbon dioxide carbon monoxideLigation EnzymeDecomposition products may include the following materials: carbon dioxide carbon monoxideLigation EnzymeDecomposition products may include the following materials: carbon dioxide carbon monoxide <td></td> <td></td> <td>material is very toxic to aquatic life. This material is toxic to aquatic life with long lasting effects. Fire water contaminated with this material must be</td>			material is very toxic to aquatic life. This material is toxic to aquatic life with long lasting effects. Fire water contaminated with this material must be
Buffer Soft Conversion Elution Bufferand the container may burst. In a fire or if heated, a pressure increase will occur and the container may burst.Soft Conversion Repair SolutionIn a fire or if heated, a pressure increase will occur and the container may burst.In a fire or if heated, a pressure increase will occur and the container may burst.In a fire or if heated, a pressure increase will occur and the container may burst.Index Primer Mix for ILM 1-8In a fire or if heated, a pressure increase will occur and the container may burst.Index Primer Mix for ILM 1-8In a fire or if heated, a pressure increase will occur and the container may burst.Hazardous thermal decomposition products: Nuclease-Free Water End Prep BufferNo specific data. Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides halogenated compounds metarials: carbon dioxide carbon monoxideLigation BufferDecomposition products may include the following materials: carbon dioxide carbon monoxideLigation EnzymeLigation EnzymeDecomposition products may include the following materials: carbon dioxide carbon monoxideLigation EnzymeLigation EnzymeDecomposition products may include the following materials: carbon dioxide carbon monoxideLigation EnzymeLigation EnzymeDecomposition products may include the following materials: carbon dioxide carbon monoxideLigation EnzymeDecomposition products may include the following materials: carbon dioxide carbon monoxideLigation EnzymeDecomposition products may include the foll			any waterway, sewer or drain.
Soft Conversion Elution BufferIn a fire or if heated, á pressure increase will occur and the container may burst.Library Binding BeadsIn a fire or if heated, a pressure increase will occur and the container may burst.Library Binding BeadsIn a fire or if heated, a pressure increase will occur and the container may burst.Capture BeadsIn a fire or if heated, a pressure increase will occur and the container may burst.Index Primer Mix for ILM 1-8In a fire or if heated, a pressure increase will occur and the container may burst.Index Primer Mix for ILM 1-8In a fire or if heated, a pressure increase will occur and the container may burst.Hazardous thermal decomposition products: Nuclease-Free Water End Prep BufferNo specific data.Hazardous thermal decomposition products: Nuclease-Free Water End Prep EnzymeNo specific data.End Prep EnzymeDecomposition products may include the following materials: carbon dioxide carbon monoxideLigation BufferDecomposition products may include the following materials: carbon dioxide carbon monoxideLigation BufferDecomposition products may include the following materials: carbon dioxide carbon monoxideLigation EnzymeLigation Enzyme Halogenated compounds materials: carbon dioxide carbon monoxideLigation EnzymeDecomposition products may include the following materials: carbon dioxide carbon monoxideLigation EnzymeDecomposition products may include the following materials: carbon dioxide carbon monoxideLigation EnzymeDecomposition products may include the follo			•
Soft Conversion Repair SolutionIn a fire or if heated, a pressure increase will occur and the container may burst.Library Binding BeadsIn a fire or if heated, a pressure increase will occur and the container may burst.Capture BeadsIn a fire or if heated, a pressure increase will occur and the container may burst.Index Primer Mix for ILM 1-8 9-16In a fire or if heated, a pressure increase will occur and the container may burst.Hazardous thermal decomposition products: Nuclease-Free Water End Prep BufferNo specific data.Hazardous thermal decomposition products: Nuclease-Free Water End Prep EnzymeNo specific data.End Prep EnzymeDecomposition products may include the following materials: carbon dioxide 			•
Solution Library Binding Beadsand the container may burst. In a fire or if heated, a pressure increase will occur and the container may burst.Capture BeadsIn a fire or if heated, a pressure increase will occur and the container may burst.Index Primer Mix for ILM 1-8In a fire or if heated, a pressure increase will occur and the container may burst.Index Primer Mix for ILM 9-16In a fire or if heated, a pressure increase will occur and the container may burst.Hazardous thermal decomposition products: Nuclease-Free Water End Prep BufferNo specific data. Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides halogenated compounds materials: carbon dioxide carbon monoxide nitrogen oxides halogenated compounds materials: carbon dioxide carbon monoxide nitrogen oxides halogenated compounds materials: carbon dioxide carbon monoxide nitrogen oxides halogenated compounds materials: carbon monoxide nitrogen oxides halogenated compounds materials: carbon dioxide carbon monoxide nitrogen oxides halogenated compounds materials: carbon monoxide nitrogen oxides halogenated compounds halogenated compounds			•
Library Binding Beads Library Binding Beads Library Binding Beads Library Binding Beads Library Binding Beads Library Binding Beads Library Binding Beads In a fire or if heated, a pressure increase will occur and the container may burst. Index Primer Mix for ILM 1-8 In a fire or if heated, a pressure increase will occur and the container may burst. Index Primer Mix for ILM 1-8 Index Primer Mix for ILM 1-8 Ligation Buffer Decomposition products may include the following materials: Carbon dioxide Carbon monoxide Ligation Enzyme Decomposition products may include the following materials: Carbon dioxide Carbon monoxide Ligation Enzyme Decomposition products may include the following materials: Carbon dioxide Carbon monoxide Adapter for ILM No specific data. Hyb Buffer Decomposition products may include the following materials: Carbon dioxide Carbon monoxide Ligation Enzyme Decomposition products may include the following materials: Carbon dioxide Carbon monoxide Carbon monoxide Carb			
Hazardous thermal decomposition productsCapture Beadsand the container may burst. In a fire or if heated, a pressure increase will occur and the container may burst.Hazardous thermal decomposition products:Nuclease-Free Water End Prep BufferNo specific data. Decomposition products may include the following materials: carbon monoxide carbon monoxideEnd Prep EnzymeDecomposition products may include the following materials: carbon monoxide nitrogen oxidesEnd Prep EnzymeDecomposition products may include the following materials: carbon monoxide nitrogen oxidesLigation BufferDecomposition products may include the following materials: carbon monoxide nitrogen oxides halogenated compounds materials: carbon monoxideLigation BufferDecomposition products may include the following materials: carbon dioxide carbon monoxideLigation EnzymeDecomposition products may include the following materials: carbon dioxide carbon monoxideLigation EnzymeDecomposition products may include the following materials: carbon dioxide carbon monoxideLigation EnzymeDecomposition products may include the following materials: carbon dioxide carbon monoxide halogenated compoundsLigation EnzymeDecomposition products may include the following materials: carbon dioxide carbon monoxide halogenated compoundsLigation EnzymeDecomposition products may include the following materials: carbon dioxide carbon monoxide halogenated compoundsLigation EnzymeDecomposition products may include the following materials: carbon dioxide carbon monoxid			
and the container may burst. Index Primer Mix for ILM 1-8 In a fire or if heated, a pressure increase will occur and the container may burst. Index Primer Mix for ILM 9-16 index Primer Mix for ILM 9-16 index Primer Mix for ILM 9-16 index Primer Mix for ILM 9-16 in a fire or if heated, a pressure increase will occur and the container may burst. In a fire or if heated, a pressure increase will occur and the container may burst. In a fire or if heated, a pressure increase will occur and the container may burst. Index Primer Mix for ILM 9-16 in a fire or if heated, a pressure increase will occur and the container may burst. In a fire or if heated, a pressure increase will occur and the container may burst. Index Primer Mix for ILM Postion products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides halogenated compounds metal oxide/oxides End Prep Enzyme Ligation Buffer Ligation Buffer Ligation Enzyme Ligation Enzyme Ligation Enzyme Ligation Enzyme Ligation Enzyme Ligation Enzyme Ligation Enzyme Ligation Enzyme Adapter for ILM No specific data. Hyb Buffer No specific data.		, ,	
Index Primer Mix for ILM 1-8In a fire or if heated, a pressure increase will occur and the container may burst.Hazardous thermal decomposition productsIndex Primer Mix for ILM 9-16In a fire or if heated, a pressure increase will occur and the container may burst.Hazardous thermal decomposition products: Nuclease-Free Water End Prep BufferNo specific data.End Prep BufferDecomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxidesEnd Prep EnzymeDecomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxidesLigation BufferDecomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxidesLigation EnzymeLigation EnzymeLigation EnzymeDecomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides halogenated compoundsLigation EnzymeDecomposition products may include the following materials: carbon dioxide carbon dioxide carbon monoxide nitrogen oxides halogenated compoundsLigation EnzymeDecomposition products may include the following materials: carbon dioxide carbon monoxideAdapter for ILMNo specific data. Hyb Blocker Hyb BufferNo specific data.		Capture Beads	
Index Primer Mix for ILM 9-16In a fire or if heated, a pressure increase will occur and the container may burst.Hazardous thermal decomposition products: Nuclease-Free Water End Prep BufferNo specific data. Decomposition products may include the following materials: carbon monoxide nitrogen oxidesEnd Prep EnzymeDecomposition products may include the following materials: carbon monoxide nitrogen oxidesEnd Prep EnzymeDecomposition products may include the following materials: carbon monoxide nitrogen oxidesLigation BufferDecomposition products may include the following materials: carbon monoxide nitrogen oxidesLigation BufferDecomposition products may include the following materials: carbon monoxide nitrogen oxides halogenated compoundsLigation EnzymeDecomposition products may include the following materials: carbon monoxide nitrogen oxides halogenated compoundsLigation EnzymeDecomposition products may include the following materials: carbon monoxide nitrogen oxides halogenated compoundsLigation EnzymeDecomposition products may include the following materials: carbon monoxide halogenated compounds halogenated compounds halogenated compounds halogenated compounds halogenated compound		Index Primer Mix for ILM 1-8	In a fire or if heated, a pressure increase will occur
Hazardous thermal decomposition products: Nuclease-Free Water End Prep BufferNo specific data. Decomposition products may include the following materials: carbon monoxide nitrogen oxides halogenated compounds metal oxide/oxidesEnd Prep EnzymeDecomposition products may include the following materials: carbon monoxideEnd Prep EnzymeDecomposition products may include the following materials: carbon dioxide 			In a fire or if heated, a pressure increase will occur
decomposition productsEnd Prep BufferDecomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides halogenated compounds metal oxide/oxidesEnd Prep EnzymeDecomposition products may include the following materials: carbon monoxideEnd Prep EnzymeDecomposition products may include the following materials: carbon dioxide carbon monoxideLigation BufferDecomposition products may include the following materials: carbon dioxide carbon monoxideLigation BufferDecomposition products may include the following materials: carbon dioxide carbon monoxideLigation EnzymeDecomposition products may include the following materials: carbon dioxide carbon monoxideLigation EnzymeDecomposition products may include the following materials: carbon dioxide carbon monoxideLigation EnzymeDecomposition products may include the following materials: carbon dioxide carbon monoxideHyb Blocker Hyb BufferNo specific data. No specific data.	Hazardous thermal		-
carbon dioxide carbon monoxide nitrogen oxides halogenated compounds metal oxide/oxides End Prep Enzyme Decomposition products may include the following materials: carbon dioxide carbon monoxide Ligation Buffer Decomposition products may include the following materials: carbon dioxide carbon monoxide Ligation Enzyme Decomposition products may include the following materials: carbon dioxide carbon monoxide halogenated compounds halogenated compounds halogenat	decomposition products		Decomposition products may include the following
nitrogen oxides halogenated compounds metal oxide/oxides End Prep Enzyme Decomposition products may include the following materials: carbon dioxide carbon monoxide Ligation Buffer Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides halogenated compounds Ligation Enzyme Decomposition products may include the following materials: carbon dioxide carbon monoxide halogenated compounds Ligation Enzyme Decomposition products may include the following materials: carbon dioxide carbon monoxide halogenated compounds halogenated compounds halog			
metal oxide/oxidesEnd Prep EnzymeDecomposition products may include the following materials: carbon dioxide carbon monoxideLigation BufferDecomposition products may include the following materials: carbon dioxide carbon monoxideLigation BufferDecomposition products may include the following materials: carbon dioxide carbon monoxideLigation EnzymeDecomposition products may include the following materials: carbon monoxide nitrogen oxides halogenated compoundsLigation EnzymeDecomposition products may include the following materials: carbon dioxide carbon monoxideLigation EnzymeDecomposition products may include the following materials: carbon dioxide carbon monoxideAdapter for ILM Hyb BlockerNo specific data. No specific data.Hyb BufferDecomposition products may include the following materials: carbon monoxide			
End Prep EnzymeDecomposition products may include the following materials: carbon dioxide carbon monoxideLigation BufferDecomposition products may include the following materials: carbon dioxide carbon monoxideLigation BufferDecomposition products may include the following materials: carbon dioxide carbon monoxideLigation EnzymeDecomposition products may include the following materials: carbon monoxide nitrogen oxides halogenated compoundsLigation EnzymeDecomposition products may include the following materials: carbon dioxide carbon monoxideAdapter for ILMNo specific data.Hyb Blocker Hyb BufferDecomposition products may include the following materials: carbon monoxide carbon monoxide			
Ligation Buffercarbon monoxideLigation BufferDecomposition products may include the following materials: carbon dioxide nitrogen oxides halogenated compoundsLigation EnzymeDecomposition products may include the following materials: carbon dioxide balogenated compoundsLigation EnzymeDecomposition products may include the following materials: carbon dioxide carbon monoxideAdapter for ILM Hyb Blocker Hyb BufferNo specific data. No specific data.Hyb BufferDecomposition products may include the following materials: carbon monoxide		End Prep Enzyme	Decomposition products may include the following
Ligation BufferDecomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides halogenated compoundsLigation EnzymeDecomposition products may include the following materials: carbon dioxide carbon monoxideAdapter for ILMNo specific data.Hyb BlockerNo specific data.Hyb BufferDecomposition products may include the following materials: carbon dioxide carbon monoxide			
materials: carbon dioxide carbon monoxide nitrogen oxides halogenated compounds Ligation Enzyme Ligation Enzyme Decomposition products may include the following materials: carbon dioxide carbon monoxide Adapter for ILM Adapter for ILM Hyb Blocker Hyb Buffer Decomposition products may include the following		Ligation Buffer	
carbon monoxide nitrogen oxides halogenated compounds Ligation Enzyme Decomposition products may include the following materials: carbon dioxide carbon monoxide Adapter for ILM No specific data. Hyb Blocker No specific data. Hyb Buffer Decomposition products may include the following			materials:
Ligation Enzyme belowing materials: Adapter for ILM No specific data. Hyb Blocker Hyb Buffer Decomposition products may include the following materials: carbon dioxide carbon monoxide belowing materials: carbon monoxide belowing materials: carbon monoxide belowing be			
Ligation Enzyme Decomposition products may include the following materials: carbon dioxide carbon monoxide Adapter for ILM No specific data. Hyb Blocker No specific data. Hyb Buffer Decomposition products may include the following			
materials: carbon dioxide carbon monoxideAdapter for ILMNo specific data.Hyb BlockerNo specific data.Hyb BufferDecomposition products may include the following		Ligation Enzyme	
carbon monoxide Adapter for ILM No specific data. Hyb Blocker No specific data. Hyb Buffer Decomposition products may include the following		5	materials:
Adapter for ILMNo specific data.Hyb BlockerNo specific data.Hyb BufferDecomposition products may include the following			
Hyb BlockerNo specific data.Hyb BufferDecomposition products may include the following		Adapter for II M	
Hyb Buffer Decomposition products may include the following			
materiale.			

28/86

<u> </u>	
	carbon dioxide
	carbon monoxide
	nitrogen oxides
	sulfur oxides
	phosphorus oxides
	halogenated compounds
	metal oxide/oxides
Hyb Enhancer	Decomposition products may include the following
	materials:
	carbon dioxide
	carbon monoxide
	nitrogen oxides
Soft Conversion Reagent A	Decomposition products may include the following
	materials:
	carbon dioxide
	carbon monoxide
2X Methyl Amplification	Decomposition products may include the following
Mastermix	materials:
	carbon dioxide
	carbon monoxide
Library Wash Buffer	Decomposition products may include the following
Elefary Wash Banci	materials:
	carbon dioxide
	carbon monoxide
	halogenated compounds
	metal oxide/oxides
Hyb Wash Buffer 1	Decomposition products may include the following
	materials:
	halogenated compounds
	metal oxide/oxides
Hyb Wash Buffer 2	No specific data.
Soft Conversion Reagent B	Decomposition products may include the following
C C	materials:
	nitrogen oxides
	sulfur oxides
Soft Conversion Binding	Decomposition products may include the following
Beads	materials:
Deads	carbon dioxide
	carbon monoxide
	nitrogen oxides
	sulfur oxides
5X Soft Conversion Wash	No specific data.
Buffer	
Soft Conversion Elution	No specific data.
Buffer	
Soft Conversion Repair	Decomposition products may include the following
Solution	materials:
	carbon dioxide
	carbon monoxide
	nitrogen oxides
	halogenated compounds
Library Binding Beads	Decomposition products may include the following
	materials:
	carbon dioxide
	carbon monoxide
	halogenated compounds
Capture Boods	metal oxide/oxides
Capture Beads	No specific data.
Index Primer Mix for ILM 1-8	
La dese Determinante de la tradi-	No specific data.
Index Primer Mix for ILM	No specific data.
Index Primer Mix for ILM 9-16	

0	0	
Special protective actions for fire-fighters	: Nuclease-Free Water	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	End Prep Buffer	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	End Prep Enzyme	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	Ligation Buffer	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	Ligation Enzyme	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	Adapter for ILM	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	Hyb Blocker	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	Hyb Buffer	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	Hyb Enhancer	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	Soft Conversion Reagent A	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
	2X Methyl Amplification Mastermix	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	Library Wash Buffer	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	Hyb Wash Buffer 1	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or
	Hyb Wash Buffer 2	without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without autoble training.
	Soft Conversion Reagent B	without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or
	Soft Conversion Binding	without suitable training. Promptly isolate the scene by removing all persons

	Beads	from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire
		area if this can be done without risk. Use water spray
		to keep fire-exposed containers cool.
	5X Soft Conversion Wash	Promptly isolate the scene by removing all persons
	Buffer	from the vicinity of the incident if there is a fire. No
		action shall be taken involving any personal risk or
		without suitable training.
	Soft Conversion Elution	Promptly isolate the scene by removing all persons
	Buffer	from the vicinity of the incident if there is a fire. No
		action shall be taken involving any personal risk or
		without suitable training.
	Soft Conversion Repair	Promptly isolate the scene by removing all persons
	Solution	from the vicinity of the incident if there is a fire. No
		action shall be taken involving any personal risk or
		without suitable training.
	Library Binding Beads	Promptly isolate the scene by removing all persons
		from the vicinity of the incident if there is a fire. No
		action shall be taken involving any personal risk or
		without suitable training.
	Captura Roada	5
	Capture Beads	Promptly isolate the scene by removing all persons
		from the vicinity of the incident if there is a fire. No
		action shall be taken involving any personal risk or
		without suitable training.
	Index Primer Mix for ILM 1-8	Promptly isolate the scene by removing all persons
		from the vicinity of the incident if there is a fire. No
		action shall be taken involving any personal risk or
		without suitable training.
	Index Primer Mix for ILM	Promptly isolate the scene by removing all persons
	9-16	from the vicinity of the incident if there is a fire. No
		action shall be taken involving any personal risk or
On a state way to attack		
	Nuclease-Free Water	without suitable training
equipment for fire-fighters		equipment and self-contained breathing apparatus
		(SCBA) with a full face-piece operated in positive
		pressure mode.
	End Prep Buffer	Fire-fighters should wear appropriate protective
		equipment and self-contained breathing apparatus
		(SCBA) with a full face-piece operated in positive
		pressure mode.
	End Prep Enzyme	Fire-fighters should wear appropriate protective
		equipment and self-contained breathing apparatus
		(SCBA) with a full face-piece operated in positive
		pressure mode.
	Ligation Buffer	Fire-fighters should wear appropriate protective
	Ligation Dullei	equipment and self-contained breathing apparatus
		(SCBA) with a full face-piece operated in positive
		pressure mode.
	Ligation Enzyme	Fire-fighters should wear appropriate protective
		equipment and self-contained breathing apparatus
		(SCBA) with a full face-piece operated in positive
		pressure mode.
	Adapter for ILM	Fire-fighters should wear appropriate protective
		equipment and self-contained breathing apparatus
		(SCBA) with a full face-piece operated in positive
		pressure mode.
	Hyb Blocker	Fire-fighters should wear appropriate protective
	, - -	equipment and self-contained breathing apparatus
		(SCBA) with a full face-piece operated in positive
		pressure mode.
	Hyb Buffer	•
	Hyb Buffer	Fire-fighters should wear appropriate protective
		equipment and self-contained breathing apparatus
		(SCBA) with a full face-piece operated in positive

0	
Hyb Enhancer	pressure mode. Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive
Soft Conversion Reagent A	pressure mode. Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive
2X Methyl Amplification Mastermix	pressure mode. Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive
Library Wash Buffer	pressure mode. Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive
Hyb Wash Buffer 1	pressure mode. Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive
Hyb Wash Buffer 2	pressure mode. Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive
Soft Conversion Reagent B	pressure mode. Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive
Soft Conversion Binding Beads	pressure mode. Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive
5X Soft Conversion Wash Buffer	pressure mode. Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive
Soft Conversion Elution Buffer	pressure mode. Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive
Soft Conversion Repair Solution	pressure mode. Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive
Library Binding Beads	pressure mode. Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive
Capture Beads	pressure mode. Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive
Index Primer Mix for ILM 1-8	pressure mode. Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive
Index Primer Mix for ILM 9-16	pressure mode. Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Hazchem code :	Nuclease-Free Water	Not available.
	End Prep Buffer	Not available.
	End Prep Enzyme	Not available.
	Ligation Buffer	Not available.
	Ligation Enzyme	Not available.
	Adapter for ILM	Not available.
	Hyb Blocker	Not available.
	Hyb Buffer	Not available.
	Hyb Enhancer	Not available.
	Soft Conversion Reagent A	Not available.
	2X Methyl Amplification	Not available.
	Mastermix	
	Library Wash Buffer	Not available.
	Hyb Ŵash Buffer 1	Not available.
	Hyb Wash Buffer 2	Not available.
	Soft Conversion Reagent B	Not available.
	Soft Conversion Binding	3WE
	Beads	-
	5X Soft Conversion Wash	Not available.
	Buffer	
	Soft Conversion Elution	2X
	Buffer	
	Soft Conversion Repair	Not available.
	Solution	
	Library Binding Beads	Not available.
	Capture Beads	Not available.
	Index Primer Mix for ILM 1-8	
	Index Primer Mix for ILM	Not available.
	9-16	

For non-emergency	: Nuclease-Free Water	No action shall be taken involving any personal risk
personnel		or without suitable training. Evacuate surrounding
		areas. Keep unnecessary and unprotected
		personnel from entering. Do not touch or walk
		through spilt material. Put on appropriate personal
		protective equipment.
	End Prep Buffer	No action shall be taken involving any personal risk
		or without suitable training. Evacuate surrounding
		areas. Keep unnecessary and unprotected
		personnel from entering. Do not touch or walk
		through spilt material. Put on appropriate personal
		protective equipment.
	End Prep Enzyme	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding
		areas. Keep unnecessary and unprotected
		personnel from entering. Do not touch or walk
		through spilt material. Avoid breathing vapour or mist.
		Provide adequate ventilation. Wear appropriate
		respirator when ventilation is inadequate. Put on
		appropriate personal protective equipment.
	Ligation Buffer	No action shall be taken involving any personal risk
		or without suitable training. Evacuate surrounding
		areas. Keep unnecessary and unprotected
		personnel from entering. Do not touch or walk
		through spilt material. Put on appropriate personal
		protective equipment.
	Ligation Enzyme	No action shall be taken involving any personal risk
		or without suitable training. Evacuate surrounding
		areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk
		personner nom entening. Do not touch of walk

	through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on
Adapter for ILM	appropriate personal protective equipment. No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding
	areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal
Hyb Blocker	protective equipment. No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding
	areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
Hyb Buffer	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected
	personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate
Hyb Enhancer	respirator when ventilation is inadequate. Put on appropriate personal protective equipment. No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding
	areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on
Soft Conversion Reagent A	appropriate personal protective equipment. No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected
	personnel from entering. Do not touch or walk through spilt material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid
	breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
2X Methyl Amplification Mastermix	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected
	personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
Library Wash Buffer	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected
	personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
Hyb Wash Buffer 1	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk
Hyb Wash Buffer 2	through spilt material. Put on appropriate personal protective equipment. No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding
	areas. Keep unnecessary and unprotected

Soft Conversion Reagent B	personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment. No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding
Soft Conversion Binding Beads	areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk
	through spilt material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Do not breathe vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
5X Soft Conversion Wash Buffer	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
Soft Conversion Elution Buffer	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Do not breathe vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on
Soft Conversion Repair Solution	appropriate personal protective equipment. No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal
Library Binding Beads	protective equipment. No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal
Capture Beads	protective equipment. No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal
Index Primer Mix for ILM 1-8	protective equipment.
Index Primer Mix for ILM 9-16	protective equipment. No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk

		through spilt material. Put on appropriate personal protective equipment.
For emergency responder	rs : Nuclease-Free Water	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	End Prep Buffer	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the
	End Prep Enzyme	information in "For non-emergency personnel". If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the
	Ligation Buffer	information in "For non-emergency personnel". If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the
	Ligation Enzyme	information in "For non-emergency personnel". If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the
	Adapter for ILM	information in "For non-emergency personnel". If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on
	Hyb Blocker	suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the
	Hyb Buffer	information in "For non-emergency personnel". If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on
	Hyb Enhancer	suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the
	Soft Conversion Reagent A	information in "For non-emergency personnel". If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the
	2X Methyl Amplification Mastermix	information in "For non-emergency personnel". If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the
	Library Wash Buffer	information in "For non-emergency personnel". If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the
	Hyb Wash Buffer 1	information in "For non-emergency personnel". If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the
	Hyb Wash Buffer 2	information in "For non-emergency personnel". If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the
	Soft Conversion Reagent B	information in "For non-emergency personnel". If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the
	Soft Conversion Binding	information in "For non-emergency personnel". If specialised clothing is required to deal with the
Date of issue/Date of revision	: 11/04/2024 Date of previous is	sue : 23/02/2024 Version : 1.1

Occubil 0. Acciden	Reada	
	Beads	spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the
		information in "For non-emergency personnel".
	5X Soft Conversion Wash	If specialised clothing is required to deal with the
	Buffer	spillage, take note of any information in Section 8 on
		suitable and unsuitable materials. See also the
		information in "For non-emergency personnel".
	Soft Conversion Elution	If specialised clothing is required to deal with the
	Buffer	spillage, take note of any information in Section 8 on
		suitable and unsuitable materials. See also the
	Soft Conversion Densir	information in "For non-emergency personnel".
	Soft Conversion Repair Solution	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on
	Solution	suitable and unsuitable materials. See also the
		information in "For non-emergency personnel".
	Library Binding Beads	If specialised clothing is required to deal with the
		spillage, take note of any information in Section 8 on
		suitable and unsuitable materials. See also the
		information in "For non-emergency personnel".
	Capture Beads	If specialised clothing is required to deal with the
		spillage, take note of any information in Section 8 on
		suitable and unsuitable materials. See also the
	la deve Dains en Miss fem II M 4.0	information in "For non-emergency personnel".
	Index Primer Mix for ILM 1-8	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on
		suitable and unsuitable materials. See also the
		information in "For non-emergency personnel".
	Index Primer Mix for ILM	If specialised clothing is required to deal with the
	9-16	spillage, take note of any information in Section 8 on
		suitable and unsuitable materials. See also the
		information in "For non-emergency personnel".
Environmental precautions	: Nuclease-Free Water	Avoid dispersal of spilt material and runoff and
		contact with soil, waterways, drains and sewers.
		Inform the relevant authorities if the product has
		caused environmental pollution (sewers, waterways,
		soil or air).
	End Prep Buffer	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.
		Inform the relevant authorities if the product has
		caused environmental pollution (sewers, waterways,
		soil or air). Water polluting material. May be harmful
		to the environment if released in large quantities.
	End Prep Enzyme	Avoid dispersal of spilt material and runoff and
		contact with soil, waterways, drains and sewers.
		Inform the relevant authorities if the product has
		caused environmental pollution (sewers, waterways,
		soil or air).
	Ligation Buffer	Avoid dispersal of spilt material and runoff and
		contact with soil, waterways, drains and sewers.
		Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways,
		soil or air).
	Ligation Enzyme	Avoid dispersal of spilt material and runoff and
	5,	contact with soil, waterways, drains and sewers.
		Inform the relevant authorities if the product has
		caused environmental pollution (sewers, waterways,
		soil or air).
	Adapter for ILM	Avoid dispersal of spilt material and runoff and
		contact with soil, waterways, drains and sewers.
		Inform the relevant authorities if the product has
		caused environmental pollution (sewers, waterways,
		soil or air).
Date of issue/Date of revision	11/04/2024 Date of provious is	22/02/2024 Version :1.1 27/86

Hyb Blocker	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Hyb Buffer	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.
Hyb Enhancer	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Soft Conversion Reagent A	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
2X Methyl Amplification Mastermix	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Library Wash Buffer	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Hyb Wash Buffer 1	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Hyb Wash Buffer 2	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Soft Conversion Reagent B	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Soft Conversion Binding Beads	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities. Collect spillage.
5X Soft Conversion Wash Buffer	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Soft Conversion Elution Buffer	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

38/86

	ai leiease illeasuit	
	Soft Conversion Repair Solution	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, cail or air)
	Library Binding Beads	soil or air). Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways,
	Capture Beads	soil or air). Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways,
	Index Primer Mix for ILM 1-8	soil or air). Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	Index Primer Mix for ILM 9-16	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and material for conta	ainment and cleaning up	
	Nuclease-Free Water	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste
	End Prep Buffer	disposal contractor. Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste
	End Prep Enzyme	disposal contractor. Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste
	Ligation Buffer	disposal contractor. Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	Ligation Enzyme	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste
	Adapter for ILM	disposal contractor. Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Hyb Blocker	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor
Hyb Buffer	disposal contractor. Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Hyb Enhancer	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Soft Conversion Reagent A	Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water- soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
2X Methyl Amplification Mastermix	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste
Library Wash Buffer	disposal contractor. Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste
Hyb Wash Buffer 1	disposal contractor. Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste
Hyb Wash Buffer 2	disposal contractor. Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste
Soft Conversion Reagent B	disposal contractor. Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Soft Conversion Binding Beads	Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water- soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed
5X Soft Conversion Wash	waste disposal contractor. Stop leak if without risk. Move containers from spill

Buffer	area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Soft Conversion Elution Buffer	Stop leak if without risk. Move containers from spill area. Contain and collect spillage with non- combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor.
Soft Conversion Repair Solution	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Library Binding Beads	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Capture Beads	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Index Primer Mix for ILM 1-8	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Index Primer Mix for ILM 9-16	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Section 7. Handling and storage

Precautions for safe hand	nng	
Protective measures	: Nuclease-Free Water	Put on appropriate personal protective equipment (see Section 8).
	End Prep Buffer	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
	End Prep Enzyme	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

41/86

-	-	
	Ligation Buffer	Put on appropriate personal protective equipment (see Section 8).
	Ligation Enzyme	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with
		eyes, skin and clothing. Avoid breathing vapour or
		mist. Keep in the original container or an approved
		alternative made from a compatible material, kept
		tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not
		reuse container.
	Adapter for ILM	Put on appropriate personal protective equipment
		(see Section 8).
	Hyb Blocker	Put on appropriate personal protective equipment (see Section 8).
	Hyb Buffer	Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or
		clothing. Do not breathe vapour or mist. Do not
		ingest. Avoid release to the environment. If during
		normal use the material presents a respiratory hazard,
		use only with adequate ventilation or wear appropriate respirator. Keep in the original container
		or an approved alternative made from a compatible
		material, kept tightly closed when not in use. Empty
		containers retain product residue and can be
	Hyb Enhancer	hazardous. Do not reuse container. Put on appropriate personal protective equipment
		(see Section 8). Avoid exposure - obtain special
		instructions before use. Avoid exposure during
		pregnancy. Do not handle until all safety precautions
		have been read and understood. Do not get in eyes or on skin or clothing. Do not breathe vapour or mist.
		Do not ingest. If during normal use the material
		presents a respiratory hazard, use only with adequate
		ventilation or wear appropriate respirator. Keep in the
		original container or an approved alternative made from a compatible material, kept tightly closed when
		not in use. Empty containers retain product residue
		and can be hazardous. Do not reuse container.
	Soft Conversion Reagent A	Put on appropriate personal protective equipment (see Section 8). Avoid exposure - obtain special
		instructions before use. Avoid exposure during
		pregnancy. Do not handle until all safety precautions
		have been read and understood. Do not get in eyes
		or on skin or clothing. Do not ingest. Avoid breathing
		vapour or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is
		inadequate. Do not enter storage areas and confined
		spaces unless adequately ventilated. Keep in the
		original container or an approved alternative made from a compatible material, kept tightly closed when
		not in use. Store and use away from heat, sparks,
		open flame or any other ignition source. Use
		explosion-proof electrical (ventilating, lighting and
		material handling) equipment. Use only non-sparking
		tools. Empty containers retain product residue and can be hazardous. Do not reuse container.
	2X Methyl Amplification	Put on appropriate personal protective equipment
	Mastermix	(see Section 8).
	Library Wash Buffer	Put on appropriate personal protective equipment (see Section 8).
	Hyb Wash Buffer 1	Put on appropriate personal protective equipment (see Section 8).
	Hyb Wash Buffer 2	Put on appropriate personal protective equipment

uning	and Storage	
	Soft Conversion Reagent B	(see Section 8). Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
	Soft Conversion Binding Beads	Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapour or mist. Do not ingest. Avoid release to the environment. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Take precautionary measures against electrostatic discharges. Empty containers retain product residue and can be hazardous. Do not reuse container.
	5X Soft Conversion Wash	Put on appropriate personal protective equipment
	Buffer	(see Section 8).
	Soft Conversion Elution Buffer	Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapour or mist. Do not ingest. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Keep away from acids. Empty containers retain product residue and can be hazardous. Do not reuse container.
	Soft Conversion Repair	Put on appropriate personal protective equipment
	Solution Library Binding Beads	(see Section 8). Put on appropriate personal protective equipment
	Capture Beads	(see Section 8). Put on appropriate personal protective equipment
	Index Primer Mix for ILM 1-8	(see Section 8). Put on appropriate personal protective equipment
	Index Primer Mix for ILM 9-16	(see Section 8). Put on appropriate personal protective equipment (see Section 8).
:	Nuclease-Free Water	Eating, drinking and smoking should be prohibited in
	End Prep Buffer	areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Advice on general occupational hygiene

End Prep Enzyme	Eating, drinking and smoking should be prohibited in
	areas where this material is handled, stored and
	processed. Workers should wash hands and face
	before eating, drinking and smoking. Remove
	contaminated clothing and protective equipment
	before entering eating areas. See also Section 8 for
Lingtion Duffer	additional information on hygiene measures.
Ligation Buffer	Eating, drinking and smoking should be prohibited in
	areas where this material is handled, stored and
	processed. Workers should wash hands and face
	before eating, drinking and smoking. Remove
	contaminated clothing and protective equipment
	before entering eating areas. See also Section 8 for
	additional information on hygiene measures.
Ligation Enzyme	Eating, drinking and smoking should be prohibited in
0	areas where this material is handled, stored and
	processed. Workers should wash hands and face
	before eating, drinking and smoking. Remove
	contaminated clothing and protective equipment
	before entering eating areas. See also Section 8 for
	additional information on hygiene measures.
Adaptor for ILM	
Adapter for ILM	Eating, drinking and smoking should be prohibited in
	areas where this material is handled, stored and
	processed. Workers should wash hands and face
	before eating, drinking and smoking. Remove
	contaminated clothing and protective equipment
	before entering eating areas. See also Section 8 for
	additional information on hygiene measures.
Hyb Blocker	Eating, drinking and smoking should be prohibited in
	areas where this material is handled, stored and
	processed. Workers should wash hands and face
	before eating, drinking and smoking. Remove
	contaminated clothing and protective equipment
	before entering eating areas. See also Section 8 for
	additional information on hygiene measures.
Hyb Buffer	Eating, drinking and smoking should be prohibited in
	areas where this material is handled, stored and
	processed. Workers should wash hands and face
	before eating, drinking and smoking. Remove
	contaminated clothing and protective equipment
	before entering eating areas. See also Section 8 for
	additional information on hygiene measures.
Hyb Enhancer	Eating, drinking and smoking should be prohibited in
	areas where this material is handled, stored and
	processed. Workers should wash hands and face
	before eating, drinking and smoking. Remove
	contaminated clothing and protective equipment
	before entering eating areas. See also Section 8 for
	additional information on hygiene measures.
Soft Conversion Reagent A	Eating, drinking and smoking should be prohibited in
5	areas where this material is handled, stored and
	processed. Workers should wash hands and face
	before eating, drinking and smoking. Remove
	contaminated clothing and protective equipment
	before entering eating areas. See also Section 8 for
OV Mothy & American Street	additional information on hygiene measures.
2X Methyl Amplification	Eating, drinking and smoking should be prohibited in
Mastermix	areas where this material is handled, stored and
	processed. Workers should wash hands and face
	before eating, drinking and smoking. Remove
	contaminated clothing and protective equipment
	before entering eating areas. See also Section 8 for
	additional information on hygiene measures.

_	-	
	Library Wash Buffer	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove
		contaminated clothing and protective equipment
		before entering eating areas. See also Section 8 for
	Hyb Weeb Puffer 1	additional information on hygiene measures.
	Hyb Wash Buffer 1	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and
		processed. Workers should wash hands and face
		before eating, drinking and smoking. Remove
		contaminated clothing and protective equipment
		before entering eating areas. See also Section 8 for additional information on hygiene measures.
	Hyb Wash Buffer 2	Eating, drinking and smoking should be prohibited in
	,	areas where this material is handled, stored and
		processed. Workers should wash hands and face
		before eating, drinking and smoking. Remove contaminated clothing and protective equipment
		before entering eating areas. See also Section 8 for
		additional information on hygiene measures.
	Soft Conversion Reagent B	Eating, drinking and smoking should be prohibited in
		areas where this material is handled, stored and processed. Workers should wash hands and face
		before eating, drinking and smoking. Remove
		contaminated clothing and protective equipment
		before entering eating areas. See also Section 8 for
	Soft Conversion Binding	additional information on hygiene measures. Eating, drinking and smoking should be prohibited in
	Beads	areas where this material is handled, stored and
		processed. Workers should wash hands and face
		before eating, drinking and smoking. Remove
		contaminated clothing and protective equipment before entering eating areas. See also Section 8 for
		additional information on hygiene measures.
	5X Soft Conversion Wash	Eating, drinking and smoking should be prohibited in
	Buffer	areas where this material is handled, stored and
		processed. Workers should wash hands and face before eating, drinking and smoking. Remove
		contaminated clothing and protective equipment
		before entering eating areas. See also Section 8 for
	Soft Conversion Elution	additional information on hygiene measures.
	Buffer	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and
	24.101	processed. Workers should wash hands and face
		before eating, drinking and smoking. Remove
		contaminated clothing and protective equipment before entering eating areas. See also Section 8 for
		additional information on hygiene measures.
	Soft Conversion Repair	Eating, drinking and smoking should be prohibited in
	Solution	areas where this material is handled, stored and
		processed. Workers should wash hands and face before eating, drinking and smoking. Remove
		contaminated clothing and protective equipment
		before entering eating areas. See also Section 8 for
		additional information on hygiene measures.
	Library Binding Beads	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and
		processed. Workers should wash hands and face
		before eating, drinking and smoking. Remove
		contaminated clothing and protective equipment
		before entering eating areas. See also Section 8 for additional information on hygiene measures.
		additional information on hygiene measures.

45/86

	Capture Beads Index Primer Mix for ILM 1-8	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for
	Index Primer Mix for ILM 9-16	additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	Nuclease-Free Water	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for
	End Prep Buffer	incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for
	End Prep Enzyme	incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
	Ligation Buffer	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled

46/86

	containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
Ligation Enzyme	Store in accordance with local regulations. Store in original container protected from direct sunlight in a
	dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and
	drink. Keep container tightly closed and sealed until
	ready for use. Containers that have been opened
	must be carefully resealed and kept upright to
	prevent leakage. Do not store in unlabelled
	containers. Use appropriate containment to avoid
	environmental contamination. See Section 10 for incompatible materials before handling or use.
Adapter for ILM	Store in accordance with local regulations. Store in
	original container protected from direct sunlight in a
	dry, cool and well-ventilated area, away from
	incompatible materials (see Section 10) and food and
	drink. Keep container tightly closed and sealed until
	ready for use. Containers that have been opened
	must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled
	containers. Use appropriate containment to avoid
	environmental contamination. See Section 10 for
	incompatible materials before handling or use.
Hyb Blocker	Store in accordance with local regulations. Store in
	original container protected from direct sunlight in a
	dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and
	drink. Keep container tightly closed and sealed until
	ready for use. Containers that have been opened
	must be carefully resealed and kept upright to
	prevent leakage. Do not store in unlabelled
	containers. Use appropriate containment to avoid
	environmental contamination. See Section 10 for incompatible materials before handling or use.
Hyb Buffer	Store in accordance with local regulations. Store in
	original container protected from direct sunlight in a
	dry, cool and well-ventilated area, away from
	incompatible materials (see Section 10) and food and
	drink. Store locked up. Keep container tightly closed
	and sealed until ready for use. Containers that have been opened must be carefully resealed and kept
	upright to prevent leakage. Do not store in unlabelled
	containers. Use appropriate containment to avoid
	environmental contamination. See Section 10 for
	incompatible materials before handling or use.
Hyb Enhancer	Store in accordance with local regulations. Store in
	original container protected from direct sunlight in a dry, cool and well-ventilated area, away from
	incompatible materials (see Section 10) and food and
	drink. Store locked up. Keep container tightly closed
	and sealed until ready for use. Containers that have
	been opened must be carefully resealed and kept
	upright to prevent leakage. Do not store in unlabelled
	containers. Use appropriate containment to avoid environmental contamination. See Section 10 for
	incompatible materials before handling or use.
Soft Conversion Reagent A	Store in accordance with local regulations. Store in a
	segregated and approved area. Store in original
	container protected from direct sunlight in a dry, cool
	and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store

	locked up. Eliminate all ignition sources. Separate from oxidising materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
2X Methyl Amplification Mastermix	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and
	drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
Library Wash Buffer	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
Hyb Wash Buffer 1	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
Hyb Wash Buffer 2	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
Soft Conversion Reagent B	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Soft Conversion Binding Beads	Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Eliminate all ignition sources. Separate from oxidising materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
5X Soft Conversion Wash Buffer	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
Soft Conversion Elution Buffer	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Separate from acids. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
Soft Conversion Repair Solution	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for
Library Binding Beads	incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for
Capture Beads	incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until

	ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
Index Primer Mix for ILM 1-8	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and
	drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
Index Primer Mix for ILM 9-16	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for
	incompatible materials before handling or use.

Section 8. Exposure controls and personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
End Prep Enzyme	
Glycerol	Safe Work Australia (Australia, 10/2022). TWA: 10 mg/m ³ 8 hours.
Ligation Buffer	
Poly(oxy-1,2-ethanediyl), α -hydro- ω -hydroxy- Ethane-1,2-diol, ethoxylated	DFG MAC-values list (Germany, 7/2023). PEAK: 400 mg/m ³ , 4 times per shift, 15 minutes. Form: inhalable fraction TWA: 200 mg/m ³ 8 hours. Form: inhalable fraction
Ligation Enzyme	
Glycerol	Safe Work Australia (Australia, 10/2022). TWA: 10 mg/m ³ 8 hours.
Hyb Enhancer	
Formamide	Safe Work Australia (Australia, 10/2022). Absorbed through skin. TWA: 18 mg/m ³ 8 hours. TWA: 10 ppm 8 hours.
Poly(oxy-1,2-ethanediyl), α -hydro- ω -hydroxy- Ethane-1,2-diol, ethoxylated	DFG MAC-values list (Germany, 7/2023). PEAK: 400 mg/m ³ , 4 times per shift, 15 minutes. Form: inhalable fraction TWA: 200 mg/m ³ 8 hours. Form: inhalable fraction
Date of issue/Date of revision : 11/04/2024 Date of previous issu	e : 23/02/2024 Version : 1.1 50

Section 8. Exposure controls and personal protection

Library Wash Buffer	
Poly(oxy-1,2-ethanediyl),α-hydro-ω-hydroxy- Ethane-1,2-diol, ethoxylated	DFG MAC-values list (Germany, 7/2023). PEAK: 400 mg/m ³ , 4 times per shift, 15 minutes. Form: inhalable fraction TWA: 200 mg/m ³ 8 hours. Form: inhalable fraction
Soft Conversion Binding Beads	
Ethanol	Safe Work Australia (Australia, 10/2022). TWA: 1880 mg/m³ 8 hours. TWA: 1000 ppm 8 hours.
Library Binding Beads	
Poly(oxy-1,2-ethanediyl),α-hydro-ω-hydroxy- Ethane-1,2-diol, ethoxylated	DFG MAC-values list (Germany, 7/2023). PEAK: 400 mg/m ³ , 4 times per shift, 15 minutes. Form: inhalable fraction TWA: 200 mg/m ³ 8 hours. Form: inhalable fraction

Biological exposure indices

No exposure indices known.

Appropriate engineering controls Environmental exposure		If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. Emissions from ventilation or work process equipment should be checked to ensure
controls		they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measu	<u>ires</u>	
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

51/86

Section 8. Exposure controls and personal protection

Respiratory protection

: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

Appearance		
Appearance Physical state	: Nuclease-Free Water End Prep Buffer End Prep Enzyme Ligation Buffer Ligation Enzyme Adapter for ILM Hyb Blocker Hyb Buffer Hyb Enhancer Soft Conversion Reagent A 2X Methyl Amplification Mastermix Library Wash Buffer Hyb Wash Buffer 1 Hyb Wash Buffer 1 Hyb Wash Buffer 2 Soft Conversion Reagent B Soft Conversion Reagent B Soft Conversion Binding Beads 5X Soft Conversion Wash Buffer Soft Conversion Elution Buffer Soft Conversion Repair Solution Library Binding Beads	Liquid. Liquid.
	Capture Beads Index Primer Mix for ILM 1-8 Index Primer Mix for ILM 9-16	Liquid. Liquid. Liquid.
Colour	 Nuclease-Free Water End Prep Buffer End Prep Enzyme Ligation Buffer Ligation Enzyme Adapter for ILM Hyb Blocker Hyb Buffer Hyb Enhancer Soft Conversion Reagent A 2X Methyl Amplification Mastermix Library Wash Buffer Hyb Wash Buffer 1 Hyb Wash Buffer 1 Hyb Wash Buffer 2 Soft Conversion Reagent B Soft Conversion Reagent B Soft Conversion Binding Beads 5X Soft Conversion Wash Buffer Soft Conversion Elution Buffer 	Colourless. Not available. Not available.
Date of issue/Date of revision	Soft Conversion Repair : 11/04/2024 Date of previous is	Not available.

	Solution Library Binding Beads Capture Beads Index Primer Mix for ILM 1-8 Index Primer Mix for ILM 9-16	Not available. Not available. Not available. Not available.
Odour	 Nuclease-Free Water End Prep Buffer End Prep Enzyme Ligation Buffer Ligation Enzyme Adapter for ILM Hyb Blocker Hyb Buffer Hyb Enhancer Soft Conversion Reagent A 2X Methyl Amplification Mastermix Library Wash Buffer Hyb Wash Buffer 1 Hyb Wash Buffer 1 Hyb Wash Buffer 2 Soft Conversion Reagent B Soft Conversion Reagent B Soft Conversion Reagent B Soft Conversion Binding Beads 5X Soft Conversion Wash Buffer Soft Conversion Elution Buffer Soft Conversion Repair Solution Library Binding Beads Capture Beads Index Primer Mix for ILM 1-8 Index Primer Mix for ILM 1-8 	Odourless. Not available. Not available.
Odour threshold	 9-16 Nuclease-Free Water End Prep Buffer End Prep Enzyme Ligation Buffer Ligation Enzyme Adapter for ILM Hyb Blocker Hyb Buffer Hyb Enhancer Soft Conversion Reagent A 2X Methyl Amplification Mastermix Library Wash Buffer Hyb Wash Buffer 1 Hyb Wash Buffer 1 Hyb Wash Buffer 1 Hyb Wash Buffer 2 Soft Conversion Reagent B Soft Conversion Reagent B Soft Conversion Reagent B Soft Conversion Binding Beads 5X Soft Conversion Wash Buffer Soft Conversion Elution Buffer Soft Conversion Repair Solution Library Binding Beads 	Not available. Not available.
Data of issue/Data of revision	Capture Beads Index Primer Mix for ILM 1-8	

	Index Primer Mix for ILM 9-16	Not available.
nH	: Nuclease-Free Water	7
рН		
	End Prep Buffer	8
	End Prep Enzyme	7.5
	Ligation Buffer	8
	Ligation Enzyme	7.5
	Adapter for ILM	8
	Hyb Blocker	8
	Hyb Buffer	7.5
	Hyb Enhancer	Not available.
	Soft Conversion Reagent A	Not available.
	2X Methyl Amplification	8.6
	Mastermix	
	Library Wash Buffer	Not available.
	Hyb Wash Buffer 1	7.2 to 7.6
	Hyb Wash Buffer 2	7.2 to 7.6
	Soft Conversion Reagent B	4.5 to 5.5
	Soft Conversion Binding	Not available.
	Beads	
	5X Soft Conversion Wash	Not available.
	Buffer	
	Soft Conversion Elution	13
	Buffer	10
	Soft Conversion Repair	8
	Solution	0
	Library Binding Beads	8
	Capture Beads	Not available.
	Index Primer Mix for ILM 1-8	8
	Index Primer Mix for ILM	8
	9-16	0
Melting point/freezing point	: Nuclease-Free Water	0°C (32°F)
Melting point/freezing point	: Nuclease-Free Water End Prep Buffer	Not available.
Melting point/freezing point	: Nuclease-Free Water End Prep Buffer End Prep Enzyme	Not available. Not available.
Melting point/freezing point	: Nuclease-Free Water End Prep Buffer End Prep Enzyme Ligation Buffer	Not available. Not available. Not available.
Melting point/freezing point	: Nuclease-Free Water End Prep Buffer End Prep Enzyme Ligation Buffer Ligation Enzyme	Not available. Not available. Not available. Not available.
Melting point/freezing point	: Nuclease-Free Water End Prep Buffer End Prep Enzyme Ligation Buffer Ligation Enzyme Adapter for ILM	Not available. Not available. Not available. Not available. 0°C (32°F)
Melting point/freezing point	: Nuclease-Free Water End Prep Buffer End Prep Enzyme Ligation Buffer Ligation Enzyme Adapter for ILM Hyb Blocker	Not available. Not available. Not available. Not available.
Melting point/freezing point	 Nuclease-Free Water End Prep Buffer End Prep Enzyme Ligation Buffer Ligation Enzyme Adapter for ILM Hyb Blocker Hyb Buffer 	Not available. Not available. Not available. 0°C (32°F) 0°C (32°F) Not available.
Melting point/freezing point	 Nuclease-Free Water End Prep Buffer End Prep Enzyme Ligation Buffer Ligation Enzyme Adapter for ILM Hyb Blocker Hyb Buffer Hyb Enhancer 	Not available. Not available. Not available. 0°C (32°F) 0°C (32°F) Not available. Not available.
Melting point/freezing point	 Nuclease-Free Water End Prep Buffer End Prep Enzyme Ligation Buffer Ligation Enzyme Adapter for ILM Hyb Blocker Hyb Buffer Hyb Enhancer Soft Conversion Reagent A 	Not available. Not available. Not available. 0°C (32°F) 0°C (32°F) Not available. Not available. <-120°C (<-184°F)
Melting point/freezing point	 Nuclease-Free Water End Prep Buffer End Prep Enzyme Ligation Buffer Ligation Enzyme Adapter for ILM Hyb Blocker Hyb Buffer Hyb Enhancer Soft Conversion Reagent A 2X Methyl Amplification 	Not available. Not available. Not available. 0°C (32°F) 0°C (32°F) Not available. Not available.
Melting point/freezing point	: Nuclease-Free Water End Prep Buffer End Prep Enzyme Ligation Buffer Ligation Enzyme Adapter for ILM Hyb Blocker Hyb Buffer Hyb Enhancer Soft Conversion Reagent A 2X Methyl Amplification Mastermix	Not available. Not available. Not available. 0°C (32°F) 0°C (32°F) Not available. Not available. <-120°C (<-184°F) Not available.
Melting point/freezing point	 Nuclease-Free Water End Prep Buffer End Prep Enzyme Ligation Buffer Ligation Enzyme Adapter for ILM Hyb Blocker Hyb Buffer Hyb Enhancer Soft Conversion Reagent A 2X Methyl Amplification Mastermix Library Wash Buffer 	Not available. Not available. Not available. 0°C (32°F) 0°C (32°F) Not available. <-120°C (<-184°F) Not available. Not available.
Melting point/freezing point	 Nuclease-Free Water End Prep Buffer End Prep Enzyme Ligation Buffer Ligation Enzyme Adapter for ILM Hyb Blocker Hyb Buffer Hyb Enhancer Soft Conversion Reagent A 2X Methyl Amplification Mastermix Library Wash Buffer Hyb Wash Buffer 1 	Not available. Not available. Not available. 0°C (32°F) 0°C (32°F) Not available. Not available. <-120°C (<-184°F) Not available. Not available. 0°C (32°F)
Melting point/freezing point	 Nuclease-Free Water End Prep Buffer End Prep Enzyme Ligation Buffer Ligation Enzyme Adapter for ILM Hyb Blocker Hyb Buffer Hyb Enhancer Soft Conversion Reagent A 2X Methyl Amplification Mastermix Library Wash Buffer Hyb Wash Buffer 1 Hyb Wash Buffer 2 	Not available. Not available. Not available. 0°C (32°F) 0°C (32°F) Not available. Not available. <-120°C (<-184°F) Not available. 0°C (32°F) 0°C (32°F)
Melting point/freezing point	 Nuclease-Free Water End Prep Buffer End Prep Enzyme Ligation Buffer Ligation Enzyme Adapter for ILM Hyb Blocker Hyb Buffer Hyb Enhancer Soft Conversion Reagent A 2X Methyl Amplification Mastermix Library Wash Buffer Hyb Wash Buffer 1 Hyb Wash Buffer 2 Soft Conversion Reagent B 	Not available. Not available. Not available. 0°C (32°F) 0°C (32°F) Not available. Not available. <-120°C (<-184°F) Not available. 0°C (32°F) 0°C (32°F) Not available.
Melting point/freezing point	 Nuclease-Free Water End Prep Buffer End Prep Enzyme Ligation Buffer Ligation Enzyme Adapter for ILM Hyb Blocker Hyb Buffer Hyb Enhancer Soft Conversion Reagent A 2X Methyl Amplification Mastermix Library Wash Buffer Hyb Wash Buffer 1 Hyb Wash Buffer 2 	Not available. Not available. Not available. 0°C (32°F) 0°C (32°F) Not available. Not available. <-120°C (<-184°F) Not available. 0°C (32°F) 0°C (32°F)
Melting point/freezing point	 Nuclease-Free Water End Prep Buffer End Prep Enzyme Ligation Buffer Ligation Enzyme Adapter for ILM Hyb Blocker Hyb Buffer Hyb Enhancer Soft Conversion Reagent A 2X Methyl Amplification Mastermix Library Wash Buffer Hyb Wash Buffer 1 Hyb Wash Buffer 2 Soft Conversion Reagent B Soft Conversion Reagent B Soft Conversion Binding Beads 	Not available. Not available. Not available. 0°C (32°F) 0°C (32°F) Not available. Not available. <-120°C (<-184°F) Not available. 0°C (32°F) 0°C (32°F) Not available. Not available. Not available. Not available.
Melting point/freezing point	 Nuclease-Free Water End Prep Buffer End Prep Enzyme Ligation Buffer Ligation Enzyme Adapter for ILM Hyb Blocker Hyb Buffer Hyb Enhancer Soft Conversion Reagent A 2X Methyl Amplification Mastermix Library Wash Buffer Hyb Wash Buffer 1 Hyb Wash Buffer 1 Hyb Wash Buffer 2 Soft Conversion Reagent B Soft Conversion Reagent B Soft Conversion Binding Beads 5X Soft Conversion Wash 	Not available. Not available. Not available. 0°C (32°F) 0°C (32°F) Not available. Not available. <-120°C (<-184°F) Not available. 0°C (32°F) 0°C (32°F) Not available.
Melting point/freezing point	 Nuclease-Free Water End Prep Buffer End Prep Enzyme Ligation Buffer Ligation Enzyme Adapter for ILM Hyb Blocker Hyb Buffer Hyb Enhancer Soft Conversion Reagent A 2X Methyl Amplification Mastermix Library Wash Buffer Hyb Wash Buffer 1 Hyb Wash Buffer 1 Hyb Wash Buffer 2 Soft Conversion Reagent B Soft Conversion Reagent B Soft Conversion Binding Beads 5X Soft Conversion Wash Buffer 	Not available. Not available. Not available. 0°C (32°F) 0°C (32°F) Not available. Not available. <-120°C (<-184°F) Not available. 0°C (32°F) 0°C (32°F) Not available. Not available. Not available. Not available.
Melting point/freezing point	 Nuclease-Free Water End Prep Buffer End Prep Enzyme Ligation Buffer Ligation Enzyme Adapter for ILM Hyb Blocker Hyb Buffer Hyb Enhancer Soft Conversion Reagent A 2X Methyl Amplification Mastermix Library Wash Buffer Hyb Wash Buffer 1 Hyb Wash Buffer 1 Hyb Wash Buffer 2 Soft Conversion Reagent B Soft Conversion Reagent B Soft Conversion Binding Beads 5X Soft Conversion Wash Buffer Soft Conversion Elution 	Not available. Not available. Not available. 0°C (32°F) 0°C (32°F) Not available. Not available. <-120°C (<-184°F) Not available. 0°C (32°F) 0°C (32°F) Not available. Not available. Not available. Not available.
Melting point/freezing point	 Nuclease-Free Water End Prep Buffer End Prep Enzyme Ligation Buffer Ligation Enzyme Adapter for ILM Hyb Blocker Hyb Buffer Hyb Enhancer Soft Conversion Reagent A 2X Methyl Amplification Mastermix Library Wash Buffer Hyb Wash Buffer 1 Hyb Wash Buffer 1 Hyb Wash Buffer 1 Hyb Wash Buffer 2 Soft Conversion Reagent B Soft Conversion Reagent B Soft Conversion Binding Beads 5X Soft Conversion Wash Buffer Soft Conversion Elution Buffer 	Not available. Not available. Not available. 0°C (32°F) 0°C (32°F) Not available. Not available. <-120°C (<-184°F) Not available. 0°C (32°F) Not available. Not available. Not available. Not available. Not available.
Melting point/freezing point	 Nuclease-Free Water End Prep Buffer End Prep Enzyme Ligation Buffer Ligation Enzyme Adapter for ILM Hyb Blocker Hyb Buffer Hyb Enhancer Soft Conversion Reagent A 2X Methyl Amplification Mastermix Library Wash Buffer Hyb Wash Buffer 1 Hyb Wash Buffer 1 Hyb Wash Buffer 2 Soft Conversion Reagent B Soft Conversion Reagent B Soft Conversion Binding Beads 5X Soft Conversion Wash Buffer Soft Conversion Elution 	Not available. Not available. Not available. 0°C (32°F) 0°C (32°F) Not available. Not available. <-120°C (<-184°F) Not available. 0°C (32°F) Not available. Not available. Not available. Not available. Not available. Not available.
Melting point/freezing point	 Nuclease-Free Water End Prep Buffer End Prep Enzyme Ligation Buffer Ligation Enzyme Adapter for ILM Hyb Blocker Hyb Buffer Hyb Enhancer Soft Conversion Reagent A 2X Methyl Amplification Mastermix Library Wash Buffer Hyb Wash Buffer 1 Hyb Wash Buffer 1 Hyb Wash Buffer 1 Hyb Wash Buffer 2 Soft Conversion Reagent B Soft Conversion Reagent B Soft Conversion Binding Beads 5X Soft Conversion Wash Buffer Soft Conversion Elution Buffer Soft Conversion Repair 	Not available. Not available. Not available. O°C (32°F) O°C (32°F) Not available. Not available. <-120°C (<-184°F) Not available. O°C (32°F) Not available. Not available. O°C (32°F) Not available. Not available. Not available. Not available. Not available.
Melting point/freezing point	 Nuclease-Free Water End Prep Buffer End Prep Enzyme Ligation Buffer Ligation Enzyme Adapter for ILM Hyb Blocker Hyb Bocker Hyb Enhancer Soft Conversion Reagent A 2X Methyl Amplification Mastermix Library Wash Buffer Hyb Wash Buffer 1 Hyb Wash Buffer 1 Hyb Wash Buffer 1 Hyb Wash Buffer 2 Soft Conversion Reagent B Soft Conversion Reagent B Soft Conversion Binding Beads 5X Soft Conversion Wash Buffer Soft Conversion Elution Buffer Soft Conversion Repair Solution 	Not available. Not available. Not available. O°C (32°F) O°C (32°F) Not available. Not available. <-120°C (<-184°F) Not available. O°C (32°F) Not available. Not available. O°C (32°F) Not available. Not available. Not available. Not available.
Melting point/freezing point	 Nuclease-Free Water End Prep Buffer End Prep Enzyme Ligation Buffer Ligation Enzyme Adapter for ILM Hyb Blocker Hyb Bocker Hyb Enhancer Soft Conversion Reagent A 2X Methyl Amplification Mastermix Library Wash Buffer Hyb Wash Buffer 1 Hyb Wash Buffer 1 Hyb Wash Buffer 1 Hyb Wash Buffer 2 Soft Conversion Reagent B Soft Conversion Reagent B Soft Conversion Binding Beads 5X Soft Conversion Wash Buffer Soft Conversion Elution Buffer Soft Conversion Repair Solution Library Binding Beads 	Not available. Not available. Not available. Not available. $0^{\circ}C (32^{\circ}F)$ $0^{\circ}C (32^{\circ}F)$ Not available. Not available. $^{-120^{\circ}C} (<-184^{\circ}F)$ Not available. $0^{\circ}C (32^{\circ}F)$ Not available. Not available.
Melting point/freezing point	 Nuclease-Free Water End Prep Buffer End Prep Enzyme Ligation Buffer Ligation Enzyme Adapter for ILM Hyb Blocker Hyb Bocker Hyb Enhancer Soft Conversion Reagent A 2X Methyl Amplification Mastermix Library Wash Buffer Hyb Wash Buffer 1 Hyb Wash Buffer 1 Hyb Wash Buffer 1 Hyb Wash Buffer 2 Soft Conversion Reagent B Soft Conversion Reagent B Soft Conversion Binding Beads 5X Soft Conversion Wash Buffer Soft Conversion Elution Buffer Soft Conversion Repair Solution Library Binding Beads Capture Beads 	Not available. Not available. Not available. Not available. $0^{\circ}C (32^{\circ}F)$ $0^{\circ}C (32^{\circ}F)$ Not available. Not available. $^{-120^{\circ}C} (<-184^{\circ}F)$ Not available. $0^{\circ}C (32^{\circ}F)$ Not available. Not available.
Melting point/freezing point	 Nuclease-Free Water End Prep Buffer End Prep Enzyme Ligation Buffer Ligation Enzyme Adapter for ILM Hyb Blocker Hyb Buffer Hyb Enhancer Soft Conversion Reagent A 2X Methyl Amplification Mastermix Library Wash Buffer Hyb Wash Buffer 1 Hyb Wash Buffer 1 Hyb Wash Buffer 2 Soft Conversion Reagent B Soft Conversion Reagent B Soft Conversion Binding Beads 5X Soft Conversion Wash Buffer Soft Conversion Elution Buffer Soft Conversion Repair Solution Library Binding Beads Capture Beads Index Primer Mix for ILM 1-8 	Not available. Not available. Not available. Not available. $0^{\circ}C (32^{\circ}F)$ $0^{\circ}C (32^{\circ}F)$ Not available. Not available. $^{-120^{\circ}C} (<-184^{\circ}F)$ Not available. $0^{\circ}C (32^{\circ}F)$ Not available. Not available.

Date of issue/Date of revision : 11/04/2024 Date of previous issue :

Boiling point, initial boiling	: Nuclease-Free Water	100°C (212°F)
point, and boiling range	End Prep Buffer	Not available.
	End Prep Enzyme	Not available.
	Ligation Buffer	Not available.
	Ligation Enzyme	Not available.
	Adapter for ILM	100°C (212°F)
	Hyb Blocker	100°C (212°F)
	Hyb Buffer	Not available.
	Hyb Enhancer	Not available.
	Soft Conversion Reagent A	177.7°C (351.9°F)
	2X Methyl Amplification Mastermix	Not available.
	Library Wash Buffer	Not available.
	Hyb Wash Buffer 1	100°C (212°F)
	Hyb Wash Buffer 2	100°C (212°F)
	Soft Conversion Reagent B	Not available.
	Soft Conversion Binding	Not available.
	Beads	
	5X Soft Conversion Wash	100°C (212°F)
	Buffer	
	Soft Conversion Elution	Not available.
	Buffer	
	Soft Conversion Repair Solution	Not available.
	Library Binding Beads	Not available.
	Capture Beads	Not available.
	Index Primer Mix for ILM 1-8	
		100°C (212°F)
	Index Primer Mix for ILM 9-16	100°C (212°F)
Flash point	: Nuclease-Free Water	Not available.
	End Prep Buffer	Not available.
	End Prep Enzyme	Not available.
	Ligation Buffer	Not available.
	Ligation Enzyme	Not available.
	Adapter for ILM	Not available.
	Hyb Blocker	Not available.
	Hyb Buffer	Not available.
	Hyb Enhancer	Not available.
	Soft Conversion Reagent A	Closed cup: 73°C (163.4°F)
	2X Methyl Amplification	Not available.
	Mastermix	
	Library Wash Buffer	Not available.
	Hyb Ŵash Buffer 1	Not available.
	Hyb Wash Buffer 2	Not available.
	Soft Conversion Reagent B	Not available.
	Soft Conversion Binding Beads	Closed cup: 37.8 to 61°C (100 to 141.8°F)
	5X Soft Conversion Wash Buffer	Not available.
	Soft Conversion Elution Buffer	Not available.
	Soft Conversion Repair Solution	Not available.
	Library Binding Beads	Not available.
	Capture Beads	Not available.
	Index Primer Mix for ILM 1-8	Not available.
	Index Primer Mix for ILM	Not available.
	9-16	

		Closed	сир		Open o	up
Ingredient name	°C	°F	Method	°C	°F	Method
End Prep Enzyme						
Glycerol	-	-	-	177	350.6	-
Ligation Buffer						
Poly(oxy- 1,2-ethanediyl),α- hydro-ω-hydroxy- Ethane-1,2-diol, ethoxylated	171 to 235	339.8 to 455	-	199 to 238	390.2 to 460.4	-
Ligation Enzyme						
Glycerol	-	-	-	177	350.6	-
Hyb Enhancer						
Formamide	150	302	-	152	305.6	DIN EN ISO 259
Poly(oxy- 1,2-ethanediyl),α- hydro-ω-hydroxy- Ethane-1,2-diol, ethoxylated	171 to 235	339.8 to 455	-	199 to 238	390.2 to 460.4	-
Library Wash Buffer						
Poly(oxy- 1,2-ethanediyl),α- hydro-ω-hydroxy- Ethane-1,2-diol, ethoxylated	171 to 235	339.8 to 455	-	199 to 238	390.2 to 460.4	-
Library Binding Beads						
Poly(oxy- 1,2-ethanediyl),α- hydro-ω-hydroxy- Ethane-1,2-diol, ethoxylated	171 to 235	339.8 to 455	-	199 to 238	390.2 to 460.4	-
 Nuclease-Free Wate End Prep Buffer End Prep Enzyme Ligation Buffer Ligation Enzyme Adapter for ILM Hyb Blocker Hyb Buffer Hyb Enhancer Soft Conversion Real 		Not ava Not ava Not ava Not ava Not ava Not ava Not ava Not ava Not ava	ilable. ilable. ilable. ilable. ilable. ilable. ilable. ilable.			1

Evaporation rate

		Mastermix	
		Library Wash Buffer	Not available.
		Hyb Wash Buffer 1	Not available.
		Hyb Wash Buffer 2	Not available.
		Soft Conversion Reagent B	Not available.
		Soft Conversion Binding	Not available.
		Beads	
		5X Soft Conversion Wash	Not available.
			not available.
		Buffer	
		Soft Conversion Elution	Not available.
		Buffer	
		Soft Conversion Repair	Not available.
		-	NUL avaliable.
		Solution	
		Library Binding Beads	Not available.
		Capture Beads	Not available.
		Index Primer Mix for ILM 1-8	Not available.
		Index Primer Mix for ILM	Not available.
			not available.
		9-16	
Flammability		Nuclease-Free Water	Not applicable.
	1	End Prep Buffer	
		•	Not applicable.
		End Prep Enzyme	Not applicable.
		Ligation Buffer	Not applicable.
		Ligation Enzyme	Not applicable.
		Adapter for ILM	Not applicable.
		•	
		Hyb Blocker	Not applicable.
		Hyb Buffer	Not applicable.
		Hyb Enhancer	Not applicable.
		Soft Conversion Reagent A	Not applicable.
		2X Methyl Amplification	Not applicable.
		. .	Not applicable.
		Mastermix	
		Library Wash Buffer	Not applicable.
		Hyb Wash Buffer 1	Not applicable.
		Hyb Wash Buffer 2	Not applicable.
		Soft Conversion Reagent B	Not applicable.
		-	
		Soft Conversion Binding	Not applicable.
		Beads	
		5X Soft Conversion Wash	Not applicable.
		Buffer	
			Nist suulissisis
		Soft Conversion Elution	Not applicable.
		Buffer	
		Soft Conversion Repair	Not applicable.
		Solution	
			Not applicable
		Library Binding Beads	Not applicable.
		Capture Beads	Not applicable.
		Index Primer Mix for ILM 1-8	Not applicable.
		Index Primer Mix for ILM	Not applicable.
		9-16	
Lower and upper explosion	1	Nuclease-Free Water	Not available.
limit/flammability limit		End Prep Buffer	Not available.
······		End Prep Enzyme	Not available.
		Ligation Buffer	Not available.
		Ligation Enzyme	Not available.
		Adapter for ILM	Not available.
		Hyb Blocker	Not available.
			Not available.
		Hyb Buffer	
		Hyb Enhancer	Not available.
		Soft Conversion Reagent A	Not available.
		2X Methyl Amplification	Not available.
		Mastermix	
			Net available
		Library Wash Buffer	Not available.
		Hyb Wash Buffer 1	Not available.
		Hyb Wash Buffer 2	Not available.
		,	

	Soft Conversion Reagent B	Not available.
	Soft Conversion Binding	Not available.
	Beads	
	5X Soft Conversion Wash	Not available.
	Buffer	
	Soft Conversion Elution	Not available.
	Buffer	
	Soft Conversion Repair	Not available.
	Solution	
	Library Binding Beads	Not available.
	Capture Beads	Not available.
	Index Primer Mix for ILM 1-8	Not available.
	Index Primer Mix for ILM	Not available.
		not available.
	9-16	
1	Nuclease-Free Water	2.3 kPa (17.5 m

Vapour pressure

2.3 kPa (17.5 mm Hg) [room temperature] 12.3 kPa (92.258 mm Hg) [50°C (122°F)]

	Vapou	r Pressu	re at 20°C	Vapor	u <mark>r press</mark> u	ire at 50°C
Ingredient name	mm Hg	kPa	Method	mm Hg	kPa	Method
End Prep Buffer						
water	17.5	2.3	-	92.258	12.3	-
End Prep Enzyme						
water	17.5	2.3	-	92.258	12.3	-
Glycerol	0.000075	0.00001	-	0.0025	0.00033	-
Ligation Buffer						
water	17.5	2.3	-	92.258	12.3	-
Ligation Enzyme						
water	17.5	2.3	-	92.258	12.3	-
Glycerol	0.000075	0.00001	-	0.0025	0.00033	-
Adapter for ILM						
water	17.5	2.3	-	92.258	12.3	-
Hyb Blocker						
water	17.5	2.3	-	92.258	12.3	-
Hyb Buffer						
water	17.5	2.3	-	92.258	12.3	-
tetramethylammonium chloride	0.000000001	0.00000000013	EU A.4	-	-	-
Hyb Enhancer						

,							
	Formamide	0.045	0.006	-	-	-	-
	Poly(oxy- 1,2-ethanediyl),α- hydro-ω-hydroxy- Ethane-1,2-diol, ethoxylated	0.0000003	0.00000004	-	-	-	-
	Soft Conversion Reagent A						
	tetrahydro- 2-furylmethanol	1.4	0.19	-	-	-	-
	2X Methyl Amplification Mastermix						
	water	17.5	2.3	-	92.258	12.3	-
	Library Wash Buffer						
	water	17.5	2.3	-	92.258	12.3	-
	Poly(oxy- 1,2-ethanediyl),α- hydro-ω-hydroxy- Ethane-1,2-diol, ethoxylated	0.0000003	0.00000004	-	-	-	-
	Hyb Wash Buffer 1						
	water	17.5	2.3	-	92.258	12.3	-
	Hyb Wash Buffer 2						
	water	17.5	2.3	-	92.258	12.3	-
	Soft Conversion Reagent B						
	water	17.5	2.3	-	92.258	12.3	-
	Soft Conversion Binding Beads						
	Ethanol	42.94865	5.7	-	-	-	-
	water	17.5	2.3	-	92.258	12.3	-
	5X Soft Conversion Wash						
11/0	04/2024 Date of p	previous iss	ue	: 23/02/2024		Version	:1.1 59/86

STICS								
	Buffer							
	water	17.5	2.3	-	92.258	12.3	-	
	Soft Conversion Elution Buffer							
	water	17.5	2.3	-	92.258	12.3	-	
	Soft Conversion Repair Solution							
	water	17.5	2.3	-	92.258	12.3	-	
	Library Binding Beads							
	water	17.5	2.3	-	92.258	12.3	-	
	Poly(oxy- 1,2-ethanediyl),α- hydro-ω-hydroxy- Ethane-1,2-diol, ethoxylated	0.0000003	0.00000004	-	-	-	-	
	Capture Beads							
	water	17.5	2.3	-	92.258	12.3	-	
	Index Primer Mix for ILM 1-8							
	water	17.5	2.3	-	92.258	12.3	-	
	Index Primer Mix for ILM 9-16							
	water	17.5	2.3	-	92.258	12.3	-	
density	: Nuclease-Free Wate End Prep Buffer End Prep Enzyme Ligation Buffer Ligation Enzyme Adapter for ILM	r	0.62 [Air Not avail Not avail Not avail Not avail Not avail	able. able. able. able. able.				
	Hyb Blocker Hyb Buffer		Not avail Not avail					
	Hyb Enhancer		Not avail	able.				
	Soft Conversion Rea 2X Methyl Amplificati Mastermix		Not avail Not avail					
	Library Wash Buffer Hyb Wash Buffer 1		Not avail					
	Hyb Wash Buffer 2		Not avail					
	Soft Conversion Rea Soft Conversion Bind Beads		Not avail Not avail					
	5X Soft Conversion \	Vash	Not avail					
frovicion	11/04/2024 Data of r	rovious iss		• 22/02/2024		Varcian	. 1 1	60/86

Relative vapour

	Buffer Soft Conversion Elution	Not availab	le.	
	Buffer Soft Conversion Repair Solution	Not availab	le.	
	Library Binding Beads	Not availab	le	
	Capture Beads	Not availab		
	Index Primer Mix for ILM 1-8	Not availab		
	Index Primer Mix for ILM 9-16	Not availab	le.	
Relative density	: Nuclease-Free Water	1		
-	End Prep Buffer	Not availab	le.	
	End Prep Enzyme	Not availab		
	Ligation Buffer	Not availab		
	Ligation Enzyme	Not availab		
	Adapter for ILM	Not availab		
	Hyb Blocker	Not availab		
	Hyb Buffer Hyb Enhancer	Not availab Not availab		
	Soft Conversion Reagent A	Not availab		
	2X Methyl Amplification	Not availab		
	Mastermix	Not availab		
	Library Wash Buffer	Not availab	le.	
	Hyb Wash Buffer 1	Not availab		
	Hyb Wash Buffer 2	Not availab		
	Soft Conversion Reagent B	Not availab		
	Soft Conversion Binding Beads	Not availab	le.	
	5X Soft Conversion Wash Buffer	Not availab	le.	
	Soft Conversion Elution Buffer	Not availab	le.	
	Soft Conversion Repair Solution	Not availab	le.	
	Library Binding Beads	Not availab	le.	
	Capture Beads	Not availab	le.	
	Index Primer Mix for ILM 1-8	Not availab		
	Index Primer Mix for ILM 9-16	Not availab	le.	
Solubility(ies)	: Media		Result	
	Nuclease-Free Water			
	water		Soluble	
	End Prep Buffer		Colubio	
	water		Soluble	
	End Prep Enzyme			
	water		Soluble	
	Ligation Buffer			
	water		Soluble	
	Ligation Enzyme			
	water		Soluble	
	Adapter for ILM			
	water		Soluble	
	Hyb Blocker			
	water		Soluble	
	Hyb Buffer			
	water		Soluble	
	Hyb Enhancer			
	water		Soluble	
			1	
	Soft Conversion Reagent A	L.		
	Soft Conversion Reagent A water		Soluble	

	2X Methyl Amplification Ma	stermix	
	water		Soluble
	Library Wash Buffer		
	water		Soluble
	Hyb Wash Buffer 1		
	-		Salubla
	water		Soluble
	Hyb Wash Buffer 2		
	water		Soluble
	Soft Conversion Reagent B		
	water		Soluble
	Soft Conversion Binding B	eads	
	water		Soluble
	5X Soft Conversion Wash E	Ruffer	
	water	Junoi	Soluble
		Hor	Soluble
	Soft Conversion Elution Bu	iller	
	water		Soluble
	Soft Conversion Repair Sol	ution	
	water		Soluble
	Library Binding Beads		
	water		Soluble
	Capture Beads		
	water		Soluble
	Index Primer Mix for ILM 1-	8	Colubic
		0	Soluble
	water		Soluble
	Index Primer Mix for ILM 9-	16	
	water		Soluble
Partition coefficient: n- :	Nuclease-Free Water	-1.38	
octanol/water	End Prep Buffer	Not applica	hle
octanonwater	End Prep Enzyme	Not applica	
	Ligation Buffer	Not applica	
	Ligation Enzyme	Not applica	
	Adapter for ILM	Not applica	
	Hyb Blocker	Not applica	
	Hyb Buffer	Not applica	
	Hyb Enhancer	Not applica	
	Soft Conversion Reagent A	Not applica	able.
	2X Methyl Amplification	Not applica	able.
	Mastermix		
	Library Wash Buffer	Not applica	able.
	Hyb Wash Buffer 1	Not applica	
	Hyb Wash Buffer 2	Not applica	
	Soft Conversion Reagent B	Not applica	
	Soft Conversion Binding	Not applica	
	Beads	not applied	
	5X Soft Conversion Wash	Not applica	ble
	Buffer		ible.
	Soft Conversion Elution	Not opplige	blo
		Not applica	able.
	Buffer	NI. (11.
	Soft Conversion Repair	Not applica	adle.
	Solution	•• •	
	Library Binding Beads	Not applica	
	Capture Beads	Not applica	
	Index Primer Mix for ILM 1-8	Not applica	able.
	Index Primer Mix for ILM	Not applica	able.
	9-16		
Auto-ignition temperature :	Nuclease-Free Water	Not applica	able
		215°C (419	
	2X Methyl Amplification Mastermix	215 0 (418	, , , , , , , , , , , , , , , , , , ,
	IVIASIEITTIK		

	Ingredient name	°C	°F	Method
	End Prep Enzyme			
	Glycerol	370	698	-
	Ligation Buffer			
	Poly(oxy-1,2-ethanediyl),α- hydro-ω-hydroxy- Ethane- 1,2-diol, ethoxylated	360	680	-
	Ligation Enzyme			
	Glycerol	370	698	-
	Hyb Enhancer			
	Poly(oxy-1,2-ethanediyl),α- hydro-ω-hydroxy- Ethane- 1,2-diol, ethoxylated	360	680	-
	Formamide	>500	>932	ASTM D 2155-66
	Soft Conversion Reagent A			
	tetrahydro-2-furylmethanol	282	539.6	-
	Library Wash Buffer			
	Poly(oxy-1,2-ethanediyl),α- hydro-ω-hydroxy- Ethane- 1,2-diol, ethoxylated	360	680	-
	Soft Conversion Binding Beads			
	Ethanol	455	851	DIN 51794
	Library Binding Beads			
	Poly(oxy-1,2-ethanediyl),α- hydro-ω-hydroxy- Ethane- 1,2-diol, ethoxylated	360	680	-
Decomposition temperature :	End Prep Buffer End Prep Enzyme Ligation Buffer Ligation Enzyme Adapter for ILM Hyb Blocker Hyb Buffer Hyb Enhancer Soft Conversion Reagent A	Not available. Not available.		

	Library Wash Buffer	Not available.
	Hyb Wash Buffer 1	Not available.
	Hyb Wash Buffer 2	Not available.
	Soft Conversion Reagent B	Not available.
	Soft Conversion Binding	Not available.
	Beads	Not available.
	20000	
	5X Soft Conversion Wash	Not available.
	Buffer	
	Soft Conversion Elution	Not available.
	Buffer	
	Soft Conversion Repair	Not available.
	Solution	Hot a fallable.
	Library Binding Beads	Not available.
	Capture Beads	Not available.
	Index Primer Mix for ILM 1-8	Not available.
	Index Primer Mix for ILM	Not available.
	9-16	
Viscosity	Nuclease-Free Water	Not available.
	End Prep Buffer	Not available.
	End Prep Enzyme	Not available.
	Ligation Buffer	Not available.
	Ligation Enzyme	Not available.
	Adapter for ILM	Not available.
		Not available.
	Hyb Blocker	
	Hyb Buffer	Not available.
	Hyb Enhancer	Not available.
	Soft Conversion Reagent A	Not available.
	2X Methyl Amplification	Not available.
	Mastermix	
	Library Wash Buffer	Not available.
	Hyb Wash Buffer 1	Not available.
	Hyb Wash Buffer 2	Not available.
	Soft Conversion Reagent B	Not available.
	Soft Conversion Binding	Not available.
	Beads	
	5X Soft Conversion Wash	Not available.
		Not available.
	Buffer	
	Soft Conversion Elution	Not available.
	Buffer	
	Soft Conversion Repair	Not available.
	Solution	
	Library Binding Beads	Not available.
	Capture Beads	Not available.
	Index Primer Mix for ILM 1-8	Not available.
	Index Primer Mix for ILM	Not available.
	9-16	
	9-10	
Particle characteristics		
Median particle size	Nuclease-Free Water	Not applicable.
	End Prep Buffer	Not applicable.
	End Prep Enzyme	Not applicable.
	Ligation Buffer	Not applicable.
	Ligation Enzyme	Not applicable.
	Adapter for ILM	Not applicable.
	Hyb Blocker	Not applicable.
	Hyb Buffer	Not applicable.
	Hyb Enhancer	Not applicable.
	Soft Conversion Reagent A	Not applicable.
	2X Methyl Amplification	Not applicable.
	Mastermix	
		Not applicable
	Library Wash Buffer	Not applicable.
	Hyb Wash Buffer 1	Not applicable.

Hyb Wash Buffer 2 Soft Conversion Reagent B	Not applicable. Not applicable.
•	
Soft Conversion Binding Beads	Not applicable.
200.00	
5X Soft Conversion Wash	Not applicable.
Buffer	
Soft Conversion Elution	Not applicable.
Buffer	
Soft Conversion Repair	Not applicable.
Solution	
Library Binding Beads	Not applicable.
Capture Beads	Not applicable.
•	
Index Primer Mix for ILM 1-8	Not applicable.
Index Primer Mix for ILM	Not applicable.
9-16	

Section 10. Stability and reactivity

Nuclease-Free Water Reactivity No specific test data related to reactivity available for this product or its ingredients. End Prep Buffer No specific test data related to reactivity available for this product or its ingredients. No specific test data related to reactivity available for End Prep Enzyme this product or its ingredients. Ligation Buffer No specific test data related to reactivity available for this product or its ingredients. Ligation Enzyme No specific test data related to reactivity available for this product or its ingredients. No specific test data related to reactivity available for Adapter for ILM this product or its ingredients. No specific test data related to reactivity available for Hyb Blocker this product or its ingredients. Hyb Buffer No specific test data related to reactivity available for this product or its ingredients. Hyb Enhancer No specific test data related to reactivity available for this product or its ingredients. Soft Conversion Reagent A No specific test data related to reactivity available for this product or its ingredients. 2X Methyl Amplification No specific test data related to reactivity available for Mastermix this product or its ingredients. Library Wash Buffer No specific test data related to reactivity available for this product or its ingredients. Hyb Wash Buffer 1 No specific test data related to reactivity available for this product or its ingredients. Hyb Wash Buffer 2 No specific test data related to reactivity available for this product or its ingredients. Soft Conversion Reagent B No specific test data related to reactivity available for this product or its ingredients. Soft Conversion Binding No specific test data related to reactivity available for Beads this product or its ingredients. 5X Soft Conversion Wash No specific test data related to reactivity available for this product or its ingredients. Buffer Soft Conversion Elution No specific test data related to reactivity available for Buffer this product or its ingredients. Soft Conversion Repair No specific test data related to reactivity available for Solution this product or its ingredients. Library Binding Beads No specific test data related to reactivity available for this product or its ingredients. Capture Beads No specific test data related to reactivity available for this product or its ingredients. Index Primer Mix for ILM 1-8 No specific test data related to reactivity available for this product or its ingredients.

	Index Primer Mix for ILM	No specific test data related to reactivity available for
	9-16	this product or its ingredients.
Chemical stability	: Nuclease-Free Water	The product is stable.
,	End Prep Buffer	The product is stable.
	End Prep Enzyme	The product is stable.
	Ligation Buffer	The product is stable.
	Ligation Enzyme	The product is stable.
	Adapter for ILM	The product is stable.
	Hyb Blocker	The product is stable.
	Hyb Buffer	The product is stable.
	Hyb Enhancer	The product is stable.
	Soft Conversion Reagent A	The product is stable.
	2X Methyl Amplification	The product is stable.
	Mastermix	
	Library Wash Buffer	The product is stable.
	Hyb Wash Buffer 1	The product is stable.
	Hyb Wash Buffer 2	The product is stable.
	Soft Conversion Reagent B	The product is stable.
	Soft Conversion Binding Beads	The product is stable.
	5X Soft Conversion Wash Buffer	The product is stable.
	Soft Conversion Elution Buffer	The product is stable.
	Soft Conversion Repair Solution	The product is stable.
	Library Binding Beads	The product is stable.
	Capture Beads	The product is stable.
	Index Primer Mix for ILM 1-8	
	Index Primer Mix for ILM 9-16	The product is stable.
Possibility of hazardous	: Nuclease-Free Water	Under normal conditions of storage and use,
reactions	End Prep Buffer	hazardous reactions will not occur. Under normal conditions of storage and use,
	End Prep Enzyme	hazardous reactions will not occur. Under normal conditions of storage and use,
		hazardous reactions will not occur.
	Ligation Buffer	Under normal conditions of storage and use,
		hazardous reactions will not occur.
	Ligation Enzyme	Under normal conditions of storage and use,
		hazardous reactions will not occur.
	Adapter for ILM	Under normal conditions of storage and use,
		hazardous reactions will not occur.
	Hyb Blocker	Under normal conditions of storage and use, hazardous reactions will not occur.
	Hyb Buffer	Under normal conditions of storage and use, hazardous reactions will not occur.
	Hyb Enhancer	Under normal conditions of storage and use, hazardous reactions will not occur.
	Soft Conversion Reagent A	Under normal conditions of storage and use, hazardous reactions will not occur.
	2X Methyl Amplification	Under normal conditions of storage and use,
	Mastermix	hazardous reactions will not occur.
	Library Wash Buffer	Under normal conditions of storage and use,
	Hyb Wash Buffer 1	hazardous reactions will not occur. Under normal conditions of storage and use,
	Hyb Wash Buffer 2	hazardous reactions will not occur. Under normal conditions of storage and use,
	Soft Conversion Reagent B	hazardous reactions will not occur. Under normal conditions of storage and use,
		hazardous reactions will not occur.

Section 10. Stab	inty and reactivity	
	Soft Conversion Binding	Under normal conditions of storage and use,
	Beads 5X Soft Conversion Wash	hazardous reactions will not occur. Under normal conditions of storage and use,
	Buffer	hazardous reactions will not occur.
	Soft Conversion Elution	Under normal conditions of storage and use,
	Buffer	hazardous reactions will not occur.
	Soft Conversion Repair	Under normal conditions of storage and use,
	Solution	hazardous reactions will not occur.
	Library Binding Beads	Under normal conditions of storage and use,
		hazardous reactions will not occur.
	Capture Beads	Under normal conditions of storage and use,
		hazardous reactions will not occur.
	Index Primer Mix for ILM 1-8	5
		hazardous reactions will not occur.
	Index Primer Mix for ILM	Under normal conditions of storage and use,
	9-16	hazardous reactions will not occur.
Conditions to avoid	Nucleose Free Water	No oposifio data
Conditions to avoid	: Nuclease-Free Water End Prep Buffer	No specific data. No specific data.
	End Prep Enzyme	No specific data.
	Ligation Buffer	No specific data.
	Ligation Enzyme	No specific data.
	Adapter for ILM	No specific data.
	Hyb Blocker	No specific data.
	Hyb Buffer	No specific data.
	Hyb Enhancer	No specific data.
	Soft Conversion Reagent A	Avoid all possible sources of ignition (spark or flame).
	5	Do not pressurise, cut, weld, braze, solder, drill, grind
		or expose containers to heat or sources of ignition.
	2X Methyl Amplification	No specific data.
	Mastermix	
	Library Wash Buffer	No specific data.
	Hyb Wash Buffer 1	No specific data.
	Hyb Wash Buffer 2	No specific data.
	Soft Conversion Reagent B	No specific data.
	Soft Conversion Binding	Avoid all possible sources of ignition (spark or flame).
	Beads	Do not pressurise, cut, weld, braze, solder, drill, grind
	5X Soft Conversion Wash	or expose containers to heat or sources of ignition.
	Buffer	No specific data.
	Soft Conversion Elution	No specific data.
	Buffer	No specific data.
	Soft Conversion Repair	No specific data.
	Solution	
	Library Binding Beads	No specific data.
	Capture Beads	No specific data.
	Index Primer Mix for ILM 1-8	
	Index Primer Mix for ILM	No specific data.
	9-16	
	···· = ····	
Incompatible materials	: Nuclease-Free Water	May react or be incompatible with oxidising materials.
	End Prep Buffer	May react or be incompatible with oxidising materials.
	End Prep Enzyme	May react or be incompatible with oxidising materials.
	Ligation Buffer	May react or be incompatible with oxidising materials.
	Ligation Enzyme	May react or be incompatible with oxidising materials.
	Adapter for ILM Hyb Blocker	May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials.
	Hyb Buffer	May react or be incompatible with oxidising materials.
	Hyb Enhancer	May react or be incompatible with oxidising materials.
	Soft Conversion Reagent A	Reactive or incompatible with the following materials:
	Con Conversion Reagent A	oxidising materials
	2X Methyl Amplification	May react or be incompatible with oxidising materials.
	Mastermix	
Date of issue/Date of revision	: 11/04/2024 Date of previous i	ssue : 23/02/2024 Version : 1.1 67/86
L		

Section 10. Stability	and reactivity	
	Library Wash Buffer Hyb Wash Buffer 1 Hyb Wash Buffer 2 Soft Conversion Reagent B Soft Conversion Binding Beads	May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials. Reactive or incompatible with the following materials:
	5X Soft Conversion Wash	oxidising materials May react or be incompatible with oxidising materials.
	Buffer Soft Conversion Elution Buffer	Reactive or incompatible with the following materials:
	Soft Conversion Repair Solution	acids May react or be incompatible with oxidising materials.
	Library Binding Beads Capture Beads Index Primer Mix for ILM 1-8 Index Primer Mix for ILM 9-16	May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials.
Hazardous decomposition : products	Nuclease-Free Water	Under normal conditions of storage and use, hazardous decomposition products should not be
	End Prep Buffer	produced. Under normal conditions of storage and use, hazardous decomposition products should not be
	End Prep Enzyme	produced. Under normal conditions of storage and use, hazardous decomposition products should not be
	Ligation Buffer	produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	Ligation Enzyme	Under normal conditions of storage and use, hazardous decomposition products should not be
	Adapter for ILM	produced. Under normal conditions of storage and use, hazardous decomposition products should not be
	Hyb Blocker	produced. Under normal conditions of storage and use, hazardous decomposition products should not be
	Hyb Buffer	produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	Hyb Enhancer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	Soft Conversion Reagent A	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	2X Methyl Amplification Mastermix	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	Library Wash Buffer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	Hyb Wash Buffer 1	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	Hyb Wash Buffer 2	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	Soft Conversion Reagent B	Under normal conditions of storage and use,
Date of issue/Date of revision : 1	1/04/2024 Date of previous is	Sue : 23/02/2024 Version : 1.1 68/86

hazardous decomposition products should not be produced.
Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
End Prep Buffer				1
Magnesium chloride	LD50 Dermal	Rat - Male, Female	>2000 mg/kg	-
	LD50 Oral	Rat	2800 mg/kg	-
End Prep Enzyme				
Glycerol	LD50 Oral	Rat	12600 mg/kg	-
Ligation Enzyme				
Glycerol	LD50 Oral	Rat	12600 mg/kg	-
Hyb Buffer				
tetramethylammonium chloride	LD50 Dermal	Rabbit - Male, Female	200 to 500 mg/	-
chionae	LD50 Oral	Rat	kg 50 mg/kg	-
Hyb Enhancer				
Formamide	LC50 Inhalation Dusts and mists	Rat - Male	>21 mg/l	4 hours
	LD50 Dermal	Rabbit	17 g/kg	-
	LD50 Oral	Rat	5570 mg/kg	-
Soft Conversion Binding				
Beads				
Ethanol	LC50 Inhalation Vapour	Rat	124700 mg/m ³	4 hours
	LD50 Oral	Rat	7 g/kg	-
Guanidinium thiocyanate	LC50 Inhalation Dusts and mists		3.181 mg/l	4 hours
	LD50 Oral	Rat - Male,	593 mg/kg	-
		Female		
Poly(oxy-1,2-ethanediyl), . alpha[LD50 Oral	Rat	2800 mg/kg	-

Section 11. Toxicological information

(1,1,3,3-tetramethylbutyl)
phenyl]omegahydroxy-

Irritation/Corrosion

Library Binding Beads

Section 11. Toxicological information

 Poly(oxy-1,2-ethanediyl),α-	Eyes - Mild irritant	Rabbit	-	24 hours 500	-
hydro-ω-hydroxy- Ethane-				mg	
1,2-diol, ethoxylated					
	Eyes - Mild irritant	Rabbit	-	500 mg	-
	Skin - Mild irritant	Rabbit	-	24 hours 500	-
				mg	
	Skin - Mild irritant	Rabbit	-	500 mg	-
				-	

Sensitisation

Not available.

Mutagenicity

Conclusion/Summary	: Not available.
Carcinogenicity	
Conclusion/Summary	: Not available.
Reproductive toxicity	
Conclusion/Summary	: Not available.
Teratogenicity	
Conclusion/Summary	: Not available.
Specific target organ toxi	city (single exposure

Specific target organ toxicity (single exposure) Name Category Route of exposure Target organs Hyb Buffer tetramethylammonium chloride Category 1 oral central nervous

tetramethylammonium chloride Category 1 oral

Specific target organ toxicity (repeated exposure)

Name		Route of exposure	Target organs
Hyb Enhancer Formamide	Category 2	oral	blood

system (CNS)

Aspiration hazard

Not available.

Nuclease-Free Water End Prep Buffer	Not available. Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes.
End Prep Enzyme	Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes.
Ligation Buffer	Not available.
Ligation Enzyme	Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes.
Adapter for ILM	Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes.
Hyb Blocker	Not available.
Hyb Buffer	Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes.
Hyb Enhancer	Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes.
Soft Conversion Reagent A	Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes.
2X Methyl Amplification Mastermix	Not available.
Library Wash Buffer	Not available.
Hyb Wash Buffer 1	Not available.
Hyb Wash Buffer 2	Not available.
Soft Conversion Reagent B	Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes.
	End Prep Buffer End Prep Enzyme Ligation Buffer Ligation Enzyme Adapter for ILM Hyb Blocker Hyb Buffer Hyb Enhancer Soft Conversion Reagent A 2X Methyl Amplification Mastermix Library Wash Buffer Hyb Wash Buffer 1 Hyb Wash Buffer 2

Section 11. Toxicological information

Section II. Toxicol	ogical information	
	Soft Conversion Binding Beads	Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes.
	5X Soft Conversion Wash Buffer	Not available.
	Soft Conversion Elution Buffer	Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes.
	Soft Conversion Repair Solution	Not available.
	Library Binding Beads	Not available. Not available.
	Capture Beads Index Primer Mix for ILM 1-8 Index Primer Mix for ILM 9-16	
Potential acute health effects		
Eye contact :	End Prep Buffer	No known significant effects or critical hazards. No known significant effects or critical hazards.
	End Prep Enzyme Ligation Buffer	Causes eye irritation. No known significant effects or critical hazards.
	Ligation Enzyme	Causes eye irritation.
	Adapter for ILM	No known significant effects or critical hazards.
	Hyb Blocker Hyb Buffer	No known significant effects or critical hazards. No known significant effects or critical hazards.
	Hyb Enhancer	No known significant effects or critical hazards.
	Soft Conversion Reagent A	Causes serious eye irritation.
	2X Methyl Amplification Mastermix	No known significant effects or critical hazards.
	Library Wash Buffer	No known significant effects or critical hazards.
	Hyb Wash Buffer 1	No known significant effects or critical hazards.
	Hyb Wash Buffer 2	No known significant effects or critical hazards.
	Soft Conversion Reagent B Soft Conversion Binding	Causes serious eye irritation. Causes serious eye damage.
	Beads 5X Soft Conversion Wash Buffer	No known significant effects or critical hazards.
	Soft Conversion Elution Buffer	Causes serious eye damage.
	Soft Conversion Repair Solution	No known significant effects or critical hazards.
	Library Binding Beads	No known significant effects or critical hazards.
	Capture Beads	No known significant effects or critical hazards.
	Index Primer Mix for ILM 1-8 Index Primer Mix for ILM 9-16	No known significant effects or critical hazards. No known significant effects or critical hazards.
Inhalation :	Nuclease-Free Water	No known significant effects or critical hazards.
	End Prep Buffer	No known significant effects or critical hazards.
	End Prep Enzyme	No known significant effects or critical hazards.
	Ligation Buffer	No known significant effects or critical hazards.
	Ligation Enzyme	No known significant effects or critical hazards.
	Adapter for ILM	No known significant effects or critical hazards.
	Hyb Blocker	No known significant effects or critical hazards.
	Hyb Buffer	Causes damage to organs following a single
	Hyb Enhancer	exposure if inhaled. No known significant effects or critical hazards.
	Soft Conversion Reagent A	No known significant effects or critical hazards.
	2X Methyl Amplification Mastermix	No known significant effects or critical hazards.
	Library Wash Buffer	No known significant effects or critical hazards.
	Hyb Ŵash Buffer 1	No known significant effects or critical hazards.
	Hyb Wash Buffer 2	No known significant effects or critical hazards.
	Soft Conversion Reagent B	No known significant effects or critical hazards.
	Soft Conversion Binding	Corrosive to the respiratory tract. Causes burns.
	Beads 5X Soft Conversion Wash	No known significant effects or critical hazards.

Section 11. Toxicold	Sylcal Information	
	Buffer Soft Conversion Elution Buffer	No known significant effects or critical hazards.
	Soft Conversion Repair Solution	No known significant effects or critical hazards.
	Library Binding Beads	No known significant effects or critical hazards.
	Capture Beads	No known significant effects or critical hazards.
	Index Primer Mix for ILM 1-8	No known significant effects or critical hazards.
	Index Primer Mix for ILM 9-16	No known significant effects or critical hazards.
Skin contact :	Nuclease-Free Water	No known significant effects or critical hazards.
	End Prep Buffer	No known significant effects or critical hazards.
	End Prep Enzyme	No known significant effects or critical hazards.
	Ligation Buffer	No known significant effects or critical hazards.
	Ligation Enzyme	No known significant effects or critical hazards.
	Adapter for ILM	No known significant effects or critical hazards.
	Hyb Blocker	No known significant effects or critical hazards.
	Hyb Buffer	Causes damage to organs following a single
		exposure in contact with skin. Causes skin irritation.
	Hyb Enhancer	No known significant effects or critical hazards.
	Soft Conversion Reagent A	No known significant effects or critical hazards.
	2X Methyl Amplification Mastermix	No known significant effects or critical hazards.
	Library Wash Buffer	No known significant effects or critical hazards.
	Hyb Wash Buffer 1	No known significant effects or critical hazards.
	Hyb Wash Buffer 2	No known significant effects or critical hazards.
	Soft Conversion Reagent B	No known significant effects or critical hazards.
	Soft Conversion Binding Beads	Causes severe burns.
	5X Soft Conversion Wash Buffer	No known significant effects or critical hazards.
	Soft Conversion Elution Buffer	Causes severe burns.
	Soft Conversion Repair Solution	No known significant effects or critical hazards.
	Library Binding Beads	No known significant effects or critical hazards.
	Capture Beads	No known significant effects or critical hazards.
	Index Primer Mix for ILM 1-8	No known significant effects or critical hazards.
	Index Primer Mix for ILM 9-16	No known significant effects or critical hazards.
Ingestion :	Nuclease-Free Water	No known significant effects or critical hazards.
	End Prep Buffer	No known significant effects or critical hazards.
	End Prep Enzyme	No known significant effects or critical hazards.
	Ligation Buffer	No known significant effects or critical hazards.
	Ligation Enzyme	No known significant effects or critical hazards.
	Adapter for ILM	No known significant effects or critical hazards.
	Hyb Blocker	No known significant effects or critical hazards.
	Hyb Buffer	Harmful if swallowed. Causes damage to organs
	Linda Enderson	following a single exposure if swallowed.
	Hyb Enhancer	No known significant effects or critical hazards.
	Soft Conversion Reagent A	No known significant effects or critical hazards.
	2X Methyl Amplification Mastermix	No known significant effects or critical hazards.
	Library Wash Buffer	No known significant effects or critical hazards.
	Hyb Wash Buffer 1	No known significant effects or critical hazards.
	Hyb Wash Buffer 2	No known significant effects or critical hazards.
	Soft Conversion Reagent B Soft Conversion Binding	No known significant effects or critical hazards. Corrosive to the digestive tract. Causes burns.
	Beads 5X Soft Conversion Wash	No known significant effects or critical hazards.
	Buffer Soft Conversion Elution Buffer	No known significant effects or critical hazards.

	9.00	
	Soft Conversion Repair Solution	No known significant effects or critical hazards.
	Library Binding Beads Capture Beads Index Primer Mix for ILM 1-8 Index Primer Mix for ILM 9-16	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
	9-10	
Symptoms related to the physic	cal, chemical and toxicologic	al characteristics
Eye contact :	Nuclease-Free Water	No specific data.
-	End Prep Buffer	No specific data.
	End Prep Enzyme	Adverse symptoms may include the following: irritation watering redness
	Ligation Duffor	
	Ligation Buffer Ligation Enzyme	No specific data. Adverse symptoms may include the following: irritation watering
		redness
	Adapter for ILM	No specific data.
	Hyb Blocker	No specific data.
	Hyb Buffer	Adverse symptoms may include the following:
		pain or irritation
		watering
	Wyh Enhancer	redness
	Hyb Enhancer	No specific data.
	Soft Conversion Reagent A	Adverse symptoms may include the following: pain or irritation
		watering
		redness
	2X Methyl Amplification	No specific data.
	Mastermix	
	Library Wash Buffer	No specific data.
	Hyb Wash Buffer 1	No specific data.
	Hyb Wash Buffer 2	No specific data.
	Soft Conversion Reagent B	Adverse symptoms may include the following:
		pain or irritation
		watering
		redness
	Soft Conversion Binding Beads	Adverse symptoms may include the following:
		pain
		watering
		redness
	5X Soft Conversion Wash Buffer	No specific data.
	Soft Conversion Elution Buffer	Adverse symptoms may include the following:
		pain
		watering
	Soft Conversion Repair	redness No specific data
	Soft Conversion Repair Solution	No specific data.
	Library Binding Beads	No specific data.
	Capture Beads	No specific data.
	Index Primer Mix for ILM 1-8	No specific data.
	Index Primer Mix for ILM	No specific data.
	9-16	

Section 11. Toxico	nogical mormation	
Inhalation	: Nuclease-Free Water	No specific data.
	End Prep Buffer	No specific data.
	End Prep Enzyme	No specific data.
	Ligation Buffer	No specific data.
	Ligation Enzyme	No specific data.
		•
	Adapter for ILM	No specific data.
	Hyb Blocker	No specific data.
	Hyb Buffer	No specific data.
	Hyb Enhancer	Adverse symptoms may include the following: reduced foetal weight
		increase in foetal deaths
		skeletal malformations
	Soft Conversion Reagent A	Adverse symptoms may include the following:
	g	reduced foetal weight
		increase in foetal deaths
		skeletal malformations
	2X Mathyl Amplification	
	2X Methyl Amplification	No specific data.
	Mastermix	
	Library Wash Buffer	No specific data.
	Hyb Wash Buffer 1	No specific data.
	Hyb Wash Buffer 2	No specific data.
	Soft Conversion Reagent B	No specific data.
	Soft Conversion Binding Beads	Adverse symptoms may include the following:
		respiratory tract irritation coughing
	5X Soft Conversion Wash	No specific data.
	Buffer	
	Soft Conversion Elution Buffer	No specific data.
	Soft Conversion Repair Solution	No specific data.
	Library Binding Beads	No specific data.
	Capture Beads	No specific data.
	Index Primer Mix for ILM 1-8	No specific data.
	Index Primer Mix for ILM 9-16	No specific data.
Skin contect		No operific data
Skin contact	: Nuclease-Free Water	No specific data.
	End Prep Buffer	No specific data.
	End Prep Enzyme	No specific data.
	Ligation Buffer	No specific data.
	Ligation Enzyme	No specific data.
	Adapter for ILM	No specific data.
	Hyb Blocker	No specific data.
	Hyb Buffer	Adverse symptoms may include the following:
		irritation
		redness
	Hyb Enhancer	Adverse symptoms may include the following:
	-	reduced foetal weight
		increase in foetal deaths
		skeletal malformations
	Soft Conversion Reagent A	Adverse symptoms may include the following:
	5	reduced foetal weight
		increase in foetal deaths
		skeletal malformations
	2X Methyl Amplification	No specific data.
	Mastermix	
	Library Wash Buffer	No specific data
		No specific data.
	Hyb Wash Buffer 1	No specific data.
	Hyb Wash Buffer 2	No specific data.
	Soft Conversion Reagent B	No specific data.
	Soft Conversion Binding	Adverse symptoms may include the following:
	Beads	

	•	
		pain or irritation
		redness
		blistering may occur
	5X Soft Conversion Wash	No specific data.
	Buffer	
	Soft Conversion Elution Buffer	Adverse symptoms may include the following:
	Bullei	pain or irritation
		pain or irritation
		redness
		blistering may occur
	Soft Conversion Repair	No specific data.
	Solution	
	Library Binding Beads	No specific data.
	Capture Beads	No specific data.
	Index Primer Mix for ILM 1-8	No specific data.
	Index Primer Mix for ILM	No specific data.
	9-16	·
Ingestion :	Nuclease-Free Water	No specific data
ingestion .		No specific data.
	End Prep Buffer	No specific data.
	End Prep Enzyme	No specific data.
	Ligation Buffer	No specific data.
	Ligation Enzyme	No specific data.
	Adapter for ILM	No specific data.
	Hyb Blocker	No specific data.
	Hyb Buffer	No specific data.
	Hyb Enhancer	Adverse symptoms may include the following:
	,	reduced foetal weight
		increase in foetal deaths
		skeletal malformations
	Soft Conversion Reagent A	Adverse symptoms may include the following:
	Son Conversion Reagent A	
		reduced foetal weight
		increase in foetal deaths
		skeletal malformations
	2X Methyl Amplification	No specific data.
	Mastermix	
	Library Wash Buffer	No specific data.
	Hyb Wash Buffer 1	No specific data.
	Hyb Wash Buffer 2	No specific data.
	Soft Conversion Reagent B	No specific data.
	Soft Conversion Binding	Adverse symptoms may include the following:
	Beads	
		stomach pains
	5X Soft Conversion Wash	No specific data.
	Buffer	
	Soft Conversion Elution Buffer	Adverse symptoms may include the following:
		stomach pains
	Soft Conversion Repair Solution	No specific data.
	Library Binding Beads	No specific data.
	Capture Beads	No specific data.
	Index Primer Mix for ILM 1-8	No specific data.
	Index Primer Mix for ILM	No specific data.
	9-16	ויט שכטווט עמומ.
Delayed and immediate effects	as well as chronic effects fro	om short and long-term exposure
<u>Short term exposure</u>		
Potential immediate : effects	Not available.	
	Not available.	

Date of issue/Date of revision

Long term exposure

: 11/04/2024

Date of previous issue

	- 9	
Potential immediate	Not available.	
Potential delayed effects	Not available.	
Potential chronic health effec	<u>ts</u>	
	 Nuclease-Free Water End Prep Buffer End Prep Enzyme Ligation Buffer Ligation Enzyme Adapter for ILM Hyb Blocker Hyb Buffer Hyb Enhancer Soft Conversion Reagent A 2X Methyl Amplification Mastermix Library Wash Buffer Hyb Wash Buffer 1 Hyb Wash Buffer 1 Hyb Wash Buffer 2 Soft Conversion Reagent B Soft Conversion Reagent B Soft Conversion Binding Beads 5X Soft Conversion Wash Buffer Soft Conversion Elution Buffer Soft Conversion Repair Solution 	No known significant effects or critical hazards. No known significant effects or critical hazards. May cause damage to organs through prolonged or repeated exposure. No known significant effects or critical hazards. No known significant effects or critical hazards.
	Library Binding Beads	No known significant effects or critical hazards.
	Capture Beads	No known significant effects or critical hazards.
	Index Primer Mix for ILM 1-8 Index Primer Mix for ILM 9-16	No known significant effects or critical hazards. No known significant effects or critical hazards.
Carcinogenicity	 Nuclease-Free Water End Prep Buffer End Prep Enzyme Ligation Buffer Ligation Enzyme Adapter for ILM Hyb Blocker Hyb Buffer Hyb Enhancer Soft Conversion Reagent A 2X Methyl Amplification Mastermix Library Wash Buffer Hyb Wash Buffer 1 Hyb Wash Buffer 1 Hyb Wash Buffer 2 Soft Conversion Reagent B Soft Conversion Reagent B Soft Conversion Binding Beads 5X Soft Conversion Wash Buffer Soft Conversion Elution Buffer Soft Conversion Repair Solution Library Binding Beads 	No known significant effects or critical hazards. No known significant effects or critical hazards. Suspected of causing cancer. Risk of cancer depends on duration and level of exposure. No known significant effects or critical hazards. No known significant effects or critical hazards.
	Capture Beads	No known significant effects or critical hazards.
	Index Primer Mix for ILM 1-8	No known significant effects or critical hazards.

	- 3	
	Index Primer Mix for ILM 9-16	No known significant effects or critical hazards.
Mutagonicity	: Nuclease-Free Water	No known significant effects or critical hazards.
Mutagenicity	End Prep Buffer	
		No known significant effects or critical hazards.
	End Prep Enzyme	No known significant effects or critical hazards.
	Ligation Buffer	No known significant effects or critical hazards.
	Ligation Enzyme	No known significant effects or critical hazards.
	Adapter for ILM	No known significant effects or critical hazards.
	Hyb Blocker	No known significant effects or critical hazards.
	Hyb Buffer	No known significant effects or critical hazards.
	Hyb Enhancer	No known significant effects or critical hazards.
	Soft Conversion Reagent A	No known significant effects or critical hazards.
	2X Methyl Amplification	No known significant effects or critical hazards.
	Mastermix	
	Library Wash Buffer	No known significant effects or critical hazards.
	Hyb Wash Buffer 1	No known significant effects or critical hazards.
	Hyb Wash Buffer 2	No known significant effects or critical hazards.
	Soft Conversion Reagent B	No known significant effects or critical hazards.
	Soft Conversion Binding	No known significant effects or critical hazards.
	Beads	C C
	5X Soft Conversion Wash Buffer	No known significant effects or critical hazards.
	Soft Conversion Elution Buffer	No known significant effects or critical hazards.
	Soft Conversion Repair Solution	No known significant effects or critical hazards.
	Library Binding Beads	No known significant effects or critical hazards.
	Capture Beads	No known significant effects or critical hazards.
	Index Primer Mix for ILM 1-8	No known significant effects or critical hazards.
	Index Primer Mix for ILM	No known significant effects or critical hazards.
	9-16	No known significant enects of childar hazards.
Reproductive toxicity	: Nuclease-Free Water	No known significant effects or critical hazards.
Reproductivo textory	End Prep Buffer	No known significant effects or critical hazards.
	End Prep Enzyme	No known significant effects or critical hazards.
	Ligation Buffer	No known significant effects or critical hazards.
	Ligation Enzyme	No known significant effects or critical hazards.
		•
	Adapter for ILM	No known significant effects or critical hazards.
	Hyb Blocker	No known significant effects or critical hazards.
	Hyb Buffer	No known significant effects or critical hazards.
	Hyb Enhancer	May damage fertility or the unborn child.
	Soft Conversion Reagent A	May damage fertility or the unborn child.
	2X Methyl Amplification Mastermix	No known significant effects or critical hazards.
	Library Wash Buffer	No known significant effects or critical hazards.
	Hyb Wash Buffer 1	No known significant effects or critical hazards.
	Hyb Wash Buffer 2	No known significant effects or critical hazards.
	Soft Conversion Reagent B	No known significant effects or critical hazards.
	Soft Conversion Binding	No known significant effects or critical hazards.
	Beads	-
	5X Soft Conversion Wash	No known significant effects or critical hazards.
	Buffer Soft Conversion Elution	No known significant effects or critical hazards.
	Buffer	No known aignifiaent affects ar suitiset been to
	Soft Conversion Repair Solution	No known significant effects or critical hazards.
	Library Binding Beads	No known significant effects or critical hazards.
	Capture Beads	No known significant effects or critical hazards.
	Index Primer Mix for ILM 1-8	No known significant effects or critical hazards.
	Index Primer Mix for ILM 1-8 Index Primer Mix for ILM	No known significant effects or critical hazards. No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapours) (mg/l)	Inhalation (dusts and mists) (mg/l)
End Prep Buffer Magnesium chloride	2800	N/A	N/A	N/A	N/A
End Prep Enzyme Glycerol	12600	N/A	N/A	N/A	N/A
Ligation Buffer Poly(oxy-1,2-ethanediyl),α-hydro-ω-hydroxy- Ethane-1,2-diol, ethoxylated	28000	N/A	N/A	N/A	N/A
Ligation Enzyme Glycerol	12600	N/A	N/A	N/A	N/A
Hyb Buffer Hyb Buffer tetramethylammonium chloride	456.2 50	2737.2 300	N/A N/A	N/A N/A	N/A N/A
Hyb Enhancer Formamide Poly(oxy-1,2-ethanediyl),α-hydro-ω-hydroxy- Ethane-1,2-diol, ethoxylated	5570 28000	17000 N/A	N/A N/A	N/A N/A	N/A N/A
Library Wash Buffer Poly(oxy-1,2-ethanediyl),α-hydro-ω-hydroxy- Ethane-1,2-diol, ethoxylated	28000	N/A	N/A	N/A	N/A
Soft Conversion Binding Beads Soft Conversion Binding Beads Ethanol Guanidinium thiocyanate Poly(oxy-1,2-ethanediyl), .alpha[(1,1,3,3-tetramethylbutyl)phenyl]omegahydroxy-	2299.0 7000 593 500	5782.2 N/A 1100 N/A	N/A N/A N/A N/A	N/A 124.7 N/A N/A	16.7 N/A 3.181 N/A
Library Binding Beads Poly(oxy-1,2-ethanediyl),α-hydro-ω-hydroxy- Ethane-1,2-diol, ethoxylated	28000	N/A	N/A	N/A	N/A

Other information

: End Prep Buffer

Adapter for ILM

Hyb Enhancer

Adverse symptoms may include the following: May cause skin sensitisation. Adverse symptoms may include the following: May cause skin sensitisation.

Adverse symptoms may include the following: May cause eye irritation. May cause skin irritation.

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
End Prep Buffer			
Magnesium chloride	Acute EC50 >100 mg/l Fresh water	Algae - Desmodesmus subspicatus	72 hours
	Acute EC50 180000 µg/l Fresh water	Crustaceans - <i>Eudiaptomus</i> padanus ssp. padanus - Adult	48 hours
	Acute IC50 6.8 mg/l Fresh water	Aquatic plants - <i>Lemna</i> aequinoctialis	96 hours
	Acute LC50 32000 µg/l Fresh water	Daphnia - <i>Daphnia hyalina</i> - Adult	48 hours
	Acute LC50 2120 mg/l Fresh water	Fish - Pimephales promelas	96 hours
	Acute NOEC 100 mg/l Fresh water	Algae - Desmodesmus subspicatus	72 hours
	Chronic NOEC 0.1 mg/l Fresh water	Fish - Cyprinus carpio	35 days
End Prep Enzyme			
Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
Ligation Buffer			40.1
Poly(oxy-1,2-ethanediyl),α- hydro-ω-hydroxy- Ethane-	Acute EC50 >100 mg/l Fresh water	Daphnia - <i>Daphnia magna</i>	48 hours
1,2-diol, ethoxylated	Acute LC50 >1000000 µg/l Fresh water	Fish - <i>Salmo salar</i> - Parr	96 hours
Ligation Enzyme			
Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
Hyb Buffer			
tetramethylammonium chloride	Acute LC50 462 mg/l Fresh water	Fish - Pimephales promelas	96 hours
Hyb Enhancer			
Formamide	Acute EC50 >500 mg/l Fresh water Acute EC50 >500 mg/l Fresh water	Algae Daphnia	72 hours 48 hours
	Acute LC50 6569 mg/l Fresh water	Fish	96 hours
	Acute NOEC 4640 mg/l Fresh water	Algae	72 hours
	Acute NOEC 4640 mg/l Fresh water	Fish	96 hours
Poly(oxy-1,2-ethanediyl),α- hydro-ω-hydroxy- Ethane- 1,2-diol, ethoxylated	Acute EC50 >100 mg/l Fresh water	Daphnia - <i>Daphnia magna</i>	48 hours
	Acute LC50 >1000000 µg/l Fresh water	Fish - <i>Salmo salar</i> - Parr	96 hours
Soft Conversion Reagent A			
tetrahydro-2-furylmethanol	Acute EC50 >98.9 mg/l	Algae	72 hours
	Acute EC50 >91.7 mg/l Acute LC50 >101 mg/l	Daphnia - <i>Daphnia magna</i> Fish	48 hours 96 hours
	Adde 2000 - To Thigh		50 110013
Library Wash Buffer Poly(oxy-1,2-ethanediyl),α-	Acute EC50 >100 mg/l Fresh water	Daphnia - <i>Daphnia magna</i>	48 hours
hydro-ω-hydroxy- Ethane-			
1,2-diol, ethoxylated	Acute LC50 >1000000 µg/l Fresh water	Fish - <i>Salmo salar</i> - Parr	96 hours
Soft Conversion Binding			
Beads Ethanol	Acute EC50 3306 mg/l Marine water	Algae - <i>Ulva pertusa</i>	96 hours
	Acute EC50 1074 mg/l Fresh water	Crustaceans - Cypris	48 hours
	Acute EC50 2 mg/l Fresh water	<i>subglobosa</i> Daphnia - <i>Daphnia magna</i>	48 hours
	Acute LC50 11000000 µg/l Marine	Fish - Alburnus alburnus	96 hours
	water Chronic NOEC 4.995 mg/l Marine water	Algae - <i>Ulva pertusa</i>	96 hours
Date of issue/Date of revision	: 11/04/2024 Date of previous issue	: 23/02/2024 Version	:1.1 80/86

Dection 12. Ecological mormation							
	Chronic NOEC 100 ul/L Fresh water	Daphnia - <i>Daphnia magna</i> - Neonate	21 days				
Poly(oxy-1,2-ethanediyl), . alpha[(1,1,3,3-tetramethylbutyl) phenyl]omegahydroxy-	Acute EC50 210 µg/l Fresh water	Algae - <i>Selenastrum sp.</i>	96 hours				
	Acute LC50 10800 µg/l Marine water	Crustaceans - <i>Pandalus</i> <i>montagui</i> - Adult	48 hours				
	Acute LC50 2.518 mg/l Fresh water Acute LC50 7200 μg/l Fresh water	Daphnia - Daphnia magna Fish - Oncorhynchus mykiss	48 hours 96 hours				
Library Binding Beads Poly(oxy-1,2-ethanediyl),α- hydro-ω-hydroxy- Ethane- 1,2-diol, ethoxylated	Acute EC50 >100 mg/l Fresh water	Daphnia - <i>Daphnia magna</i>	48 hours				
.,,	Acute LC50 >1000000 µg/l Fresh water	Fish - <i>Salmo salar</i> - Parr	96 hours				

Persistence and degradability

Product/ingredient name	Test	Result	Dose	Inoculum
End Prep Enzyme Glycerol	301D Ready Biodegradability - Closed Bottle Test	93 % - 30 days	-	-
Ligation Buffer Poly(oxy-1,2-ethanediyl),α- hydro-ω-hydroxy- Ethane- 1,2-diol, ethoxylated	OECD 301D Ready Biodegradability - Closed Bottle Test	74.85 % - Readily - 28 days	4 mg/l	-
Ligation Enzyme Glycerol	301D Ready Biodegradability - Closed Bottle Test	93 % - 30 days	-	-
Hyb Enhancer Formamide	OECD 301A Ready Biodegradability - DOC Die-Away	99 % - Readily - 28 days	-	-
Poly(oxy-1,2-ethanediyl),α- hydro-ω-hydroxy- Ethane- 1,2-diol, ethoxylated	Test OECD 301D Ready Biodegradability - Closed Bottle Test	74.85 % - Readily - 28 days	4 mg/l	-
Soft Conversion Reagent A tetrahydro-2-furylmethanol	-	92 % - Readily - 28 days	-	-
Library Wash Buffer Poly(oxy-1,2-ethanediyl),α- hydro-ω-hydroxy- Ethane- 1,2-diol, ethoxylated	OECD 301D Ready Biodegradability - Closed Bottle Test	74.85 % - Readily - 28 days	4 mg/l	-
Soft Conversion Binding				
Date of issue/Date of revision	: 11/04/2024 D	ate of previous issue : 23/02	2/2024	Version : 1.1 81/

Avida Methyl Reagent Kit with 1-16 I	Index Primer Pairs for	ILM, 16 Reactions, Part N	Number G941	9A	
Section 12. Ecolog	gical inform	nation			
Beads Guanidinium thiocyanate	OECD 302B Inherent Biodegradability: Zahn-Wellens/ EMPA Test		-		
Library Binding Beads Poly(oxy-1,2-ethanediyl),α- hydro-ω-hydroxy- Ethane- 1,2-diol, ethoxylated	OECD 301D Ready Biodegradability - Closed Bottle Test	74.85 % - Readily -	28 days	4 mg/l	-
Product/ingredient name	Aquatic half-life		Photolysi	S	Biodegradability
Nuclease-Free Water water	-		-		Readily
Ligation Buffer Poly(oxy-1,2-ethanediyl),α- hydro-ω-hydroxy- Ethane- 1,2-diol, ethoxylated	-		-		Readily
Hyb Buffer tetramethylammonium chloride	-		-		Readily
Hyb Enhancer Formamide Poly(oxy-1,2-ethanediyl),α- hydro-ω-hydroxy- Ethane- 1,2-diol, ethoxylated	-		-		Readily Readily
Soft Conversion Reagent A tetrahydro-2-furylmethanol	-		-		Readily
Library Wash Buffer Poly(oxy-1,2-ethanediyl),α- hydro-ω-hydroxy- Ethane- 1,2-diol, ethoxylated	-		-		Readily
Soft Conversion Binding Beads Ethanol Guanidinium thiocyanate	-		-		Readily Inherent
Library Binding Beads Poly(oxy-1,2-ethanediyl),α- hydro-ω-hydroxy- Ethane- 1,2-diol, ethoxylated	-		-		Readily

Bioaccumulative potential

Product/ingredient name	LogPow	BCF		Potential	
Nuclease-Free Water water	-1.38	-		Low	
End Prep Enzyme Glycerol	-1.76	-		Low	
Ligation Buffer Poly(oxy-1,2-ethanediyl),α-	-	3.2		Low	
Date of issue/Date of revision	: 11/04/2024	Date of previous issue	: 23/02/2024	Version : 1.1	82/86

action 12 Ecological information

Section 12. Ecological information			
hydro-ω-hydroxy- Ethane- 1,2-diol, ethoxylated			
Ligation Enzyme Glycerol	-1.76	-	Low
Hyb Buffer tetramethylammonium chloride	<-1.6	-	Low
Hyb Enhancer Formamide Poly(oxy-1,2-ethanediyl),α- hydro-ω-hydroxy- Ethane- 1,2-diol, ethoxylated	-0.82 -	- 3.2	Low Low
Soft Conversion Reagent A tetrahydro-2-furylmethanol	0.722	-	Low
Library Wash Buffer Poly(oxy-1,2-ethanediyl),α- hydro-ω-hydroxy- Ethane- 1,2-diol, ethoxylated	-	3.2	Low
Soft Conversion Binding Beads Ethanol Guanidinium thiocyanate Poly(oxy-1,2-ethanediyl), . alpha[(1,1,3,3-tetramethylbutyl) phenyl]omegahydroxy-	-0.35 <-1.7 2.7	0.5 - 78.67	Low Low Low
Library Binding Beads Poly(oxy-1,2-ethanediyl),α- hydro-ω-hydroxy- Ethane- 1,2-diol, ethoxylated	-	3.2	Low

Mobility in soil

Soil/water partition coefficient (Koc)

Other adverse effects

: No known significant effects or critical hazards.

Section 13. Disposal considerations

: Not available.

Disposal methods The generation of waste should be avoided or minimised wherever possible. 2 Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

	ADG	IMDG	IATA
UN number	UN3316	UN3316	UN3316
UN proper shipping name	CHEMICAL KIT	CHEMICAL KIT	Chemical kit
Transport hazard class(es)	9	9	9
Packing group	П	П	II
Environmental hazards	No.	No.	No.

Additional information

Remarks: Excepted Quantity		
ADG	1	Hazchem code 2Z
		Special provisions 251, 340
IMDG	4	Emergency schedules F-A, _S-P_
		Special provisions 251, 340
ΙΑΤΑ	:	Quantity limitation Passenger and Cargo Aircraft: 10 kg. Packaging instructions: 960. Cargo Aircraft Only: 10 kg. Packaging instructions: 960. Limited Quantities - Passenger Aircraft: 1 kg. Packaging instructions: Y960. Special provisions A44, A163
Special precautions for user	:	Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.
Transport in bulk according to IMO instruments	:	Not available.

Section 15. Regulatory information

Standard for the Uniform S	Scheduling of M	ledicines and Poisons	
6, 5			
Model Work Health and Sa	afety Regulation	ns - Scheduled Substance	<u>s</u>
No listed substance			
International regulations			
	ntion List Scho	dules I, II & III Chemicals	
Not listed		dules I, II & III Offeniteals	
NUL IISLEU.			
<u>Montreal Protocol</u>			
Not listed.			
Stockholm Convention o	n Persistent Or	ganic Pollutants	
Not listed.			
Dettenden: Oemaatien e			
Rotterdam Convention o	n Prior Informe	<u>a Consent (PIC)</u>	
Not listed.			
UNECE Aarhus Protocol	on POPs and H	<u>eavy Metals</u>	
Not listed.			
Inventory list			
<u>inventory nat</u>			
Date of issue/Date of revision	: 11/04/2024	Date of previous issue	: 23/02/2024

Version : 1.1

Section 15. Regulatory information

Australia	: Not determined.
New Zealand	: Not determined.
United States	: Not determined.

Section 16. Any other relevant information

<u>History</u>	
Date of issue/Date of revision	: 11/04/2024
Date of previous issue	: 23/02/2024
Version	: 1.1
Key to abbreviations	 ADG = Australian Dangerous Goods ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) N/A = Not available SUSMP = Standard Uniform Schedule of Medicine and Poisons UN = United Nations

Procedure used to derive the classification

Classification	Justification
End Prep Buffer LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 3	Calculation method
End Prep Enzyme SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2B	Calculation method
Ligation Enzyme SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2B	Calculation method
Hyb Buffer ACUTE TOXICITY (oral) - Category 4 SKIN CORROSION/IRRITATION - Category 2 SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE - Category 1 LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 3	Calculation method Calculation method Calculation method Calculation method
Hyb Enhancer CARCINOGENICITY - Category 2 REPRODUCTIVE TOXICITY - Category 1 SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE - Category 2	Calculation method Calculation method Calculation method
Soft Conversion Reagent A FLAMMABLE LIQUIDS - Category 4 SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2A REPRODUCTIVE TOXICITY - Category 1	On basis of test data Calculation method Calculation method
Soft Conversion Reagent B SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2A	Calculation method
Date of issue/Date of revision : 11/04/2024 Date of previo	us issue : 23/02/2024 Version : 1.1 85/86

Section 16. Any other relevant information

Soft Conversion Binding Beads	
FLAMMABLE LIQUIDS - Category 3	On basis of test data
SKIN CORROSION/IRRITATION - Category 1C	Calculation method
SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1	Calculation method
SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1	Calculation method
LONG-TERM (CHRONIC) AQUATIC HAZARD - Category	Calculation method
2	
Soft Conversion Elution Buffer	
SKIN CORROSION/IRRITATION - Category 1	On basis of test data
SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1	On basis of test data

✓ Indicates information that has changed from previously issued version.

Notice to reader

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.