# SAFETY DATA SHEET



KBr Powder

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier	
Product name	: KBr Powder
EC number	: 231-830-3
CAS number	: 7758-02-3
Part no.	: PIKE-160-8010, HARRICK-KBR-100
Chemical formula	: KBr

1.2 Relevant identified us	of the substance of mixture and uses advised against	
Identified uses	Reagents and Standards for Analytical Chemistry Laborator	y Use
	PIKE-160-8010 KBR 100 G POWDER	
	HARRICK-KBR-100 KBR powder, 100 grams, 1/pk	
Uses advised against	None known.	

#### 1.3 Details of the supplier of the safety data sheet

Agilent Technologies Deutschland GmbH Hewlett-Packard-Str. 8 76337 Waldbronn Germany 0800 603 1000 e-mail address of person : pdl-msds\_author@agilent.com responsible for this SDS

#### 1.4 Emergency telephone number

Emergency telephone : CHEMTREC®: +(44)-870-8200418 number (with hours of operation)

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Product definition : Mono-constituent substance

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]H319SERIOUS EYE DAMAGE/EYE IRRITATION

Category 2

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements Hazard pictograms



Signal word	:	Warning
Hazard statements	:	H319 - Causes serious eye irritation.
Precautionary statements		
Prevention	;	P280 - Wear eye or face protection.

### **SECTION 2: Hazards identification**

Response	: P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical advice or attention.
Storage	: Not applicable.
Disposal	: Not applicable.
Supplemental label elements	: Not applicable.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	: Not applicable.
Special packaging require	ments
Tactile warning of danger	: Not applicable.

#### 2.3 Other hazards

Product meets the :	PBT	Р	В	Т	vPvB	vP	vB
criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII	Not applicable (Inorganic)	N/A	N/A	N/A	Not applicable (Inorganic)	N/A	N/A
Other hazards which do	None known.						

Other hazards which do : not result in classification

### **SECTION 3: Composition/information on ingredients**

3.1 Substances	: Mono-constituent	substance			
Product/ingredient name	Identifiers	%	Classification	Specific Conc. Limits, M-factors and ATEs	Туре
potassium bromide	EC: 231-830-3 CAS: 7758-02-3	100	Eye Irrit. 2, H319	-	[1]
			See Section 16 for the full text of the H statements declared above.		

There are no additional ingredients present which, within the current knowledge of the supplier, are classified and contribute to the classification of the substance and hence require reporting in this section.

Type

[1] Constituent

Occupational exposure limits, if available, are listed in Section 8.

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

Eye contact

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.

<b>SECTION 4: First aid meas</b>	ures
----------------------------------	------

Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	: Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

#### 4.2 Most important symptoms and effects, both acute and delayed

Potential acute healt	h effects
Eye contact	: Causes serious eye irritation.
Inhalation	: Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs	s/symptoms
Eye contact	: Adverse symptoms may include the following: pain or irritation watering redness
Inhalation	: Adverse symptoms may include the following: respiratory tract irritation coughing
Skin contact	: No specific data.
Ingestion	: No specific data.
4.3 Indication of any i	mmediate medical attention and special treatment needed

Notes to physician	: Treat symptomatically. Contact poison treatment specialist immediately if large
	quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.

### **SECTION 5: Firefighting measures**

5.1 Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.

### 5.2 Special hazards arising from the substance or mixture

Hazards from the	: No specific fire or explosion hazard.
substance or mixture	

### **SECTION 5: Firefighting measures**

Hazardous combustion products	:	Decomposition products may include the following materials: halogenated compounds metal oxide/oxides
5.3 Advice for firefighters		
Special precautions for fire-fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire- fighters	:	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing dust. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Pu on appropriate personal protective equipment.	
For emergency responders	If specialised clothing is required to deal with the spillage, take note of any informatio Section 8 on suitable and unsuitable materials. See also the information in "For non- emergency personnel".	
6.2 Environmental precautions	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains ar sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).	nd
6.3 Methods and material	ontainment and cleaning up	
Methods for cleaning up	Move containers from spill area. Avoid dust generation. Using a vacuum with HEPA filter will reduce dust dispersal. Place spilled material in a designated, labeled waste	

	container. Dispose of via a licensed waste disposal contractor.
6.4 Reference to other sections	: See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing dust. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

### 7.2 Conditions for safe storage, including any incompatibilities

### **SECTION 7: Handling and storage**

Storage	: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
7.3 Specific end use(s)	

### **Recommendations**

- : Industrial applications, Professional applications.
- Industrial sector specific : Not available. solutions

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

#### **Occupational exposure limits**

No exposure limit value known.

#### **Biological exposure indices**

No exposure indices known.

Recommended : Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure monitoring procedures by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

#### **DNELs/DMELs**

Product/ingredient name	Туре	Exposure	Value	Population	Effects
Potassium bromide	DNEL	Long term Oral	0.475 mg/ kg bw/day	General population	Systemic
	DNEL	Long term Inhalation	1.66 mg/m <sup>3</sup>		Systemic
	DNEL	Long term Inhalation	4.75 mg/m³	Workers	Systemic
	DNEL	Short term Oral	50 mg/kg bw/day	General population	Systemic
	DNEL	Short term Dermal	95 mg/kg bw/day	General population	Systemic
	DNEL	Long term Dermal	95 mg/kg bw/day	General population	Systemic
	DNEL	Short term Dermal	95 mg/kg bw/day	Workers	Systemic
	DNEL	Long term Dermal	95 mg/kg bw/day	Workers	Systemic

#### **PNECs**

controls

No PNECs available

#### 8.2 Exposure controls

**Appropriate engineering** : Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Date of issue/Date of revision	: 28/06/2023	Date of previous issue	: No previous validation	Version	:1	5/12
--------------------------------	--------------	------------------------	--------------------------	---------	----	------

### **SECTION 8: Exposure controls/personal protection**

Individual protection meas	<u>S</u>	
Hygiene measures	Wash hands, forearms and face thoroughly after handling chemical products, beforeating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing Wash contaminated clothing before reusing. Ensure that eyewash stations and sa showers are close to the workstation location.	g.
Eye/face protection	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists gases or dusts. If contact is possible, the following protection should be worn, unlet the assessment indicates a higher degree of protection: chemical splash goggles. operating conditions cause high dust concentrations to be produced, use dust gog	ess If
Skin protection		
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard shoul worn at all times when handling chemical products if a risk assessment indicates the necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different for different for different for different time of the gloves cannot be accurately estimated.	his is ck erent
Body protection	Personal protective equipment for the body should be selected based on the task before and the risks involved and should be approved by a specialist before handling this product.	being
Other skin protection	Appropriate footwear and any additional skin protection measures should be select based on the task being performed and the risks involved and should be approved specialist before handling this product.	
Respiratory protection	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.	
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to ensur they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipme will be necessary to reduce emissions to acceptable levels.	Э

### **SECTION 9: Physical and chemical properties**

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

#### al properties (

9.1 Information on basic pl	iys	ical and chemica
Appearance		
Physical state	:	Solid. [Powder.]
Colour	:	Colourless.
Odour	:	Odourless.
Odour threshold	:	Not available.
Melting point/freezing point	:	730°C
Initial boiling point and boiling range	:	1435°C
Flammability	:	Not available.
Upper/lower flammability or explosive limits	:	Not applicable.
Flash point	:	Not applicable.
Auto-ignition temperature	:	Not applicable.
Decomposition temperature	:	Not available.
рН	:	Not available.
Data of issue/Data of revision		1 28/06/2022 Data

### **SECTION 9: Physical and chemical properties**

Viscosity	: Not applic	able.				
Solubility(ies)	: Media		Result	Result		
	water		Soluble			
Solubility in water	: 650 g/l					
Partition coefficient: n- octanol/water	: Not availa	ble.				
Vapour pressure	: Not availa	ble.				
Evaporation rate	: Not availa	ble.				
Relative density	: 2.75					
Density	: 2.75 g/cm	³ [25°C]				
Vapour density	: Not applic	able.				
Explosive properties	: Not availa	ble.				
Oxidising properties	: Not availa	ble.				
Particle characteristics						
Median particle size	: Not availa	ble.				

#### 9.2 Other information

No additional information.

### **SECTION 10: Stability and reactivity**

10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	: The product is stable.
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	: No specific data.
10.5 Incompatible materials	: May react or be incompatible with oxidising materials.
materials	Reactive or incompatible with the following materials: acids.
10.6 Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### **SECTION 11: Toxicological information**

#### **11.1 Information on toxicological effects**

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Potassium bromide	LD50 Oral	Rat	3070 mg/kg	-

#### Acute toxicity estimates

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapours) (mg/l)	Inhalation (dusts and mists) (mg/l)
Potassium bromide	3070	N/A	N/A	N/A	N/A

Irritation/Corrosion

**Conclusion/Summary** : Not available.

## SECTION 11: Toxicological information

Sensitiser	. Net eveileble
Conclusion/Summary	: Not available.
Mutagenicity	
Conclusion/Summary	: Not available.
<u>Carcinogenicity</u>	
Conclusion/Summary	: Not available.
Reproductive toxicity	
Conclusion/Summary	: Passes through the placental barrier in humans.
<b>Teratogenicity</b>	
Conclusion/Summary	: Not available.
Specific target organ to	<u>cicity (single exposure)</u>
Not available.	
Specific target organ to	<u>kicity (repeated exposure)</u>
Not available.	
Aspiration hazard	
Not available.	
Information on likely	: Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes.
routes of exposure	• · ·
Potential acute health ef	
Inhalation	: Exposure to airborne concentrations above statutory or recommended exposure limits
Ingestion	may cause irritation of the nose, throat and lungs. <ul> <li>No known significant effects or critical hazards.</li> </ul>
Skin contact	: No known significant effects or critical hazards.
	-
Eye contact	: Causes serious eye irritation.
	e physical, chemical and toxicological characteristics
Inhalation	: Adverse symptoms may include the following: respiratory tract irritation coughing
Ingestion	: No specific data.
Skin contact	: No specific data.
Eye contact	: Adverse symptoms may include the following: pain or irritation watering redness
Delayed and immediate	effects as well as chronic effects from short and long-term exposure
Short term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Long term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Potential chronic health	<u>effects</u>
Conclusion/Summary	: Not available.
General	: Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Date of issue/Date of revision	: 28/06/2023 Date of previous issue : No previous validation Version : 1 8/12

### **SECTION 11: Toxicological information**

**Reproductive toxicity** : No known significant effects or critical hazards.

#### 11.2 Information on other hazards

#### **11.2.1 Endocrine disrupting properties**

Not available.

#### 11.2.2 Other information

Adverse symptoms may include the following: nausea or vomiting Can cause central nervous system (CNS) depression. (Ingestion)

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
Potassium bromide	Acute LC50 >100 mg/l Fresh water	Fish - <i>Pimephales promelas</i> - Juvenile (Fledgling, Hatchling, Weanling)	96 hours

#### 12.2 Persistence and degradability

Not available.

#### 12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Potassium bromide	-	1.41	Low

#### 12.4 Mobility in soil

Soil/water partition coefficient (Koc)	: Not available.
Mobility	: Not available.

#### 12.5 Results of PBT and vPvB assessment

Product/ingredient name	PBT	Р	В	Т	vPvB	vP	vB
Potassium bromide	Not applicable (Inorganic)	N/A	N/A	N/A	Not applicable (Inorganic)	N/A	N/A

#### **12.6 Endocrine disrupting properties**

Not available.

#### 12.7 Other adverse effects

No known significant effects or critical hazards.

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods **Product** Methods of disposal : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Hazardous waste : The classification of the product may meet the criteria for a hazardous waste. Date of issue/Date of revision : 28/06/2023 Date of previous issue : No previous validation Version :1 9/12

### **SECTION 13: Disposal considerations**

Packaging	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
Special precautions	: This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

### **SECTION 14: Transport information**

	ADR/RID	IMDG	ΙΑΤΑ
14.1 UN number or ID number	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-
14.3 Transport hazard class(es)	-	-	-
14.4 Packing group	-	-	-
14.5 Environmental hazards	No.	No.	No.

**Additional information** 

#### **14.6 Special precautions** for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

**14.7 Transport in bulk** : Not available. according to IMO instruments

### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

## Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

No listed substance

Label : Not applicable.

#### **Other EU regulations**

Ozone depleting substances (1005/2009/EU)

Not listed.

Prior Informed Consent (PIC) (649/2012/EU)

## **SECTION 15: Regulatory information**

#### Not listed.

Persistent Organic Pollutants Not listed.

#### Seveso Directive

This product is not controlled under the Seveso Directive.

#### International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

#### **Montreal Protocol**

Not listed.

Stockholm Convention on Persistent Organic Pollutants Not listed.

### Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

#### **UNECE Aarhus Protocol on POPs and Heavy Metals**

Not listed.

#### **Inventory list**

<u>Inventory nat</u>	
Australia	: This material is listed or exempted.
Canada	: This material is listed or exempted.
China	: This material is listed or exempted.
Eurasian Economic Union	: <b>Russian Federation inventory</b> : This material is listed or exempted.
Japan	<ul> <li>Japan inventory (CSCL): This material is listed or exempted.</li> <li>Japan inventory (ISHL): This material is listed or exempted.</li> </ul>
New Zealand	: This material is listed or exempted.
Philippines	: This material is listed or exempted.
Republic of Korea	: This material is listed or exempted.
Taiwan	: This material is listed or exempted.
Thailand	: This material is listed or exempted.
Turkey	: This material is listed or exempted.
United States	: This material is active or exempted.
Viet Nam	: This material is listed or exempted.

## **15.2 Chemical safety assessment**

: This product contains substances for which Chemical Safety Assessments might still be required.

### **SECTION 16: Other information**

Indicates information that has changed from previously issued version.

Abbreviations and : acronyms	ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement N/A = Not available PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number
	vPvB = Very Persistent and Very Bioaccumulative
Procedure used to derive the	classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

KBr Powder				
SECTION 16: Other info	ormation			
Class	ification	Justification		
Eye Irrit. 2, H319		Expert judgment		
Full text of abbreviated H statem	<u>ents</u>	I		
H319	Causes ser	rious eye irritation.		
Full text of classifications [CLP/	<u>GHS]</u>			
Eye Irrit. 2	SERIOUS	EYE DAMAGE/EYE IRRITATION - Category 2		
Date of issue/ Date of	2/06/2023			

Date of issue/ Date of revision	: 28/06/2023
Date of previous issue	: No previous validation
Version	: 1

#### Notice to reader

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.