# **SAFETY DATA SHEET**



MFG WIP Oligonucleotide Purification Soln 1-MFG WIP Oligonucleotide Purification Soln 1

# Section 1. Identification

Product identifier	: MFG WIP Oligonucleotide Purification Soln 1-MFG WIP Oligonucleotide Purification Soln 1
Part no.	: MFG-WIP-PUR-1, PD-WIP-PUR-1
Relevant identified uses o	f the substance or mixture and uses advised against
Identified uses	: Research and Development Container type: Various
Supplier/Manufacturer	: Agilent Technologies, Inc. 5301 Stevens Creek Blvd Santa Clara, CA 95051, USA 800-227-9770
Emergency telephone number (with hours of operation)	: CHEMTREC®: 1-800-424-9300

# Section 2. Hazard identification

<b>Classification of</b>	the substance or mixture
<b>⊮</b> 225	FLAMMABLE LIQUIDS - Category 2
H290	CORROSIVE TO METALS - Category 1
H314	SKIN CORROSION - Category 1A
H318	SERIOUS EYE DAMAGE - Category 1
H335	SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3 Health Hazards Not Otherwise Classified - Category 1

Hazard pictograms	
Signal word	: Danger
Hazard statements	<ul> <li>H225 - Highly flammable liquid and vapor.</li> <li>H290 - May be corrosive to metals.</li> <li>H314 - Causes severe skin burns and eye damage.</li> <li>H335 - May cause respiratory irritation.</li> <li>Causes severe digestive tract burns.</li> </ul>
Precautionary statements	
Prevention	<ul> <li>P280 - Wear protective gloves, protective clothing and eye or face protection.</li> <li>P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>P234 - Keep only in original packaging.</li> <li>P261 - Avoid breathing vapor.</li> </ul>

**GHS label elements** 

# Section 2. Hazard identification

Response	<ul> <li>P390 - Absorb spillage to prevent material damage.</li> <li>P304 + P310 - IF INHALED: Immediately call a POISON CENTER or doctor.</li> <li>P301 + P310, P330, P331 - IF SWALLOWED: Immediately call a POISON CENTER or doctor. Rinse mouth. Do NOT induce vomiting.</li> <li>P303 + P361 + P353, P310 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Immediately call a POISON CENTER or doctor.</li> <li>P363 - Wash contaminated clothing before reuse.</li> <li>P305 + P351 + P338, P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.</li> </ul>
Storage	: ₱403 + P233 - Store in a well-ventilated place. Keep container tightly closed.
Disposal	<ul> <li>P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.</li> </ul>
Supplemental label elements	: Do not taste or swallow. Wash thoroughly after handling.

# Section 3. Composition/information on ingredients

Substance/mixture : Mixture				
Ingredient name	Synonyms	% (w/w)	CAS number	
	Sodium Phosphate	≥30 - ≤60	7601-54-9	
Acetonitrile	Acetonitrile	≥10 - ≤30	75-05-8	
Ethanol	Ethanol	≥10 - ≤30	64-17-5	
Sodium hydroxide	Sodium Hydroxide	≥10 - ≤30	1310-73-2	

Ranges if listed above for hazardous ingredient(s) are prescribed ranges. The actual concentration(s) or actual concentration range(s) are being withheld as a trade secret.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First-aid measures

### **Description of necessary first aid measures**

Eye contact	: Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician.
Inhalation	: Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

# Section 4. First-aid measures

Skin contact	: Set medical attention immediately. Call a poison center or physician. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	: Set medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

### Most important symptoms/effects, acute and delayed

Potential acute health effects	<u>s</u>	
Eye contact	:	Causes serious eye damage.
Inhalation	:	May cause respiratory irritation.
Skin contact	:	Zauses severe burns.
Ingestion	:	Severely corrosive to the digestive tract. Causes severe burns.
Over-exposure signs/sympto	on	I <u>S</u>
Eye contact	:	Adverse symptoms may include the following: pain watering redness
Inhalation	:	Adverse symptoms may include the following: respiratory tract irritation coughing
Skin contact	:	Adverse symptoms may include the following: pain or irritation redness blistering may occur
Ingestion	:	Adverse symptoms may include the following: stomach pains
Indication of immediate medio	<u>ca</u>	attention and special treatment needed, if necessary
Notes to physician	:	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

# Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use dry chemical, CO <sub>2</sub> , water spray (fog) or foam.
Unsuitable extinguishing media	: Do not use water jet.
Specific hazards arising from the chemical	If ighly flammable liquid and vapor. Runoff to sewer may create fire or explosion hazard. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides phosphorus oxides halogenated compounds metal oxide/oxides cyanides
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
Special protective equipment for fire-fighters	<ul> <li>Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.</li> </ul>

## Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures				
For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.		
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".		
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).		
Methods and materials for co		ainment and cleaning up		

Methods for cleaning up: Stop leak if without risk. Move containers from spill area. Use spark-proof tools and<br/>explosion-proof equipment. Dilute with water and mop up if water-soluble.<br/>Alternatively, or if water-insoluble, absorb with an inert dry material and place in an<br/>appropriate waste disposal container. Absorb spillage to prevent material damage.<br/>Dispose of via a licensed waste disposal contractor.

# Section 7. Handling and storage

Precautions for safe handling		
Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Take precautionary measures against electrostatic discharges. Empty containers retain product residue and can be hazardous. Do not reuse container. Absorb spillage to prevent material damage.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store in a corrosion resistant container with a resistant inner liner. Store locked up. Eliminate all ignition sources. Separate from oxidizing materials. Keep away from metals. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

# Section 8. Exposure controls/personal protection

#### **Control parameters**

**Occupational exposure limits** 

Ingredient name			Exposure limits
Frisodium orthophosphate			OARS WEEL (United States, 4/2022). STEL: 5 mg/m <sup>3</sup> 15 minutes.
Acetonitrile			<ul> <li>CA Alberta Provincial (Canada, 6/2018). OEL: 34 mg/m<sup>3</sup> 8 hours. OEL: 20 ppm 8 hours.</li> <li>CA British Columbia Provincial (Canada, 6/2023). Absorbed through skin. TWA: 20 ppm 8 hours.</li> <li>CA Ontario Provincial (Canada, 6/2019).</li> <li>Absorbed through skin. TWA: 20 ppm 8 hours.</li> <li>CA Quebec Provincial (Canada, 6/2022).</li> <li>Absorbed through skin. TWAEV: 20 ppm 8 hours.</li> <li>CA Saskatchewan Provincial (Canada, 7/2013). Absorbed through skin. STEL: 30 ppm 15 minutes. TWA: 20 ppm 8 hours.</li> </ul>
Ethanol			CA Alberta Provincial (Canada, 6/2018). OEL: 1000 ppm 8 hours. OEL: 1880 mg/m <sup>3</sup> 8 hours.
Date of issue/Date of revision	: 05/07/2024	Date of previous issue	:04/29/2020 Version : 2 5/1

# Section 8. Exposure controls/personal protection

	CA British Columbia Provincial (Canada, 6/2023). STEL: 1000 ppm 15 minutes. CA Ontario Provincial (Canada, 6/2019). STEL: 1000 ppm 15 minutes. CA Saskatchewan Provincial (Canada, 7/2013). STEL: 1250 ppm 15 minutes. TWA: 1000 ppm 8 hours.
	CA Quebec Provincial (Canada, 6/2022). STEV: 1000 ppm 15 minutes.
Sodium hydroxide	CA Alberta Provincial (Canada, 6/2018). C: 2 mg/m <sup>3</sup> CA British Columbia Provincial (Canada, 6/2023). C: 2 mg/m <sup>3</sup> CA Ontario Provincial (Canada, 6/2019).
	Ceiling Limit: 2 mg/m <sup>3</sup> CA Quebec Provincial (Canada, 6/2022). STEV: 2 mg/m <sup>3</sup> 15 minutes. CA Saskatchewan Provincial (Canada, 7/2013). CEIL: 2 mg/m <sup>3</sup>
Biological exposure indices No exposure indices known.	

Appropriate engineering : controls	Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.
Environmental exposure : controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures	
Hygiene measures :	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection :	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/or face shield. If inhalation hazards exist, a full-face respirator may be required instead.
Skin protection	

## Section 8. Exposure controls/personal protection

-	· · ·
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. When there is a risk of ignition from static electricity, wear anti-static protective clothing. For the greatest protection from static discharges, clothing should include anti-static overalls, boots and gloves.
Other skin protection	<ul> <li>Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

# Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

#### **Appearance**

<u>rippourunoo</u>								
Physical state	:	: Liquid.						
Color	:	: Colorless to pale yellow						
Odor	:	: Strong.						
Odor threshold	:	: Not available.						
рН	:	: Not available.						
Melting point/freezing point	:	Not available.						
Boiling point, initial boiling point, and boiling range	:	: Not available.						
Flash point	:	Closed cup: -18 to 2	3°C (-0.4	to 73.4°I	=)			
Evaporation rate	:	Not available.						
Flammability	:	Not applicable.						
Lower and upper explosion limit/flammability limit	:	Not available.						
Vapor pressure	:		Vapo	r Pressu	ure at 20°C	Va	oor press	sure at 50°C
		Ingredient name	mm Hg	kPa	Method	mm Hg	kPa	Method
		acetonitrile	70.88853	9.5	-	-	-	-
		ethanol	42.94865	5.7	-	-	-	-
Defective second second second		Not available.		1	4		I	I
Relative vapor density								
Relative vapor density Relative density	1	Not available.						
	1				Result			
Relative density	1	Not available.			Result Soluble			

7/13

# Section 9. Physical and chemical properties and safety characteristics

Partition coefficient: n- octanol/water	1	Not applicable.			
Auto-ignition temperature	:	Ingredient name	°C	°F	Method
		<mark>∉</mark> thanol	455	851	DIN 51794
		acetonitrile	524	975.2	-
Decomposition temperature	:	Not available.	ŀ	L.	·
Viscosity	:	Not available.			
Particle characteristics					
Median particle size	:	Not applicable.			

# Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: Avoid all possible sources of ignition (spark or flame). Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition.
Incompatible materials	: Reactive or incompatible with the following materials: oxidizing materials metals
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# Section 11. Toxicological information

### Information on toxicological effects

### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Acetonitrile	LC50 Inhalation Vapor	Rat	17100 ppm	4 hours
	LD50 Oral	Rat	2460 mg/kg	-
Ethanol	LC50 Inhalation Vapor	Rat	124700 mg/m <sup>3</sup>	4 hours
	LD50 Oral	Rat	7 g/kg	-

### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Acetonitrile	Eyes - Moderate irritant	Rabbit	-	24 hours 100	-
				uL	
Ethanol	Eyes - Mild irritant	Rabbit	-	24 hours 500	-
				mg	
	Eyes - Moderate irritant	Rabbit	-	0.066666667	-
				minutes 100	
				mg	
	Eyes - Moderate irritant	Rabbit	-	100 uL	-
Sodium hydroxide	Eyes - Severe irritant	Rabbit	-	1 %	-
	Eyes - Severe irritant	Rabbit	-	0.5 minutes	-
ate of issue/Date of revision	: 05/07/2024 Date of pre	vious issue	: 04/29/2020	l Vers	ion:28

### Section 11. Toxicological information

	Eyes - Severe irritant	Rabbit -	1 mg 24 ho ug	urs 50 -
	Skin - Severe irritant	Rabbit -		urs 500 -
Conclusion/Summary Skin Sensitization Not available.	: Repeated exposure m	ay cause skin dryne	ess or cracking.	
<u>Mutagenicity</u> Conclusion/Summary <u>Carcinogenicity</u>	: Not available.			
Conclusion/Summary Classification	: Not available.			
Product/ingredient name	9	IARC	NTP	ACGI
Acetonitrile Ethanol		- 1	-	A4 A3
Reproductive toxicity Conclusion/Summary Teratogenicity	: Not available.			
Conclusion/Summary	: Not available.			
Specific target organ toxic	sity (single exposure)	Catanama	Deute of	Terret
Name		Category	Route of exposure	Target organs
risodium orthophosphate		Category 3	-	Respiratory trac
		Category 3 - Respiratory irritation		
Sodium hydroxide		Category 3	-	
Sodium hydroxide <u>Specific target organ toxic</u> Not available.	<u>city (repeated exposure)</u>	Category 3	-	
Specific target organ toxic	<u>city (repeated exposure)</u>	Category 3	-	
Specific target organ toxic Not available. Aspiration hazard Not available.	city (repeated exposure) : <b>R</b> outes of entry anticip		Inhalation, Eyes.	
Specific target organ toxic Not available. Aspiration hazard Not available. Mot available.	: <b>R</b> outes of entry anticip		Inhalation, Eyes.	
Specific target organ toxic Not available. Aspiration hazard Not available. nformation on the likely outes of exposure cotential acute health effec Eye contact	: <b>R</b> outes of entry anticip	amage.	- Inhalation, Eyes.	
Specific target organ toxic Not available. Aspiration hazard Not available. Not available. Not available. Solution on the likely outes of exposure Potential acute health effect Eye contact Inhalation	: Routes of entry anticip ts : Causes serious eye da : May cause respiratory	amage.	- Inhalation, Eyes.	
Specific target organ toxic Not available. Aspiration hazard Not available. nformation on the likely outes of exposure cotential acute health effect Eye contact Inhalation Skin contact	<ul> <li>Routes of entry anticip</li> <li>Causes serious eye da</li> <li>May cause respiratory</li> <li>Causes severe burns.</li> </ul>	amage. irritation.		irritation
Specific target organ toxic Not available. Aspiration hazard Not available. formation on the likely outes of exposure otential acute health effec Eye contact Inhalation Skin contact	: Routes of entry anticip ts : Causes serious eye da : May cause respiratory	amage. irritation.		irritation
Specific target organ toxic Not available. Aspiration hazard Not available. Not available. Not available. Not available. Solution on the likely outes of exposure Potential acute health effect Eye contact Inhalation Skin contact Ingestion	<ul> <li>Routes of entry anticip</li> <li>Causes serious eye da</li> <li>May cause respiratory</li> <li>Causes severe burns.</li> </ul>	amage. irritation. he digestive tract.	Causes severe bu	irritation

# Section 11. Toxicological information

Inhalation	: Adverse symptoms may include the following: respiratory tract irritation coughing
Skin contact	: Adverse symptoms may include the following: pain or irritation redness blistering may occur
Ingestion	: Adverse symptoms may include the following: stomach pains

<b>Delayed and immediate</b>	effects and also	chronic effects	from short an	d long term expo	osure
-					

: Not available.
: Not available.
: Not available.
: Not available.
ects
: No known significant effects or critical hazards.
: No known significant effects or critical hazards.
: No known significant effects or critical hazards.
: No known significant effects or critical hazards.

### Numerical measures of toxicity

### Acute toxicity estimates

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapors) (mg/l)	Inhalation (dusts and mists) (mg/l)
MFG WIP Oligonucleotide Purification Soln 1-MFG WIP Oligonucleotide Purification Soln 1	2829.8	5813.1	N/A	41.5	N/A
Acetonitrile Ethanol	500 7000	1100 N/A	N/A N/A	11 124.7	N/A N/A

# Section 12. Ecological information

Product/ingredient name	Result	Species	Exposure
risodium orthophosphate	Acute LC50 151 ppm Fresh water	Fish - Gambusia affinis - Adult	96 hours
Acetonitrile	Acute IC50 3685000 µg/l Fresh water	Aquatic plants - <i>Lemna minor</i>	96 hours
	Acute LC50 3600000 µg/l Fresh water	Daphnia - <i>Daphnia magna</i>	48 hours
	Acute LC50 1000000 µg/l Fresh water	Fish - Pimephales promelas	96 hours
	Chronic NOEC 1000000 µg/l Fresh water	Aquatic plants - <i>Lemna minor</i>	96 hours
	Chronic NOEC 160000 µg/l Fresh water	Daphnia - <i>Daphnia magna</i>	21 days
Ethanol	Acute EC50 3306 mg/l Marine water	Algae - Ulva pertusa	96 hours
	Acute EC50 1074 mg/l Fresh water	Crustaceans - Cypris subglobosa	48 hours
Date of issue/Date of revision	: 05/07/2024 Date of previous issue	: 04/29/2020 Version	:2 10/

# Section 12. Ecological information

	- <u>-</u>		
	Acute EC50 2 mg/I Fresh water	Daphnia - <i>Daphnia magna</i>	48 hours
	Acute LC50 11000000 μg/l Marine water	Fish - Alburnus alburnus	96 hours
	Chronic NOEC 4.995 mg/l Marine water	Algae - <i>Ulva pertusa</i>	96 hours
	Chronic NOEC 100 ul/L Fresh water	Daphnia - <i>Daphnia magna</i> - Neonate	21 days
Sodium hydroxide	Acute EC50 40.38 mg/l Fresh water	Crustaceans - Ceriodaphnia dubia - Neonate	48 hours
	Acute LC50 125 ppm Fresh water	Fish - <i>Gambusia affinis</i> - Adult	96 hours

### Persistence and degradability

Product/ingredient name	Test	Result		Dose	Inoculum
Acetonitrile	OECD 310 Ready Biodegradability - CO <sub>2</sub> in Sealed Vessels (Headspace Test)	70 % - Readily - 21	days	-	Activated sludge
Product/ingredient name	Aquatic half-life		Photolysi	s	Biodegradability
Acetonitrile Ethanol Sodium hydroxide	- - -		- - -		Readily Readily Readily

### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
Acetonitrile	-0.34	3	Low
Ethanol	-0.35	0.5	Low

### Mobility in soil

Soil/water partition : Not available. coefficient (Koc)

Other adverse effects : No known significant effects or critical hazards.

# Section 13. Disposal considerations

Disposal methods	The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Vapor from product residues may create a highly flammable or explosive atmosphere inside the container. Do not cut, weld or grind used containers unless they have been cleaned thoroughly internally. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
------------------	---

# Section 14. Transport information

	TDG	Classification	IMDG	ΙΑΤΑ
UN number	UN1993		UN1993	UN1993
UN proper shipping name	FLAMMABI (Ethanol, A	LE LIQUID, N.O.S. cetonitrile)	FLAMMABLE LIQUID, N.O.S. (Ethanol, Acetonitrile)	Flammable liquid, n.o.s. (Ethanol, Acetonitrile)
Transport hazard class(es)	3		3	3
Packing group	11		II	11
Environmental hazards	No.		No.	No.
TDG Classificatio	n	Goods Regulatio <u>Explosive Limit</u> <u>Passenger Carr</u> <u>Special provisio</u>		he Transportation of Dangerous
IMDG	: <u>Emergency schedules</u> F-E, _S-E_ <u>Special provisions</u> 274			
ΙΑΤΑ		<ul> <li>Quantity limitation Passenger and Cargo Aircraft: 5 L. Packaging instructions: 353 Cargo Aircraft Only: 60 L. Packaging instructions: 364. Limited Quantities - Passenger Aircraft: 1 L. Packaging instructions: Y341.</li> <li>Special provisions A3</li> </ul>		
Special precautio	ns for user	upright and secu	<b>n user's premises:</b> always transp re. Ensure that persons transporti ccident or spillage.	
Transport in bulk to IMO instrumen		ng : Not available.		

### Section 15. Regulatory information

### Canadian lists

- Canadian NPRI
- : The following components are listed: phosphorus (total); acetonitrile; ethanol
- CEPA Toxic substances
- : None of the components are listed.

### International regulations

<u>Chemical Weapon Convention List Schedules I, II & III Chemicals</u> Not listed.

### **Montreal Protocol**

Not listed.

### Stockholm Convention on Persistent Organic Pollutants

Not listed.

#### Rotterdam Convention on Prior Informed Consent (PIC)

Date of issue/Date of revision

### Section 15. Regulatory information

Not listed.

### **UNECE Aarhus Protocol on POPs and Heavy Metals**

Not listed.

### Inventory list

Canada	: Not determined.
United States	: All components are active or exempted.

### Section 16. Other information

<u>History</u>	
Date of issue/Date of revision	: 05/07/2024
Date of previous issue	: 04/29/2020
Version	: 2
Key to abbreviations	<ul> <li>ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals HPR = Hazardous Products Regulations IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) N/A = Not available UN = United Nations</li> </ul>

#### Procedure used to derive the classification

Classification	Justification
AMMABLE LIQUIDS - Category 2	Expert judgment
CORROSIVE TO METALS - Category 1	Expert judgment
SKIN CORROSION - Category 1A	Calculation method
SERIOUS EYE DAMAGE - Category 1	Calculation method
SPECIFIC TARGET ORGAN TOXICITY (SINGLE	Calculation method
EXPOSURE) (Respiratory tract irritation) - Category 3	
Health Hazards Not Otherwise Classified - Category 1	Calculation method

Indicates information that has changed from previously issued version.

#### Notice to reader

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.