SAFETY DATA SHEET



PLRP-S Media

Section 1. Identification

Product identifier : PLRP-S Media

Part no. : PL1412-0601(ABI), PL1412-0602(ABI), PL1412-2100, PL1412-2101, PL1412-2102,

PL1412-2103, PL1412-2200, PL1412-2201, PL1412-2400, PL1412-2401, PL1412-2702, PL1412-2703, PL1412-2K00, PL1412-2K01, PL1412-4100, PL1412-4101, PL1412-4102, PL1412-4103, PL1412-4200, PL1412-4201, PL1412-4400, PL1412-4401, PL1412-4702, PL1412-4703, PL1412-4801, PL1412-4A05, PL1412-4K00, PL1412-4K01, PL1412-4K02, PL1412-6100, PL1412-6101, PL1412-6102, PL1412-6103, PL1412-6200, PL1412-6201, PL1412-6400, PL1412-6401, PL1412-6702, PL1412-6703, PL1412-6800, PL1412-6801, PL1412-6K01, PL141

PL1412-6K02

Chemical identity: Benzene, diethenyl-, polymer with ethenylbenzene

Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Reagents and Standards for Analytical Chemistry Laboratory Use

plastic bottles

PL1412-0601(ABI) PLRP-S 300A 50-70um MEDIA (1g) PL1412-0602(ABI) PLRP-S 1000A 50-70um MEDIA (1g)

PL1412-2100 PLRP-S 100A 10um 10g PL1412-2101 PLRP-S 300A 10um 10g PL1412-2102 PLRP-S 1000A 10um 10g PL1412-2103 PLRP-S 4000A 10um 10g PL1412-2200 PLRP-S 100A 15-20um 10a PL1412-2201 PLRP-S 300A 15-20um 10a PL1412-2400 PLRP-S 100A 10-15um 10g PLRP-S 300A 10-15um 10g PL1412-2401 PLRP-S 1000A 30um 10g PL1412-2702 PL1412-2703 PLRP-S 4000A 30um 10g PL1412-2K00 PLRP-S 100A 50um 10g PL1412-2K01 PLRP-S 300A 50um 10g PLRP-S 1000A 50um 10g PL1412-2K02 PLRP-S 100A 10um 100g PL1412-4100 PLRP-S 300A 10um 100g PL1412-4101 PLRP-S 1000A 10um 100g PL1412-4102 PL1412-4103 PLRP-S 4000A 10um 100g PLRP-S 100A 15-20um 100g PL1412-4200 PL1412-4201 PLRP-S 300A 15-20um 100g PL1412-4400 PLRP-S 100A 10-15um 100g PL1412-4401 PLRP-S 300A 10-15um 100g

PL1412-4702 PLRP-S 1000A 30um 100g PL1412-4703 PLRP-S 4000A 30um 100g PLRP-S 300A 8um 100g PL1412-4801 VARITIDE RPC, 100g PL1412-4A05 PLRP-S 100A 50um 100g PL1412-4K00 PL1412-4K01 PLRP-S 300A 50um 100g PL1412-4K02 PLRP-S 1000A 50um 100g PL1412-6100 PLRP-S 100A 10um 1kg PL1412-6101 PLRP-S 300A 10um 1kg PL1412-6102 PLRP-S 1000A 10um 1kg PL1412-6103 PLRP-S 4000A 10um 1kg PLRP-S 100A 15-20um 1kg PL1412-6200 PLRP-S 300A 15-20um 1kg PL1412-6201 PLRP-S 100A 10-15um 1kg PL1412-6400 PL1412-6401 PLRP-S 300A 10-15um 1kg PL1412-6702 PLRP-S 1000A 30um 1kg

Date of issue/Date of revision : 30/06/2023 Date of previous issue : 17/06/2020 Version : 7 1/10

Section 1. Identification

PL1412-6703 PLRP-S 4000A 30um 1kg PL1412-6800 PLRP-S 100A 8um 1kg PL1412-6801 PLRP-S 300A 8um 1kg PL1412-6A05 VARITIDE RPC, 1kg PL1412-6K00 PLRP-S 100A 50um 1kg PL1412-6K01 PLRP-S 300A 50um 1kg PL1412-6K02 PLRP-S 1000A 50um 1kg

Supplier/Manufacturer

Agilent Technologies Australia Pty Ltd

679 Springvale Road

Mulgrave

Victoria 3170, Australia

1800 802 402

Emergency telephone number (with hours of operation)

: CHEMTREC®: +(61)-290372994

Section 2. Hazard(s) identification

Classification of the substance or mixture

Not classified.

GHS label elements

Signal word : No signal word.

Hazard statements : No known significant effects or critical hazards.

Precautionary statements

Prevention : Not applicable. Response : Not applicable. **Storage** : Not applicable. **Disposal** : Not applicable.

Supplemental label elements

Additional warning

phrases

: Not applicable.

result in classification

Other hazards which do not : May form combustible dust concentrations in air.

Section 3. Composition and ingredient information

Substance/mixture : Substance

CAS number/other identifiers

| Ingredient name | % (w/w) | CAS number |
|--|---------|------------|
| Senzene, diethenyl-, polymer with ethenylbenzene | 100 | 9003-70-7 |

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

The total concentration of ingredients in this product, reported or not in this section, is 100%.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower

eyelids. Check for and remove any contact lenses. Get medical attention if irritation

occurs.

Inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Get medical attention if symptoms occur.

Skin contact : Flush contaminated skin with plenty of water. Remove contaminated clothing and

shoes. Get medical attention if symptoms occur.

Ingestion : Wash out mouth with water. If material has been swallowed and the exposed

person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms

occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact: Exposure to airborne concentrations above statutory or recommended exposure

limits may cause irritation of the eyes.

Inhalation : Exposure to airborne concentrations above statutory or recommended exposure

limits may cause irritation of the nose, throat and lungs.

Skin contactIngestionNo known significant effects or critical hazards.No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact: Adverse symptoms may include the following:

irritation redness

Inhalation : Adverse symptoms may include the following:

respiratory tract irritation

coughing

Skin contact : No specific data.

Ingestion : No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large

quantities have been ingested or inhaled.

Specific treatments: No specific treatment.

Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Firefighting measures

Extinguishing media

Suitable extinguishing

...

media

Unsuitable extinguishing

media

: Use dry chemical powder.

: Avoid high pressure media which could cause the formation of a potentially

explosible dust-air mixture.

Specific hazards arising from the chemical

: May form explosible dust-air mixture if dispersed.

Hazardous thermal decomposition products

: Decomposition products may include the following materials:

carbon dioxide carbon monoxide

Date of issue/Date of revision: 30/06/2023Date of previous issue: 17/06/2020Version: 73/10

Section 5. Firefighting measures

Special protective actions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

Special protective equipment for fire-fighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing dust. Put on appropriate personal protective equipment.

For emergency responders

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Environmental precautions

: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and material for containment and cleaning up

Methods for cleaning up

: Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Vacuum or sweep up material and place in a designated, labelled waste container. Dispose of via a licensed waste disposal contractor.

Section 7. Handling and storage

Precautions for safe handling

Protective measures

: Put on appropriate personal protective equipment (see Section 8). Avoid breathing dust. Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Prevent dust accumulation. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Electrical equipment and lighting should be protected to appropriate standards to prevent dust coming into contact with hot surfaces, sparks or other ignition sources. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by earthing and bonding containers and equipment before transferring material.

Advice on general occupational hygiene

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidising materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Date of issue/Date of revision : 30/06/2023 Date of previous issue : 17/06/2020 Version : 7 4/10

Section 8. Exposure controls and personal protection

Control parameters

Occupational exposure limits

| Ingredient name | Exposure limits | |
|--|---|--|
| Benzene, diethenyl-, polymer with ethenylbenzene | ACGIH TLV (United States). Particulates Not Otherwise Specified (PNOS): 10 mg/m³ Form: Inhalable Particulates Not Otherwise Specified (PNOS): 3 mg/m³ Form: Respirable | |

Biological exposure indices

No exposure indices known.

Appropriate engineering controls

: Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapour or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

Environmental exposure controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. If operating conditions cause high dust concentrations to be produced, use dust goggles.

Skin protection

Hand protection

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Body protection

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Date of issue/Date of revision : 30/06/2023 Date of previous issue : 17/06/2020 Version : 7 5/10

Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

Appearance

Physical state : Solid. [Powder.]

Colour : White.

Odour : Not available. **Odour threshold** : Not available. : Not available. Ha : Decomposes **Melting point/freezing point Boiling point, initial boiling** : Not available.

point, and boiling range

: Not applicable. Flash point : Not available. **Evaporation rate** : Not available. **Flammability** : Not applicable. Lower and upper explosion

limit/flammability limit

Vapour pressure : Not available. : Not applicable. Relative vapour density : Not available. Relative density

Solubility(ies) Media Result

water Insoluble

Partition coefficient: n-

octanol/water

≥4

: 500°C (932°F) **Auto-ignition temperature Decomposition temperature** : Not available. **Viscosity** : Not applicable.

Particle characteristics

Median particle size : Not available.

Section 10. Stability and reactivity

Reactivity : No specific test data related to reactivity available for this product or its ingredients.

Chemical stability : The product is stable.

Possibility of hazardous reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid : Avoid the creation of dust when handling and avoid all possible sources of ignition

> (spark or flame). Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by earthing and bonding containers and equipment before transferring material. Prevent dust

accumulation.

Incompatible materials : Reactive or incompatible with the following materials:

oxidising materials

Hazardous decomposition

products

: Under normal conditions of storage and use, hazardous decomposition products

should not be produced.

Date of issue/Date of revision : 30/06/2023 : 17/06/2020 Version: 7 6/10 Date of previous issue

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Not available.

Irritation/Corrosion

Not available.

Sensitisation

Not available.

Mutagenicity

Conclusion/Summary : Not available.

Carcinogenicity

Conclusion/Summary : Not available.

Reproductive toxicity

Conclusion/Summary : Not available.

Teratogenicity

Conclusion/Summary : Not available. Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on likely routes : Not available.

of exposure

Potential acute health effects

Eve contact : Exposure to airborne concentrations above statutory or recommended exposure

limits may cause irritation of the eyes.

Inhalation : Exposure to airborne concentrations above statutory or recommended exposure

limits may cause irritation of the nose, throat and lungs.

Skin contact : No known significant effects or critical hazards. Ingestion : No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : Adverse symptoms may include the following:

irritation redness

Inhalation : Adverse symptoms may include the following:

respiratory tract irritation

coughing

Skin contact : No specific data. Ingestion : No specific data.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

Potential immediate : Not available.

effects

Potential delayed effects : Not available.

Long term exposure

Date of issue/Date of revision 7/10 : 30/06/2023 : 17/06/2020 Version: 7 Date of previous issue

Section 11. Toxicological information

Potential immediate

effects

: Not available.

Potential delayed effects: Not available.

Potential chronic health effects

General : Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation.

Carcinogenicity
 No known significant effects or critical hazards.
 Mutagenicity
 No known significant effects or critical hazards.
 Reproductive toxicity
 No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

N/A

Section 12. Ecological information

Toxicity

Not available.

Persistence and degradability

Not available.

Bioaccumulative potential

| Product/ingredient name | LogPow | BCF | Potential |
|--|--------|------|-----------|
| Benzene, diethenyl-, polymer with ethenylbenzene | ≥4 | <500 | Low |

Mobility in soil

Soil/water partition coefficient (Koc)

: Not available.

Other adverse effects : The products of degradation are more toxic than the product itself.

Section 13. Disposal considerations

Disposal methods

The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Date of issue/Date of revision : 30/06/2023 Date of previous issue : 17/06/2020 Version : 7 8/10

Section 14. Transport information

ADG / IMDG / IATA : Not regulated as Dangerous Goods according to the ADG Code .

Special precautions for user : Transport within user's premises: always transport in closed containers that are

upright and secure. Ensure that persons transporting the product know what to do in

the event of an accident or spillage.

Transport in bulk according : Not available.

to IMO instruments

Section 15. Regulatory information

Standard for the Uniform Scheduling of Medicines and Poisons

Not regulated.

Model Work Health and Safety Regulations - Scheduled Substances

No listed substance

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

Australia : This material is listed or exempted. : This material is listed or exempted. **New Zealand** : This material is active or exempted. **United States**

Section 16. Any other relevant information

History

Date of issue/Date of : 30/06/2023

revision

Date of previous issue : 17/06/2020

: 7 Version

Key to abbreviations : ADG = Australian Dangerous Goods

ADR = The European Agreement concerning the International Carriage of

Dangerous Goods by Road ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships,

1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

N/A = Not available

SUSMP = Standard Uniform Schedule of Medicine and Poisons

UN = United Nations

Date of issue/Date of revision : 30/06/2023 9/10 Date of previous issue : 17/06/2020 Version: 7

Section 16. Any other relevant information

Procedure used to derive the classification

Classification

Not classified.

▼ Indicates information that has changed from previously issued version.

Notice to reader

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

Date of issue/Date of revision : 30/06/2023 Date of previous issue : 17/06/2020 Version : 7 10/10