SAFETY DATA SHEET



ReadyCal-Kit PEOPEG, 3 x 10 Vials, 1.5ml, Part Number PSS-PEOKITR1

Section 1. Identification

Product identifier : ReadyCal-Kit PEOPEG, 3 x 10 Vials, 1.5ml, Part Number PSS-PEOKITR1

Part no. (chemical kit) : PSS-PEOKITR1

Part no. : Due Not available.

Black Not available. Yellow Not available.

Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Reagents and Standards for Analytical Chemistry Laboratory Use

 Blue
 10 vials, 1.5 ml

 Black
 10 vials, 1.5 ml

 Yellow
 10 vials, 1.5 ml

Supplier/Manufacturer : Agilent Technologies Australia Pty Ltd

679 Springvale Road

Mulgrave

Victoria 3170, Australia

1800 802 402

Emergency telephone number (with hours of

operation)

: CHEMTREC®: +(61)-290372994

Section 2. Hazard(s) identification

Classification of the substance or mixture

Yellow

H315 SKIN CORROSION/IRRITATION - Category 2

H319 SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2A

H335 SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE (Respiratory tract

irritation) - Category 3

Yellow Percentage of the mixture consisting of ingredient(s)

of unknown hazards to the aquatic environment: 25%

GHS label elements

Hazard pictograms : Yellow

Signal word : Flue No signal word.

Black No signal word.

Yellow WARNING

Hazard statements : Mo known significant effects or critical hazards.

Black No known significant effects or critical hazards.

Yellow H315 - Causes skin irritation.

H319 - Causes serious eye irritation. H335 - May cause respiratory irritation.

Precautionary statements

Date of issue/Date of revision : 25/04/2024 Date of previous issue : 04/07/2023 Version : 2 1/17

Section 2. Hazard(s) identification

Prevention Blue Not applicable. Black Not applicable.

Yellow P280 - Wear protective gloves. Wear eye or face

protection.

P261 - Avoid breathing vapour.

P264 - Wash thoroughly after handling.

: Blue Response Not applicable.

Black Not applicable.

Yellow P304 + P312 - IF INHALED: Call a POISON

CENTER or doctor if you feel unwell.

: Blue Not applicable. **Storage** Black Not applicable.

Yellow

P403 + P233 - Store in a well-ventilated place. Keep

container tightly closed.

: Blue **Disposal** Not applicable. Black

Not applicable. Yellow

P501 - Dispose of contents and container in accordance with all local, regional, national and

international regulations.

Supplemental label elements

: Blue Not applicable. **Additional warning** Black Not applicable. phrases

> Yellow Not applicable.

Other hazards which do not : Blue

None known. result in classification Black None known. Yellow None known.

Section 3. Composition and ingredient information

: Blue Substance/mixture Substance Black Substance Yellow Mixture

CAS number/other identifiers

Ingredient name	% (w/w)	CAS number	
Blue			
Poly(oxy-1,2-ethanediyl), α -hydro- ω -hydroxy- Ethane-1,2-diol, ethoxylated	100	25322-68-3	
Black			
Poly(oxy-1,2-ethanediyl),α-hydro-ω-hydroxy- Ethane-1,2-diol, ethoxylated	100	25322-68-3	
Yellow			
Poly(oxy-1,2-ethanediyl), α -hydro- ω -hydroxy- Ethane-1,2-diol, ethoxylated	≥75 - ≤90	25322-68-3	
3,6,9,12-tetraoxatetradecane-1,14-diol	≥10 - ≤30	4792-15-8	

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

The total concentration of ingredients in this product, reported or not in this section, is 100%.

Occupational exposure limits, if available, are listed in Section 8.

Date of issue/Date of revision : 25/04/2024 : 04/07/2023 2/17 Date of previous issue Version : 2

Section 4. First aid measures

Description of necessary first aid measures

: Blue Immediately flush eyes with plenty of water, **Eye contact**

> occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get

medical attention if irritation occurs.

Immediately flush eyes with plenty of water,

occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get

medical attention if irritation occurs.

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids.

Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.

Remove victim to fresh air and keep at rest in a

position comfortable for breathing. Get medical

attention if symptoms occur.

Remove victim to fresh air and keep at rest in a

position comfortable for breathing. Get medical

attention if symptoms occur.

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or

if respiratory arrest occurs, provide artificial

respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouthto-mouth resuscitation. Get medical attention. If necessary, call a poison center or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie,

belt or waistband.

Flush contaminated skin with plenty of water.

Remove contaminated clothing and shoes. Get

medical attention if symptoms occur.

Flush contaminated skin with plenty of water.

Remove contaminated clothing and shoes. Get

medical attention if symptoms occur.

Flush contaminated skin with plenty of water.

Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly

before reuse.

: Blue Wash out mouth with water. If material has been

swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical

personnel. Get medical attention if symptoms occur. Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical

personnel. Get medical attention if symptoms occur. Wash out mouth with water. Remove dentures if any.

If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention

Black

Yellow

Inhalation

: Blue

Black

Yellow

Skin contact

: Blue

Black

Yellow

Ingestion

Black

Yellow

Date of issue/Date of revision : 25/04/2024 : 04/07/2023 Version : 2 Date of previous issue

Section 4. First aid measures

if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact: Diue No known significant effects or critical hazards.

Black No known significant effects or critical hazards.

Yellow Causes serious eye irritation.

Inhalation : Due No known significant effects or critical hazards.

Black No known significant effects or critical hazards.

Yellow May cause respiratory irritation.

Skin contact : Due No known significant effects or critical hazards.

Black No known significant effects or critical hazards.

Yellow Causes skin irritation.

Ingestion : Due No known significant effects or critical hazards.

Black No known significant effects or critical hazards. Yellow No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact : Due No specific data.

Black No specific data.

Yellow Adverse symptoms may include the following:

pain or irritation

watering redness

Inhalation : Blue No specific data.

Black No specific data.

Yellow Adverse symptoms may include the following:

respiratory tract irritation

coughing

Skin contact : Due No specific data.

Black No specific data.

Yellow Adverse symptoms may include the following:

irritation redness

Ingestion : Blue No specific data.

Black No specific data. Yellow No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : Diue Treat symptomatically. Contact poison treatment

specialist immediately if large quantities have been

ingested or inhaled.

Black Treat symptomatically. Contact poison treatment

specialist immediately if large quantities have been

ingested or inhaled.

Yellow Treat symptomatically. Contact poison treatment

specialist immediately if large quantities have been

ingested or inhaled.

Specific treatments : Diue No specific treatment.

Black No specific treatment.
Yellow No specific treatment.

Date of issue/Date of revision : 25/04/2024 Date of previous issue : 04/07/2023 Version : 2 4/17

Section 4. First aid measures

Protection of first-aiders : Blue No action shall be taken involving any personal risk

or without suitable training.

Black No action shall be taken involving any personal risk

or without suitable training.

Yellow No action shall be taken involving any personal risk

or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

Section 5. Firefighting measures

Extinguishing media

Suitable extinguishing : Blue Use an extinguishing agent suitable for the surrounding fire.

Black Use an extinguishing agent suitable for the

surrounding fire.

Yellow Use an extinguishing agent suitable for the

surrounding fire.

Unsuitable extinguishing

media

: Diue None known.
Black None known.
Yellow None known.

Specific hazards arising

from the chemical

: Blue In a fire or if heated, a pressure increase will occur

and the container may burst.

Black In a fire or if heated, a pressure increase will occur

and the container may burst.

Yellow In a fire or if heated, a pressure increase will occur

and the container may burst.

Hazardous thermal decomposition products

: Blue

Decomposition products may include the following

materials: carbon dioxide carbon monoxide

Black Decomposition products may include the following

materials: carbon dioxide carbon monoxide

Yellow Decomposition products may include the following

materials: carbon dioxide carbon monoxide

Special protective actions

for fire-fighters

: Blue

Promptly isolate the scene by removing all persons

from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or

without suitable training.

Black Promptly isolate the scene by removing all persons

from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or

without suitable training.

Yellow Promptly isolate the scene by removing all persons

from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or

without suitable training.

Date of issue/Date of revision : 25/04/2024 Date of previous issue : 04/07/2023 Version : 2 5/17

Section 5. Firefighting measures

Special protective equipment for fire-fighters

ie Fire-fighters should wear appropriate protective

equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive

pressure mode.

Black Fire-fighters should wear appropriate protective

equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive

pressure mode.

Yellow Fire-fighters should wear appropriate protective

equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive

pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: Blue

Black

Yellow

Black

Yellow

Black

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal

protective equipment.

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal

protective equipment.

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on

appropriate personal protective equipment.

If specialised clothing is required to deal with the

spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialised clothing is required to deal with the

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Environmental precautions : Blue

For emergency responders: Blue

Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways,

soil or air).

Avoid dispersal of spilt material and runoff and

contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways,

soil or air).

Yellow Avoid dispersal of spilt material and runoff and

contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways,

Date of issue/Date of revision : 25/04/2024 Date of previous issue : 04/07/2023 Version : 2 6/17

Section 6. Accidental release measures

soil or air).

Methods and material for containment and cleaning up

Methods for cleaning up : Blue

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Black

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal container.

disposal contractor.
Yellow Stop leak if without

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Section 7. Handling and storage

Precautions for safe handling

Protective measures : Blue

Put on appropriate personal protective equipment

(see Section 8).

Put on appropriate personal protective equipment

(see Section 8).

Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene

: Blue

Black

Yellow

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face

processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for

additional information on hygiene measures.

Eating, drinking and smoking should be prohibited in

areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for

additional information on hygiene measures.
Eating, drinking and smoking should be prohibited in

areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for

additional information on hygiene measures.

Yellow

Black

Date of issue/Date of revision : 25/04/2024 Date of previous issue : 04/07/2023 Version : 2 7/17

Section 7. Handling and storage

Conditions for safe storage, : Mue including any incompatibilities

Black

Yellow

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Section 8. Exposure controls and personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Blue Poly(oxy-1,2-ethanediyl),α-hydro-ω-hydroxy- Ethane-1,2-diol, ethoxylated	DFG MAC-values list (Germany, 7/2023). PEAK: 400 mg/m³, 4 times per shift, 15 minutes. Form: inhalable fraction TWA: 200 mg/m³ 8 hours. Form: inhalable fraction
Black Poly(oxy-1,2-ethanediyl),α-hydro-ω-hydroxy- Ethane-1,2-diol, ethoxylated	DFG MAC-values list (Germany, 7/2023). PEAK: 400 mg/m³, 4 times per shift, 15 minutes. Form: inhalable fraction TWA: 200 mg/m³ 8 hours. Form: inhalable fraction
Yellow Poly(oxy-1,2-ethanediyl),α-hydro-ω-hydroxy- Ethane-1,2-diol, ethoxylated	DFG MAC-values list (Germany, 7/2023). PEAK: 400 mg/m³, 4 times per shift, 15 minutes. Form: inhalable fraction TWA: 200 mg/m³ 8 hours. Form: inhalable fraction

Biological exposure indices

Date of issue/Date of revision : 25/04/2024 Date of previous issue : 04/07/2023 Version : 2 8/17

Section 8. Exposure controls and personal protection

No exposure indices known.

Appropriate engineering controls

Environmental exposure controls

- : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
- : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

Skin protection

Hand protection

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Body protection

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

Appearance

Odour

Physical state : Flue Solid.
Black Solid.
Yellow Solid.

Colour : Mue White.
Black White.

Yellow Not available.

Blue Odourless.

Black Odourless.

Yellow Not available.

Odour threshold:

Blue Not available.
Black Not available.
Yellow Not available.
Not available.

Yellow Not av
pH : Blue 5 to 7
Black 5.7

Yellow Not available.

Date of issue/Date of revision : 25/04/2024 Date of previous issue : 04/07/2023 Version : 2 9/17

Section 9. Physical and chemical properties and safety characteristics

Melting point/freezing point : Mue

Blue Not available.
Black Not available.
Yellow Not available.
Blue 250°C (482°F)
Black 250°C (482°F)

Boiling point, initial boiling point, and boiling range

: Blue 250°C (482°F)
Black 250°C (482°F)
Yellow Not available.
: Blue Closed cup: 17

Flash point

Closed cup: 171 to 235°C (339.8 to 455°F) Open cup: 199 to 238°C (390.2 to 460.4°F) Closed cup: 171 to 235°C (339.8 to 455°F)

Open cup: 199 to 238°C (390.2 to 460.4°F)

Yellow Not available.

		Closed cup			Open cup		
Ingredient name	°C	°F	Method	°C	°F	Method	
Y ellow							
Poly(oxy- 1,2-ethanediyl),α- hydro-ω-hydroxy- Ethane-1,2-diol, ethoxylated	171 to 235	339.8 to 455	-	199 to 238	390.2 to 460.4	-	

Evaporation rate: Blue Not available.

Black

Black
Yellow
Not available.

Not available.

Not applicable.

Black
Not applicable.

Not applicable.

Not applicable.

Not applicable.

Lower and upper explosion limit/flammability limit

Flammability

BlueNot available.BlackNot available.YellowNot available.

 Vapour pressure
 : ☑ue
 0.00000004 kPa (0.0000003 mm Hg)

 Black
 0.00000004 kPa (0.0000003 mm Hg)

	Vapou	r Pressu	sure at 20°C Vapour pressure at 5		ire at 50°C	
Ingredient name	mm Hg	kPa	Method	mm Hg	kPa	Method
Y ellow						
Poly(oxy- 1,2-ethanediyl),α- hydro-ω-hydroxy- Ethane-1,2-diol, ethoxylated	0.0000003	0.0000004	-	-	-	-
3,6,9,12-tetraoxatetradecane- 1,14-diol	0.000000232	0.000000031	-	-	-	-

Relative vapour density

Black Not available.
Yellow Not available.
Not available.
Not available.

Relative density: Blue 1.13

Black 1.13 Yellow Not available.

Date of issue/Date of revision : 25/04/2024 Date of previous issue : 04/07/2023 Version : 2 10/17

Section 9. Physical and chemical properties and safety characteristics

Solubility(ies) Media Result Blue Soluble water Black water Soluble Yellow water Soluble

Partition coefficient: noctanol/water

Auto-ignition temperature

Blue Not available. Not available. Black Yellow Not applicable. : Rlue 360°C (680°F) Black 360°C (680°F)

Ingredient name	°C	°F	Method
Y ellow			
Poly(oxy-1,2-ethanediyl),α- hydro-ω-hydroxy- Ethane- 1,2-diol, ethoxylated	360	680	-

Decomposition temperature Blue Not available.

Black Not available. Not available. Yellow **B**lue Not available. Not available. Black Not available. Yellow

Particle characteristics

Viscosity

Median particle size : Blue Not applicable. Black Not applicable.

Yellow Not applicable.

Section 10. Stability and reactivity

Blue Reactivity No specific test data related to reactivity available for

this product or its ingredients.

No specific test data related to reactivity available for Black

this product or its ingredients.

Yellow No specific test data related to reactivity available for

this product or its ingredients.

: Blue **Chemical stability** The product is stable.

Black The product is stable. Yellow The product is stable.

Possibility of hazardous

reactions

: Blue Under normal conditions of storage and use,

hazardous reactions will not occur.

Black Under normal conditions of storage and use,

Yellow Under normal conditions of storage and use,

hazardous reactions will not occur.

hazardous reactions will not occur.

: Blue Conditions to avoid No specific data.

> No specific data. Black Yellow No specific data.

Incompatible materials : Blue May react or be incompatible with oxidising materials.

Black May react or be incompatible with oxidising materials. Yellow May react or be incompatible with oxidising materials.

Date of issue/Date of revision : 25/04/2024 : 04/07/2023 Date of previous issue Version : 2 11/17

Section 10. Stability and reactivity

Hazardous decomposition

products

Under normal conditions of storage and use,

hazardous decomposition products should not be

produced.

Black Under normal conditions of storage and use,

hazardous decomposition products should not be

produced.

Yellow Under normal conditions of storage and use,

hazardous decomposition products should not be

produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Not available.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
B lue					
Poly(oxy-1,2-ethanediyl),α- hydro-ω-hydroxy- Ethane- 1,2-diol, ethoxylated	Eyes - Mild irritant	Rabbit	-	24 hours 500 mg	-
	Eyes - Mild irritant	Rabbit	-	500 mg	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 mg	-
	Skin - Mild irritant	Rabbit	-	500 mg	-
Black					
Poly(oxy-1,2-ethanediyl),α-hydro-ω-hydroxy- Ethane-1,2-diol, ethoxylated	Eyes - Mild irritant	Rabbit	-	24 hours 500 mg	-
, ,	Eyes - Mild irritant	Rabbit	_	500 mg	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 mg	-
	Skin - Mild irritant	Rabbit	-	500 mg	-
Yellow					
Poly(oxy-1,2-ethanediyl),α- hydro-ω-hydroxy- Ethane- 1,2-diol, ethoxylated	Eyes - Mild irritant	Rabbit	-	24 hours 500 mg	-
.,_ a.e., e.e.e,	Eyes - Mild irritant	Rabbit	_	500 mg	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 mg	-
	Skin - Mild irritant	Rabbit	-	500 mg	-

Sensitisation

Not available.

Mutagenicity

Conclusion/Summary

: Not available.

Carcinogenicity

Conclusion/Summary

: Not available.

Reproductive toxicity

Conclusion/Summary

: Not available.

Teratogenicity

Conclusion/Summary : Not available.

Specific target organ toxicity (single exposure)

Date of issue/Date of revision : 25/04/2024 : 04/07/2023 Date of previous issue Version : 2 12/17

Section 11. Toxicological information

Name	Category	Route of exposure	Target organs
Yellow 3,6,9,12-tetraoxatetradecane-1,14-diol	Category 3	-	Respiratory tract irritation

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on likely routes

of exposure

: Flue Not available.
Black Not available.
Yellow Not available.

Potential acute health effects

Eye contact : Due No known significant effects or critical hazards.

Black No known significant effects or critical hazards.

Yellow Causes serious eye irritation.

Inhalation : Blue No known significant effects or critical hazards.

Black No known significant effects or critical hazards.

Yellow May cause respiratory irritation.

Skin contact : Due No known significant effects or critical hazards.

Black No known significant effects or critical hazards.

Yellow Causes skin irritation.

Ingestion : Blue No known significant effects or critical hazards.

Black No known significant effects or critical hazards. Yellow No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : Due No specific data.

Black No specific data.

Yellow Adverse symptoms may include the following:

pain or irritation

watering

redness

Inhalation : Due No specific data.

Black No specific data.

Yellow Adverse symptoms may include the following:

respiratory tract irritation

coughing

Skin contact : Blue No specific data.

Black No specific data.

Yellow Adverse symptoms may include the following:

irritation redness

Ingestion : Dive No specific data.

Black No specific data. Yellow No specific data.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

Potential immediate : Not available.

effects

Potential delayed effects : Not available.

Long term exposure

Date of issue/Date of revision : 25/04/2024 Date of previous issue : 04/07/2023 Version : 2 13/17

Section 11. Toxicological information

Potential immediate

Carcinogenicity

effects

: Not available.

Potential delayed effects : Not available.

Potential chronic health effects

General : Blue No known significant effects or critical hazards.

Black No known significant effects or critical hazards. Yellow No known significant effects or critical hazards.

To known significant choose of childer hazards

: Mue No known significant effects or critical hazards.

Black No known significant effects or critical hazards. Yellow No known significant effects or critical hazards.

Mutagenicity : Blue No known significant effects or critical hazards.

Black No known significant effects or critical hazards. Yellow No known significant effects or critical hazards.

Reproductive toxicity : Blue No known significant effects or critical hazards.

Black No known significant effects or critical hazards.

Yellow No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapours) (mg/l)	Inhalation (dusts and mists) (mg/l)
Slue Poly(oxy-1,2-ethanediyl),α-hydro-ω-hydroxy- Ethane-1,2-diol, ethoxylated	28000	N/A	N/A	N/A	N/A
Black Poly(oxy-1,2-ethanediyl),α-hydro-ω-hydroxy- Ethane-1,2-diol, ethoxylated	28000	N/A	N/A	N/A	N/A
Yellow Poly(oxy-1,2-ethanediyl),α-hydro-ω-hydroxy-Ethane-1,2-diol, ethoxylated	28000	N/A	N/A	N/A	N/A

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
Blue Poly(oxy-1,2-ethanediyl),α- hydro-ω-hydroxy- Ethane-	Acute EC50 >100 mg/l Fresh water	Daphnia - <i>Daphnia magna</i>	48 hours
1,2-diol, ethoxylated	Acute LC50 >1000000 μg/l Fresh water	Fish - Salmo salar - Parr	96 hours
Black Poly(oxy-1,2-ethanediyl),α-hydro-ω-hydroxy- Ethane-	Acute EC50 >100 mg/l Fresh water	Daphnia - <i>Daphnia magna</i>	48 hours
1,2-diol, ethoxylated	Acute LC50 >1000000 μg/l Fresh water	Fish - Salmo salar - Parr	96 hours
Yellow Poly(oxy-1,2-ethanediyl),α-hydro-ω-hydroxy- Ethane-1,2-diol, ethoxylated	Acute EC50 >100 mg/l Fresh water	Daphnia - <i>Daphnia magna</i>	48 hours
1,2 2.3, 2.1.2.7, 2.1.2.2	Acute LC50 >1000000 μg/l Fresh water	Fish - <i>Salmo salar</i> - Parr	96 hours

Date of issue/Date of revision : 25/04/2024 Date of previous issue : 04/07/2023 Version : 2 14/17

Section 12. Ecological information

Persistence and degradability

Product/ingredient name	Test	Result	Dose	Inoculum
Flue Poly(oxy-1,2-ethanediyl),α- hydro-ω-hydroxy- Ethane- 1,2-diol, ethoxylated	OECD 301D Ready Biodegradability - Closed Bottle Test	74.85 % - Readily - 28 days	4 mg/l	-
Black Poly(oxy-1,2-ethanediyl),α- hydro-ω-hydroxy- Ethane- 1,2-diol, ethoxylated	OECD 301D Ready Biodegradability - Closed Bottle Test	74.85 % - Readily - 28 days	4 mg/l	-
Yellow Poly(oxy-1,2-ethanediyl),α-hydro-ω-hydroxy- Ethane-1,2-diol, ethoxylated	OECD 301D Ready Biodegradability - Closed Bottle Test	74.85 % - Readily - 28 days	4 mg/l	-

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
Blue Poly(oxy-1,2-ethanediyl),α- hydro-ω-hydroxy- Ethane- 1,2-diol, ethoxylated	-	-	Readily
Black Poly(oxy-1,2-ethanediyl),α-hydro-ω-hydroxy- Ethane-1,2-diol, ethoxylated	-	-	Readily
Yellow Poly(oxy-1,2-ethanediyl),α-hydro-ω-hydroxy- Ethane-1,2-diol, ethoxylated	-	-	Readily

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Elue Poly(oxy-1,2-ethanediyl),α-hydro-ω-hydroxy- Ethane-1,2-diol, ethoxylated	-	3.2	Low
Black Poly(oxy-1,2-ethanediyl),α- hydro-ω-hydroxy- Ethane- 1,2-diol, ethoxylated	-	3.2	Low
Yellow Poly(oxy-1,2-ethanediyl),α-hydro-ω-hydroxy- Ethane-1,2-diol, ethoxylated	-	3.2	Low

Mobility in soil

Date of issue/Date of revision : 25/04/2024 Date of previous issue : 04/07/2023 Version : 2 15/17

Section 12. Ecological information

Soil/water partition coefficient (Koc)

Other adverse effects No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods

The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

ADG / IMDG / IATA : Not regulated as Dangerous Goods according to the ADG Code .

Special precautions for user : Transport within user's premises: always transport in closed containers that are

upright and secure. Ensure that persons transporting the product know what to do in

the event of an accident or spillage.

Transport in bulk according: Not available.

to IMO instruments

Section 15. Regulatory information

Standard for the Uniform Scheduling of Medicines and Poisons

Not regulated.

Model Work Health and Safety Regulations - Scheduled Substances

No listed substance

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Not listed

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

Australia : All components are listed or exempted. **New Zealand** : All components are listed or exempted. **United States** : All components are active or exempted.

Date of issue/Date of revision : 25/04/2024 Date of previous issue : 04/07/2023 Version : 2 16/17

Section 16. Any other relevant information

History

Date of issue/Date of

revision

: 25/04/2024

Date of previous issue

Key to abbreviations

: 04/07/2023 : 2

Version

: ADG = Australian Dangerous Goods

ADR = The European Agreement concerning the International Carriage of

Dangerous Goods by Road ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships,

1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

N/A = Not available

SUSMP = Standard Uniform Schedule of Medicine and Poisons

UN = United Nations

Procedure used to derive the classification

Classification	Justification
SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2A	Calculation method Calculation method Calculation method

[▼] Indicates information that has changed from previously issued version.

Notice to reader

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

Date of issue/Date of revision : 25/04/2024 Date of previous issue : 04/07/2023 Version : 2 17/17