SAFETY DATA SHEET



VariTide RPC in 70 percent acetonitrile - water - more than 10 ml

Section 1. Identification

This product is considered an article. This Safety Data Sheet is written based on the encapsulated substance or mixture in this article.

| Product identifier Part no. Material uses | VariTide RPC in 70 percent acetonitrile - water - more than 10 n PL1012-5A05, PL1E12-5A05, SF1012-5A05, SF1E12-5A05 Analytical chemistry. chromatography column | ml |
|--|--|----|
| | Acetonitrile / Water 7:1 (w/w) Solvent volume: 10 - 30 ml PL1012-5A05 VariTide RPC 250x10mm ID, 14 ml Solvent. SF1012-5A05 VariTide RPC 250x10mm, 14 ml Solvent. Solvent volume: >30 ml PL1E12-5A05 VariTide RPC 250x21.2mm ID, 66 ml Solvent. SF1E12-5A05 VariTide RPC 250x21.2mm, 66 ml Solvent. | |
| Supplier/Manufacturer | Agilent Technologies, Inc. 5301 Stevens Creek Blvd Santa Clara, CA 95051, USA 800-227-9770 | |
| Emergency telephone number (with hours of operation) | CHEMTREC®: 1-800-424-9300 | |

Section 2. Hazard identification

This article, when used under reasonable conditions and in accordance with the directions for use, should not present a health hazard. The substance or mixture is encapsulated in the article. Only if released due to use or processing of the article in a manner not in accordance with the product's directions for use it may present potential health and safety hazards.

Classification of the substance or mixture

| <mark>₩</mark> 225 | FLAMMABLE LIQUIDS - Category 2 |
|--------------------|---|
| H302 | ACUTE TOXICITY (oral) - Category 4 |
| H312 | ACUTE TOXICITY (dermal) - Category 4 |
| H332 | ACUTE TOXICITY (inhalation) - Category 4 |
| H319 | EYE IRRITATION - Category 2A |
| H373 | SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2 |

GHS label elements

Hazard pictograms



| Signal word | Danger | |
|--------------------------|--|--|
| Hazard statements | H225 - Highly flammable liquid and vapor. H302 + H312 + H332 - Harmful if swallowed, in contact with skin or if inhale H319 - Causes serious eye irritation. H373 - May cause damage to organs through prolonged or repeated expos blood system, central nervous system (CNS), kidneys, liver) | |
| Precautionary statements | | |

Date of issue/Date of revision

Section 2. Hazard identification

| Prevention | P280 - Wear protective gloves and protective clothing. Wear eye or face protection. P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P260 - Do not breathe vapor. P270 - Do not eat, drink or smoke when using this product. P264 - Wash thoroughly after handling. |
|------------|--|
| Response | ▶314 - Get medical advice or attention if you feel unwell. P304 + P312 - IF INHALED: Call a POISON CENTER or doctor if you feel unwell. P302 + P312 - IF ON SKIN: Call a POISON CENTER or doctor if you feel unwell. P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical advice or attention. |
| Storage | : Not applicable. |
| Disposal | P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations. |

Section 3. Composition/information on ingredients

This article, when used under reasonable conditions and in accordance with the directions for use, should not present a health hazard. The substance or mixture is encapsulated in the article. Only if released due to use or processing of the article in a manner not in accordance with the product's directions for use it may present potential health and safety hazards.

| Substance/mixture | ÷ | Mixture | (encapsulated in article) |
|-------------------|---|---------|---------------------------|
|-------------------|---|---------|---------------------------|

| Ingredient name | % (w/w) | CAS number | |
|-----------------|---------|------------|--|
| Kcetonitrile | 45 - 70 | 75-05-8 | |

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First-aid measures

Description of necessary first aid measures

| Eye contact | : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention. |
|--------------|---|
| Inhalation | : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention following exposure or if feeling unwell. If necessary, call a poison center or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. |
| Skin contact | : Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention following exposure or if feeling unwell. If necessary, call a poison center or physician. Wash clothing before reuse. Clean shoes thoroughly before reuse. |

Section 4. First-aid measures

| Ingestion | : Wash out mouth with water. Remove dentures if any. If material has been | |
|-----------------------------|---|---------------|
| เกลิธอตุกา | swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do induce vomiting unless directed to do so by medical personnel. If vomiting occu | o not urs, |
| | the head should be kept low so that vomit does not enter the lungs. Get medica attention. If necessary, call a poison center or physician. Never give anything b mouth to an unconscious person. If unconscious, place in recovery position and medical attention immediately. Maintain an open airway. Loosen tight clothing | by d get |
| | as a collar, tie, belt or waistband. | |
| Most important symptoms/e | ects, acute and delayed | |
| Potential acute health effe | | |
| Eye contact | : Causes serious eye irritation. | |
| Inhalation | : Harmful if inhaled. | |
| Skin contact | : Harmful in contact with skin. | |
| Ingestion | : Harmful if swallowed. | |
| Over-exposure signs/symp | <u>ms</u> | |
| Eye contact | : Adverse symptoms may include the following: pain or irritation watering redness | |
| Inhalation | No specific data. | |
| Skin contact | No specific data. | |
| Ingestion | No specific data. | |
| Indication of immediate me | al attention and special treatment needed, if necessary | |
| Notes to physician | In case of inhalation of decomposition products in a fire, symptoms may be dela The exposed person may need to be kept under medical surveillance for 48 hou | |
| Specific treatments | : No specific treatment. | |
| Protection of first-aiders | : No action shall be taken involving any personal risk or without suitable training. is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing the person place of the person place of the person place of the person place. | te n |

See toxicological information (Section 11)

Section 5. Fire-fighting measures

| Extinguishing media | |
|--|--|
| Suitable extinguishing media | : Use dry chemical, CO ₂ , water spray (fog) or foam. |
| Unsuitable extinguishing media | : Do not use water jet. |
| Specific hazards arising from the chemical | : Highly flammable liquid and vapor. Runoff to sewer may create fire or explosion hazard. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. |
| Hazardous thermal decomposition products | : Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides cyanides |
| Date of issue/Date of revision | : 05/18/2022 Date of previous issue : 04/17/2019 Version : 3 3/12 |

thoroughly with water before removing it, or wear gloves.

Section 5. Fire-fighting measures

| Special protective actions for fire-fighters | : | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool. |
|---|---|--|
| Special protective equipment for fire-fighters | : | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |

Section 6. Accidental release measures

| Personal precautions, protect | tiv | e equipment and emergency procedures |
|--------------------------------|-----|---|
| For non-emergency personnel | : | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. |
| For emergency responders | : | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| Environmental precautions | : | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| Methods and materials for co | nta | ainment and cleaning up |
| Methods for cleaning up | : | Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |

Section 7. Handling and storage

Precautions for safe handling

| Protective measures | : Put on appropriate personal protective equipment (see Section 8). Do not breathe vapor or mist. Do not ingest. Avoid contact with eyes, skin and clothing. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Take precautionary measures against electrostatic discharges. Empty containers retain product residue and can be hazardous. Do not reuse container. |
|---|---|
| Advice on general occupational hygiene | : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |

Section 7. Handling and storage

| Conditions for safe storage, including any incompatibilities | area. Store in original container protected from direct sunlight in a dry, cool and well- ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been |
|--|--|
| | opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. |

Section 8. Exposure controls/personal protection

Since the hazardous ingredient in this article is encapsulated, the risk of exposure by inhalation, ingestion, skin contact and eyes contact is minimum.

Control parameters

Occupational exposure limits

| Ingredient name | Exposure limits |
|----------------------|--|
| K cetonitrile | CA Alberta Provincial (Canada, 6/2018). 8 hrs OEL: 34 mg/m³ 8 hours. 8 hrs OEL: 20 ppm 8 hours.CA British Columbia Provincial (Canada, 1/2021). Absorbed through skin. TWA: 20 ppm 8 hours.CA Ontario Provincial (Canada, 6/2019). Absorbed through skin. TWA: 20 ppm 8 hours.CA Quebec Provincial (Canada, 7/2019). TWAEV: 40 ppm 8 hours. TWAEV: 67 mg/m³ 8 hours. STEV: 60 ppm 15 minutes. STEV: 101 mg/m³ 15 minutes.CA Saskatchewan Provincial (Canada, 7/2013). Absorbed through skin. TZEL: 30 ppm 8 hours. |

| Appropriate engineering controls | Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment. |
|-------------------------------------|---|
| Environmental exposure controls | Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. |
| Individual protection measure | |
| Hygiene measures | Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. |

eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Section 8. Exposure controls/personal protection

| • | · · |
|------------------------|---|
| Eye/face protection | : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles. |
| Skin protection | |
| Hand protection | : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. |
| Body protection | : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. When there is a risk of ignition from static electricity, wear anti-static protective clothing. For the greatest protection from static discharges, clothing should include anti-static overalls, boots and gloves. |
| Other skin protection | Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Respiratory protection | : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. |

Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

| <u>Appearance</u> | | | | | | | | |
|---|---|-------------------------|---------------------------------|---------|-------------|----------|-----------|------------|
| Physical state | : | Solid. (containing fla | . (containing flammable liquid) | | | | | |
| Color | : | Colorless. / White. | | | | | | |
| Odor | : | Characteristic. | | | | | | |
| Odor threshold | : | Not available. | | | | | | |
| рН | : | Not available. | | | | | | |
| Melting point/freezing point | : | -46 °C (-50.8 °F) [Ad | cetonitrile] | | | | | |
| Boiling point, initial boiling point, and boiling range | : | 80 °C (176 °F) [Ace | °C (176 °F) [Acetonitrile] | | | | | |
| Flash point | : | 6 °C (42.8 °F) | °C (42.8 °F) | | | | | |
| Evaporation rate | : | Not available. | | | | | | |
| Flammability | : | Contains: Flammab | ontains: Flammable liquid | | | | | |
| Lower and upper explosion limit/flammability limit | : | Lower: 4% Upper: 16% | | | | | | |
| Vapor pressure | : | | Vapo | r Press | ure at 20°C | Vap | or pressu | re at 50°C |
| | | Ingredient name | mm Hg | kPa | Method | mm Hg | kPa | Method |
| | | Acetonitrile | 70.89 | 9.5 | | | | |
| | | water | 23.8 | 3.2 | | 92.258 | 12.3 | |
| Relative vapor density | : | Not available. | | 1 | | | | 1 |
| Date of issue/Date of revision | | : 05/18/2022 Date of | previous is | sue | :04/17/2019 | | Version | :3 6/1 |

Section 9. Physical and chemical properties and safety characteristics

| Relative density | 1 | 0.3 to 0.781 |
|--|---|--|
| Density | 1 | 0.3 to 0.781 g/cm ³ |
| Solubility | : | Mobile phase: Soluble Stationary phase: Insoluble |
| Partition coefficient: n- octanol/water | : | Not applicable. |
| Auto-ignition temperature | 1 | 432.2°C (810°F) |
| Decomposition temperature | 1 | Not available. |
| Viscosity | 1 | Not available. |
| Particle characteristics | | |
| Median particle size | : | Not applicable. |
| | | |

Section 10. Stability and reactivity

| Reactivity | : No specific test data related to reactivity available for this product or its ingredients. |
|------------------------------------|---|
| Chemical stability | : The product is stable. |
| Possibility of hazardous reactions | : Under normal conditions of storage and use, hazardous reactions will not occur. |
| Conditions to avoid | : Avoid all possible sources of ignition (spark or flame). Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition. |
| Incompatible materials | : Reactive or incompatible with the following materials: oxidizing materials |
| Hazardous decomposition products | : Under normal conditions of storage and use, hazardous decomposition products should not be produced. |

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

| Product/ingredient name | Result | Species | Dose | Exposure |
|-------------------------|-----------------------|---------|------------|----------|
| Acetonitrile | LC50 Inhalation Vapor | Rat | 17100 ppm | 4 hours |
| | LD50 Oral | Rat | 2460 mg/kg | - |

Irritation/Corrosion

| Product/ingredient name | Result | Species | Score | Exposure | Observation |
|-------------------------|--------------------------|---------|-------|--------------------|-------------|
| Acetonitrile | Eyes - Moderate irritant | Rabbit | - | 24 hours 100 uL | - |
| | Skin - Mild irritant | Rabbit | - | 500 mg | - |

Sensitization

Not available.

Mutagenicity

Conclusion/Summary : Not available.

Carcinogenicity Conclusion/Summary : Not available.

Date of issue/Date of revision

: 05/18/2022 Date of previous issue

Section 11. Toxicological information

| Classification | | | |
|-------------------------|------|-----|-------|
| Product/ingredient name | IARC | NTP | ACGIH |
| Acetonitrile | - | - | A4 |

Reproductive toxicityConclusion/Summary: Not available.

Teratogenicity

Conclusion/Summary : Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

| Name | Category | Route of exposure | Target organs |
|--------------|------------|-------------------|---|
| Acetonitrile | Category 2 | - | blood system, central nervous system (CNS), kidneys, liver |

Aspiration hazard

Not available.

| Information on the likely routes of exposure | : | Routes of entry anticipated: Oral, Dermal, Inhalation. |
|--|-----|--|
| Potential acute health effects | | |
| Eye contact | : | Causes serious eye irritation. |
| Inhalation | : | Harmful if inhaled. |
| Skin contact | : | Harmful in contact with skin. |
| Ingestion | : | Harmful if swallowed. |
| Symptoms related to the physical | sic | al, chemical and toxicological characteristics |
| Eye contact | : | Adverse symptoms may include the following: pain or irritation watering redness |
| Inhalation | : | No specific data. |
| Skin contact | 1 | No specific data. |
| Ingestion | ; | No specific data. |
| Delayed and immediate effect | ts | and also chronic effects from short and long term exposure |
| <u>Short term exposure</u> | | |
| Potential immediate effects | : | Not available. |
| Potential delayed effects | : | Not available. |
| Long term exposure | | |
| Potential immediate effects | : | Not available. |
| Potential delayed effects | : | Not available. |
| Potential chronic health effe | ct | <u>s</u> |

Date of issue/Date of revision

Section 11. Toxicological information

| General | : May cause damage to organs through prolonged or repeated exposure. |
|-----------------------|--|
| Carcinogenicity | : No known significant effects or critical hazards. |
| Mutagenicity | : No known significant effects or critical hazards. |
| Reproductive toxicity | : No known significant effects or critical hazards. |
| | |

Numerical measures of toxicity

Acute toxicity estimates

| Product/ingredient name | Oral (mg/ kg) | Dermal (mg/kg) | | Inhalation (vapors) (mg/l) | Inhalation (dusts and mists) (mg/l) |
|--|------------------|-------------------|------------|----------------------------------|--|
| VariTide RPC in 70 percent acetonitrile - water - more than 10 ml Acetonitrile | 909.1 500 | | N/A N/A | 20 11 | N/A N/A |

Section 12. Ecological information

| Τ | oxi | icit | Y |
|---|-----|------|---|
| _ | | | |

| Product/ingredient name | Result | Species | Exposure |
|-------------------------|---|--|---|
| Acetonitrile | Acute IC50 3685000 µg/l Fresh water Acute LC50 3600000 µg/l Fresh water Acute LC50 1000000 µg/l Fresh water Chronic NOEC 1000000 µg/l Fresh water Chronic NOEC 160000 µg/l Fresh water | Aquatic plants - Lemna minor Daphnia - Daphnia magna Fish - Pimephales promelas Aquatic plants - Lemna minor Daphnia - Daphnia magna | 96 hours 48 hours 96 hours 96 hours 21 days |

Persistence and degradability

| Product/ingredient name | Test | Result | Dose | Inoculum |
|-------------------------|--|---------------------|------------|------------------|
| Cetonitrile | OECD 310 Ready Biodegradability - CO ₂ in Sealed Vessels (Headspace Test) | 70 % - Readily - 21 | days - | Activated sludge |
| Product/ingredient name | Aquatic half-life | | Photolysis | Biodegradability |
| Acetonitrile | - | | - | Readily |

Bioaccumulative potential

| Product/ingredient name | LogPow | BCF | Potential |
|-------------------------|--------|-----|-----------|
| Acetonitrile | -0.34 | 3 | low |

| Mobility in soil Soil/water partition coefficient (Koc) | : Not available. |
|---|---|
| Other adverse effects | : No known significant effects or critical hazards. |

:04/17/2019

Date of issue/Date of revision

: 05/18/2022 Date of previous issue

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Vapor from product residues may create a highly flammable or explosive atmosphere inside the container. Do not cut, weld or grind used containers unless they have been cleaned thoroughly internally. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

This Safety Data Sheet is written based on the encapsulated substance or mixture in this article. Since the hazardous ingredient is encapsulated, the risk of exposure by inhalation, ingestion, skin contact and eyes contact is minimum.

| | TDG C | lassification | IMDG | IATA |
|---|---|---|--|--|
| UN number | UN3175 | | UN3175 | UN3175 |
| UN proper shipping name | SOLIDS CO FLAMMABL (Acetonitrile) | E LIQUID, N.O.S. | SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Acetonitrile) | Solids containing flammable liquid, n.o.s. (Acetonitrile) |
| Transport hazard class(es) | 4.1 | | 4.1 | 4.1 |
| Packing group | 11 | | П | П |
| Environmental hazards | No. | | No. | No. |
| Proof of classifica statement <u>Additional informa</u> TDG Classification | <u>ation</u> n | Goods Regulation Product classified Goods Regulation Explosive Limit a Passenger Carry Special provision | | |
| IMDG | : <u>Emergency schedules</u> F-A, S-I <u>Special provisions</u> 216, 274 | | | |
| ΙΑΤΑ | Quantity limitation Passenger and Cargo Aircraft: 15 kg. Packaging instructions: 445. Cargo Aircraft Only: 50 kg. Packaging instructions: 448. Limited Quantities - Passenger Aircraft: 5 kg. Packaging instructions: Y441. | | | tions: 448. Limited Quantities - |
| Special precaution | ns for user | upright and secur | user's premises: always transporter. E. Ensure that persons transportir ecident or spillage. | ort in closed containers that are ng the product know what to do in |
| | | | | |

Date of issue/Date of revision

Section 14. Transport information

Transport in bulk according : Not available. to IMO instruments

Section 15. Regulatory information

Canadian lists Canadian NPRI

: The following components are listed: acetonitrile

CEPA Toxic substances

: None of the components are listed.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

| Australia | : 🕅 components are listed or exempted. |
|-------------------|--|
| Canada | : 🕅 components are listed or exempted. |
| China | : All components are listed or exempted. |
| Europe | : All components are listed or exempted. |
| Japan | Japan inventory (CSCL): All components are listed or exempted. Japan inventory (ISHL): All components are listed or exempted. |
| New Zealand | : 🕅 components are listed or exempted. |
| Philippines | : Not determined. |
| Republic of Korea | : 🕅 components are listed or exempted. |
| Taiwan | : All components are listed or exempted. |
| Thailand | : Not determined. |
| Turkey | : All components are listed or exempted. |
| United States | : 🕅 components are active or exempted. |
| Viet Nam | : Not determined. |

Section 16. Other information

| <u>History</u> | |
|--------------------------------|--------------|
| Date of issue/Date of revision | : 05/18/2022 |
| Date of previous issue | : 04/17/2019 |
| Version | : 3 |

Section 16. Other information

| Key to abbreviations | : ATE = Acute Toxicity Estimate |
|----------------------|---|
| - | BCF = Bioconcentration Factor |
| | GHS = Globally Harmonized System of Classification and Labelling of Chemicals |
| | HPR = Hazardous Products Regulations |
| | IATA = International Air Transport Association |
| | IBC = Intermediate Bulk Container |
| | IMDG = International Maritime Dangerous Goods |
| | LogPow = logarithm of the octanol/water partition coefficient |
| | MARPOL = International Convention for the Prevention of Pollution From Ships, |
| | 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) |
| | N/A = Not available |
| | UN = United Nations |
| | |

Procedure used to derive the classification

| Classification | Justification |
|--|---|
| AMMABLE LIQUIDS - Category 2 ACUTE TOXICITY (oral) - Category 4 ACUTE TOXICITY (dermal) - Category 4 ACUTE TOXICITY (inhalation) - Category 4 EYE IRRITATION - Category 2A SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2 | On basis of test data Calculation method Calculation method Calculation method Calculation method Calculation method |

References : Not available.

✓ Indicates information that has changed from previously issued version.

Notice to reader

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.