Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by UK REACH Regulation SI 2019/758

SAFETY DATA SHEET

🗧 Agilent Technologies

1/14

VariTide RPC in 70 percent acetonitrile - water - more than 10 ml

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

This product is considered an article. This Safety Data Sheet is written based on the encapsulated substance or mixture in this article.

| 1.1 Product identifier | |
|---------------------------|---|
| Product name | : VariTide RPC in 70 percent acetonitrile - water - more than 10 ml |
| Part no. | : PL1012-5A05, PL1E12-5A05, SF1012-5A05, SF1E12-5A05 |
| 1.2 Relevant identified u | uses of the substance or mixture and uses advised against |
| Material uses | : Analytical chemistry. chromatography column |
| | Acetonitrile / Water 7:1 (w/w) |
| | Solvent volume: 10 - 30 ml |
| | PL1012-5A05 VariTide RPC 250x10mm ID, 14 ml Solvent. |
| | |

PL1012-5A05VariTide RPC 250x10mm ID, 14 ml Solvent.SF1012-5A05VariTide RPC 250x10mm, 14 ml Solvent.Solvent volume: >30 mlVariTide RPC 250x21.2mm ID, 66 ml Solvent.SF1E12-5A05VariTide RPC 250x21.2mm, 66 ml Solvent.

1.3 Details of the supplier of the safety data sheet

Agilent Technologies LDA UK Ltd. 5500 Lakeside Cheadle Royal Business Park, Cheadle, Cheshire, SK8 3GR United Kingdom Tel: +44 (0) 345 712 5292

e-mail address of person : pdl-msds_author@agilent.com responsible for this SDS

1.4 Emergency telephone number

. . .

. . . .

.....

Emergency telephone : CHEMTREC®: +(44)-870-8200418 number (with hours of operation)

SECTION 2: Hazards identification

This article, when used under reasonable conditions and in accordance with the directions for use, should not present a health hazard. The substance or mixture is encapsulated in the article. Only if released due to use or processing of the article in a manner not in accordance with the product's directions for use it may present potential health and safety hazards.

Product definition : Mixture (encapsulated in article)

| Classification according to | Regulation (| (EC) No. 1272/2008 | [CLP/GHS] |
|-----------------------------|---------------------|--------------------|-----------|
| | | | |

| ⊮ 225 | FLAMMABLE LIQUIDS | Category 2 |
|--------------|-----------------------------------|------------|
| H302 | ACUTE TOXICITY (oral) | Category 4 |
| H312 | ACUTE TOXICITY (dermal) | Category 4 |
| H332 | ACUTE TOXICITY (inhalation) | Category 4 |
| H319 | SERIOUS EYE DAMAGE/EYE IRRITATION | Category 2 |
| | | - 5 5 |

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

| Date of issue/Date of revision | : 18/05/2022 | Date of previous issue | : 17/04/2019 | Version : 3 |
|--------------------------------|--------------|------------------------|--------------|-------------|
| | | | | |

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by UK REACH Regulation SI 2019/758 VariTide RPC in 70 percent acetonitrile - water - more than 10 ml

SECTION 2: Hazards identification

| Hazard pictograms | |
|---|--|
| Signal word | : Danger |
| Hazard statements | H225 - Highly flammable liquid and vapour. H302 + H312 + H332 - Harmful if swallowed, in contact with skin or if inhaled. H319 - Causes serious eye irritation. |
| Precautionary statements | |
| Prevention | P280 - Wear protective gloves and protective clothing. Wear eye or face protection. P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P261 - Avoid breathing vapour. P270 - Do not eat, drink or smoke when using this product. |
| Response | : ₱304 + P312 - IF INHALED: Call a POISON CENTER or doctor if you feel unwell. |
| Storage | : Not applicable. |
| Disposal | : P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations. |
| Hazardous ingredients | : - acetonitrile |
| Supplemental label elements | : Not applicable. |
| Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles | : Not applicable. |
| Special packaging require | <u>ments</u> |
| Tactile warning of danger | : Not applicable. |
| 2.3 Other hazards | |
| Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII | : This mixture does not contain any substances that are assessed to be a PBT or a vPvB. |
| Other hazards which do not result in classification | : None known. |

SECTION 3: Composition/information on ingredients

This article, when used under reasonable conditions and in accordance with the directions for use, should not present a health hazard. The substance or mixture is encapsulated in the article. Only if released due to use or processing of the article in a manner not in accordance with the product's directions for use it may present potential health and safety hazards.

3.1 Substances

: Mixture (encapsulated in article)

SECTION 3: Composition/information on ingredients

| Product/ingredient name | Identifiers | % | Regulation (EC) No. 1272/2008 [CLP] | Туре |
|-------------------------|--|-----------|--|---------|
| Acetonitrile | EC: 200-835-2 CAS: 75-05-8 Index: 608-001-00-3 | ≥50 - ≤75 | Flam. Liq. 2, H225 Acute Tox. 4, H302 Acute Tox. 4, H312 Acute Tox. 4, H332 Eye Irrit. 2, H319 | [1] [2] |
| | | | See Section 16 for the full text of the H statements declared above. | |

There are no additional ingredients present which, within the current knowledge of the supplier, are classified and contribute to the classification of the substance and hence require reporting in this section.

Туре

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

[3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII

[4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

[5] Substance of equivalent concern

[6] Additional disclosure due to company policy

SECTION 4: First aid measures

4.1 Description of first aid measures

| Eye contact | : | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention. |
|----------------------------|---|---|
| Inhalation | : | Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If necessary, call a poison center or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. |
| Skin contact | : | Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention if adverse health effects persist or are severe. If necessary, call a poison center or physician. Wash clothing before reuse. Clean shoes thoroughly before reuse. |
| Ingestion | : | Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. If necessary, call a poison center or physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |
| Protection of first-aiders | : | No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. |

4.2 Most important symptoms and effects, both acute and delayed

| Date of issue/Date of revision : 18/05/2022 Date of previous issue | : 17/04/2019 | Version : 3 | 3/14 |
|--|--------------|-------------|------|
|--|--------------|-------------|------|

SECTION 4: First aid measures

| Potential acute health | <u>effects</u> |
|--------------------------|--|
| Eye contact | : Causes serious eye irritation. |
| Inhalation | : Harmful if inhaled. |
| Skin contact | : Harmful in contact with skin. |
| Ingestion | : Harmful if swallowed. |
| Over-exposure signs/s | symptoms |
| Eye contact | : Adverse symptoms may include the following: pain or irritation watering redness |
| Inhalation | : No specific data. |
| Skin contact | : No specific data. |
| Ingestion | : No specific data. |
| 4.3 Indication of any im | mediate medical attention and special treatment needed |
| Notes to physician | : In case of inhalation of decomposition products in a fire, symptoms may be delayed. |

The exposed person may need to be kept under medical surveillance for 48 hours.

| Specific treatments | : No specific treatment. |
|---------------------|--------------------------|
|---------------------|--------------------------|

SECTION 5: Firefighting measures

| | - |
|--|--|
| 5.1 Extinguishing media Suitable extinguishing media | : Use dry chemical, CO ₂ , water spray (fog) or foam. |
| Unsuitable extinguishing media | : Do not use water jet. |

5.2 Special hazards arising from the substance or mixture

| one oppoolationalation at toting | |
|---|---|
| Hazards from the substance or mixture | : Highly flammable liquid and vapour. Runoff to sewer may create fire or explosion hazard. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. |
| Hazardous combustion products | : Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides cyanides |
| 5.3 Advice for firefighters | |
| Special precautions for fire-fighters | : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool. |
| Special protective equipment for fire- fighters | : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents. |

SECTION 6: Accidental release measures

| 6.1 Personal precautions | s, protective equipment and emergency procedures |
|--------------------------------|--|
| For non-emergency personnel | : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. |

| Date of issue/Date of revision : | 18/05/2022 | Date of previous issue | : 17/04/2019 | Version : 3 | 4/14 |
|----------------------------------|------------|------------------------|--------------|-------------|------|
|----------------------------------|------------|------------------------|--------------|-------------|------|

SECTION 6: Accidental release measures

| For emergency responders | : | If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
|---------------------------------|----|--|
| 6.2 Environmental precautions | : | Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| 6.3 Methods and material f | or | containment and cleaning up |
| Methods for cleaning up | : | Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| 6.4 Reference to other sections | : | See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information. |
| | | |

SECTION 7: Handling and storage

7.1 Precautions for safe handling

| Protective measures | : Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Take precautionary measures against electrostatic discharges. Empty containers retain product residue and can be hazardous. Do not reuse container. |
|---|---|
| Advice on general occupational hygiene | : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |

7.2 Conditions for safe storage, including any incompatibilities

: Store in accordance with local regulations. Store in a segregated and approved area. **Storage** Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidising materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Seveso Directive - Reporting thresholds

Danger criteria Notification and MAPP Category Safety report threshold threshold P5c 5000 tonne 50000 tonne

7.3 Specific end use(s)

- **Recommendations**
- : Industrial applications, Professional applications.

Industrial sector specific : Not available. solutions

Date of issue/Date of revision Date of previous issue : 18/05/2022 : 17/04/2019 Version : 3 5/14

SECTION 8: Exposure controls/personal protection

Since the hazardous ingredient in this article is encapsulated, the risk of exposure by inhalation, ingestion, skin contact and eyes contact is minimum.

8.1 Control parameters

Occupational exposure limits

| Product/ingredient name | Exposure limit values |
|-------------------------|---|
| Acetonitrile | EH40/2005 WELs (United Kingdom (UK), 1/2020). |
| | STEL: 102 mg/m ³ 15 minutes. |
| | STEL: 60 ppm 15 minutes. |
| | TWA: 40 ppm 8 hours. |
| | TWA: 68 mg/m ³ 8 hours. |

If this product contains ingredients with exposure limits, personal, workplace Recommended atmosphere or biological monitoring may be required to determine the effectiveness of monitoring procedures the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNELs/DMELs

| Product/ingredient name | Туре | Exposure | Value | Population | Effects |
|-------------------------|------|--------------------------|-----------------------|-----------------------|----------|
| Acetonitrile | DNEL | Short term Oral | 0.6 mg/kg bw/day | General population | Systemic |
| | DNEL | Long term Inhalation | 4.8 mg/m ³ | General population | Local |
| | DNEL | Long term Inhalation | 4.8 mg/m ³ | General population | Systemic |
| | DNEL | Short term Inhalation | 22 mg/m³ | General population | Local |
| | DNEL | Long term Dermal | 32.2 mg/kg bw/day | Workers | Systemic |
| | DNEL | Short term Inhalation | 68 mg/m³ | Workers | Local |
| | DNEL | Long term Inhalation | 68 mg/m³ | Workers | Local |
| | DNEL | Short term Inhalation | 68 mg/m³ | Workers | Systemic |
| | DNEL | Long term Inhalation | 68 mg/m³ | Workers | Systemic |
| | DNEL | Short term Inhalation | 220 mg/m³ | General population | Systemic |

PNECs

No PNECs available

8.2 Exposure controls

Appropriate engineering controls

: Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapour or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

Individual protection measures

SECTION 8: Exposure controls/personal protection

| • | |
|---------------------------------|--|
| Hygiene measures | : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. |
| Eye/face protection | : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles. |
| Skin protection | |
| Hand protection | : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. |
| Body protection | : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. When there is a risk of ignition from static electricity, wear antistatic protective clothing. For the greatest protection from static discharges, clothing should include anti-static overalls, boots and gloves. Refer to European Standard EN 1149 for further information on material and design requirements and test methods. |
| Other skin protection | : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Respiratory protection | : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. |
| Environmental exposure controls | : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. |

SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

9.1 Information on basic physical and chemical properties

| Appearance | | |
|---|--|---|
| Physical state | : Solid. (containing flammable liquid) | |
| Colour | : Colourless. / White. | |
| Odour | : Characteristic. | |
| Odour threshold | : Not available. | |
| Melting point/freezing point | : -46 °C [Acetonitrile] | |
| Initial boiling point and boiling range | : 80 °C (176 °F) [Acetonitrile] | |
| Flammability (solid, gas) | : Contains: Flammable liquid | |
| Upper/lower flammability or explosive limits | : Lower: 4% Upper: 16% | |
| Flash point | : 6 °C (42.8 °F) | |
| Auto-ignition temperature | : 432.2°C (810°F) | |
| Decomposition temperature | : Not available. | |
| рН | : Not available. | |
| Date of issue/Date of revision | : 18/05/2022 Date of previous issue : 17/04/2019 Version : | 3 |

7/14

| Viscosity | 1 | Not available. | |
|--|---|---|------|
| Solubility(ies) | | Mobile phase: Solubl Stationary phase: Ins | |
| Partition coefficient: n- octanol/water | : | Not applicable. | |
| Vapour pressure | : | | Vapo |
| | | Ingredient name | mm H |

| ÷, | | Vapour Pressure at 20°C | | Va | Vapour pressure at 50°C | | |
|----|-----------------|-------------------------|-----|--------|-------------------------|------|--------|
| | Ingredient name | mm Hg | kPa | Method | mm Hg | kPa | Method |
| | Acetonitrile | 70.89 | 9.5 | | | | |
| | water | 23.8 | 3.2 | | 92.258 | 12.3 | |
| | Not available | | | • | | | |

| : Not available. |
|----------------------------------|
| : 0.3 to 0.781 |
| : 0.3 to 0.781 g/cm ³ |
| : Not available. |
| : Not available. |
| : Not available. |
| |
| : Not applicable. |
| |

No additional information.

| SECTION 10: Stabi | SECTION 10: Stability and reactivity | | | |
|--|---|--|--|--|
| 10.1 Reactivity | : No specific test data related to reactivity available for this product or its ingredients. | | | |
| 10.2 Chemical stability | : The product is stable. | | | |
| 10.3 Possibility of hazardous reactions | : Under normal conditions of storage and use, hazardous reactions will not occur. | | | |
| 10.4 Conditions to avoid | : Avoid all possible sources of ignition (spark or flame). Do not pressurise, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition. | | | |
| 10.5 Incompatible materials | : Reactive or incompatible with the following materials: oxidising materials | | | |
| 10.6 Hazardous decomposition products | : Under normal conditions of storage and use, hazardous decomposition products should not be produced. | | | |

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

| Product/ingredient name | Result | Species | Dose | Exposure |
|-------------------------|------------------------|---------|------------|----------|
| Acetonitrile | LC50 Inhalation Vapour | Rat | 17100 ppm | 4 hours |
| | LD50 Oral | Rat | 2460 mg/kg | - |

Acute toxicity estimates

SECTION 11: Toxicological information

| Product/ingredient name | Oral (mg/ kg) | Dermal (mg/kg) | Inhalation (gases) (ppm) | Inhalation (vapours) (mg/l) | Inhalation (dusts and mists) (mg/l) |
|--|------------------|-------------------|--------------------------------|-----------------------------------|--|
| VariTide RPC in 70 percent acetonitrile - water - more than 10 ml Acetonitrile | 909.1 500 | 2000 1100 | N/A N/A | 20 11 | N/A N/A |

Irritation/Corrosion

| Product/ingredient name | Result | Species | Score | Exposure | Observation |
|---|--|-------------------|--------------|-------------------|----------------|
| Acetonitrile | Eyes - Moderate irritant | Rabbit | - | 24 hours 100 | - |
| | Skin - Mild irritant | Rabbit | - | uL 500 mg | - |
| <u>Sensitiser</u> | | | | | |
| Conclusion/Summary | Not available. | | | | |
| <u>Mutagenicity</u> | | | | | |
| Conclusion/Summary | Not available. | | | | |
| <u>Carcinogenicity</u> | | | | | |
| Conclusion/Summary | Not available. | | | | |
| Reproductive toxicity | | | | | |
| Conclusion/Summary | Not available. | | | | |
| Teratogenicity | | | | | |
| Conclusion/Summary | Not available. | | | | |
| Specific target organ toxici | t <u>y (single exposure)</u> | | | | |
| Not available. | | | | | |
| Specific target organ toxici | t <u>y (repeated exposure)</u> | | | | |
| Not available. | | | | | |
| Aspiration hazard | | | | | |
| Not available. | | | | | |
| Information on likely routes of exposure | : Routes of entry anticipated: O | ral, Dermal, Inha | alation. | | |
| Potential acute health effec | <u>ts</u> | | | | |
| Inhalation | : Harmful if inhaled. | | | | |
| Ingestion | : Harmful if swallowed. | | | | |
| Skin contact | : Harmful in contact with skin. | | | | |
| Eye contact | : Causes serious eye irritation. | | | | |
| Symptoms related to the ph | ysical, chemical and toxicolog | gical characteri | <u>stics</u> | | |
| Inhalation | : No specific data. | | | | |
| Ingestion | No specific data. | | | | |
| Skin contact | No specific data. | | | | |
| Eye contact | : Adverse symptoms may includ pain or irritation watering redness | le the following: | | | |
| Delayed and immediate effe | ects as well as chronic effects | from short and | long-teri | <u>n exposure</u> | |
| Short term exposure | | | | | |
| Potential immediate effects | : Not available. | | | | |
| Potential delayed effects | : Not available. | | | | |
| Long term exposure | | | | | |
| ate of issue/Date of revision | : 18/05/2022 Date of previous issu | re : 17/04/2 | 019 | Version | :3 9 /1 |

SECTION 11: Toxicological information

| Potential immediate effects | : Not available. |
|-----------------------------|---|
| Potential delayed effects | : Not available. |
| Potential chronic health e | ffects |
| General | : No known significant effects or critical hazards. |
| Carcinogenicity | : No known significant effects or critical hazards. |
| Mutagenicity | : No known significant effects or critical hazards. |
| Reproductive toxicity | : № known significant effects or critical hazards. |

SECTION 12: Ecological information

12.1 Toxicity

| Product/ingredient name | Result | Species | Exposure |
|-------------------------|---|--|---|
| Acetonitrile | Acute IC50 3685000 µg/l Fresh water Acute LC50 3600000 µg/l Fresh water Acute LC50 1000000 µg/l Fresh water Chronic NOEC 1000000 µg/l Fresh water Chronic NOEC 160000 µg/l Fresh water | Aquatic plants - Lemna minor Daphnia - Daphnia magna Fish - Pimephales promelas Aquatic plants - Lemna minor Daphnia - Daphnia magna | 96 hours 48 hours 96 hours 96 hours 21 days |

12.2 Persistence and degradability

| Product/ingredient name | Test | Result | | Dose | | Inoculum |
|-------------------------|--|--------|-----------------|------|---------|------------------|
| Acetonitrile | OECD 310 Ready Biodegradability - CO2 in Sealed Vessels (Headspace Test) | | adily - 21 days | - | | Activated sludge |
| Product/ingredient name | Aquatic half-life | | Photolysis | | Biodeg | radability |
| Acetonitrile | - | | - | | Readily | |

12.3 Bioaccumulative potential

| Product/ingredient name | LogPow | BCF | Potential |
|-------------------------|--------|-----|-----------|
| Acetonitrile | -0.34 | 3 | low |

| 12.4 Mobility in soil | |
|---|------------------|
| Soil/water partition coefficient (Koc) | : Not available. |
| Mobility | : Not available. |

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Other adverse effects : No known significant effects or critical hazards.

SECTION 13: Disposal considerations

| 13.1 Waste treatment meth | nods |
|---------------------------|---|
| Product | |
| Methods of disposal | : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. |
| Hazardous waste | : The classification of the product may meet the criteria for a hazardous waste. |
| Packaging | |
| Methods of disposal | : The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. |
| Special precautions | : This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Vapour from product residues may create a highly flammable or explosive atmosphere inside the container. Do not cut, weld or grind used containers unless they have been cleaned thoroughly internally. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. |

SECTION 14: Transport information

This Safety Data Sheet is written based on the encapsulated substance or mixture in this article. Since the hazardous ingredient is encapsulated, the risk of exposure by inhalation, ingestion, skin contact and eyes contact is minimum.

| | ADR/RID | IMDG | IATA | | |
|--|---|---|---|--|--|
| 14.1 UN number | UN3175 | UN3175 | UN3175 | | |
| 14.2 UN proper shipping name | SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Acetonitrile) | SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Acetonitrile) | Solids containing flammable liquid, n.o.s. (Acetonitrile) | | |
| 14.3 Transport hazard class(es) | 4.1 | 4.1 | 4.1 | | |
| 14.4 Packing group | II | II | 11 | | |
| 14.5 Environmental hazards | No. | No. | No. | | |
| Additional information ADR/RID : Hazard identification number 40 Limited quantity 1 kg Special provisions 216, 274, 601 Tunnel code (E) | | | | | |
| IMDG | : Emergency schedule Special provisions 2 | | | | |
| ATA : Quantity limitation Passenger and Cargo Aircraft: 15 kg. Packaging instructions: 445. Cargo Aircraft Only: 50 kg. Packaging instructions: 448. Limited Quantities - Passenge Aircraft: 5 kg. Packaging instructions: Y441. | | | | | |
| 14.6 Special precaut for user | | | n closed containers that are ne product know what to do in the | | |
| Date of issue/Date of revi | sion : 18/05/2022 Date of prev | <i>vious issue</i> : 17/04/2019 | Version : 3 11/14 | | |

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by UK REACH Regulation SI 2019/758 VariTide RPC in 70 percent acetonitrile - water - more than 10 ml

SECTION 14: Transport information

14.7 Transport in bulk: Not available.according to IMOinstruments

SECTION 15: Regulatory information

| 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture | | | | |
|--|--|--|--|--|
| EU Regulation (EC) No. 1907/2006 (REACH) | | | | |
| Annex XIV - List of substances subject to authorisation | | | | |
| Annex XIV | | | | |
| None of the components are listed. | | | | |
| Substances of very high concern | | | | |
| None of the components are listed. | | | | |
| <u>Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous</u> substances, mixtures and articles | | | | |
| Label : Not applicable. | | | | |
| Other EU regulations | | | | |
| Industrial emissions : Listed (integrated pollution prevention and control) - Air | | | | |
| Industrial emissions : Listed (integrated pollution prevention and control) - Water | | | | |
| Ozone depleting substances (1005/2009/EU) | | | | |
| Not listed. | | | | |
| Prior Informed Consent (PIC) (649/2012/EU) | | | | |
| Not listed. | | | | |
| Persistent Organic Pollutants Not listed. | | | | |
| Seveso Directive | | | | |
| This product is controlled under the Seveso Directive. | | | | |
| Danger criteria | | | | |
| Category | | | | |
| P5c | | | | |
| | | | | |
| International regulations | | | | |
| Chemical Weapon Convention List Schedules I, II & III Chemicals | | | | |
| Not listed. | | | | |
| Montreal Protocol Not listed. | | | | |
| Stockholm Convention on Persistent Organic Pollutants Not listed. | | | | |
| Rotterdam Convention on Prior Informed Consent (PIC) Not listed. | | | | |
| | | | | |

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

SECTION 15: Regulatory information

| | - | |
|---------------------------------|--|--|
| Inventory list | | |
| Australia | : 🕅 components are listed or exempted. | |
| Canada | : 🕅 components are listed or exempted. | |
| China | : All components are listed or exempted. | |
| Europe | : All components are listed or exempted. | |
| Japan | Japan inventory (CSCL): All components are listed or exempted. Japan inventory (ISHL): All components are listed or exempted. | |
| New Zealand | : 🗚 components are listed or exempted. | |
| Philippines | : Not determined. | |
| Republic of Korea | : 🗚 components are listed or exempted. | |
| Taiwan | : All components are listed or exempted. | |
| Thailand | : Not determined. | |
| Turkey | All components are listed or exempted. | |
| United States | Al components are active or exempted. | |
| Viet Nam | : Not determined. | |
| 15.2 Chemical safety assessment | : This product contains substances for which Chemical Safety Assessments might still be required. | |

SECTION 16: Other information

| Indicates information that has changed from previously issued version. | | | | |
|--|--|--|--|--|
| Abbreviations and acronyms | ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement N/A = Not available PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number vPvB = Very Persistent and Very Bioaccumulative | | | |

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

| Classification | Justification |
|---------------------------|-----------------------|
| F am. Liq. 2, H225 | On basis of test data |
| Acute Tox. 4, H302 | Calculation method |
| Acute Tox. 4, H312 | Calculation method |
| Acute Tox. 4, H332 | Calculation method |
| Eye Irrit. 2, H319 | Calculation method |

Full text of abbreviated H statements

| H225 | Highly flammable liquid and vapour. |
|---------------------------------|-------------------------------------|
| H302 | Harmful if swallowed. |
| H312 | Harmful in contact with skin. |
| H319 | Causes serious eye irritation. |
| H332 | Harmful if inhaled. |
| Full text of classifications IC | LP/GHS1 |

| Acute Tox. 4 Eye Irrit. 2 Flam. Liq. 2 | | ACUTE TOXICITY - Category 4 SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2 FLAMMABLE LIQUIDS - Category 2 |
|--|--------------|---|
| Date of issue/ Date of revision | : 18/05/2022 | |
| Date of previous issue | : 17/04/2019 | |
| Version | : 3 | |

Date of issue/Date of revision

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by UK REACH Regulation SI 2019/758 VariTide RPC in 70 percent acetonitrile - water - more than 10 ml

SECTION 16: Other information

Notice to reader

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.